Presented by

.....

.....193

22500031471

SIXTIETH

ANNUAL REPORT

OF THE

REGISTRAR GENERAL

FOR

SCOTLAND.

1914.

Presented to both Houses of Parliament by Command of His Majesty.

GLASGOW:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY JAMES HEDDERWICK & SONS LIMITED, ST. VINCENT PLACE.

To be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
WYMAN AND SONS, LIMITED, 29 BREAMS BUILDINGS, FETTER LANE, LONDON, E.C., and
28 ABINGDON STREET, LONDON, S.W., and 54 ST. MARY STREET, CARDIFF; or
E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1916.

[Cd. 8160.] *Price* 2*s.* 5*d.*

CONTENTS.

PAGE.

REPORT.

Introductory Letter, ... v
General Summary, ... vii
Population Estimates, ... viii
Births, ... ix
Marriages, ... xiii
Deaths, ... xv
Ages of those Dying, ... xviii
Causes of Death, ... xxii

APPENDIX I.

Fiftieth Annual Report on Vaccination (1913), ... xxxvii

APPENDIX II.

Additional Marriage Statistics for Year 1913, ... xl

APPENDIX III.

Weather Report for Year 1914, ... xlvi

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1914.

Table 1. Births, Deaths, and Marriages, 1855 to 1914, . . lxi
,, 2. Birth-, Death-, and Marriage-rates, 1855 to 1914, . . lxii
,, 3. Quarterly Returns of Births, Deaths, and Marriages, 1904 to 1914, ... lxiv
,, 4. Birth-, Death-, and Marriage-rates in Larger Burghs, . lxv
,, 5. Do. do. Smaller Burghs, . lxvi
,, 6. Do. do. County Districts, . lxx
,, 7. Do. do. Counties, . . lxxiii
,, 8. Birth-rate among Married and among Unmarried Women . lxxiv

MARRIAGES, 1913.

Table 9. Method of Celebration, etc., of Marriages, 1855–1913. Numbers, ... lxxv
,, 10. Method of Celebration, etc., of Marriages, 1855–1913. Percentages, ... lxxvi
,, 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855–1913. Numbers, ... lxxviii
,, 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855–1913. Percentages, ... lxxix
,, 13. Regular and Irregular Marriages, 1913, . . . lxxxi
,, 14. Church of Celebration of Regular Marriages, 1913, . . lxxxii
,, 15. Civil Condition of Persons Marrying, 1913, . . . lxxxiii

(3159) Wt. 20623/63. 750. 1/1916. H. & S. Ltd.

PAGE.

Table 16. Method of Signature of Marriage Registers, or Schedules, 1913, ... lxxxiv
,, 17. Ages of Men at Marriage, 1913, ... lxxxvi
,, 18. Ages of Women at Marriage, 1913, ... lxxxviii
,, 19. Age Distribution of Men and Women at Marriage, 1913, . xc
,, 20. Age Distribution of Men and Women at Marriage, 1855–1913, xc
,, 21. Ages in Combination of Men and Women at Marriage, 1913, xci
,, 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1913, ... xcii
,, 23. Ages in Combination of Bachelors and Widows at Marriage, 1913, ... xciii
,, 24. Ages in Combination of Widowers and Spinsters at Marriage, 1913, ... xciv
,, 25. Ages in Combination of Widowers and Widows at Marriage, 1913, ... xcv

DEATHS, 1914.

Table 26. Ages at Death—Quinquennial Age-Groups, . . . xcvi
,, 27. Death-rates—Quinquennial Age-Groups, . . . xcvi
,, 28. Percentage of Deaths in Quinquennial Age-Groups, . . xcvi
,, 29. Ages at Death, Single Years of Age, and Condition as to Marriage, ... xcviii
,, 30. Deaths in Age-Groups in Larger Burghs, . . . c
,, 31. Death-rates in Age-Groups in Larger Burghs, . . c
,, 32. Deaths by Age and Cause, ... ci
,, 33. Death-rates by Age and Cause, ... cii
,, 34. Percentage of Deaths from various Causes in Age-Groups, . ciii
,, 35. Deaths from various Causes—Scotland and Groups of Public Health Districts, ... civ
,, 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts, ... cv
,, 37. Deaths from various Causes—Larger Burghs, . . cvi
,, 38. Death-rates from various Causes—Larger Burghs, . . cvii
,, 39. Deaths from Principal Epidemic and certain other Diseases, 1855–1914. cviii
,, 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1914, ... cix
,, 41. Deaths and Death-rate from Puerperal Conditions, . . cxi
,, 42. Deaths from Malignant Disease, ... cxii
,, 43. Deaths from Suicide, ... cxiv
,, 44. Deaths from Poison, ... cxvi
,, 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months, . . . cxvii
,, 46. Deaths of Children of less than One Year, showing the Month of Registration of Death, ... cxvii
,, 47. Certified and Uncertified Deaths, ... cxviii

OTHER TABLES.

Table 48. Meteorology of Scotland, ... cxix
,, 49. Weather, and Weekly Death-rates, ... cxix
,, 50. Vaccinations in Scotland, 1903–1913, ... cxx
,, 51. Vaccinations in Scotland, deducting those dying before Vaccination, 1903–1913, ... cxx
,, 52. Deaths from Small-pox in Scotland, 1855–1913, with Vaccination Particulars, 1864–1913, ... cxxi
,, 53. Age Distribution of Deaths from Small-pox, 1855–1913, . cxxii

ABSTRACTS.

PAGE.
Summary for each Registration District, ... 1–41

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes, ... 42
Scotland—Males, ... 46
Scotland—Females, ... 50
Counties of Scotland—Both Sexes, ... 54
Scotland, by Month of Registration—Both Sexes, ... 70
Glasgow—Both Sexes, ... 74
Edinburgh do. 78
Dundee do. 82
Aberdeen do. 86
Paisley do. 90
Leith do. 94
Greenock do. 98
Middle Ward District of Lanark—Both Sexes, ... 102

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen, ... 106
Do. Argyll, ... 125
Do. Ayr, ... 138
Do. Banff, ... 158
Do. Berwick, ... 170
Do. Bute, ... 177
Do. Caithness, ... 182
Do. Clackmannan 185
Do. Dumbarton, ... 190
Do. Dumfries, ... 198
Do. Edinburgh (Midlothian), ... 210
Do. Elgin, ... 222
Do. Fife, ... 229
Do. Forfar, ... 261
Do. Haddington, ... 273
Do. Inverness, ... 282
Do. Kincardine, ... 293
Do. Kinross, ... 302
Do. Kirkcudbright, ... 304
Do. Lanark, ... 314
Do. Linlithgow, ... 326
Do. Nairn, ... 334
Do. Orkney, ... 336
Do. Peebles, ... 342
Do. Perth, ... 345
Do. Renfrew, ... 362
Do. Ross and Cromarty, ... 371
Do. Roxburgh, ... 383
Do. Selkirk, ... 392
Do. Shetland, ... 395
Do. Stirling, ... 398
Do. Sutherland, ... 407
Do. Wigtown, ... 409

METEOROLOGICAL ABSTRACTS, ... 416

REPORT

TO THE RIGHT HONOURABLE

THOMAS M'KINNON WOOD, M.P.,

His Majesty's Secretary for Scotland.

General Registry Office of Births, &c.,
EDINBURGH, 21*st December*, 1915.

Sir,

In compliance with the requirements of the Scottish Registration Act, 17 and 18 Vict., cap. 80, I have now the honour to submit a Report on the Registration Statistics of Scotland during the year 1914, along with three Appendices, one on the Vaccination of Children whose births were registered during the year 1913, another a Supplementary Report on the Marriage Statistics of the same year, and the third a Report on the Meteorology of the year 1914,—with which year the principal statistics herein dealt with are concerned. The main Report and the first two Appendices have been prepared by Dr. James Craufurd Dunlop, Superintendent of the Statistical Branch of this Department. The third Appendix has been prepared by Mr. A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

In submitting this Report, I may point out that the period elapsing between the closing of the registers dealt

with in it and its presentation is shorter than on any previous occasion, and comparatively short as the period has been, it would have been even shorter were it not that the routine work of the Statistical Branch has been interrupted and delayed by work arising in connection with the tabulation of the National Register.

I have the honour to be,

SIR,

Your most obedient Servant,

J. PATTEN MACDOUGALL,
Registrar-General.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1914.

In this Report, which deals more especially with the vital statistics of Scotland in the year 1914, the following, among other statistical facts, may be gathered :—

The estimated population of Scotland, which is based on the balance between the observed natural increase and the loss by emigration, is 4,747,167, and while greater than that of the previous year, 1913, by 19,035, is 13,737 less than the population in 1911 as ascertained by the last census.

Births registered during the year numbered 123,934, and though slightly more than in each of the years 1911, 1912, and 1913, are less than those in other recent years. They are 9591 fewer than in the year 1903.

The birth-rate of the year, 26·11, though somewhat higher than in the years 1911, 1912, and 1913, is lower than in all other previous years.

The births of illegitimate children are more than in the year 1913, but are less than the average during recent years. They numbered 8879. The illegitimate rate, 7·16 per cent. of the total births, is higher than in the previous year, but less than the mean of the rates of the preceding five years, and is greater than that of the preceding ten years.

The marriages registered numbered 35,049, which is more than in all previous years. The previous maximum number was 33,691 ; it occurred in 1913, and compared with that number the marriages of this year are 1358 more.

The marriage-rate was high. It was 7·38, and is higher than those of all previous years with the exception of 1865, 1872 to 1876, 1898, and 1899.

Deaths registered number 73,557, which is 488 more than in the previous year, but is less than the average during recent years.

The death-rate of the year was 15·49, and is higher than those of all years since 1909, but less than those of all other years.

The infantile mortality rate was 110·6 per thousand registered births. It is more than that of the year 1913, but less than the average during recent years.

Among causes of death which are found to have been less frequent than in recent years, typhus fever, whooping-cough, tuberculosis, and phthisis may be selected, while amongst those of greater than average frequency there were scarlet fever and diphtheria.

Continuing the custom of recent years, endeavour has been made to verify the age of all reputed centenarians dying. During this year such verification was found possible in two instances only. During the last five years the deaths of 64 reputed centenarians have been recorded in the registers; in 24 instances the age has been verified as over 100.

Appendix I. deals with the vaccination of children whose births were registered during the year 1913, and the most conspicuous statistical fact in it is the increasing frequency with which children escape vaccination by reason of the conscientious objection of their parents. Of children born in 1905 rather less than 6 children in a hundred remained unvaccinated at the age of compulsory vaccination, but of those born in 1913 more than 41 in a hundred remained so.

Appendix II. supplements the statistical information regarding marriages in Scotland registered during the year 1913. The more outstanding facts ascertained were a relatively high marriage-rate, one of 7·13 per thousand, and an average age at marriage lower than in recent years.

ESTIMATED POPULATION OF SCOTLAND, 1914.

The population of Scotland in the middle of the year 1913 was estimated at 4,728,132. The natural increase, the excess of births over deaths, between that date and the middle of 1914 amounted to 49,676, while during the same period there was a net loss of 30,641 by emigration, and the difference between these two figures, namely, 19,035, has been added to the estimated population of 1913 to get that of 1914, which was thus found to be 4,747,167. This estimated population, though 19,035 more than that of 1913, is 13,737 less than the population of Scotland as ascertained by the Census of 1911. *(Table 1.)*

The collective population of the larger burghs, those with censal populations exceeding 30,000, is estimated at 2,309,055; of the smaller burghs, those with censal populations of less than 30,000, at 931,031; and of the county, or extra-burghal, public health districts at 1,507,081. Compared with the estimates of the previous year that of the larger burghs is 47,345 more, but that of the smaller burghs is 15,487 less, and that of the county districts is

TABLE A.—Population of Scotland and its Groups of Public Health Districts.

Groups of Districts.	Census 1901.			Census 1911.			Estimated to 30th June 1914.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	1,016,408	1,089,571	2,105,979	1,075,273	1,170,192	2,245,465	1,106,211	1,202,844	2,309,055
Smaller Burghs	414,152	464,661	878,813	451,285	502,465	953,750	440,734	490,297	931,031
County Districts	743,195	744,116	1,487,311	782,281	779,408	1,561,689	755,232	751,849	1,507,081
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,839	2,452,065	4,760,904	2,302,177	2,444,990	4,747,167

12,823 less. The estimates of the collective populations of these burghs and of the county districts were made by the method described in the 57th Annual Report. In the compilation, allowances were made for alterations of burgh boundaries by extension, which alterations during the period affected the burghs of Dundee, Renfrew, St. Andrews, and Stromness, and the adjacent county districts, namely, Dundee District of Forfar, Lower Ward of Lanark (part now included in Burgh of Renfrew), St. Andrews District of Fife, and Mainland District of Orkney. The extension of Dundee included the Burgh of Broughty Ferry, which consequently is now no longer a separate burgh. Its estimated population is now included in the collective estimate of the larger burghs, and not in that of the smaller burghs as formerly.

The male population of the year is estimated at 2,302,177, and the female at 2,444,990, the former being 9231, and the latter 9804, more than in 1913.

BIRTH STATISTICS, 1914.

Births registered in Scotland during the year 1914 numbered 123,934. They are 3418 more than those registered in 1913, and 357 more than the mean of the numbers registered during the preceding five years, 1909 to 1913, but are 3476 less than the mean of the numbers of the ten preceding years, 1904 to 1913. These births number more than in the years 1911, 1912, and 1913, but less in all other previous years since 1890. A maximum number of births was registered in the year 1903, and compared with it this year's number is 9591 less. *(Table 1.)*

Of the children whose births were registered during the year, 62,974, or 50·8 per cent., were male, and 60,960, or 49·2 per cent., were female, the ratio of males to females being 103·3 to 100. The male births of the year are 1510 more than in the previous year, but 134 less than the mean of the numbers of the preceding five years, and 2053 less than the mean of those of the preceding ten years. The female children of the year are 1908 more than those of the previous year, and 491 more than the mean of the numbers of the five preceding years, but are 1423 less than the mean of those of the preceding ten years. The ratio of male to female children is lower

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1914.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegitimate. Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	61,201	57,093	4,108	26·50	24·72	1·78	6·71
Smaller Burghs .	23,588	21,906	1,682	25·34	23·53	1·81	7·13
County Districts	39,145	36,056	3,089	25·97	23·92	2·05	7·89
SCOTLAND . .	123,934	115,055	8,879	26·11	24·24	1·87	7·16

than in all years since 1905, when it was 103·2 to 100. In 1913 this ratio was 104·1, and in 1912 it was 105·1. *(Tables 1 and 2.)*

The birth-rate of the year was 26·11 per thousand of the estimated population. It was 0·62 more than that of the previous year, but is the same as the mean of those of the preceding five years, and 1·14 less than the mean of those of the preceding ten years. It is higher than the birth-rates of each of the three preceding years, but is less than those of all other previous years. The maximum birth-rate in Scotland occurred in the year 1876, and compared with it the birth-rate of this year is 9·51 less. The minimum Scottish birth-rate was that of 1913, and compared with it, as above stated, that of this year is 0·62 more. In all years previous to 1894 the Scottish birth-rate exceeded 30 per thousand; it fell below 30 for the first time in 1894; below 29 per thousand for the first time in 1905; below 28 in 1907; below 27 in 1910; and below 26 in 1911. *(Table 2.)*

The male birth-rate of the year, *i.e.*, male births per thousand of the estimated male population, was 27·35, and the female birth-rate, 24·93; the former being 0·54, and the latter 0·68, more than in the previous year.

In the counties, burghs included, the birth-rate of the year varied from 33·1 in Linlithgow, 29·5 in Lanark, 28·6 in Dumbarton, 28·5 in Renfrew, and 28·0 in Stirling, to 16·0 in Selkirk, 16·5 in Bute, 17·2 in Peebles, 17·5 in Shetland, and 17·7 in Roxburgh. In 1 county the birth-rate exceeded 30 per thousand; in 9 it was more than 25 but less than 30; in 11, more than 20 but less than 25; and in 12, more than 15 but less than 20. *(Table 7.)*

Births registered in the larger burghs, those with censal populations of over 30,000, numbered 61,201, constituted 49·4 per cent. of the total, and equal a birth-rate of 26·5 per thousand of the collective estimated population of them. They number 1892 more than in the previous year, and the birth-rate is 0·3 more. In these burghs taken individually the birth-rate of the year varied from 34·1 in Hamilton, 32·8 in Greenock, 31·6 in Clydebank, 31·4 in Coatbridge, and 31·2 in Motherwell, to 19·7 in Perth, and 19·9 in Edinburgh. In Glasgow this rate was 28·0; in Paisley, 27·6; in Leith, 26·9; in Falkirk, 26·4; in Ayr, 25·7; in Dundee, 25·2; in

---

TABLE C.—Birth-rate in Scotland and its Groups of Public Health Districts in 1914.

Groups of Districts.	Estimated Number of Women aged 15–45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–45.	
		Number.	Per cent. of Total.	Rate.	Relative Quantity, Scotland being=100.	Rate.	Relative Quantity, Scotland being=100.
Larger Burghs .	587,835	61,201	49·4	26·50	101·5	104·1	95·9
Smaller Burghs .	226,515	23,588	19·0	25·34	97·1	104·1	95·9
County Districts	328,089	39,145	31·6	25·97	99·5	119·3	110·0
SCOTLAND . .	1,142,439	123,934	100·0	26·11	100·0	108·5	100·0

Kirkcaldy, 25·0; in Kilmarnock, 24·8; and in Aberdeen, 24·6. In 5 of these burghs the birth-rate exceeded 30 per thousand; in 7 it was more than 25 but less than 30; in 2, more than 20 but less than 25; and in 2, less than 20. *(Table 4.)*

In the smaller burghs, those with censal populations of under 30,000, births registered during the year numbered 23,588, constituted 19·0 per cent. of the total, and equal a birth-rate of 25·3 per thousand. These births number 541 more than in the previous year, and this birth-rate is 0·9 above that of that year. Of these burghs, 167 have estimated populations of over 1000, while 35 have estimated populations of less than that amount. In the former, that is, in the smaller burghs with populations of over 1000, the birth-rate of the year in them varied from 38·0 in Armadale, 37·7 in Kilwinning, 37·4 in Port-Glasgow, 36·8 in Lochgelly, 36·1 in Wishaw, 35·8 in Loanhead, 35·6 in Tranent, 35·4 in Whitburn, and 35·0 in Buckhaven Methil and Innerleven, to 6·8 in Melrose, 9·7 in Charlestown of Aberlour, 11·2 in Jedburgh, 11·8 in Moffat, and 11·8 in Innerleithen. In 9 of these 167 burghs the birth-rate exceeded 35 per thousand; in 25 it was more than 30 but less than 35; in 26, more than 25 but less than 30; in 43, more than 20 but less than 25; in 48, more than 15 but less than 20; and in 16 it was less than 15. *(Table 5.)*

Births registered in the county, or extra-burghal, public health districts during the year numbered 39,145, constituted 31·6 per cent. of the total, and equal a birth-rate of 26·0 per thousand. These births are 985 more, and this birth-rate is 0·9 more, than in the previous year. In these districts taken individually the birth-rate varied from 37·0 in Bathgate District of Linlithgow, 36·5 in Middle Ward District of Lanark, 34·3 in Kirkcaldy District of Fife, 33·6 in Ayr District of Ayr, 31·8 in Dunfermline District of Fife, 31·1 in Central District of Stirling, and 30·5 in Lasswade District of Midlothian, to 11·5 in Arran District of Bute, 12·9 in Western District of Ross and Cromarty, 13·6 in Black Isle District of Ross and Cromarty, 14·4 in Mid-Argyll District of Argyll, and 14·9 in Islay District of Argyll, and in Highland District of Perth. In 2 of these county districts the birth-rate exceeded 35 per thousand; in 5 it was more than 30 but less than 35; in 23, more than 25 but less than 30; in 36, more than 20 but less than 25; in 33, more than 15 but less than 20; and in 6 it was less than 15. *(Table 6.)*

The Scottish birth-rate of the year expressed as per thousand of the estimated number of women of child-bearing age, 15 to 45, was 108·5, which is 2·6 higher than in the previous year. In the larger burghs this rate was 104·1; in the smaller burghs, 104·1; and in the county districts, 119·3. In the larger burghs taken individually this rate varied from 161·4 in Hamilton, 154·3 in Coatbridge, and 150·0 in Motherwell, to 71·0 in Edinburgh, 73·6 in Perth, 93·7 in Dundee, and 96·8 in Aberdeen. In Clydebank this rate was 143·4; in Greenock, 140·1; in Falkirk, 124·6; in Leith, 110·3; in Glasgow, 109·9; in Paisley, 105·2; in Kilmarnock, 101·1; in Kirkcaldy, 100·6; and in Ayr 99·5.

Of the 123,934 children registered, 115,055, or 92·84 per cent., were legitimate, while 8879, or 7·16 per cent., were illegitimate. The legitimate children number 3087 more than those of the

previous year, and 509 more than the mean during the preceding five years, but 3310 less than the mean during the preceding ten years. The illegitimate children number 331 more than in the previous year, but 152 less than the mean during the preceding five years, and 167 less than that during the preceding ten years. The illegitimate rate, expressed as per cent. of the total births of the year, is 0·07 more than that of the previous year, and 0·06 more than the mean of those of the preceding ten years, but is 0·15 less than the mean of those of the preceding five years. *(Tables 1 and 2.)*

The legitimate birth-rate of the year expressed as per thousand married women of ages between 15 and 45 was 236·4, which is 5·4 higher than in the previous year. In the counties, burghs included, this rate varied from 281·3 in Linlithgow, 263·3 in Caithness, 263·1 in Ross and Cromarty, 262·6 in Sutherland, and 261·3 in Banff, to 159·2 in Selkirk, 171·1 in Peebles, 173·7 in Roxburgh, 177·6 in Bute, and 179·8 in Berwick. In the larger burghs this rate ranged from 284·1 in Greenock, 274·8 in Hamilton, 266·3 in Coatbridge, and 250·6 in Paisley, to 181·4 in Edinburgh, 183·8 in Perth, and 206·2 in Kirkcaldy. *(Table 8.)*

The illegitimate birth-rate of the year expressed as per thousand single and widowed women of ages between 15 and 45 was 13·5, which is 0·4 more than in the previous year. In the larger burghs taken collectively this rate was 12·2; in the smaller burghs, 12·6; and in the county districts, 16·5. In the counties, burghs included, this rate varied from 27·5 in Elgin, 26·8 in Banff, 24·0 in Wigtown, 22·8 in Aberdeen, and 20·5 in Kincardine, to 6·1 in Kinross, 6·3 in Shetland, 6·7 in Selkirk, and 7·4 in Peebles. In the larger burghs taken individually this rate varied from 17·5 in Falkirk, 16·8 in Coatbridge, 16·2 in Hamilton, and 15·6 in Aberdeen, to 7·7 in Perth, 8·6 in Edinburgh, and 10·1 in Paisley. *(Table 8.)*

The illegitimate rate expressed as per cent. of the total births registered varied in the counties, burghs included, from 15·86 in Elgin, 14·73 in Wigtown, 12·99 in Aberdeen, 12·60 in Banff, 12·54 in Dumfries, and 12·09 in Kirkcudbright, to 3·87 in Kinross, 4·85 in Stirling, 4·97 in Dumbarton, and 4·99 in Renfrew. In 1 county this rate exceeded 15 per cent.; in 12 it was more than 10 but less than 15; in 16, more than 5 but less than 10; and in 4, less than 5. *(Table 7.)*

In the larger burghs taken collectively the same illegitimate rate was 6·71 per cent., which is 0·04 more than in the previous year. In them taken individually this rate ranged from 9·4 in Aberdeen, 9·1 in Dundee, and 7·9 in Edinburgh and in Kilmarnock, to 3·5 in Motherwell, 4·0 in Clydebank, 4·4 in Hamilton, and 4·9 in Coatbridge. In 12 of these burghs this rate was more than 5 but less than 10, in the remaining 4 it was less than 5. *(Table 4.)*

In the smaller burghs taken collectively this rate was 7·13, which is 0·11 more than in the previous year. In them taken individually, and excluding those with populations of less than 1000, this rate ranged from 33·3 per cent. in Rothes and in Charlestown of Aberlour, 31·3 in Old Meldrum, 28·6 in Laurencekirk, 24·1 in Rattray, and 23·1 in Dufftown and in Huntly, to 0 in Anstruther Easter, in Melrose, and in Ladybank. In 10 of these burghs the illegitimate rate exceeded 20 per cent.; in 13 it was more than 15

but less than 20; in 30, more than 10 but less than 15; in 67, more than 5 but less than 10; and in 47 it was less than 5: *(Table 5.)*

In the county, or extra-burghal, districts taken collectively the illegitimate rate was 7·89 per cent., which is 0·09 more than in the previous year. In them taken individually this rate varied from 24·5 per cent. in Huntly District of Aberdeen, 19·8 in Kelso District of Roxburgh, 19·7 in Alford District of Aberdeen, 19·7 in Southern District of Kirkcudbright, 18·8 in Rhins District of Wigtown, and 18·3 in Ellon District of Aberdeen, to 0 in Walls District of Orkney, 2·0 in Northern District of Kirkcudbright, 3·3 in Lower Ward of Lanark, 3·6 in Lews District of Ross and Cromarty, and 3·9 in Central District of Stirling. In 1 of these districts this rate exceeded 20 per cent.; in 16 it was more than 15 but less than 20; in 34, more than 10 but less than 15; in 39, more than 5 but less than 10; and in 15 it was less than 5. *(Table 6.)*

The birth registers record multiple births when at least two children are born alive, but take no note of multiple births in which no child or only one child survives birth. Thus twin births recorded in the registers are exclusive of those in which one or both of the children were still-born, and include triplet births in which one child was still-born, and triplet births so recorded only include those in which all three children survived birth. Twin births as thus recorded during the year numbered 1634, and triplet births, 16. Twin children registered numbered 3268, and triplet children, 48, the former being 214 more than in the previous year, while the latter are 15 fewer. Of the registered children, 120,618, or 97·32 per cent., were single; 3268, or 2·64 per cent., twins; and 48, or 0·04 per cent., triplets. The total accouchements recorded numbered 122,268, and in 120,618, or 98·65 per cent., there were single children; in 1634, or 1·34 per cent., twin children; and in 16, or 0·01 per cent., triplet children. *(Table 1.)*

The average number of births registered daily throughout the year was 340. This average varied from 373 in June, 363 in April, and 353 in May, to 317 in November, 320 in August, and 322 in September. In March this average was 346; in July, 346; in February, 341; in October, 337; in January, 335; and in December, 322. *(Table 48.)*

The birth-rate of the year in England and Wales was 23·8, and in Ireland, 22·6. Compared with the Scottish rate the former is 2·3, and the latter 3·5, less.

MARRIAGE STATISTICS.

The marriage statistics of the year 1914 fall to be dealt with partly in this Report and partly in the next Annual Report, the delayed portion dealing with the Church of celebration, the ages of those marrying, the numbers of illiterates, etc.

Marriages registered during the year 1914 numbered 35,049. They exceed the number registered in 1913 by 1358, the mean of the numbers registered in the years 1909 to 1913 by 3239, and the mean of those of the years 1904 to 1913 by 2985. It is the largest number of marriages ever registered in Scotland in a year, the previous largest being that of the previous year, 1913. The increase in the total number of marriages registered during the

year is largely accounted for by an increase in the number registered in the earlier months, and less so in the later months, *i.e.*, the increase was mostly before and not after the declaration of war on August 4. Thus the marriages registered in January to July numbered 21,796, and were 1329, or 6·5 per cent., more than in the previous year, while those registered in August to December numbered 13,253, and exceeded those of the previous year by only 29, or 0·2 per cent. *(Tables 1 and 48.)*

The Scottish marriage-rate of the year was 7·38 per thousand. It is 0·25 more than that of the previous year, 0·66 more than the mean of those of the preceding five years, and 0·52 more than the mean of those of the ten preceding years. The only other years since 1855, the commencement of national registration, in which the marriage-rate was higher were 1865, 1872 to 1876, 1898, and 1899. The maximum Scottish marriage-rate was in 1873, when it was 7·77 per thousand. *(Table 2.)*

In the counties, burghs included, the marriage-rate of the year ranged from 8·83 per thousand in Lanark, 8·44 in Midlothian, 7·59 in Forfar, 7·54 in Aberdeen, 7·01 in Ayr, and 7·00 in Dumfries, to 2·12 in Sutherland, 3·62 in Shetland, 3·75 in Ross and Cromarty, 4·09 in Bute, 4·72 in Argyll, 4·81 in Caithness, 4·88 in Inverness, and 4·95 in Nairn. *(Table 7.)*

In the larger burghs this rate ranged from 9·8 in Glasgow, 9·7 in Edinburgh, 9·4 in Aberdeen, and 8·9 in Perth, to 5·3 in Motherwell, 5·6 in Clydebank, 6·1 in Coatbridge, and 6·2 in Leith. In Greenock the marriage-rate of the year was 8·5; in Kilmarnock, 8·5; in Ayr 8·4; in Dundee, 8·3; in Falkirk, 7·3; in Paisley, 7·3; in Hamilton, 7·0; and in Kirkcaldy, 6·4. *(Table 4.)*

The marriage-rates in the smaller burghs and in the county districts are shewn in Tables 5 and 6. It is, however, very doubtful how far the rates there given are indicative of the frequency of marriage in those burghs and districts, and the same can also be said about the rates quoted above. That this should be so results from the custom of residents in the smaller burghs and the county districts going into the larger burghs to get married. the movement tending to increase the marriage-rates in the larger burghs and to diminish those in other burghs and in county districts. Local marriage-rates given in Tables 5 and 6 shew the frequency of marriages celebrated in those localities, but not of marriages contracted among their populations.

The average number of marriages registered daily throughout the year was 96. This average varied from 163 in June, 140 in January, 132 in July, and 110 in December, to 35 in May, 70 in October, 72 in February, and 73 in March. In April it was 104; in September, 95; in November, 80; and in August, 79. *(Table 48.)*

The marriage-rate of the year in England and Wales was 7·9, and in Ireland, 5·4. The former is 0·5 more, and the latter 2·0 less, than the Scottish rate.

DEATH STATISTICS.

Deaths registered in Scotland during the year 1914 numbered 73,557, and included those of 36,757 males, and of 36,800 females. Compared with the returns of the previous year, deaths of males are 253 more, of females 235 more, and of the two sexes combined 488 more. Compared with the mean of the numbers of the preceding five years, the deaths of males are 449 more, of females 300 more, and of the two sexes combined 749 more. Compared with the mean of the numbers of the preceding ten years, the deaths of males are 485 fewer, of females 690 fewer, and of the two sexes combined 1176 fewer. The deaths of the year are more than those of each of the years 1910 to 1913, but are fewer than those of all years 1897 to 1909. *(Table 1.)*

The 73,557 deaths registered include those of 50 persons dying in Scotland whose deaths were due to injury or disease received or contracted abroad or on the high seas when serving with His Majesty's Forces in the present war. These deaths, though included in the national statistics, are excluded from all local statistics. *(Tables 26 and 35.)*

The death-rate of the year is 15·49, which is 0·04 more than that of the previous year, and 0·11 more than the mean of those of the preceding five years, but is 0·49 less than the mean of those of the preceding ten years. It is higher than those of the individual years 1910 to 1913, but is lower than those of all other previous years since 1855. *(Table 2.)*

The male death-rate of the year per thousand of the estimated male population was 15·97, and the female death-rate per thousand of the estimated female population was 15·05. The former is 0·05 more than in the previous year, and 0·15 more than the mean of those of the five preceding years, but 0·45 less than the mean of those of the preceding ten years. The latter is 0·03 more than in the previous year, and 0·08 more than the mean of those of the five preceding years, but is 0·53 less than the mean of those of the ten preceding years. *(Table 2.)*

TABLE D.—Deaths in Scotland and its Groups of Public Health Districts in 1914.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths.	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,309,055	37,347	16·28	16·17	17·27
Smaller Burghs . .	931,031	14,485	14·98	15·56	15·16
County Districts . .	1,507,081	21,675	14·61	14·38	13·45
SCOTLAND . . .	4,747,167	*73,557	15·50	15·50	15·50

* *Vide* Note, Table 26.

When dealing with the statistics of sub-divisions of the country, this report gives three different death-rates. The first is the uncorrected, or crude, death-rate, and is based on the number of deaths registered in each district, or group of districts. The second is the corrected death-rate, and is based on the number of deaths occurring among the residents of each district, *i.e.*, the number registered corrected for the deaths of non-residents occurring within the district, or group of districts, and for the number of deaths of residents occurring, and registered, outwith the district, or group of districts. The third is the corrected or adjusted death-rate, which is the corrected death-rate adjusted by an arithmetical procedure to compensate for differences of age and sex distribution, and thus make the rates of the various districts comparable. Of the three death-rates the third, the corrected and adjusted rate, is the best for mutual comparison, while the second, the corrected rate, gives the best indication of the frequency of death in each population. The first, the crude rate, is of little statistical value.

In the counties, burghs included, the corrected death-rate of the year varied from 17·96 in Shetland, 17·29 in Caithness, 16·94 in Argyll, 16·94 in Sutherland, 16·75 in Orkney, and 16·65 in Wigtown, to 12·47 in Peebles, 12·77 in Haddington, 13·50 in Kincardine, 13·52 in Selkirk, 13·55 in Linlithgow, and 13·64 in Perth. In 2 counties this rate was more than 17 but less than 18; in 8, more than 16 but less than 17; in 9, more than 15 but less than 16; in 7, more than 14 but less than 15; in 5, more than 13 but less than 14; and in 2, more than 12 but less than 13. In 16 counties this rate was higher than the national rate, but in 17 it was lower. *(Table 7.)*

In the larger burghs the collective corrected death-rate was 16·17, which is 0·19 less than in the previous year. It is 0·68 more

TABLE E.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1914.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Greenock	18·4	−0·4	18·0	+0·3	18·3
Glasgow	16·8	−0·2	16·6	+1·6	18·2
Coatbridge	16·5	+0·2	16·7	+1·4	18·1
Paisley	15·9	−0·1	15·8	+1·7	17·5
Dundee	16·8	+0·1	16·9	+0·5	17·4
Ayr	19·6	−2·5	17·1	+0·2	17·3
Aberdeen	16·6	+0·3	16·9	+0·2	17·1
Clydebank	11·3	+3·0	14·3	+2·2	16·5
Edinburgh	16·4	−0·9	15·5	+0·6	16·1
Leith	13·8	+1·6	15·4	+0·7	16·1
Kilmarnock	15·0	−0·4	14·6	+1·3	15·9
Hamilton	13·4	+1·1	14·5	+1·2	15·7
Kirkcaldy	13·0	+1·8	14·8	+0·3	15·1
Motherwell	11·8	+1·2	13·0	+1·7	14·7
Falkirk	13·7	−0·8	12·9	+1·2	14·1
Perth	15·8	−2·0	13·8	−0·3	13·5

than the national death-rate. In these burghs taken individually the corrected death-rate of the year varied from 18·0 in Greenock, 17·1 inAyr, and 16·9 in Dundee and in Aberdeen, to 12·9 in Falkirk, 13·0 in Motherwell, and 13·8 in Perth. In Coatbridge this rate was 16·7; in Glasgow, 16·6; in Paisley, 15·8; in Edinburgh, 15·5; in Leith, 15·4; in Kirkcaldy, 14·8; in Kilmarnock, 14·6; in Hamilton, 14·5; and in Clydebank, 14·3. In 1 of these burghs this death-rate was 18 per thousand; in 1 it was more than 17 but less than 18; in 4, more than 16 but less than 17; in 3, more than 15 but less than 16; in 4, more than 14 but less than 15; in 2, more than 13 but less than 14; and in 1, more than 12 but less than 13. In 8 of these burghs the corrected death-rate was higher than the national rate, but in 8 it was lower. *(Table 4.)*

In the smaller burghs the corrected death-rate of the year was 15·56 per thousand, which is 0·14 more than in the previous year, and 0·07 more than the national death-rate, but is 0·61 less than the collective corrected death-rate in the larger burghs. In those of these burghs which have censal populations of more than 1000, this rate ranged from 26·0 in Laurencekirk, 24·0 in Auchtermuchty, 23·1 in Stromness; 21·7 in Kinghorn, 21·3 in Old Meldrum, 21·2 in Elgin, and 20·8 in Biggar and in Dufftown, to 6·9 in Alyth, 7·7 in Kingussie, 9·1 in North Berwick, 9·1 in Troon, 9·3 in Ballater, and 9·8 in Monifieth. In 1 the corrected death-rate exceeded 25 per thousand; in 12 it was more than 20 but less than 25; in 89, more than 15 but less than 20; in 59, more than 10 but less than 15; and in 6, less than 10. *(Table 5.)*

In the county, or extra-burghal, public health districts the collective corrected death-rate was 14·38. It is 0·26 more than in the previous year, but is 1·11 less than the national death-rate, 1·79 less than the corresponding rate in the larger burghs, and 1·18 less than in the smaller burghs. In these districts taken individually this rate ranged from 23·4 in South Ronaldshay District of Orkney, 22·0 in Mull District of Argyll, 21·3 in Mid-Ross District of Ross and Cromarty, 20·0 in Walls District of Orkney, and 19·9 in Ardnamurchan District of Argyll, to 9·8 in Northern District of Kirkcudbright, 10·0 in Black Isle District of Ross and Cromarty, 10·5 in Inverness District of Inverness, 10·8 in Brechin District of Forfar, and 11·0 in Stonehaven District of Kincardine. In 4 of these districts this rate exceeded 20 per thousand; in 30 it was more than 15 but less than 20; and in 70, more than 10 but less than 15; while in 1 it was less than 10. *(Table 6.)*

In the counties the corrected and adjusted death-rate, *i.e.*, the death-rates corrected for deaths of non-residents and for those of residents registered elsewhere, and adjusted to compensate for differences of age and sex distribution of population, varied from 17·49 in Lanark, 17·05 in Renfrew, 15·78 in Dumbarton, 15·78 in Forfar, 15·64 in Midlothian, and 15·51 in Ayr, to 12·05 in Peebles, 12·13 in Sutherland, 12·15 in Kinross, 12·21 in Kincardine, 12·22 in Orkney, and 12·25 in Perth. In 6 counties this rate exceeded the national death-rate, in 27 counties it was less than the national rate. *(Table 7.)*

In the larger burghs the collective corrected and adjusted death-rate was 17·27, which is 1·10 more than the corrected but unadjusted rate, and 1·78 more than the national rate. In these

burghs taken individually this rate varied from 18·3 in Greenock, 18·2 in Glasgow, 18·1 in Coatbridge, 17·5 in Paisley, and 17·4 in Dundee, to 13·5 in Perth, 14·1 in Falkirk, and 14·7 in Motherwell. In Ayr this rate was 17·3; in Aberdeen, 17·1; in Clydebank, 16·5; in Edinburgh, 16·1; in Leith, 16·1; in Kilmarnock, 15·9; in Hamilton, 15·7; and in Kirkcaldy, 15·1. In 12 of these burghs this rate exceeded the national death-rate, while in 4 of them it was less than that rate. *(Table 4.)*

In the smaller burghs taken collectively the corrected and adjusted death-rate was 15·16 per thousand. It is 0·40 less than the corrected but unadjusted death-rate, 0·33 less than the national death-rate, and 2·11 less than the corrected and adjusted death-rate of the larger burghs. In the smaller burghs with populations of over 1000 this death-rate varied from 21·5 in Kilwinning, 20·8 in Kinghorn, 20·7 in Whitburn, 20·7 in Port-Glasgow, 19·8 in Dumfries, and 19·6 in Maybole, to 5·7 in Alyth, 7·6 in Kingussie, 8·3 in Ballater, 9·0 in Tain, 9·2 in Monifieth, 9·4 in North Berwick, and 9·5 in Melrose. In 4 of these burghs—those with populations of less than 1000 excluded—this rate exceeded 20; in 70 it was more than 15 but less than 20; and in 81, more than 10 but less than 15; while in 12 it was less than 10. *(Table 5.)*

In the county, or extra-burghal, public health districts the collective corrected and adjusted death-rate was 13·45, which is 0·93 less than the corrected but unadjusted death-rate, 2·04 less than the national death-rate, 3·82 less than the corrected and adjusted death-rate in the larger burghs, and 1·71 less than that in the smaller burghs. In these districts taken individually this death-rate ranged from 17·3 in Dunfermline District of Fife, 16·6 in Middle Ward District of Lanark, 16·2 in Kilmarnock District of Ayr, 15·9 in Gala Water District of Midlothian, 15·7 in Mull District of Argyll, and 15·6 in South Ronaldshay District of Orkney, to 8·3 in Northern District of Kirkcudbright, 9·2 in Inverness District of Inverness, 9·5 in Brechin District of Forfar, 9·6 in Stonehaven District of Kincardine, and 10·0 in Bute District of Bute. In none of these districts did this rate exceed 20 per thousand; in 13 it was more than 15 but less than 20; and in 88, more than 10 but less than 15; while in 4 it was less than 10. *(Table 6.)*

The average number of deaths registered daily throughout the year was 202. This average varied from 247 in January, 226 in December, and 222 in February, to 170 in July and in August, and 180 in October. In March this average was 219; in April, 216; in November, 198; in May, 192; in June, 191; and in September, 189. *(Table 48.)*

The death-rate of the year in England and Wales was 14·0, and in Ireland, 16·4. The former is 1·5 less, but the latter 0·9 more, than the Scottish rate.

AGES OF THOSE DYING.

Of the 73,557 persons whose deaths were registered during the year, 13,710, or 18·6 per cent., were children of less than 1 year old; 7148, or 9·7 per cent., were more than 1 but less than 5 years old; 1887, or 2·6 per cent., were more than 5 but less than 10 years

old; 1244, or 1·7 per cent., were more than 10 but less than 15 years old; 3301, or 4·5 per cent., were more than 15 but less than 25 years old; 4074, or 5·5 per cent., were more than 25 but less than 35 years old; 5094, or 6·9 per cent., were more than 35 but less than 45 years old; 6429, or 8·7 per cent., were more than 45 but less than 55 years old; 8715, or 11·9 per cent., were more than 55 but less than 65 years old; 10,884, or 14·8 per cent., were more than 65 but less than 75 years old; and 11,064, or 15·0 per cent., were more than 75 years old. In 7 instances the age at death was not recorded in the registers. Comparison with the figures of the previous year, 1913, shews increases in age periods under 1, 25 to 35, and over 75, and smaller increases in age periods 1 to 5, 5 to 10, 10 to 15, and 35 to 45, and decreases in age periods 15 to 25, 45 to 55, 55 to 65, and 65 to 75, that in age period 65 to 75 being the greatest. *(Tables 26 and 28.)*

Comparison between the age distributions of the deaths of males and those of females during the year shews that among the deaths of males those at younger ages were relatively more frequent, while among those of females deaths at older ages were so. Thus among the deaths of males 20·9 per cent. were of children of less than 1 year old, and 10·1 per cent. were of children of over 1 but less than 5 years old, the corresponding percentages in the case of female deaths being 16·4, and 9·4. Deaths at ages 65 to 75 constituted 14·1 per cent. of those of males, and deaths at over 75, 12·1 per cent., the corresponding percentages in the case of female deaths being 15·5, and 18·0. *(Table 28.)*

The average age at death of all persons whose deaths were registered during the year—7 instances in which the age was not stated excepted—was 40·24 years; of all males, 37·87; and of all females, 42·61. Compared with the corresponding average of the previous year, that of the two sexes taken collectively is 0·6 less; of males, 0·3 less; and of females, 0·8 less.

Deaths of children of less than 1 year old numbered 13,710, and as the births of the year numbered 123,934, they are equal to an infantile death-rate of 110·6 per thousand births. This rate is 1·0 more than that of the previous year, and 1·9 more than the mean of those of the five preceding years, but is 2·3 less than the mean of

---

TABLE F.—Age-group Death-rates per 1000 in 1914 and 1913.

	1914.		1913.		Difference.	
	Male.	Female.	Male.	Female.	Male.	Female.
–1	140·9	112·5	122·8	107·6	+18·1	+4·9
1–4	17·4	16·4	16·9	16·5	+0·5	–0·1
5– 9	3·7	3·7	3·6	3·6	+0·1	+0·1
10–14	2·5	2·6	2·4	2·6	+0·1	...
15–24	3·9	3·6	3·8	3·8	+0·1	–0·2
25–34	5·7	5·4	5·4	5·3	+0·3	+0·1
35–44	8·6	8·4	8·5	8·2	+0·1	+0·2
45–54	15·8	13·2	14·7	13·1	+1·1	+0·1
55–64	33·3	26·2	29·8	26·5	+3·5	–0·3
65–74	66·5	53·5	60·5	54·9	+6·0	–1·4
75—	165·8	145·7	151·5	145·9	+14·3	–0·2

those of the preceding ten years. It is more than the rates of the years 1913, 1912, 1910, 1909, and 1907, but less than those of all other previous years since 1859. *(Tables 1 and 2.)*

Deaths of male children of less than 1 year old numbered 7684, and of female children of such age, 6026. The births of 62,974 male children, and of 60,960 female children, were registered during the year, and thus the male infantile death-rate is 122·0 per thousand births, and the female, 98·9. The male rate is 0·4 more than that of the previous year, and the female rate, 1·7 more. In 1913 the male infantile mortality rate exceeded the female rate by 24·4, in this year, 1914, it did so by 23·1.

In the counties, burghs included, the infantile mortality rate ranged from 122·7 in Banff, 122·0 in Lanark, 121·4 in Forfar, 114·0 in Nairn, 112·2 in Renfrew, 108·9 in Linlithgow, and 108·3 in Dumbarton, to 39·8 in Peebles, 46·2 in Sutherland, 50·5 in Argyll, 54·4 in Ross and Cromarty, 69·1 in Shetland, and 69·3 in Kirkcudbright. *(Table 7.)*

In the larger burghs taken collectively this rate was 123·8, which is 1·4 less than in the previous year, but 13·2 more than the national rate. In these burghs taken individually this rate ranged from 135 in Dundee, 135 in Ayr, 133 in Glasgow, and 133 in Paisley, to 80 in Perth, 98 in Falkirk, 99 in Leith, and 101 in Motherwell. In Aberdeen it was 121; in Coatbridge, 120; in Hamilton, 118; in Edinburgh, 110; in Clydebank, 109; in Greenock, 108; in Kirkcaldy, 106; and in Kilmarnock, 104. In 7 of these burghs the infantile mortality rate was more, and in 9 less, than the national rate. *(Table 4.)*

In the smaller burghs taken collectively the infantile mortality rate of the year was 107·6, which is 8·8 more than in the previous year, but is 3·0 less than the national rate, and 16·2 less than the rate in the larger burghs. In these smaller burghs which have populations of more than 1000, this rate varied from 261 in Ladybank, 227 in Cromarty, 217 in Auchtermuchty, 197 in Tayport, 196 in Portsoy, 192 in Dufftown, and 190 in Buckie, to 0 in Tain, Lockerbie, Kingussie, Anstruther Easter, and Innerleithen, and less than 25 in Kilrenny, Newport, Peebles, Pittenweem, and Burntisland. In 3 of these burghs this rate exceeded 200; in 8 it was more than 175 but less than 200; in 7, more than 150 but less than 175; in 29, more than 125 but less than 150; in 34, more than 100 but less than 125; in 35, more than 75 but less than 100; in 20, more than 50 but less than 75; in 20, more than 25 but less than 50; and in 10, less than 25. *(Table 5.)*

In the county, or extra-burghal, districts the collective infantile mortality rate of the year was 91·8, which is 0·2 less than in the previous year, 18·8 less than the national rate, 32·0 less than the collective rate in the larger burghs, and 15·8 less than that in the smaller burghs. In these districts taken individually this rate varied from 125 in Lasswade District of Midlothian, 123 in Middle Ward District of Lanark, 119 in South Ronaldshay District of Orkney, 118 in County District of Clackmannan, 113 in Dunfermline District of Fife, 111 in Walls District of Orkney, and 110 in Lockerbie District of Dumfries, to 12 in North Isles District of Shetland, 21 in Mid-Argyll District of Argyll, 21 in Lorn District of Argyll, 25 in Cowal District of Argyll, 25 in Deeside

District of Aberdeen, 30 in County District of Selkirk, and 30 in Lochaber District of Inverness. In 1 of these districts this rate was more than 125 but less than 150; in 17, more than 100 but less than 125; in 33, more than 75 but less than 100; in 36, more than 50 but less than 75; in 16, more than 25 but less than 50; and in 3 it was less than 25. *(Table 6.)*

Deaths of persons aged 70 years and upwards numbered 17,153, 7173 being of males, and 9980 of females. Deaths of males of these ages are 37 more than in the previous year, but those of females are 141 fewer, and those of the two sexes in combination are 104 fewer. The male death-rate at these ages was 121·8 per thousand of the estimated male population of like age; the female death-rate, 106·6; and that of the two sexes in combination, 112·5. Compared with the rates of the previous year the male rate is 0·1 higher, but the female rate is 2·0 lower, and that of the two sexes in combination is 1·1 lower.

Deaths of reputed centenarians numbered 14, 3 being of males and 11 of females. Continuing the practice of recent years, endeavours have in each case been made to verify the age at the time of death, and the result has been verification in two instances only, and contradiction in 2, the ages being found to be overstated, while in the remaining 10 instances no definite information could be found. The two centenarians of the year whose ages were verified were both women, the one was aged 100, and the other 101. During five years in which these researches have been made the deaths of 64 reputed centenarians have been recorded in Scotland, and of them in 24 instances the age has been proved to have been over 100, and in 7 proved to have been under 100, while in 33 instances satisfactory evidence of age was not found.

The death-rate of selected age periods in Scotland, in the larger burghs taken collectively, in the smaller burghs taken collectively, in the county districts taken collectively, and in the larger burghs taken individually, are collected in Tables 27 and 31. A comparison between the age-group death-rates in Scotland of this year, 1914, with those of the previous year brings out increases in age periods 5 to 10, 10 to 15, and 25 to 35, but decreases in all other age periods, the most marked being in age periods over 45. Comparison with the age-group death-rates of Scotland shews those of the larger burghs to be higher at all periods of life, except at age period 15-25, and especially so at ages under 5 and over 45; shews those of the smaller burghs to differ little, except in age-group 1 to 5, in which the rate of the smaller burghs is decidedly less than that of Scotland; and shews those of the county districts to be less in all age-groups. In Scotland and in each of the groups of burghs, and in the county districts, the minimum age-group death-rate is found in age-group 10 to 15; in Scotland this rate was 2·5; in the larger burghs, 2·7; in the smaller burghs, 2·4; and in the county districts, 2·4. The largest relative differences are found in age-group 1 to 5, the death-rate for that age-group in Scotland being 16·9; in the larger burghs, 21·2; in the smaller burghs, 14·6; and in the county districts, 11·9.

A comparison between the male and female age-group death-rates of Scotland shews that the male are higher than the female in all age-groups with the exception of age-group 5 to 10, in which

they are of the same amount, 3·7, and of age-group 10 to 15, in which the female rate, 2·6, exceeds the male by 0·1. *(Table 27.)*

A comparison between the age-group death-rates in the larger burghs taken individually shews very considerable variations. Taking, as examples, those of age-groups 1 to 5, 10 to 15, and 35 to 45, it is found that the death-rate in age-group 1 to 5 varies from 26·9 per thousand in Coatbridge, 24·4 in Glasgow, and 23·3 in Greenock and in Ayr, to 11·0 in Kilmarnock, 11·4 in Perth, and 11·8 in Falkirk. The age-group death-rate 10 to 15 is found to range from 4·0 in Aberdeen, 3·5 in Leith, and 3·3 in Clydebank, to 1·3 in Motherwell, and 1·9 in Coatbridge and in Falkirk. The 35 to 45 age-group death-rate varies from 10·9 in Clydebank, 10·4 in Kirkcaldy, and 10·1 in Dundee, to 6·6 in Motherwell, 8·4 in Edinburgh, and 8·7 in Paisley. *(Table 31.)*

CAUSES OF DEATH.

Of the 73,557 deaths registered in the year 1914, 72,336, or 98·3 per cent., were certified as to cause either by a registered medical practitioner or by a procurator-fiscal, while 1220, or 1·7 per cent., were not so certified. In the previous year 1·9 per cent. were uncertified, and the mean of these proportions in the preceding five years was also 1·9 per cent. This comparison shews some diminution in the proportion of deaths uncertified, but the comparison is not strictly fair, because the form of return on which this year's figures were based was not identical with that used in previous years. During recent years the proportion of deaths uncertified was calculated from numbers given in periodic returns, but this year's calculation was based on special returns furnished by registrars three months after the close of the year, and it is possible that some cases of late certification in previous years may have been counted as uncertified, which is a most unlikely occurrence in the returns of this year. *(Table 47.)*

TABLE G.—Deaths from Uncertified Causes, 1881-1914.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881 . .	7863	10·9	1898 . .	2459	3·1
1882 . .	7220	9·9	1899 . .	2425	3·0
1883 . .	7278	9·5	1900 . .	2757	3·4
1884 . .	6487	8·6	1901 . .	2392	3·0
1885 . .	6204	8·3	1902 . .	2180	2·8
1886 . .	5932	8·1	1903 . .	2058	2·8
1887 . .	5466	7·3	1904 . .	1893	2·4
1888 . .	5029	7·1	1905 . .	1741	2·3
1889 . .	4566	6·2	1906 . .	1727	2·3
1890 . .	4569	5·8	1907 . .	1796	2·3
1891 . .	4691	5·6	1908 . .	1654	2·1
1892 . .	4267	5·6	1909 . .	1552	2·1
1893 . .	3729	4·7	1910 . .	1396	1·9
1894 . .	3290	4·6	1911 . .	1135	1·6
1895 . .	3222	3·9	1912 . .	1362	1·9
1896 . .	2509	3·6	1913 . .	1401	1·9
1897 . .	3041	3·8	1914 . .	1221	1·7

In the counties, burghs included, the proportion of deaths uncertified as to cause varies within wide limits. In the year now under review, 1914, in Shetland this was 20·0 per cent.; in Sutherland, 17·6; in Inverness, 15·3; and in Argyll, 6·1; while in Clackmannan, Kirkcudbright, Linlithgow, and Selkirk all the deaths were certified and none uncertified. In Ayr, Berwick, Bute, Elgin, Kincardine, Kinross, Peebles, Roxburgh, and Wigtown, uncertified deaths numbered less than 5 during the year. In 21 out of the 33 counties uncertified deaths amounted to less than 1 per cent. of the total registered. *(Table 47.)*

In 71,838 instances the cause of death was specified either by certificate or by unqualified information, while in 498 instances the cause was not specified or merely stated as Natural Causes. In 1251 instances the specification of the cause of death was imperfect; these 1251 deaths including 13 specified as due to dropsy, 237 to syncope, 30 to sudden death not otherwise defined, 836 to heart failure, 11 to teething, and 124 to other ill-defined causes. In the previous year in 1382 deaths the cause was imperfectly specified. *(Pages 42-45.)*

Small-pox.—One death from small-pox was registered during the year. In the previous year there were none, but in the year 1912 there were 17. The total number of deaths from small-pox in Scotland during the past ten years is 35, in 3 of these years there having been none; in 3, 1 death; in 1, 4 deaths; in 1, 5 deaths; in 1, 6 deaths; and in 1, 17 deaths. *(Table 39.)*

Typhus Fever.—Deaths from typhus fever numbered 6. In the previous year these deaths numbered 7, and their average numbers during the preceding five and ten years were 13 and 14. This is the smallest number of deaths from typhus fever in Scotland in any year since 1865, which was the first year in which they were separately counted. From 1865 to 1871 they numbered more than 1000 annually, and were at a maximum of 3272 in 1865. Of the six deaths, 2 occurred in Glasgow, and 1 each in the burghs of Dundee, Greenock, Dumfries, and Arbroath. *(Tables 32-40).*

Enteric Fever.—These deaths numbered 225. They are 54 more than those registered in the previous year, but 15 less than the average number registered in the preceding five years, and 78 less than the average in the preceding ten years. Though more than registered in 1913, and also more than registered in 1912, they are fewer than registered in any other previous year. The death-rate from this cause was 5 per 100,000, which is 1 more than in the previous year, but is the same as the mean of those of the five preceding years, and 2 less than the mean of the preceding ten years. Of these deaths 114 were of males, and 111 of females. They were most numerous in age periods 15 to 25, and 25 to 35, those in the former amounting to 61, and in the latter to 64. *(Tables 32-40.)*

Measles.—Deaths from measles numbered 1458, 765 being of males, and 693 of females. These deaths are 129 more than in the previous year, but 16 less than the mean of the numbers of the five preceding years, and 106 less than the mean of those of the ten preceding years. The death-rate from this cause was 31 per 100,000, which is 3 more than that of the previous year, but is the same as the mean of those of the preceding five years, while it is 3

less than the mean of those of the preceding ten years. The male death-rate from measles was 33 per 100,000, and the female death-rate, 28. In the larger burghs taken collectively this death-rate was 39; in the smaller burghs, 23; and in the county districts, 23. In the larger burghs taken individually this rate ranged from 78 in Ayr, 75 in Hamilton, 59 in Coatbridge, and 50 in Paisley, to 4 in Aberdeen, 6 in Perth, 7 in Kirkcaldy, and 8 in Kilmarnock. The largest numbers of these deaths were among young children; of them, 371, or 25·4 per cent., were among children of less than one year old; 990, or 67·9 per cent., among children of more than one but less than five years old; while only 97, or 6·7 per cent., were among persons of more than five years old. The death-rate from measles among children of less than one year old was 343 per 100,000; among children of more than one but less than five years old, 234; and among those of more than five but less than ten, 12; and among persons older than ten, less than 2. Deaths from measles were most numerous in the months of March, January, February, and April, and least numerous in October, September, November and December. *(Tables 32-40, pages 70-73.)*

Scarlet Fever.—Deaths from scarlet fever numbered 815. They are 224 more than registered in the previous year, 289 more than the mean of the numbers in the preceding five years, and 419 more than the mean of those in the preceding ten years. It is the largest number in any year since 1899, but is smaller than in all years previous to 1888. The scarlet fever deaths of the year, even though more than those of recent years, are markedly fewer than those of the earlier years of registration; from 1855 to 1884 they never numbered less than 1000 annually, and exceeded 4000 in the years 1869, 1870, 1874, and 1875. The death-rate from this cause was 17 per 100,000, which is 5 more than in the previous year, 6 more than the mean of those of the preceding five years, and 9 more than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate was 20; in the smaller burghs, 13; and in the county districts, 15. In the larger burghs taken individually this death-rate varied from 51 in Aberdeen, 31 in Motherwell, and 22 in Glasgow and in Kirkcaldy, to 0 in Perth, 6 in Greenock and in Ayr, and 7 in Coatbridge. Of the 815 deaths from scarlet fever, 438, or 53·8 per cent., were of children of less than five years old; 234, or 28·7 per cent., of children of more than five but less than ten years old; 98, or 12·0 per cent., of persons of over ten but under twenty; and only 45, or 5·5 per cent., of persons of over twenty. Among children of less than one year old the scarlet fever death-rate was 42 per 100,000; among those of more than one but less than five, 93; among those of more than five but less than ten, 46; while in all older age periods it was smaller; in all age periods over thirty-five this rate did not exceed 1 per 100,000. These deaths were more numerous in the months of December, November, and January, and least so in the months of May, July, and August. *(Tables 32-40, pages 70-73).*

Whooping-cough.—Deaths from this cause numbered 1342, 636 being of males, and 706 of females. These deaths are 477 fewer than in the previous year, 419 less than the mean of the numbers of the preceding five years, and 603 less than the mean of those of the preceding ten years. In only one previous year, 1910, when

these deaths numbered 999, was the number of deaths from whooping-cough smaller. A maximum number of deaths from whooping-cough in Scotland occurred in 1887, when it was 3212, and compared with that number this year's is 1870 less. The annual death-rate from whooping-cough is 28 per 100,000, which is 10 less than in the previous year, 9 less than the mean of the rates of the preceding five years, and 14 less than the mean of those of the preceding ten years. This is the second year in which this rate has fallen below 30 per 100,000, the other being 1910 when it was 21. The maximum Scottish death-rate from this cause, 95, occurred in the year 1862. The collective death-rate from this cause in the larger burghs was 32 per 100,000; in the smaller burghs, 27; and in the county districts, 23. In the larger burghs taken individually this rate varied from 115 in Coatbridge, 50 in Glasgow, and 35 in Paisley and in Falkirk, to 2 in Leith, 4 in Edinburgh, 6 in Perth, and 7 in Aberdeen. Of the 1342 deaths from this cause the vast majority, 1306, occurred among children of less than five years old, while only 4 occurred among persons of over ten. The whooping-cough death-rate among children of less than one year old was 615 per 100,000; and among those of more than one but less than five, 151; in age-group 5 to 10 it was 6 per 100,000; and in older age-groups, 1 or less. *(Tables 32-40.)*

Diphtheria.—Deaths from this cause, including those certified as due to croup or to membranous laryngitis, numbered 901. They are 107 more than in the previous year, 20 more than the mean of the numbers of the preceding five years, and 79 more than the mean of these of the preceding ten years. Though these deaths when judged by a comparison with the averages of recent years are found to be more than normal, they are less numerous than in all years previous to 1896. From 1855 to 1896 these deaths were constantly more than 1000 annually, attaining a maximum of 3615 in 1863, but since 1897 they have been constantly less than 1000. The diphtheria death-rate was 19 per 100,000, which is 2 more than in the previous year, and 1 more than the mean of the rates of the ten preceding years, but is the same as the mean of those of the preceding five years. In the larger burghs taken collectively this death-rate was 22 per 100,000; in the smaller burghs, 16; and in the county districts, 16. In the larger burghs taken individually this death rate varied from 82 per 100,000 in Aberdeen, and 30 in Edinburgh, in Kirkcaldy, and in Clydebank, to 5 in Coatbridge, 6 in Falkirk, and 9 in Paisley and in Ayr. Of the 901 deaths from diphtheria 614 were among children of less than five years old, and 211 among those over five but under ten, while only 13 were among persons of over twenty-five. The death-rate from this cause in age period under 1 was 79 per 100,000; in age period over 1 but under 5, 125; in age period over 5 but under 10, 41; in age period over 10 but under 15, 10; and in older age periods, 2 or less. *(Tables 32-40.)*

Principal Epidemic Diseases Death-rate.—The foregoing infectious diseases, small-pox and typhus fever excepted, along with diarrhœas among children of less than two years old are for statistical purposes grouped as the principal epidemic diseases, and the joint death-rate from them during the year was 1·46 per thousand. In the larger burghs taken collectively this death-rate

was 1·74; in the smaller burghs, 1·23; and in the county districts, 1·15. In the larger burghs taken individually this rate varied from 2·5 per thousand in Coatbridge, 2·1 in Glasgow, and 2·0 in Aberdeen and in Hamilton, to 0·5 in Perth, 0·9 in Kirkcaldy, and 1·0 in Falkirk. Relatively high rates, all over 3 per thousand, occurred in the following smaller burghs, namely, Kilwinning, Lerwick, Lochgelly, Armadale, Fraserburgh, and Lochmaben. The county districts in which this rate was highest were Middle Ward District of Lanark, Dunfermline District of Fife, and Bathgate District of Linlithgow, in each of which this rate was more than 2 per thousand.

Other Infectious Diseases.—Deaths from infectious or epidemic diseases other than the foregoing included 230 from influenza (uncomplicated by pneumonia or other serious disease), 178 from erysipelas, 29 from cholera nostras, 19 from chicken-pox, 12 from dysentery, 8 from malaria, 4 from German measles, 4 from pellagra, 3 from actinomycosis, 3 from mumps, 2 from mycosis fungoides, and 1 each from leprosy, beri-beri, and sprue. (*Page 42.*)

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 7696, 4033 being of males, and 3663 of females. These deaths are 309 fewer than in the previous year, 770 less than the mean of the numbers of the preceding five years, and 1468 less than the mean of those of the preceding ten years. It is the smallest number of deaths from tubercle registered in Scotland since the institution of national registration, and that is since 1855. In 1870 and 1871 these deaths numbered more than 13,000, from then till

---

TABLE H.—Death-rate from Tuberculosis in 1914.

	Estimated Population	Death-rate per 100,000 from				
		All Tuberculosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND	4,747,167	162	104	21	18	19
Males	2,302,177	177	111	24	19	23
Females	2,444,990	150	97	19	17	17
Larger Burghs	2,309,055	188	120	27	20	21
Smaller Burghs	931,031	150	95	18	18	19
County Districts	1,507,081	131	85	14	14	18
Glasgow	1,053,926	199	130	30	21	18
Edinburgh	324,618	175	117	18	15	25
Dundee	176,584	213	144	24	22	23
Aberdeen	163,044	155	105	22	10	18
Paisley	86,593	147	95	13	16	23
Leith	80,241	185	110	34	17	24
Greenock	77,642	194	100	40	28	26
Coatbridge	43,658	215	98	41	46	30
Motherwell	41,337	165	80	53	17	15
Kirkcaldy	40,658	155	93	30	15	17
Hamilton	38,612	148	73	16	28	31
Clydebank	43,538	170	92	32	32	14
Perth	35,087	186	103	26	23	34
Kilmarnock	35,980	167	108	17	20	22
Falkirk	34,066	144	103	23	3	15
Ayr	33,471	188	125	30	21	12

1887 they were constantly over 10,000, they fell below 10,000 for the first time in 1888, below 9000 for the first time in 1910, and in this year for the first time below 8000. The death-rate from this cause was 162 per 100,000, which is 8 less than in the previous year, 18 less than the mean of those of the preceding five years, and 35 less than the mean of those of the ten preceding years. It is the lowest death-rate from tuberculous disease yet found, and is in marked contrast to the death-rates from this cause during the earlier years of registration. Previous to 1883 this rate was constantly more than 300, and attained a maximum of 404 in 1870. From 1883 to 1908 it ranged between 200 and 300; in 1909 it fell for the first time below 200; in 1910, below 190; in 1911, below 180; and this year, for the first time, below 170. The male death-rate from this cause was 177, and the female, 150; the former is 3, and the latter 10, less than in the previous year. *(Tables 32-40.)*

In the larger burghs taken collectively this death-rate was 188 per 100,000, or 9 less than in the previous year; in the smaller burghs, 150, or 3 less than in the previous year; and in the county districts, 131, or 5 less than in the previous year. *(Table 36.)*

In the larger burghs taken individually this death-rate varied from 215 in Coatbridge, 213 in Dundee, to 144 in Falkirk, 147 in Paisley, and 148 in Hamilton. In Edinburgh this rate was 175, and in Aberdeen, 155. *(Table 38.)*

Of the 7696 deaths from tuberculous disease, 4774 were ascribed to phthisis, 143 to acute phthisis, 65 to miliary tuberculosis, 1011 to tuberculous meningitis, 849 to abdominal tuberculosis, 143 to tuberculosis of the spine, 89 to tuberculous disease of joints, and 622 to other or unspecified forms of tuberculosis. Compared with the returns of the previous year, deaths from phthisis are 156 fewer; from acute phthisis, 30 fewer; from miliary tuberculosis, 19 fewer; from tuberculous meningitis, 82 fewer; from abdominal tuberculosis, 36 fewer; from tuberculous disease of the spine, 3 fewer; and from "other" forms of tuberculous disease, 11 fewer; but those from tuberculous disease of joints are 28 more. *(Page 42.)*

Deaths from phthisis, including those certified as due to acute phthisis, numbered 4917. They are 186 fewer than in the previous year, 537 less than the mean of the numbers of the preceding five years, and 1020 less than the mean of those of the preceding ten years. This is the smallest number of deaths from phthisis registered in any year since 1855, and is the first to be less than 5000. In 1870 and 1871 these deaths numbered more than 9000, and in comparison with such figures the number of this year shews great improvement. The death-rate from phthisis was 104 per 100,000, which is 4 less than that of the previous year, 12 less than the mean of those of the preceding five years, and 24 less than the mean of those of the ten preceding years. It is the lowest Scottish death-rate from phthisis since 1855. From 1857 to 1872 this rate was constantly more than 250 per 100,000, but since then has been falling. In 1887 it fell for the first time below 200; in 1902, below 150; in 1907, below 140; in 1909, below 130; in 1910, below 120; and this year, for the second time, is below 110. The male phthisis death-rate was 111 per 100,000, and the female, 97; the former being 2, and the latter 6, less than in the previous year. In the larger burghs taken collectively this death-rate was 120; in

the smaller burghs, 95; and in the county districts, 85. The larger burgh rate is 6, the smaller burgh rate 2, and the county district rate 2, less than in the previous year. In the larger burghs taken individually this death-rate ranged from 144 in Dundee, 130 in Glasgow, and 125 in Ayr, to 73 in Hamilton, 80 in Motherwell, and 92 in Clydebank. In Edinburgh this death-rate was 117; in Leith, 110; in Kilmarnock, 108; in Aberdeen, 105; in Perth, 103; in Falkirk, 103; in Greenock, 100; in Coatbridge, 98; in Paisley, 95; and in Kirkcaldy, 93. The death-rate from phthisis was higher in age-groups between 15 and 65 than in those at the extremes of life. In age-group 35 to 45 it was 168 per 100,000; in age-group 25 to 35, 164; in age-group 45 to 55, 146; in age-group 55 to 65, 131; in age-group 15 to 25, 127; in age-groups under 10 it was less than 25, and in those over 65 it was less than 70. Deaths from phthisis were most numerous in the months of March and April, and least so in October and August. *(Tables 32-40, page 70.)*

Deaths from tuberculous meningitis, which numbered 1011, are equal to a death-rate of 21 per 100,000, which is 2 less than that in 1913. In the larger burghs taken collectively this rate was 27; in the smaller burghs, 18; and in the county districts, 14. The male death-rate from this cause was 24; and the female, 19. In the larger burghs this death-rate varied from 53 in Motherwell, 41 in Coatbridge, and 40 in Greenock, to 13 in Paisley, 16 in Hamilton, 17 in Kilmarnock, and 18 in Edinburgh. The age-group death-rates from this disease are highest in the younger age periods and diminish as age advances. Among children of less than one this death-rate was 241; and among those of more than one but less than five, 110. In age-group 5 to 10 it was 26; age-group 10 to 15, 11; in age-group 15 to 25, 5; and in older age-groups, 3 or less. *(Tables 32-38.)*

Deaths from abdominal tuberculosis, which numbered 849, are equal to a death-rate of 18 per 100,000, which is 1 less than in the previous year. In the larger burghs taken collectively this rate was 20; in the smaller burghs, 18; and in the county districts, 14. In Coatbridge this rate was 46; in Clydebank, 32; in Greenock, 28; and in Hamilton, 28. In Falkirk it was 3; in Aberdeen, 10; in Edinburgh, 15; in Kirkcaldy, 15; and in Paisley, 16. The death-rate among children of less than one year old from this cause was 143 per 100,000, and among those of over one but under five, 75. In age-group 5 to 10 it was 22; in age-group 10 to 15, 14; and in all older age-groups, less than 10. *(Tables 32-38.)*

Malignant Disease.—Deaths from malignant disease numbered 5388, which is the largest number yet recorded in these reports. They are 176 more than in 1913, 388 more than the mean of the numbers of the five preceding years, and 716 more than the mean of those of the preceding ten years. This is the third consecutive year in which these deaths have numbered more than 5000. Previous to 1882 they numbered less than 2000 annually, from 1882 to 1895 they numbered between 2000 and 3000, from 1896 to 1904 between 3000 and 4000, and from 1905 to 1911 between 4000 and 5000, since when they have numbered more than 5000. Of these deaths 2199 were of males, and 3189 of females, the former being 62, and the latter 114, more than in the previous year. The general death-rate from this cause was 113 per 100,000, the male

death-rate, 96, and the female, 131. The general rate is 3 more than that of the previous year, 7 more than the mean of those of the five preceding years, and 13 more than the mean of those of the ten preceding years. The male death-rate from this cause is 3 more than in the previous year, and the female death-rate is 5 more. From 1855 to 1877 the malignant disease death-rate was constantly less than 50 per 100,000; in 1886 it rose for the first time over 60; in 1894, over 70; in 1898, over 80; and in 1905, over 90. Since 1909 it has been constantly over 100, and this year has attained a maximum of 113. In the larger burghs taken collectively this death-rate was 111 per 100,000; in the smaller burghs, 127; and in the county districts, 108. In the larger burghs taken individually relatively high cancer death-rates occurred in Edinburgh, 138; in Dundee, 131; and in Leith, 120; and relatively low rates in Hamilton, 73; in Motherwell, 87; and in Coatbridge, 89. In age-group of over 75 the malignant disease death-rate was 1163 per 100,000; in age-group 65 to 75, 775; in age-group 55 to 65, 497; in age-group 45 to 55, 223; in age-group 35 to 45, 81; and in younger age-groups, 15 or less. *(Tables 32-40.)*

Of the deaths from malignant disease, 3117 were ascribed to carcinoma, 249 to sarcoma, and 2022 to other or unspecified form of that disease. The first-named are 100; the second, 17; and the third, 59, more than in the previous year. *(Page 42.)*

The most frequent locations of malignant disease among males during the year, and the numbers so located, were:—Stomach, 567; Intestines, 308; Liver, 238; Rectum, 186; and Tongue, 111; and among females:—Stomach, 636; Uterus, 517; Intestines, 453; Breast, 437; Liver, 327; and Rectum, 147. *(Table 42.)*

Syphilis.—This was the ascribed cause of 227 deaths during the year, which is 14 more than in the previous year, 10 more than the mean of the numbers of the five preceding years, and 5 more than the mean of those of the ten preceding years. These deaths include those of 166 children of less than one year old, and 13 of children of more than one but less than five years old, the remaining 48 being persons of over 15. In addition to these 227 deaths there are 455 ascribed to the parasyphilitic diseases, 73 being certified as due to locomotor ataxia, 251 to general paralysis of the insane, and 131 to aneurism. In the previous year deaths from parasyphilitic diseases numbered 489, 88 being ascribed to locomotor ataxia, 264 to general paralysis of the insane, and 137 to aneurism. *(Tables 32-40, Pages 42-45.)*

Other General Diseases.—The foregoing causes of death are of a general rather than a local anatomical distribution, and in addition to them the following general diseases, among others, were the ascribed causes of death in the stated number of instances, namely:—Tumour (not malignant and of undefined situation), 51; Rheumatic Fever, 268; Chronic Rheumatism, Osteoarthritis, and Gout, 208; Diabetes, 525; Exophthalmic Goitre, 63; Leucocythæmia, 44; Lymphadenoma, 38; Anæmia and Chlorosis, 419; and Alcoholism, 206. Compared with the numbers of the previous year, the deaths from Tumour are 3 fewer; from Leucocythæmia, 2 fewer; and from Anæmia and Chlorosis, 18 fewer; but those from Rheumatic Fever are 34 more; from Chronic Rheumatism, Osteoarthritis, and Gout, 8 more; from Diabetes, 70 more; from

Exophthalmic Goitre, 17 more; from Lymphadenoma, 2 more; and from Alcoholism, 31 more. *(Pages 42-43.)*

Diseases of the Nervous System.—Deaths from diseases of the nervous system, including those of the eye and ear, numbered 9277, and are 168 more than in the previous year. They include 60 from cerebro-spinal meningitis, 1009 from other forms of meningitis, tuberculous excepted; 5297 from apoplexy and hemiplegia, 261 from epilepsy, 784 from convulsions, 150 from cerebral tumour, and 152 from diseases of the ear including those of the mastoid. Compared with the numbers in the previous years, deaths from cerebro-spinal meningitis are 6 fewer; from cerebral tumour, 39 fewer; and from diseases of the ear, 13 fewer; but those from meningitis, other than cerebro-spinal or tuberculous, are 39 more; from epilepsy, 2 more; from convulsions, 44 more; and from apoplexy and hemiplegia, 164 more. *(Page 43.)*

Diseases of the Circulatory System.—Deaths attributed to diseases of the circulation numbered 7955, and are 37 more than in the previous year. They include 6662 from diseases of the heart, 1220 from diseases of arteries, 34 from diseases of veins, and 39 from other circulatory diseases. Compared with the numbers of the previous year, deaths from diseases of the heart are 28 more; from diseases of arteries, 22 more; and from diseases of veins, 2 more; but those from other circulatory diseases are 15 fewer. Deaths from acute endocarditis numbered 197; from pericarditis, 69; from valvular disease of the heart, 2748; from fatty heart, 388; and from other organic disease of the heart, 2971; from arterio-sclerosis, 406; from cerebral embolism and thrombosis, 590; and from embolism and thrombosis other than cerebral, 86. *(Page 43.)*

Diseases of the Respiratory System.—Deaths from these diseases numbered 11,571, and are 277 more than in the previous year. Of them, 4729 were ascribed to bronchitis, 2307 to broncho-pneumonia, 3396 to other or unspecified form of pneumonia, 416 to pulmonary congestion, 274 to pleurisy, 159 to diseases of the larynx, 84 to asthma, and 206 to other diseases of the respiratory system. Deaths from pulmonary congestion are 8 fewer than in the previous year, and those from pleurisy are 11 fewer, but those from diseases of the larynx are 35 more, and those from asthma are 14 more. *(Page 43.)*

Bronchitis.—The deaths from this disease, which numbered 4729, are 67 more than in the previous year, but 74 less than the mean of the numbers of the five preceding years, and 232 less than the mean of those of the ten preceding years. They are equal to a death-rate of 100 per 100,000, which is 1 more than that of the previous year, but is 2 less than the mean of those of the five preceding years, and 7 less than the mean of those of the ten preceding years. In the larger burghs taken collectively this death-rate was 110; in the smaller burghs, 102; and in the county districts, 82. In the larger burghs taken individually this death-rate ranged from 139 in Kilmarnock, 123 in Glasgow and in Kirkcaldy, and 118 in Dundee, to 70 in Falkirk, 82 in Motherwell, 83 in Clydebank, and 85 in Edinburgh. The highest age-group death-rates from this disease are found in the youngest and oldest age periods. In age-group under one this death-rate was 872 per

100,000; in age-group 65 to 75, 588; and in age-group of over 75, 1517; while in age-groups between 5 and 35 it was 6 or less.

Pneumonia.—Deaths from this cause collectively numbered 5703, and included 2307 certified as due to broncho-pneumonia, and 3396 certified as due to other or unspecified forms of pneumonia. They are 152 more than in the previous year, but 476 less than the mean of the numbers in the five preceding years, and 778 less than the mean of those in the ten preceding years. The death-rate from this cause was 120 per 100,000, which is 3 more than in the previous year, but is 11 less than the mean of those of the five preceding years, and 19 less than the mean of those of the ten preceding years. In the larger burghs taken collectively this rate was 143; in the smaller burghs, 99; and in the county districts, 98. In the larger burghs taken individually this rate varied from 188 in Greenock, 164 in Falkirk, 162 in Glasgow, and 153 in Hamilton, to 98 in Kirkcaldy, 103 in Kilmarnock, and 104 in Paisley. Among children of less than one year old this death-rate was 1310 per 100,000; in age-group 1 to 5, 288; in age-group 55 to 65, 175; in age-group 65 to 75, 315; and in age-group over 75, 620; while in age-groups 5 to 35 it was 43 or less. *(Tables 32-40.)*

The collective death-rate of the year for bronchitis and pneumonia was 220 per 100,000, which is 4 more than in the previous year, but is 13 less than the mean of the rates of the preceding five years, and 26 less than the mean of those of the preceding ten years. In the larger burghs this rate was 253; in the smaller burghs, 201; and in the county districts, 180. In the larger burghs taken individually this collective death-rate varied from 301 in Greenock, 285 in Glasgow, 257 in Hamilton, and 242 in Kilmarnock, to 199 in Motherwell, 208 in Edinburgh and in Perth, and 209 in Ayr. *(Tables 32-40.)*

Diseases of the Digestive System.—Deaths from diseases of the digestive system numbered 5781, and are 179 more than in the previous year. Among others, they included 326 from gastric ulcer, which is 25 fewer than in the previous year; 629, or 53 more than in the previous year, from other diseases of the stomach; 453, or 15 more than in the previous year, from appendicitis; 518, or 54 more than in the previous year, from hernia or intestinal obstruction; 279, or 23 more than in the previous year, from cirrhosis of the liver; and 311, or 30 fewer than in the previous year, from gall-stones and other diseases of the liver. *(Page 44.)*

Diarrhœa.—Deaths from diarrhœas, including those certified as due to enteritis, gastro-enteritis, dysentery, and cholera nostras, numbered 2753. This is 105 more than in the previous year, 295 more than the mean of the numbers of the preceding five years, and is 53 more than that in the preceding ten years. The corresponding death-rate is 58 per 100,000, which is 2 more than in the previous year, and 6 more than the mean of the rates of the preceding five years, but is the same as the mean of those of the preceding ten years. Of the deaths from enteritis and gastro-enteritis 1835 were of children of less than one year old, which is 101 more than in the previous year. The births of 123,934 children were registered during the year, and these deaths correspond to a death-rate of 14·8 per thousand born, which is 0·4 more than in the previous year. In the larger burghs taken

collectively this death-rate was 17·8; in the smaller burghs, 13·1; and in the county districts, 11·1. In the larger burghs taken individually this rate ranged from 28·1 in Dundee, 19·7 in Hamilton, 19·5 in Glasgow, and 19·3 in Motherwell, to 5·8 in Perth, 6·9 in Kirkcaldy, 7·8 in Falkirk, and 8·7 in Clydebank. In Aberdeen this rate was 18·5; in Ayr, 17·4; in Paisley, 15·9; in Greenock, 15·7; in Kilmarnock, 15·7; in Leith, 13·4; in Edinburgh, 13·0; and in Coatbridge, 10·9. *(Tables 32-40, page 42.)*

Diseases of the Genito-Urinary System.—Deaths from these diseases numbered 2905, and are 51 more than in the previous year. They included 352 from acute nephritis, 1666 from Bright's disease, 110 from uræmia, and 109 from other diseases of the kidney. Deaths from diseases of the bladder and urethra numbered 297, and included 27 from urinary calculus; those from diseases of the prostate numbered 189; from diseases of the uterus, 98; and from other diseases of the male and female genital organs, 84. Compared with the numbers of the previous year, deaths from acute nephritis are 14 fewer; from Bright's disease, 77 more; from uræmia, 20 fewer; from other diseases of the kidney, 18 more; from diseases of the bladder and urethra, 27 more; from diseases of the prostate, 11 fewer; from diseases of the uterus, 7 fewer; and from other diseases of the male and female genital organs, 19 fewer. *(Page 44.)*

Diseases and Accidents of Pregnancy and Parturition.—These collectively numbered 746, which is 38 more than in the previous year. Registered births during the year numbered 123,934, and these deaths are equal to a rate of 6·0 per thousand births, which is 0·1 higher than in the previous year. In the larger burghs taken collectively this rate was 6·3; in the smaller burghs, 5·2; and in the county districts, 6·1. In the larger burghs taken individually this rate ranged from 10·5 in Ayr, 9·5 in Clydebank, 8·7 in Aberdeen, and 8·3 in Hamilton, to 0 in Kirkcaldy, and 5·1 in Leith and in Coatbridge. In Perth this rate was 7·2; in Motherwell, 7·0; in Greenock, 6·7; in Edinburgh, 6·5; in Paisley, 6·3; in Glasgow, 6·0; in Dundee, 5·8; in Kilmarnock, 5·6; and in Falkirk, 5.5. These deaths from diseases and accidents of pregnancy and parturition, among others, included 229 from puerperal septic conditions; 119 from albuminuria of pregnancy, including those certified as due to eclampsia; 90 from puerperal hæmorrhage; and 45 from abortion. Deaths from puerperal septic conditions are 69 more, and those from abortion are 10 more, but those from puerperal albuminuria are 15 fewer, and those from puerperal hæmorrhage are 25 fewer. *(Table 41, page 44.)*

Diseases of Skin and Cellular Tissue, including those from Senile Gangrene.—These deaths collectively numbered 568, and are 1 more than in the previous year. Deaths from senile gangrene numbered 240, or 11 fewer than in the previous year; from cancrum oris, 8, or 1 fewer than in the previous year; from other forms of gangrene, 37, or 16 fewer than in that year; from carbuncle and furuncle, 32, or 2 fewer; from acute abscess and phlegmon, 146, or 13 more; and from ulcer and other diseases of the skin and cellular tissue, 105, or 18 more than in the previous year. *(Page 44.)*

Locomotor System.—Deaths from diseases of the locomotor

system numbered 133, and included 104 from disease of bones, those of the mastoid excepted, 23 from disease of joints, and 6 others. Compared with the numbers of the previous year, these deaths collectively are 1 more; those from diseases of bones, 6 fewer; from diseases of joints, 6 more; and the "others," 1 more. *(Page 45.)*

Congenital Malformations.—Deaths ascribed to congenital malformations numbered 565, and are 34 fewer than in the previous year. *(Page 45.)*

Diseases peculiar to Early Infancy.—These deaths numbered 4793, and are 172 more than in the previous year. Among others, they included 2434 ascribed to premature birth, an increase of 49 over the figure of the previous year. *(Page 45.)*

Old Age.—Deaths from senile dementia and from senile decay collectively numbered 3674, 38 being ascribed to the former, and 3636 to the latter. These deaths collectively are 257 fewer than in the previous year, those from senile dementia being 39, and those from senile decay being 218, fewer. *(Page 45.)*

Violent Deaths.—Deaths attributed to violent, or unnatural, causes during the year numbered 3127, the equivalent death-rate being 65 per 100,000. These deaths are 3 more than in the previous year, 247 more than the mean of the numbers of the five preceding years, and 172 more than the mean of those of the preceding ten years. This death-rate is 1 less than in the previous year, but is 4 more than the mean of those of the preceding five years, and 1 more than the mean of those of the preceding ten years. The male death-rate from violence was 98 per 100,000; and the female, 35; the former is the same, but the latter is 1 less, than in the previous year. In the larger burghs taken collectively this death-rate was 67; in the smaller burghs, 62; and in the county districts, 65. In the larger burghs taken individually this death-rate ranged from 93 in Leith, 89 in Greenock, 86 in Hamilton, 80 in Coatbridge, and 77 in Dundee, to 39 in Perth, 42 in Kilmarnock, 51 in Motherwell, 54 in Paisley, and 55 in Edinburgh. *(Tables 32-40.)*

Of the 3127 deaths from violent causes, 2829 were ascribed to accident, 261 to suicide, 23 to war casualties, and 14 to homicide. Compared with the numbers of the previous year, deaths from accident are 8 fewer; and from suicide, 16 fewer; but those from homicide are 5 more. *(Page 45.)*

Of the 2829 accidental deaths, 511 were of children of less than 5 years old; 265, of those of more than 5 but less than 15; 295, of persons of more than 15 but less than 25; 328, of persons of more than 25 but less than 35; 341, of persons of more than 35 but less than 45; 360, of persons of more than 45 but less than 55; 314, of persons of more than 55 but less than 65; 209, of persons of more than 65 but less than 75; and 199, of persons of over 75. In 7 instances the age at death was not stated. Compared with the returns of the previous year, deaths by accident among children of less than 5 years old, and among persons of more than 25 but less than 35, are of the same number, but those persons of more than 15 but less than 25 are 55 fewer; of more than 35 but less than 45, 1 fewer; of more than 65 but less than 75, 36 fewer; and of more than 75, 7 fewer; while those of children of more than 5 but less

than 15 are 50 more; of persons of more than 45 but less than 55, 13 more; and of more than 55 but less than 65, 26 more. *(Table 32, and page 45.)*

Of the accidental deaths, 491 were due to drowning, 423 to burns and scalds, 149 to falls, and 110 to poison, the last including 16 ascribed to poisoning by food. Compared with the numbers in the previous year, accidental deaths by drowning are 66 fewer; by burning, 19 more; by falling, 15 more; and by poisoning, 5 more. Fatal accidents in coal pits and other mines numbered 104, which is 30 fewer than in the previous year; on railways, 149, or 9 fewer than in the previous year; with horses and horsed vehicles, 34, or 6 fewer than in the previous year; and with motor vehicles, 48, or 16 more than in that year. Deaths ascribed to weather agencies numbered 49, and are 8 fewer than in the previous year. Overlaying and other forms of suffocation were the ascribed cause of death of 179 children of less than one year old, these deaths being 22 more than in the previous year. *(Page 45.)*

Of the 110 deaths from accidental poisoning, 16 were due to poisoning by food, 29 to exposure to poisonous vapours, and 65 to other poisons. Of the last, 15 were caused by opium or one of its preparations, 9 by carbolic acid, 5 by strychnine, 4 by ammonia, 3 each by "irritant poison" and "liniment," 2 each by "narcotic" and caustic soda, chloroform, and phosphorus, and 1 each by hydrochloric acid, oxalic acid, alcohol, chloral, nitric acid, paraldehyde, copper sulphate, belladonna, camphor, chloral hydrate, boracic acid, arsenic, Easton's Syrup, corrosive sublimate, and poisonous berries. In three instances the nature of the poison was not stated. Of the 29 accidental deaths from exposure to poisonous vapours, included 17 from exposure to coal gas, 5 from exposure to carbonic oxide, 3 from exposure to the fumes from burning lime, 1 each from exposure to ammonia, benzine, and arsenurated hydrogen, and 1 other. *(Table 44.)*

In addition to the above 29 deaths from exposure to poisonous vapours there were 48 deaths during or following on the administration of an anæsthetic, and of which the anæsthetic may or may not have been the immediate cause. In 27 instances chloroform was the anæsthetic used; in 15 it was a mixture of chloroform and ether; in 2, ether; and in 2, ethyl chloride; while in 2 instances the anæsthetic was not specified. In the previous year, 1913, these deaths collectively numbered 48, those associated with chloroform numbering 27, and with a mixture of chloroform and ether 15, these three numbers being the same as in this year. *(Table 44.)*

Deaths attributed to suicide numbered 261, 207 being of males, and 54 of females. Compared with the figures of the previous year, these are 16 fewer, those of males being 1 fewer, and of females 15 fewer. Of the male deaths by suicide, 77 were by cutting, 63 by hanging, 23 by gunshot, 22 by drowning, 11 by poison, 5 on railways, 2 by precipitation, and 4 by other or unstated means. Of the female deaths by suicide, 20 were by hanging, 12 by cutting, 11 by drowning, 5 by poison, 3 by precipitation, and 1 each by gunshot, on a railway, and by other means. Of the 16 deaths by suicidal poisoning, 6 were by coal gas, 3 each by opium and by oxalic acid, and 1 each by turpentine, A.B.C. liniment, lysol, and "insect destroyer." *(Tables 43 and 44.)*

Relative Frequency of Some Causes of Death.—The following list shews in order of relative frequency some of the more important of the causes of death, the figures indicating the percentage of the total deaths registered attributed to the particular cause:—Tuberculosis, all forms, 10·45; Organic Heart Disease, 9·06; Pneumonia, all forms, 7·75; Malignant Disease, 7·33; Congenital Debility, Premature Birth, and Malformations, 6·77; Violence, 4·25; Nephritis and Bright's Disease, 2·89; Diarrhœas of Childhood (among children of under 2), 2·94; Measles, 1·98; Whooping-cough, 1·82; Meningitis other than Tuberculous, 1·37; Diphtheria, 1·22; Scarlet Fever, 1·11; Diseases and Accidents of Pregnancy and Parturition, 1·01; Diseases of Liver, other than Malignant, 0·80; and Appendicitis, 0·62. Of the total deaths from tuberculous disease, 63·89 per cent. were due to phthisis, 13·14 to tuberculous meningitis, 11·03 to abdominal tuberculosis, and 11·94 per cent. to other tuberculous disease. Deaths from phthisis amounted to 6·68 per cent. of the total deaths registered; those from tuberculous meningitis to 1·37; those from abdominal tuberculosis to 1·15; and those from other forms of tuberculous disease to 1·25. *(Table 34.)*

Detail Regarding Infant Deaths.—Additional details regarding these deaths are shewn in Tables 45 and 46. They numbered 13,710, 7684 being of males, and 6026 of females. Of them, 5431, or 39·6 per cent., were of children of less than one month old; 1286, or 9·4 per cent., of more than one but less than two months old; 993, or 7·2 per cent., of more than two but less than three months old; in all 7710, or 56·2 per cent., being of children of less than three months old. Deaths of children of more than three but less than six months numbered 2396, and constituted 17·5 per cent.; of more than six but less than nine months, 1822, or 13·3 per cent.; and of more than nine but less than twelve months, 1782, or 13·0 per cent. Compared with the numbers in the previous year, deaths under one month are 278 more; over one month but under two, 77 more; over two but under three, 34 more; and over three

TABLE I.—Monthly Mortality and Mean Temperature in Scotland during 1914, compared with the mean of the Ten Years 1901-1910.

Months.	Year 1914.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	38°·0	7,645	1,247	1,177	38°·0
February	41·5	6,224	1,015	1,079	37·7
March	40·0	6,785	1,107	1,149	39·9
April	47·4	6,486	1,058	1,096	43·2
May	48·7	5,965	973	1,036	48·7
June	55·5	5 718	933	916	54·0
July	57·9	5,274	860	873	56·8
August	57·7	5,276	861	863	55·8
September	53·5	5,669	925	830	53·1
October	48·6	5,578	910	889	47·6
November	42·5	5,926	967	976	41·2
December	37·3	7,011	1,144	1,116	38·5
Year	47·4	73,557	12,000	12,000	46·2

but under six, 111 more; but those over six but under nine are 3 fewer; and over nine but under twelve, 1 fewer. *(Table 45.)*

The most frequent causes of death among children of less than one year old, and the numbers of deaths caused thereby during the year, were premature birth, 2434; congenital debility, icterus, and debility, 1979; diarrhœa, 1835; pneumonia and congestion of the lungs, 1530; bronchitis, 942; whooping-cough, 665; convulsions, 599; tuberculosis, 511; malformations, 500; measles, 371; and basal meningitis, 365. Compared with the returns of the previous year, deaths of infants from congenital debility are 155 more; from bronchitis, 131 more; from pneumonia and congestion of the lungs, 120 more; from premature birth, 49 more; from convulsions, 46 more; from measles, 36 more; and from basal meningitis, 26 more; but those from malformations are 23 fewer; from tuberculosis, 39 fewer; and from whooping-cough, 171 fewer. *(Table 45.)*

Deaths of male infants exceeded in number those of female infants by 1658, and that is by 27·5 per cent. The causes of death which were markedly more numerous among male infants than among female, and the amounts of such excesses, were premature birth, 290; congenital debility, icterus, and sclerema, 269; pneumonia and pulmonary congestion, 196; bronchitis, 152; diarrhœa, 147; convulsions, 125; and tuberculosis, 109. *(Table 45.)*

The deaths of infants registered monthly varied from 1404 in January, 1345 in September, 1296 in February, 1288 in December, and 1239 in March, to 883 in July, 969 in June, and 979 in May. In April this number was 1108; in October, 1073; in November, 1072; and in August, 1054. Comparison with the corresponding figures of the previous year shews considerable excesses in September, 118; in February, 112; and in November, 100; and a considerable deficit, one of 100, in May. *(Table 46.)*

APPENDIX I.

FIFTIETH REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND.

This Report deals with the vaccination of children whose births were registered in Scotland during the year 1913, and who in ordinary course should have been vaccinated in that year or in 1914.

The registration of vaccinations shews that children reported to have been successfully vaccinated numbered 63,952; to be insusceptible to vaccination by reason of previous vaccination (*i.e.*, children whose statutory vaccination was not reported), 460; to be insusceptible by reason of constitutional insusceptibility, 424; to be insusceptible by reason of having had small-pox, 0; to have died before the age of statutory vaccination, 10,826; to remain unvaccinated by reason of the conscientious objection of their parents, 36,479; to remain unvaccinated by reason of postponement of vaccination by medical certificate, 2712; while in 5769 instances no report as to vaccination has been received, the children having been removed from the district of registration or otherwise unaccounted for. *(Table 50.)*

The vaccinated children of the year numbered 63,952, or including those certified as insusceptible by reason of previous vaccination, 64,412. The latter figure, the total number vaccinated, amounts to 53·4 per cent. of the total children whose births were registered, and to 58·7 per cent. of the total children surviving at the age of compulsory vaccination. The total number vaccinated, 64,412, is 5243 fewer than in the previous year, 1912, 29,432 less than the mean of the corresponding numbers of the preceding ten years, and 47,516 less than the corresponding figure of the year 1905, which is the last year unaffected by the passing of the amending Act of 1907 by which "conscientious objection" was made a bar to compulsory vaccination. Compared with the figure of the previous year that of this year is 7·5 per cent. less; with the mean of those of the ten preceding years, 31·4 per cent. less; and with that of 1905, 42·5 per cent. less. The percentage of the children alive at the age of compulsory vaccination who were vaccinated is 3·4 less than in the previous year, 21·3 less than the mean of the percentage of the ten preceding years, and 35·2 less than the percentage in 1905. Of children born in 1905 rather more than 6 children in a hundred remained unvaccinated at the age of compulsory vaccination, while of those born in 1913 more than 41 in a hundred did so. *(Tables 50 and 51.)*

The unvaccinated children—exclusive of those dying before the age of compulsory vaccination—numbered 45,384, and constituted 41·3 per cent. of the total. These children are 2951 more than in the previous year, 22,408 more than the mean of the numbers of the ten preceding years, and 38,027 more than in 1905. They are now fully six times as numerous as they were eight years previously. *(Tables 50 and 51.)*

Children remaining unvaccinated by reason of medical certificate of constitutional insusceptibility numbered 424. They are 30 fewer than in the previous year, and 239 less than the mean of the numbers of the ten preceding years. The only registration districts in which more than 3 in number and more than 2 per cent. were certified as constitutionally insusceptible were Coupar-Angus (6, or 10·5 per cent.), Inverkeithing (4, or 2·2 per cent.), Dunoon (3, or 2·2 per cent.), and Girvan (3, or 2·7 per cent.). The only counties in which the constitutionally insusceptible amounted to 1 per cent. were Dumbarton, Berwick, and Kirkcudbright, while in Sutherland, Nairn, Kincardine, Kinross, and Peebles, none were so certified. Kilmarnock is the only one of the sixteen larger burghs in which these children amounted to 1 per cent. of the total, while in five of these towns no children were so certified, these five being Paisley, Motherwell, Kirkcaldy, Perth, and Falkirk. *(Table 50.)*

Children reported to have remained unvaccinated by reason of removal from the district of registration, or otherwise having been lost sight of, numbered 5769, and constituted 5·3 per cent. of the children surviving at the age of compulsory vaccination. One apparent effect of the passing of the 1907 Amending Act was a large increase in the number of children unaccounted for, and the number in this year, 1913, though it is less than in all years between 1907 and 1912, is still markedly higher than in years previous to 1906. This year's number is 141 less than that of the previous year, but is 138 more than the mean of those of the ten preceding years, and 1755 more than in 1905, 1834 more than in 1904, and 1963 more than in 1903. The percentage these children constituted of the total surviving at the age of compulsory vaccination was 5·3, which is the same as in the previous year, but is 0·5 more than the mean of those of the ten preceding years. It is 1·9 higher than in 1905, 2·0 than in 1904, and 2·2 than in 1903. *(Tables 50 and 51.)*

The number of children remaining unvaccinated at the age of compulsory vaccination by reason of the conscientious objection of their parents was 36,479, and constitutes 33·2 per cent. of the total surviving at the age of compulsory vaccination. This is the largest number of such children yet recorded in Scotland. It is 1313 more than in the previous year, 1912; 6897 more than in 1911; 9525 more than in 1910; 13,733 more than in 1909; 20,633 more than in 1908; 29,221 more than in 1907; and 36,226 more than in 1906, which was the first year affected by the amending Act. Of the children born in the years 1906 to 1913 in Scotland, 172,284 remained unvaccinated by reason of such conscientious objection. These children now approximately amount to one-third of those surviving at the age of compulsory vaccination. In the counties the percentage of children remaining unvaccinated for this reason ranged from 79·9 in Shetland—where only 57 out of 443 surviving children were reported vaccinated—52·3 in Dumbarton, 50·8 in Orkney, 49·1 in Forfar, and 48·5 in Stirling and Selkirk, to 8·8 in Wigtown, 14·2 in Bute, 14·6 in Nairn, 14·8 in Elgin, 16·1 in Kincardine, and 16·4 in Argyll. In the larger burghs this percentage varied from 72·1 in Falkirk, 60·0 in Dundee, 58·0 in Clydebank, and 56·3 in Greenock, to 15·5 in Edinburgh, 21·1 in Ayr, 26·9 in Aberdeen, and 28·3 in Glasgow. In the

following registration districts no children were reported as successfully vaccinated, all remaining unvaccinated by reason of conscientious objections, namely:—Fetlar, North Yell, Nesting, Whalsay Skerries, Whiteness and Weisdale, Walls, Foula, North Ronaldshay, Strathoykel, and Dalavich. The foregoing figures show that the provisions of the 1907 Act are being increasingly taken advantage of, and the proportion of young children unprotected against small-pox by vaccination is still growing. *(Tables 50 and 51.)*

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1913.

A preliminary statement regarding the principal marriage statistics of the year 1913 was incorporated in the Fifty-Ninth Annual Report, along with full statistical information regarding the registered births and deaths of that year. But the statements then made were of necessity incomplete and provisional because full information regarding the marriages of the year was not available in the Department of the Registrar-General at the time when that report was written.

In the provisional statement the number of marriages registered was given as 33,691, and the marriage-rate as 7·13 per thousand. By the final revision and abstraction of the marriage registers the correct number of registered marriages is found to be 33,676, and as this number only differs from the provisional number by 15, all marriage-rates in the provisional statement may be accepted as correct. *(Table 1.)*

The marriage-rates of the year 1913 of Scotland, of the larger burghs, of the smaller burghs, of the county districts, and of the counties, burghs included, were given in Tables 2, 4, 5, 6, and 7, of the Fifty-Ninth Annual Report.

Of the 33,676 marriages registered, 30,625, or 90·94 per cent., were regular, *i.e.*, solemnised by a minister of some religious denomination after proclamation by banns, or after public notice at a registrar's office, while 3051, or 9·06 per cent., were irregular. The regular marriages of the year are 674 more than those of the previous year, 1912, 1553 more than the mean of the numbers of the five preceding years, and 841 more than the mean of those of the ten preceding years. The irregular marriages of the year are 496 more than those of the previous year, 730 more than the mean of the numbers of the five preceding years, and 905 more than that of the numbers of the preceding ten years. *(Table 9.)*

The irregular marriages of the year outnumber those of all previous years since the institution of national registration, and that is since 1855. The previous largest number occurred in 1911, and was 2607, and compared with that number this year's is 444, or 17 per cent., more. From 1855 to 1870 irregular marriages numbered less than 100 annually, and from 1871 to 1889 more than 100 but less than 1000. They numbered more than 1000 for the first time, in 1890; more than 1500 for the first time, in 1897; more than 2000, in 1902; more than 2500, in 1911; and more than 3000 for the first time in the year now under review. *(Table 9.)*

Of the 30,625 regular marriages, 14,328, or 42·5 per cent., were celebrated according to the rites of the Established Church of Scotland; 8480, or 25·2 per cent., according to those of the United Free Church; 335, or 1·0 per cent., according to those of the Free Church; 3960, or 11·8 per cent., according to those of the Roman Catholic Church; 1111, or 3·3 per cent., according to those of the

Episcopal Church; and 2411, or 7·2 per cent., according to those of churches of denominations other than the foregoing. Compared with the numbers in the previous year, Established Church marriages are 160 more; United Free Church marriages, 40 more; Roman Catholic Church marriages, 353 more; and Episcopal Church marriages, 147 more. Since 1900 Free Church marriages have been classed along with those of "Other denominations," and consequently separate figures for comparison are not available. *(Tables 9 and 14.)*

Of the total marriages registered, regular and irregular, 23,143, or 68·7 per cent., were celebrated according to the rites of one or other of the three Presbyterian churches, while 7482, or 22·2 per cent., were celebrated according to those of other churches, the remaining 9·1 per cent. being constituted by irregular marriages. Of the 30,625 regular marriages, 75·6 per cent. were celebrated according to the rites of the three Presbyterian churches, while those celebrated according to the rites of other churches constituted 24·4 per cent. *(Table 14.)*

In the counties, burghs included, Established Church marriages were relatively most numerous in Kirkcudbright, 71·5 per cent.; in Kinross, 71·4 per cent.; in Peebles, 70·7 per cent.; in Kincardine, 70·0 per cent.; in Berwick, 65·7 per cent.; and in Wigtown, 64·3 per cent.; and relatively least frequent in Ross and Cromarty, 22·2 per cent.; in Lanark, 32·9 per cent.; in Renfrew, 36·0 per cent.; in Shetland, 37·9 per cent.; in Haddington, 38·0 per cent.; in Inverness and in Sutherland, 38·8 per cent.; and in Caithness, 38·9 per cent. *(Table 14.)*

The relative frequency of United Free Church marriages varied from 46·9 per cent. in Orkney, 43·5 in Bute, 42·9 in Caithness, 38·7 in Shetland, and 37·5 in Ross and Cromarty, to 16·0 in Peebles, 16·8 in Kincardine, 19·5 in Kirkcudbright, and 20·4 in Argyll. *(Table 14.)*

The relative frequency of Free Church marriages ranged from 35·1 per cent. in Ross and Cromarty, 30·6 in Sutherland, and 18·6 in Inverness, to less than 1 per cent. in 25 counties; in 16 counties no Free Church marriages were registered. *(Table 14.)*

The relative frequency of Roman Catholic marriages varied from

TABLE J.—Regular and Irregular Marriages in 1913.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages. Established Church	14,328	6,642	7,686	42·5	34·1	54·1
United Free Church	8,480	4,798	3,682	25·2	24·7	25·9
Free Church	335	67	268	1·0	0·4	1·9
Roman Catholic Ch.	3,960	2,579	1,381	11·8	13·2	9·7
Episcopal Church	1,111	762	349	3·3	3·9	2·5
Other Denominations	2,411	1,699	712	7·2	8·7	5·0
Irregular Marriages	3,051	2,918	133	9·0	15·0	0·9
Total Marriages	33,676	19,465	14,211	100·0	100·0	100·0

22·1 per cent. in Renfrew, 20·6 in Dumbarton, 17·2 in Lanark, 13·2 in Linlithgow, 12·1 in Forfar, and 10·2 in Stirling, to 0 in Caithness, Kinross, Orkney, Ross and Cromarty, Shetland, and Sutherland. *(Table 14.)*

Marriages according to the rites of the Episcopal Church varied in frequency from 11·0 per cent. in Kincardine, 7·4 in Forfar, 6·1 in Midlothian, and 5·7 in Kinross, to 0 in Nairn, Selkirk, Sutherland, and Wigtown.

In the larger burghs, Established Church marriages were relatively most numerous in Ayr, 59·3 per cent.; in Kirkcaldy, 53·9; and in Leith, 51·7; and relatively least numerous in Coatbridge, 20·1 per cent.; in Paisley, 29·8; and Glasgow, 29·9. United Free Church marriages varied from 39·7 per cent. in Falkirk, 35·1 in Kilmarnock, and 34·3 in Perth, to 13·0 in Ayr, 18·2 in Hamilton, and 18·4 in Clydebank. Coatbridge is the only one of these burghs in which Free Church marriages amounted to over 1 per cent. of the total; in nine no Free Church marriages were registered. Roman Catholic marriages were most frequent in Coatbridge, 36·0 per cent.; in Greenock, 23·9; in Clydebank, 23·2; and in Paisley, 22·4; and relatively least numerous in Aberdeen, 2·2; in Kirkcaldy, 3·7; and in Perth, 4·3. Marriages of the Episcopal Church were relatively most numerous in Ayr, 11·0 per cent.; in Dundee, 9·0; and in Edinburgh, 7·6; and relatively least so in Paisley, 1·4; in Clydebank, 1·7; and in Glasgow, 2·1. *(Table 14.)*

Of the 30,625 regular marriages registered, 18,475, or 60·3 per cent., were celebrated after proclamation of banns in respect of both persons; 11,338, or 37·0 per cent., after public notice at an office of a registrar in respect of both persons; and 811, or 2·7 per cent., after banns in respect of one person and public notice in respect of the other. Compared with the returns of the previous year, marriages after banns in respect of both persons are 109 fewer; after public notice in respect of both persons, 728 more; and after banns in respect of one and public notice in respect of the other, 55 more. In the counties, proclamation by banns were relatively most frequent in Shetland, 90·3 per cent. of the regular marriages; in Wigtown, 98·8; in Berwick, 98·2; and in Kinross, 97·1. Proclamation by public notice was relatively most numerous in the counties of Lanark, where such was the case in 53·5 per cent. of the regular marriages; in Dumbarton, 45·1; in Renfrew, 44·8; and in Forfar, 43·5. Lanark is the only county in which proclamations by public notice outnumbered those by banns. *(Table 13.)*

Irregular marriages registered during the year numbered 3051, and constituted 9·1 per cent. of the total. Of them, the majority, 2918, were registered in the larger burghs, while only 133 were registered in the smaller burghs or in the county districts. Irregular marriages constituted 15·0 per cent. of the total marriages in the larger burghs, but only 0·9 per cent. of those in the rest of Scotland. In the larger burghs taken individually these marriages are found to have been relatively most numerous in Edinburgh, 21·4 per cent.; in Glasgow, 19·8 per cent.; in Aberdeen, 9·8 per cent.; in Perth, 7·9 per cent.; and in Dundee, 7·4 per cent. In Coatbridge and in Clydebank no irregular marriages were registered. *(Tables 9, 10, and 14.)*

Of the 3051 irregular marriages, 3049 were registered by Sheriff's warrant, and 2 by production of decree of declarator in the Court of Session.

Of the 33,676 marriages registered, 30,107, or 89·4 per cent., were between bachelors and spinsters; 803, or 2·4 per cent., between bachelors and widows; 1923, or 5·7 per cent., between widowers and spinsters; and 813, or 2·4 per cent., between widowers and widows. In 30 instances the previous conjugal condition of one or other of the contracting parties was not stated. The total number of bachelors married was 30,910; of widowers, 2736; of spinsters, 32,030; and of widows, 1616. These figures are exclusive of those of 30 marriages of which the conjugal condition of one or both of the contracting parties was not stated. Compared with the returns of the previous year, bachelors marrying are 946 more; widowers, 209 more; spinsters, 1045 more; and widows, 110 more. Of the men marrying, 91·8 per cent. were bachelors, 8·1 per cent. widowers, and 0·1 per cent. of unstated conjugal condition. Of the women marrying, 95·1 per cent. were spinsters, 4·8 per cent. widows, and 0·1 per cent. of unstated conjugal condition. *(Tables 11, 12 and 15.)*

Marriages of widowers were relatively most numerous—and conversely those of bachelors relatively least numerous—in Sutherland, 14·5 per cent.; in Shetland, 11·7 per cent.; in Kinross, 11·4 per cent.; in Elgin, 10·8 per cent.; in Bute, 10·5 per cent.; and in Lanark, 9·1 per cent. Marriages of widows were relatively most numerous—and conversely those of spinsters relatively least so—in the counties of Lanark, 6·5 per cent.; Midlothian, 5·8 per cent.; Elgin, 4·8 per cent.; Linlithgow, 4·7 per cent.; in Fife, 4·3 per cent.; and in Forfar, 4·0 per cent. In Kinross and Peebles no marriages of widows were registered during the year. *(Table 15.)*

Of the 67,352 persons married during the year, 66,704, or 99·0 per cent., signed the marriage registers, or the marriage schedules. by writing, and 648, or 1·0 per cent., by Mark. Of those signing by Mark, 270 were men, and 378 women. Compared with the numbers in the previous year, men using the Mark are 51 more, and women 59 more. Men using the Mark for this purpose constituted 0·8 per cent. of all men marrying, and the women, 1·1 per cent. of all women marrying, both percentages being 0·1 higher than in the previous year. Men using the Mark, though more than in the previous year, and also more than in 1911, are 16 less than the mean of the numbers of the five preceding years, and 127 less than the mean of those of the ten preceding years. Women using the Mark, though more than in the previous year, 1912, are fewer than in all other preceding years; they are 38 less than the mean of the numbers of the preceding five years, and 170 less than that of the preceding ten years. *(Tables 11, 12, and 16.)*

The numbers of men and women now using the Mark are in great contrast to those of fifty and twenty years ago. In 1863 men using the Mark numbered 2415, and constituted 10·9 per cent. of those marrying, while women using the Mark numbered 4915, and constituted 22·1 per cent. of those marrying. In 1893 men using the Mark numbered 734, and women, 1205; the former constituting 2·7 per cent., and the latter 4·4 per cent., of those marrying. *(Tables 11 and 12.)*

The relative frequency of the use of the Mark by men in the counties varied from 1·6 in Sutherland, 1·3 in Lanark, 1·2 in Linlithgow, and 1·0 in Dumbarton and in Inverness, to 0 in 13 counties. That of women using the Mark varied from 6·4 in Sutherland, 3·0 in Inverness, 1·8 in Lanark, 1·5 in Elgin, 1·4 in Ross and Cromarty, 1·2 in Wigtown, and 1·1 in Argyll and in Forfar, to 0 in 9 counties. In Bute, Kincardine, Kinross, Nairn, Orkney, Peebles, Selkirk, and Shetland, all persons marrying, both male and female, signed by writing. *(Table 16.)*

A comparison of the numbers of men and women in the counties using the Mark in this and in the previous year brings out the fact that the observed increase is accounted for by an increased number of them in Lanark. In 1912 in that county such men numbered 121, and such women, 172, and the excesses now found are 53 and 58. In the remainder of Scotland men using the Mark number 2 fewer than in that year, and women only 1 more.

The average age of all persons marrying during the year was 27·8; of all men, 29·2; and of all women, 26·4. Compared with the averages in the previous year, that of all persons is 0·3 less; of all men, 0·2 less; and of all women, 0·3 less. *(Tables 17 and 18.)*

The average age of all bachelors marrying during the year was 27·9, and of all widowers, 44·6, the former being 0·2, and the latter 0·5, less than in the previous year. The average age of bachelors marrying spinsters was 27·7, and of those marrying widows, 35·4; that of widowers marrying spinsters was 43·0, and of widowers marrying widows, 48·6. *(Tables 22-25.)*

The average age of all spinsters marrying during the year was 25·8, and of all widows, 40·2, both averages being 0·3 less than in the previous year. The average age of spinsters marrying bachelors was 25·2, and of those marrying widowers, 34·2; that of widows marrying bachelors was 36·6, and of widows marrying widowers, 43·7. *(Tables 22-25.)*

In the counties the average age of men at marriage varied from 35·3 in Sutherland, 33·1 in Inverness, 32·5 in Orkney and in Shetland, 32·4 in Bute, and 32·2 in Ross and Cromarty, to 27·5 in Fife and Linlithgow, 27·6 in Clackmannan, 28·1 in Ayr, and 28·3 in Haddington and in Renfrew. In 2 counties the average age of men at marriage was more than 33; in 4, more than 32 but less than 33; in 4, more than 31 but less than 32; in 5, more than 30 but less than 31; in 9, more than 29 but less than 30; in 6, more than 28 but less than 29; and in 3, less than 28. In the counties the average age of women marrying varied from 30·6 in Sutherland, 28·6 in Shetland, 28·5 in Orkney, 28·4 in Bute, and 28·3 in Ross and Cromarty, and 28·2 in Argyll, to 24·4 in Linlithgow, 25·2 in Clackmannan, 25·5 in Fife and in Kinross, and 25·7 in Ayr and in Stirling. In 1 county the average age of women at marriage was more than 30; in 0, more than 29 but less than 30; in 8, more than 28 but less than 29; in 10, more than 27 but less than 28; in 5, more than 26 but less than 27; in 8, more than 25 but less than 26; and in 1 less than 25. *(Tables 17 and 18.)*

In the larger burghs the average age of men at marriage varied from 30·9 in Perth, 30·6 in Edinburgh, 29·5 in Glasgow, and 29·3 in Aberdeen, to 27·6 in Clydebank, 28·0 in Hamilton, 28·2 in Paisley, and 28·3 in Coatbridge and in Falkirk. In these burghs

the average age of women at marriage ranged from 27·7 in Edinburgh and in Perth, 26·9 in Kirkcaldy, 26·8 in Dundee, and 26·6 in Glasgow, to 24·8 in Clydebank, 24·9 in Hamilton, 25·2 in Motherwell, and 25·4 in Coatbridge and in Falkirk.

The above-stated averages are all based on tabulations by single years of age, and not on the tabulation by grouped ages given in Tables 17 to 25.

The youngest males married during the year were 4 aged 16, 34 aged 17, 212 aged 18, and 586 aged 19. In all 836 males of under 20 appear in the marriage registers of the year. In the previous year, 1912, males marrying at 16 numbered 0; at 17, 24; at 18, 180; and at 19, 556; all under 20 thus numbered 760, which is 76 less than in the year now under review. The youngest girls married during the year were 1 aged 14, 6 aged 15, 86 aged 16, 493 aged 17, 1293 aged 18, and 1984 aged 19, all under 20 aggregating 3863, 93 of them being under 17. In the previous year brides of less than 20 numbered 3484, and those of under 17, 76. *(Table 21.)*

Men marrying when over 70 numbered 45, and women of more than that age, 13. The oldest bachelors of the year marrying were one aged 73, and one aged 74; they both married spinsters. The oldest widowers marrying during the year were one aged 79 who married a spinster, one aged 78 and one aged 80, both of whom married widows. The oldest spinsters marrying during the year were two aged 71, both of whom married widowers, and the oldest widows marrying during the year were two aged 74, one aged 75, and one aged 77, all of whom married widowers, and one aged 77 who married a bachelor. *(Tables 22-25.)*

In Tables 21 to 25 the ages of the men and women marrying during the year are shewn in correlation. In these tables it may be seen that in the vast majority of instances the difference of age between the two spouses is small, but that in a minority the difference of age was considerable. Among marriages in which the difference of age was considerable there were five of bachelors of under 21 with spinsters of over 30, and three of bachelors of under 25 with spinsters of over 40. One girl of 16 and one of 19 married bachelors of over 50. In seven instances bachelors of under 25 married widows of over 35, and in six instances bachelors of under 30 married widows of over 45. Four widowers of over 45 married spinsters of under 21, and one widower of under 50 married a widow of over 70, and one widower of over 70 married a widow of under 35. *(Tables 22-25.)*

APPENDIX III.

WEATHER OF THE YEAR 1914.

The following remarks on the weather of the year are the Notes made by Mr. A. Watt, M.A., F.R.S.E., under the direction of the Council of the Scottish Meteorological Society, which appear in the Registrar-General's Quarterly Reports :—

January was characterised by a very high mean pressure; a slightly high mean temperature, with a normal mean daily range; a somewhat low mean rainfall, and a slight excess of south-easterly winds.

The mean pressure was 29·994 ins., or 0·191 in. above the normal. Early in the month and during the last week or so the weather was of a disturbed cyclonic type, whilst from about 10th to 23rd, conditions were controlled more or less by a high-pressure area, with its centre over or near our Islands. At Leith, at sea-level, the extremes were 30·706 ins. on 13th, and 29·160 ins. on 5th, and pressure there was above 30 ins. from 1st to 3rd, from 10th to 16th, and from 18th to 23rd. In Shetland the extreme range was fully 2 ins., the readings at Lerwick varying from 30·88 ins. on 12th, to 28·87 ins. on 5th.

The mean temperature was 38°·0, or 0°·7 above the normal, the slight excess being equally well-marked by day and by night. At Nairn and in some Western districts there was a moderate temperature deficiency. The fluctuations of temperature throughout the month corresponded closely with the variations of pressure. The minimum occurred on 1st in most Eastern districts and in the extreme South, but from 2nd until about 9th the weather was of a mild south-westerly type. From 10th to 23rd the dominant high-pressure area was associated with light easterly winds, the temperature below the normal, with minimum readings for the month in many districts about 16th or 22nd. It is noteworthy that the cold in England at this time was much more severe than in Scotland, and for the week ending 24th, Aberdeen had a mean temperature fully 4° above that of Ventnor, and a maximum reading of 52° as compared with a maximum of only 42° for the Isle of Wight. During the last week of the month with strong south-westerly winds, temperature was much above the normal, with highest readings for the month in most districts on 25th or 31st. The extreme readings reported were 56° at Dumbarton on 24th, and at Logie Coldstone on 31st, and 8° at Logie Coldstone on 1st.

The mean rainfall was 3·32 ins., or 14 per cent. below the normal. Amounts were rather above the normal in some Central, Western, and Northern districts, with an excess of 20 per cent. or more at Stronvar, Poltalloch, Fort-William, Kingussie, Nairn, and Dunrobin; but, as a rule, there was a well-defined shortage. Some rather heavy falls occurred between 3rd and 10th, with more than 1 in. at Glenquoich on 3rd; at Lerwick on 7th; and at Lochbuie

and Poltalloch on 8th. In the East the 8th and 9th were the wettest days of the month, though few falls of as much as half an inch were reported, and at Dundee more than half of the month's small aggregate of about 1½ in. was accounted for from 8th to 10th. From 11th to 23rd, rainless conditions prevailed very generally, whilst from 24th onwards, the weather was extremely unsettled, with some very heavy falls in Western and Central districts. On 24th, Fort-William had 1¼ in., and Kinlochquoich nearly 2 ins.; on 25th, Fort-William as much as 3·22 ins. within twelve hours, and Glenquoich and Stronvar about 2¾ ins.; and on 30th, Glenquoich and Glen Etive nearly 3 ins., and Glencarron nearly 2 ins. In the East, however, amounts were at this time unimportant, and at Aberdeen the aggregate rainfall from 18th to 31st was only 0·19 in.

Early in the month the weather was very stormy, and on 22nd and 24th, and during the last two or three days, strong south-westerly gales again prevailed. On 5th a snowstorm of considerable severity was general, with a thunderstorm here and there in West and South, and on 6th snow continued to fall in some districts, rapidly disappearing within a day or two. Sunshine amounts were, as a rule, deficient, though fully equal to the normal at some places towards the North. A little coast fog occurred between 8th and 10th.

February was characterised by an abnormally low mean pressure; an abnormally high mean temperature, with a slightly high mean daily range; a high mean rainfall, and a very large excess of southerly and south-westerly winds.

The mean pressure of 29·401 ins. was as much as 0·455 in. below the normal, and a lower mean for February has been recorded during the last sixty years only in 1910, when the mean was as low as 29·364 ins. At the Azores the mean pressure for the month was about 30·1 ins., but in Iceland only about 29·1 ins., giving an abnormally steep gradient for south-westerly winds, and the weather was almost continuously under the influence of low-pressure systems moving on a north-easterly track. One of unusual depth and extent, with readings considerably below 29 ins., spread over our Islands from 22nd to 24th. At Leith, at sea-level, the barometer reached 30 ins. only on 27th, the extremes there being 30·042 ins. on that day and 28·520 ins. on the evening of 22nd.

The mean temperature was 41°·5, or 3°·3 above the normal, the days being 3°·5 and the nights 3°·1 above their respective averages. The excess was well-marked in all districts, and the month was much the mildest February since 1903, and with that exception the mildest since 1882. The first week, with a mean temperature in several districts fully 8° above the normal, was one of quite exceptional mildness, and the second was also very mild. During the latter half of the month the temperature excess, though decided, was less remarkable, and between 14th and 19th there were some fairly low readings in some districts. The actual lowest in screen for the month was 15° at Braemar on 19th, with an exposed reading of 9°, and minima were recorded over wide areas on that date, though in the South-East and South and at a few Western stations they occurred on 25th. Highest readings were

almost everywhere registered during the first two or three days of the month, the actual highest being 58° at Gordon Castle on 2nd.

The mean rainfall was 4·33 ins., or 41 per cent. above the normal. In the extreme South-East and round the fringe of the Moray Firth there was a shortage, Gordon Castle having less than 1 in. for the entire month, and at Edinburgh and Aberdeen there was practical agreement with the normal. In some Western, Southern, and inland districts, on the other hand, the month was abnormally wet. At Drumlanrig and Poltalloch the aggregates were more than twice the normal; at Cargen, Rothesay, Stronvar, Crieff, and Lednathie nearly twice; and at Poltalloch the month was the wettest February in a record which goes back to 1866. In North-Western and in some Western and Southern districts rain fell on every day until 23rd, but even in many of the relatively wettest areas the month was more remarkable for the frequency of the rainfall than for exceptionally heavy daily amounts. Towards the North-West, however, there were some very heavy falls. Thus Fort-William had 2·69 ins. on 1st, 1·07 in. on 2nd, and 1·25 in. on 5th; and Ardtornish about 1½ in. on 6th, 10th, and 20th. Elsewhere Stronvar had 2 ins. on 19th and 1 in. or more on 1st, 7th, 13th, and 14th; Colmonell 1 in. on 7th; and Leadhills 1½ in. on 20th, and fully 1 in. on 12th and 22nd. From 24th to 27th all but rainless weather was generally experienced, whilst during the first three weeks there had been in Eastern districts a good many days with little or no rain, though from 12th to 15th and from 20th to 22nd wet weather was experienced in all districts. At Edinburgh no day during the month had as much as ¼ in.

The weather was at times extremely stormy, especially early in the month, from 13th to 17th, and from 22nd to 24th. On 14th a severe thunderstorm occurred in some Western districts and here and there in the North, and thunder at Balmoral on 20th and 21st. On 14th snow and sleet occurred in Perthshire, and from 14th to 17th hailstorms of considerable severity were widely experienced. Sunshine amounts were in general more or less deficient, though about equal to the normal in the extreme North But little coast fog occurred. Auroras were observed at Baltasound on 12th, 17th, 19th; at Aberdeen on 19th, and at Butt of Lewis on 28th.

March was characterised by an abnormally low mean pressure; a slightly high mean temperature, with a mean daily range practically equal to the normal; a high mean rainfall; and an excess of winds from between south-west and north-west.

The mean pressure of 29·453 ins. was 0·356 in. below the normal, and a lower mean for March has been recorded during the last sixty years only in 1876. Weather over the Scottish area was again largely controlled by depressions moving in from the Atlantic, the deepest of these appearing on 6th, with a reading at Lerwick of 28·58 ins. At Leith, at sea-level, the barometer reached 30 ins. only on 28th, the extremes there being 30·047 ins. on that day, and 28·961 ins. on 6th.

The mean temperature was 40°·0, or 0°·4 above the normal, the slight excess being almost equally well-marked by day and by night. At most stations there was close agreement with the

normal, the individual differences ranging from an excess of 1°·4 at Paisley to a defect of 1°·1 at Nairn. It is noteworthy that the general mean was 1°·5 below that for the abnormally mild month of February, and in the Edinburgh area both days and nights had a mean 2° below that for February. During the first few days or so conditions remained decidedly mild, but thereafter until near the end of the month, with frequent winds from north-west, temperature was below the normal with some touches of wintry weather and minimum readings for the month in practically all districts on 9th and 10th. The lowest reading reported was one of 10° at Braemar on 9th. During the last two or three days mild conditions again prevailed, with highest readings for the month on 30th and 31st, the absolutely highest of 59° occurring at Stonehaven, Kirkcaldy, Smeaton, and Kelso on one or other of these days.

The mean rainfall was 4·33 ins., or 49 per cent. above the normal. In the North-West Highlands there was a shortage, but elsewhere amounts were, as a rule, considerably in excess. Lednathie and Drumlanrig had more than twice the normal, and an excess of 70 per cent. or more occurred at Dunrobin, at places on the East Coast between Montrose and Edinburgh, at Glasgow and at places in the Lower Clyde area, at Pinmore, and at Cargen. At Edinburgh more rain fell than in any month since March 1913, which was in many districts a considerably wetter month. In West, North-West, and North rain fell somewhat heavily during the first five or six days, with a few daily amounts of about 1 in. in the North-West; and between 11th and 20th, and again from 28th to 31st conditions were very unsettled. On 13th, Greenock, Leadhills, and Drumlanrig had about 1 in.; on 14th, Stronvar and Leadhills rather more than 1 in.; on 20th, which was the wettest day of the month in Eastern districts, Montrose and Kettins about 1 in.; and on 30th Fort-William 1·09 in. In some districts but little rain was recorded from 6th to 10th, and from 21st to 27th.

The weather was at times very stormy, especially on 6th, when a gale from between West and North-West was general, from about 15th to 17th, and on 20th and 21st. Wintry conditions, with snow, sleet, and hail, were experienced more or less widely on various days between 6th and 13th, and between 16th and 19th. A thunderstorm occurred in some Western districts on 3rd, and in South-Eastern and Southern districts on 18th and 19th. Sunshine amounts were above the normal at Strathpeffer, Fort-Augustus, and Edinburgh, but in many districts slightly deficient. But little coast fog occurred. An aurora was observed at Deerness on 17th.

April was characterised by a slightly high mean pressure; an abnormally high mean temperature, with an abnormally high mean daily range; a slightly low mean rainfall, and a large excess of winds from the south-west and west.

The mean pressure was 29·919 ins., or 0·036 in. above the normal. During the first twelve days, with low-pressure systems centred at first off the West of Ireland and then off the North of Scotland, conditions were very unsettled, as had been the case throughout the whole of March, and on 5th and 6th pressure was below 28·8 in the Shetlands and Hebrides. From 13th onwards the weather over

our Islands was almost continuously controlled by an extensively high-pressure area, though from 22nd to 24th a low-pressure system to the North affected Scotland. At Leith, at sea-level, pressure remained above 30 ins. from 14th to 30th, with readings as high as 30·5 ins. on 15th and 26th, the extremes there being 30·509 ins. on 26th and 29·031 ins. on 6th.

The mean temperature was 47°·4, or 3°·3 above the normal, the days being 4°·6 and the nights 2°·0 above their respective averages, and since observations were first organised in 1856 so warm an April has been recorded only in 1896. During the first twelve days or so strong south-westerly and westerly winds maintained a mild and equable type of weather, although in several districts the lowest readings of the month occurred from 8th to 10th, Balmoral registering 23° in the shade on 9th. From 14th onwards the weather was remarkably dry and sunny, and the mean temperature much above the normal, but with very high day readings there alternated low night temperatures as a consequence of active terrestrial radiation, and the daily range was at that time abnormally large. For the week ending 25th, several districts had mean temperatures above the average by 7° or 8°, and highest readings for the month occurred widely on 21st, when Gordon Castle, Perth, and other stations reached 75° and Logie Coldstone (Loanhead) 76°. On 19th temperature in the screen at West Linton fell to 25°, but the lowest readings for the month occurred, as a rule, about 15th, although the actual lowest was that already noted at Balmoral on 9th. On 30th, with a damp easterly wind, there was a considerable fall of temperature.

The mean rainfall was 1·97 in., or 13 per cent. below the normal. Towards the North-West and in some Western districts there was a large excess, due to some exceptionally heavy falls. Early in the month, and at Bendamph (Loch Torridon), Fort-William, and Inveraray, the excess was more than 80 per cent. Elsewhere there was a decided shortage; considerable areas had much less than half their normal amounts; many stations aggregates of less than 1 in., and Fortrose only half an inch. From 5th to 12th very heavy falls occurred towards the North-West, heavy falls in West, and moderately heavy falls in South. Thus Kinlochquoich had about 3 ins. on both 5th and 11th, 1½ in. on 6th, and 1 in. on 9th, with an aggregate for 8 days of 9¾ ins. The most widespread heavy falls occurred on 5th, 9th, and 12th. On 12th Glen Etive had fully 3 ins., Glencarron and Lochbuie (Mull) nearly 2 ins., and Greenock 1·40 in. During this period moderate amounts were registered in the East on 4th, 5th, and 9th. From 14th onwards practically rainless weather was experienced except for some moderate falls on 22nd or 23rd and trifling falls on 30th. Within the area of greatest deficiency the month's aggregates were largely accounted for on three or four days, and Fortrose had a daily amount of more than 0·10 in. on 23rd only. At several Eastern stations there were merely one or two nominal falls after 9th.

Between 6th and 12th wind force was high, reaching a gale at times, otherwise wind movement was slight except about 23rd. On 5th a thunderstorm occurred in Midlothian, West Lothian, and part of Fife, and on 9th one of considerable intensity was somewhat widely experienced, though not in North, North-West, and South,

and a church at Blackford in Perthshire was severely damaged. Hail occurred somewhat widely on various days. Sunshine amounts were much above the normal except in North and North-West, and towards the South-East amounts were remarkable. At Marchmont, in Berwickshire, there were as many as 13 days with records of 10 hours or more of sunshine, and the aggregate of 235 hours exceeded by an average of one hour per day that for any April back to 1881, when the Campbell-Stokes recorder came into use. The third week was the sunniest period, though the actually longest records were accounted for on 27th and 28th, the total at Perth for the former day being almost 14½ hours. Hardly any coast fog was reported.

May was characterised by a rather high mean pressure; a mean temperature in close agreement with the normal, with a slightly low mean daily range; a mean rainfall in close agreement with the normal; and a considerable excess of winds from between south-west and north-west.

The mean pressure was 30·012 ins., or 0·068 in. above the normal. On 5th and 6th, and again on 7th and 8th, low-pressure systems crossed our area, and the latter of these especially was accompanied by stormy weather. From 12th onwards conditions of a quiet anti-cyclonic type were interrupted only on 22nd and 23rd, when a depression over the North Sea was associated with northerly winds. At Leith, at sea-level, pressure was above 30 ins. on 1st, 2nd, and 12th, and almost continuously from 14th to 30th, the extremes there being 30·416 ins. on 19th and 29·261 ins. on 8th.

The mean temperature was 48°·7, or 0°·3 below the normal, the days being 0°·7 below the average and the nights practically equal to the average. In Eastern districts mean values for the month were in general above the normal, but elsewhere below it, and for Scotland as a whole the mean day temperature showed practically no advance on that for the very warm month of April. From about 12th to 18th the weather was fine, dry, and warm, but outside that period temperature seldom reached more than a moderate level, and about 2nd, 10th, and 25th very low temperatures for the time of year occurred throughout Great Britain. On 2nd in the English Midlands lower readings were recorded than in any May since 1879, and on 25th Braemar registered 19° in the screen and 12° on a thermometer exposed on the grass. In various districts severe damage was done to fruit and early vegetables, but the destructive frosts were very local in their character. The highest reading reported was 78° at Wolfelee on 18th.

The mean rainfall was 2·40 ins., or 5 per cent. above the normal. South of a line running from Fort-William to Arbroath amounts were, as a rule, below the normal, though in the Edinburgh area, in East Lothian, and at Drumlanrig, there was a slight excess. In Northern districts, on the other hand, there was a very decided excess, and at Inverness the month's aggregate was nearly double the normal. From 3rd to 8th the weather was extremely unsettled with rain in most districts on every day, and on 7th and 8th exceptionally heavy falls occurred in North and North-West. Thus on 8th Ardross Castle had as much as 3·20 ins., or more than twice the total for the month at Perth; Inverness, 1·68 in. on 7th, followed

by 1·01 in. on 8th; Fort-Augustus, 1·24 in. followed by 1·51 in.; Gordon Castle, 1·08 in. followed by 1·36 in.; and Grantown-on-Spey, 1·23 in. followed by 2·02 ins. The limits of the area of excessive rainfall appear to have been very sharply defined. Thus the two days' aggregate at Fort-Augustus was 2¾ ins., but at Glenquoich and Fort-William only half an inch. After this wet spell there were many rainless days, and the period from 13th to 18th was continuously dry in most districts. There were, however, moderate falls on 11th and 12th; in North and West on 19th, when Fort-William had 1 in.; on 22nd and 23rd; and on 28th.

A northerly gale occurred almost all round the Scottish coast on 8th and 9th; snow fell on the higher mountains at the times of the cold snaps referred to above; rather heavy hail occurred at times, and thunderstorms here and there on 5th and 11th. Heavy flooding occurred in Northern districts from 8th to 10th. Sunshine amounts were much below the average in all districts, and far short of those for the preceding month. Thus at Marchmont, in Berwickshire, the aggregate was only 153 hours as compared with 235 hours in April. But little coast fog was reported.

June was characterised by a rather high mean pressure; a slightly high mean temperature, with a rather high mean daily range; an abnormally low mean rainfall; and a slight excess of winds from both north-east and south-west.

The mean pressure was 30·035 ins., or 0·089 in. above the normal. On 1st a low-pressure system crossed the North of Scotland, on 7th another moved on a south-easterly course from the North of Scotland to the Continent, and on 21st another of great extent spread from Iceland across the British Isles. Except around these dates pressure was fairly high and steady, and during the great part of the month the weather was of an anticyclonic type. At Leith, at sea-level, pressure was above 30 ins. from 1st to 4th, from 11th to 17th, on 19th, and from 24th to 29th, the extremes there being 30·331 ins. on 26th and 29·730 ins. on 7th.

The mean temperature was 55°·5, or 0°·6 above the normal, the days being 1°·0 and the nights 0°·1 above their respective averages. At one or two Northern and Western stations the monthly means were slightly below the normal, but in general there was a moderate excess. Early in the month, with rather deficient sunshine, temperature reached only a moderately high level, with minimum readings for the month very generally on 1st or 7th. On 1st Eskdalemuir reported a minimum of 30° in the screen, and Leadhills, West Linton, and Wolfelee 32°, and on 7th Balmoral 31°. At West Linton the minimum on grass fell to 24° on 1st, 30° on 3rd, 27° on 7th, and 28° on 11th. About 12th there was a decided rise in temperature, and the third week was characterised by brilliant sunshine and extremely warm weather, with highest readings very widely on 17th. On that day Balmoral had a maximum reading of 88°, the Glen, 84°, and Perth, 83°. During the fourth week cooler conditions again prevailed, but at the end of the month there was a renewed outburst of warmth, and the Edinburgh area and other Eastern districts had highest readings on 29th and 30th, Crathes reporting 84° on 29th. On the night of 30th, Edinburgh, Dundee, and Perth experienced the unusually high minimum temperature of 63°, and Aberdeen 60°.

The mean rainfall was 1·22 in., or 52 per cent. below the normal. Towards the Borders there was at various points nearly the average rainfall, but over much the greater part of the country there was a very decided shortage, though only a moderate one towards the North-West. Within the area of greatest deficiency wide districts had aggregates of less than 1 in.; considerable areas less than half an inch; and Perth, Crieff, Glasgow, Dumfries, and Drumlanrig only one-fifth of their normal June amounts. In most Eastern districts several drier Junes have been recorded, but at Perth the month appears to have been the driest June for at least 50 years, and in the Glasgow and lower Clyde area the deficiency was remarkable. Thus, at Glasgow Observatory the month's small aggregate of 0·54 in. has been approached only in June 1905, when the aggregate was 0·64 in. Many "rain days" had merely nominal amounts, and Perth had only one day with as much as one-tenth of an inch, Rothesay only two such days, and Dumfries only three. The only rain spells occurred towards the South-East between 7th and 11th, and towards the North-West from 26th onwards; but throughout the month falls of importance occurred very locally and only in association with thunderstorms. Thus, on the afternoon of 17th a rainfall of 1½ in. in less than two hours was registered at Pitlochry, whilst no rain fell at Perth, and on the afternoon of 18th Carrbridge had 1·13 in., but Aviemore and Grantown-on-Spey amounts of only about one-fifth of an inch. On 21st Balmoral had 1·03 in.

The weather was somewhat stormy on 8th and 9th, and gales occurred here and there in the North about 26th. Thunderstorms occurred in various districts on 16th and 17th, very widely on 18th, and here and there on 21st. Of these that of the 18th was the most remarkable for its intensity, and at points in the Highlands for which no records are available enormous rainfalls must have occurred. At Carrbridge the destruction of a bridge on the Highland Railway as a result of sudden flooding caused a disastrous railway accident. Relatively to the normal sunshine amounts varied considerably, being deficient at Deerness, but in most districts slightly above the average. Towards the South-East, however, there was an abnormally large excess, and at Marchmont, in Berwickshire, the month was the sunniest June on record. Fog occurred somewhat widely around the Scottish coasts between 11th and 20th, and was especially dense in North-East and North between 15th and 18th. One or two shipping casualties occurred.

July was characterised by a rather low mean pressure; a slightly high mean temperature, with a slightly low mean daily range; a slightly low mean rainfall, and a large excess of winds from some northerly or easterly point.

The mean pressure was 29·802 ins., or 0·090 in. below the normal. Various depressions affected our area during the first week, whilst from 8th to 12th conditions were of an anticyclonic type, with maximum readings for the month on 9th and 10th. Thereafter our Islands were more or less under the influence of various low-pressure areas. On 14th a depression developed over the Netherlands, and followed an unusual track, moving slowly Northwards and then to the North-West, dispersing over the Hebrides on 17th.

Minimum readings for the month occurred over Scotland on 24th or 25th, during the passage of a large depression which had begun to move on a south-easterly track from Iceland some three days earlier. Cold north-westerly winds associated with this disturbance gave place to light variable airs during the temporary influence of an anticyclone on 29th and 30th, but on 31st a depression moved in from the Atlantic with southerly and south-easterly winds and heavy rains, and a very disturbed type of weather prevailed for the next ten days. At Leith, at sea-level, pressure was above 30 ins. only on 4th, from 9th to 13th, and on 30th, the extremes there being 30·255 ins. on 10th, and 29·338 ins. on 25th.

The mean temperature was 57°·9, or 0°·6 above the normal, the days being 0°·4 and the nights 0°·8 above their respective averages. Here and there a trifling deficiency occurred. For the first three weeks temperature maintained on the whole a somewhat high level, though with easterly winds during the first week the nights were rather cold, with lowest readings for the month over wide areas on 4th, when West Linton recorded 30° in the shade. On 21st day readings were extremely high, many stations reaching 80° in the shade, and Loanhead (Logie Coldstone), 86°, but on the following day with freshening north-westerly winds there was a decided fall of temperature, and warm conditions were not re-established. On 25th maximum readings at many stations were as much as 20 degrees lower than they had been four days earlier, and at Eskdalemuir temperature did not rise above 52°. Here and there the coldest night of the month occurred on 25th or some later date.

The mean rainfall was 2·76 ins., or 12 per cent. below the normal, but relatively to the normal there was a very varied distribution. In the North of Scotland there was a decided excess, amounting to fully 50 per cent. at Gordon Castle, and fully 40 per cent. at Aberdeen, whilst in the Border counties and in some Western districts there was a very decided shortage. Thus, Fort-William had less than one-third of the normal, and Poltalloch, Marchmont, and Kelso, less than one-half. Elsewhere there was in general a moderate shortage. Here and there, however, as at Paisley and Crieff, amounts were at least equal to the normal, and in the extreme North-West there was a slight excess. Rain was more or less general on 1st and 2nd, and a thunderstorm very early on 2nd brought heavy falls to many districts—more than 1 in. at Crieff and Glasgow. From 3rd to 11th some districts were rainless or nearly so, but there were rather heavy falls in North on 3rd, 5th, and 6th —as much as 1·21 in. at Dunrobin on 6th. From 12th to 18th conditions were more or less unsettled, with as much as 1½ in. at Banff on 15th, but thereafter many districts received little or no rain until 31st, when very heavy falls were general, as much as 1·21 in. at Drumlanrig. Heavy falls occurred, however, from 23rd to 25th, with 1·52 in. at Deerness on 24th, and 1·10 in. at Banff on 25th.

Wind force was in general moderate, though somewhat high from 22nd to 24th, with gales around our Northern coasts at that time. Thunderstorms were widely experienced on 2nd and 12th, and occurred towards North-East on 21st. Sunshine amounts

were in general below the normal, but slightly above it in extreme North-West and South-East. On 1st and 2nd, and on various days between 10th and 21st, rather dense fog occurred in East and North.

August was characterised by a rather high mean pressure; a rather high mean temperature, with a slightly high mean daily range; a somewhat low mean rainfall; and an excess of easterly and also of southerly and of south-westerly winds.

The mean pressure was 29·917 ins., or 0·061 in. above the normal, and there were unusually well-defined alternations of settled and unsettled types of pressure distribution. For the first nine days conditions were of a cyclonic type, with lowest barometer readings for the month on 2nd or 3rd. From 10th to 20th an anticyclone was the dominant influence. From 21st to 28th a very disturbed cyclonic type of weather again prevailed, whilst at the end of the month an anticyclone, which moved over our Islands from the south-west, had obtained control. On 31st pressure rose to the highest level of the month. At Leith, at sea-level, pressure was above 30 ins. from 11th to 21st, and from 28th to 31st, the extremes there being 30·380 ins. on 31st, and 29·460 ins. on 2nd.

The mean temperature was 57°·7, or 1°·1 above the normal, the days being 1°·4 and the nights 0°·9 above their respective averages. A moderate excess was well-defined in nearly all districts. During the unsettled weather of the first nine days the skies were cloudy and the days cold, and in a few districts lowest night readings occurred on 8th. From 10th onwards, except in the North during the third week, the general level of the thermometer remained above the normal, and during the last ten days southerly winds were associated with unusual warmth. Highest readings occurred widely on 14th, but in various Eastern districts on 23rd. On 14th a good many stations reached 80° in the shade, and Fort-William, Kingussie, Balmoral, and Glen, near Innerleithen, 85°. With clear skies, active terrestrial radiation, and light easterly winds, low night readings occurred two or three days later, from 16th to 18th. The actual lowest reading in screen reported was 34° at Balmoral on the night of 16th-17th, immediately following a day maximum of 82°.

The mean rainfall was 3·17 ins., or 14 per cent. below the normal. Glasgow had practically its normal amount, and a considerable area in the West a moderate excess. Elsewhere there was in general a shortage, and towards North-East and South-East this was specially well-marked, the aggregate of 1·41 in. at Aberdeen representing less than half of the normal for the month. At the stations represented in this report, the totals ranged from 8·47 ins. at Lochbuie (Mull), to 0·80 in. at Fortrose. Early in the month some heavy falls occurred. On 2nd, Balmoral had 1·54 in., or more than the rainfall for the entire month at Aberdeen; on 2nd, Kinlochquoich 2·70 ins., with fully 1 in. on 3rd, and again on 4th; and on 8th, Helensburgh 1·79 in.; and numerous stations in the West more than 1 in. From 11th to 19th, no rain fell except at a few widely scattered stations in North and West on 14th during a thunderstorm. From 22nd to 28th or 29th there were various heavy falls:—On 22nd, 1 in. at Lochbuie; on 23rd, 1·28 in. at Fort-

William; and on 25th, 1 in. at Helensburgh. In Northern districts no rain fell after 28th, and on 31st rainless conditions were general. At Edinburgh the greatest daily fall was one-third of an inch on 28th, and at Aberdeen no day after 8th had as much as one-tenth of an inch of rain.

Gales did not occur, except on our extreme Northern coasts on 9th. Thunderstorms were experienced in East on 5th; in Northern and extreme Western districts on 14th; and somewhat widely on 21st. Sunshine amounts were in general decidedly above the normal, though at Edinburgh hardly equal to it. Coast fog occurred in East and North on 2nd, 21st, and 22nd.

September was characterised by a rather high mean pressure; a slightly high mean temperature, with a slightly high mean daily range; an abnormally low mean rainfall; and a slight excess of winds from north-west.

The mean pressure was 29·960 ins., or 0·094 in. above the normal. The anticyclone which had become established at the end of August remained the controlling factor during the first week of September, whilst from 8th to 19th pressure variations were considerable. From 20th onwards our Islands again lay chiefly under the control of a high-pressure area, though on 27th a large depression over the North of Scandinavia was associated with violent westerly winds. At Leith, at sea-level, pressure was above 30 ins. from 1st to 7th, from 20th to 27th, and on 29th and 30th, the extremes there being 30·382 ins. on 29th, and 29·070 ins. on evening of 14th.

The mean temperature was 53°·5, or 0°·7 above the normal, the days being 1°·1 and the nights 0°·3 above their respective averages. For the first ten days or so temperature was decidedly above the normal, with highest readings for the month in many districts on 2nd, but here and there from 7th to 9th. Thereafter, though the days were frequently warm, the nights were often cold, and from 20th to 22nd with north-westerly winds there occurred in many districts an unusually sharp frost for the time of year. On the night of 21st-22nd the temperature in screen fell to 22° at West Linton, and to 25° at Braemar, with readings in the open lower by several degrees. The only lower readings on record for September in Scotland occurred in 1879 and 1885, when the temperature in screen fell to 21°. The highest readings reported were 78° at Glen, near Innerleithen, on 2nd and 7th, and 77° at Crathes, near Banchory, on 2nd.

The mean rainfall was 1·82 in., or 48 per cent. below the normal. Except in the extreme North and North-West, where there was a close approximation to the normal, there was everywhere a decided shortage, though this was somewhat more pronounced in the East than in the West. Within the driest area numerous stations had aggregates of less than 1 in.; Edinburgh, Perth, and a few other places in the East only a quarter or less of the normal; and wide districts less than one-half of the normal. For Scotland as a whole the month was one of the driest Septembers on record, though much less dry than September 1894, when wide areas received less than one-tenth of an inch of rain. After a rainless spell nearly everywhere during the first week rather unsettled weather conditions became more or less general until 19th, with some fairly

heavy falls in the West on 12th, 14th, and 16th. On 14th Glencarron had 1·50 in., and on 16th Fort-William 1·67 in. After 19th practically no rain fell over a great part of the country. There were, however, moderate to heavy falls in West and North on 23rd, and towards North on 30th. On 23rd Lochbuie (Mull) had fully 1 in., and on 30th Glencarron as much as 2·45 ins. Within the very dry area we may note that at Dundee, where rain fell on only five days, none was registered after 17th; and at Leith, where only one day had more than one-tenth of an inch, none after 18th.

On 14th a gale from west-south-west was experienced in many districts, and on 27th a westerly gale was more or less general. Thunderstorms occurred here and there on 9th, and somewhat widely in East and South on 17th. Sunshine amounts were somewhat above the normal, except in the North. Coast fog occurred round the North of Scotland during the first three days of the month, and, at various points, between 7th and 10th. An aurora was observed in the South of Scotland on 27th.

October was characterised by an extremely high mean pressure; a decidedly high mean temperature, with a mean daily range differing little from the normal; an abnormally low mean rainfall, and a slight excess of easterly winds.

The mean pressure of 30·006 ins., was 0·192 in. above the normal. The high-pressure area which had become established over the British Isles about September 20th remained the controlling factor until 11th. From 12th to 14th conditions were irregular, and from 21st onwards more or less unsettled, whilst from 15th to 20th a high-pressure area was dominant. On 28th a disturbance appeared off the North of Ireland, and travelled rapidly on a south-south-easterly track, with stormy weather on Eastern coasts. At Leith, at sea-level, pressure was above 30 ins. from 1st to 11th, and from 14th to 21st, the extremes there being 30·339 ins. on 19th, and 29·474 ins. on 28th.

There was in all districts on the mean of the month a well-defined temperature excess due largely to exceptionally mild weather during the first ten days or so. The general mean was 48°·6, or 2°·0 above the normal. From about 12th onwards there was on the whole a close approximation to normal conditions, though about 15th, 19th, and 29th there were interruptions of cold with easterly to northerly winds. On night of 14th-15th Balmoral recorded a reading in screen of 19° and Braemar of 20°. In some districts, however, the screened thermometer remained above 32° throughout the month. The highest reading reported was 68° on 3rd at Stronvar.

The mean rainfall was 2·08 ins., or 49 per cent. below the normal. Except in one or two Eastern districts there was everywhere a decided shortage, and wide areas had only one-third or less of the normal. The deficiency was most pronounced towards West and North-West. Thus, at Fort-William the month was the driest October for at least thirty years; and at Glasgow Observatory an appreciably drier October has occurred during the last sixty years only in 1880. During the first week there were unimportant falls in the North-West, and on 12th moderate amounts in various districts, though about 1 in. or more at Drumlanrig, Gatehouse,

and Leadhills; but, generally speaking, extremely dry conditions prevailed in the East until 21st, and in the West until 25th. On 25th a heavy rainfall was general, with fully 1 in. at Gatehouse and Lednathie, whilst moderate falls occurred in West on 26th, and in East during the last two or three days of the month.

Wind force was in general light, but stormy weather of an easterly to north-easterly type was experienced on the East Coast on 29th and 30th. No thunder was reported during the month. Except in the North-West, sunshine amounts were below the normal, and at Aberdeen the aggregate was only two-thirds of the normal. But little coast fog was experienced. An aurora was noted on 28th by the observers at Banff, Gordon Castle, Fort-Augustus, and Stornoway.

November was characterised by a low mean pressure; a rather high mean temperature, with a mean daily range practically equal to the normal; a high mean rainfall; and an excess of winds from south-west.

The mean pressure was 29·727 ins., or 0·107 in. below the normal. Except from about 16th to 21st, when the weather over our area was controlled by a high-pressure system, conditions were more or less unsettled. From about 9th to 14th and from 26th onwards an extremely disturbed type of weather prevailed. At Leith, at sea-level, pressure was 30 ins. on 10th and from 17th to 22nd, the extremes there being 30·627 ins. on 18th and 28·951 ins. on 30th.

The mean temperature of the month was decidedly above the normal in most districts, but in a few closely agreed with it. The general mean of 42°·5 was 1°·6 above the normal. A mild south-westerly type of conditions at first prevailed, but about 12th temperature began to fall, and during the third week, with winds now and then from a northerly or easterly point, the weather was unusually cold for the time of year with severe frost on various days. On night of 17th-18th, Braemar recorded a reading in screen of 12°, with a reading from an exposed thermometer of 7°. During the last week or so of the month, there was a complete reversal to a mild south-westerly type. Lowest readings occurred in most districts between 15th and 18th, but here and there on 21st, and highest, as a rule, on 8th and 9th. The actual highest readings were 62° at Balmoral and 60° at Banff on 9th.

The mean rainfall was 5·14 ins., or 35 per cent. above the normal. Except in the extreme South-West, here and there in the East, and in the Hebrides, there was a well-defined excess with exceptionally large amounts in the North-West and some Northern districts. Logie Coldstone and Kingussie had fully twice the normal; at Fort-William the aggregate of 13·18 ins. represented an excess of 60 per cent.; and the month's total was nearly 15 ins. in Glen Etive, nearly 17 ins. at Glenquoich, and 19·83 ins. at Kinlochquoich. Fairly heavy falls were experienced in various districts on 1st, 2nd, and 5th—more than 1 in. at Balmoral and Braemar on 2nd; whilst from 7th to 12th, though there were one or two rainless days in the East, conditions were very unsettled with heavy falls towards the North-West. Thus, Kinlochquoich had an aggregate of nearly 9 ins. for these six days, of which nearly 3 ins. was registered on 9th. From 16th to 22nd practically no rain fell in West and

South, but there were moderately heavy falls in East on 21st. On 24th or 25th extremely wet weather became more or less general with various falls of 1 in. or more between 24th and 28th, and more than 2 ins. at Kinlochquoich on 25th. On 29th a rainstorm of great intensity was widespread, with nearly 3 ins. at Achnacarry and more than 2 ins. at Stronvar, Fort-William, and elsewhere; and on 30th heavy falls again occurred widely, with nearly 2 ins. at Fort-William, where the aggregate for the last two days of the month was about 4½ ins.

Stormy weather prevailed from 9th to 15th, with gales at first from the south-west and then from north and east, and from 13th to 15th snow fell heavily in various districts. During the last few days of the month the weather was again stormy, and the heavy rains caused destructive flooding, especially, perhaps, in the valleys of the Spey and of the Tay and its tributaries. Thunderstorms occurred at various places on 11th; on 26th at Balmoral, Fort-William, and Oban; and at isolated points thereafter. Sunshine aggregates were decidedly below the normal in the North, but differed little from it elsewhere. But little coast fog was reported. An aurora was visible at Baltasound on 9th and 19th; at Balmoral on 10th; and at Aberdeen on 11th.

December was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a daily range equal to the normal; an abnormally high mean rainfall; and an excess of easterly winds.

The mean pressure was 29·393 ins., or 0·387 in. below the normal. In 1876 the mean was almost as low, but during the last fifty years an appreciably lower value for December has been recorded only in 1868, when the mean was 29·312 ins. A high-pressure system was in evidence for two or three days around 23rd, but, otherwise, conditions were extremely unsettled, with violent fluctuations of the barometer at times, especially during the first and last weeks of the month. At Leith, at sea-level, pressure reached 30 ins. only on 24th and 25th, whilst from 1st to 9th, from 18th to 21st, and from 26th onwards it seldom rose as high as 29·5 ins. The extremes there were 30·210 ins. on morning of 24th and 28·606 ins. on evening of 4th.

The mean temperature of the month was slightly in excess at a few Southern stations, but elsewhere there was a well-marked deficiency, and the general mean was 37°·3, or 0°·8 below the normal. The weather was at first mild, except in the extreme North, with highest readings for the month in nearly all districts on 2nd, and until about 18th there were quite moderate fluctuations of temperature. From 19th to 26th, with light winds from east and north, cold weather prevailed, and at Balmoral and Nairn the mean temperature for the week ending 26th was fully 10° below the normal. On 21st at Aberdeen the thermometer did not rise above 27°, whilst a reading in screen of 7° occurred at Balmoral on the night of 21st-22nd and at Braemar on the night of 24th-25th. During the disturbed conditions of the last few days of the month milder conditions again prevailed. The highest reading reported was 56° at Stonehaven on 3rd.

The mean rainfall was 6·37 ins., or 54 per cent. above the normal.

Here and there in the North there was only a trifling excess, and in Orkney a deficiency, but, generally speaking, there was a considerable excess; in some inland districts more than twice the normal was recorded; and at Perth the month was the wettest December since 1876. The wet weather of the last few days of November continued until 6th, and in the North-West until 8th, and at Kinlochquoich the aggregate rainfall from November 25th to December 8th was fully 17 ins. On 2nd, falls of fully 3 ins. were recorded at Glen Etive and Kenmore, nearly 3 ins. at Killin and in Glen Lyon, more than 2 ins. at Balmoral and Braemar, and from 1 in. to 2 ins. at widely-scattered stations. Falls of fully 1 in. occurred in the Lower Clyde area on 3rd and towards the North-West on 6th, 7th, and 8th. From 10th to 15th there was a dry spell in the West Highlands, but wet weather was experienced in Eastern and Southern districts from 11th to 14th, with very heavy falls in North-East and South-East on 12th and 13th—as much as 1·96 in. at Crathes and 1·88 in. at Kettins on 13th. From 15th to 24th only unimportant falls occurred in East, but there were considerable amounts in South on 17th and in West and North-West from 16th to 18th, the 3 days' total at Kinlochquoich being about 5 ins. On 25th Ardtornish registered as much as 2·72 ins., and very heavy rains were general, with smaller falls on 26th, though as much as 1·85 in. at Leadhills. But little rain fell from 27th to 29th, but on 30th another considerable rainstorm visited many districts—with nearly 2 ins. at Leadhills, 1·67 in. at Colmonell, and numerous falls exceeding 1 in. in West and North-West.

For a few days, ending on 25th, fine weather prevailed, with much hoar frost, but otherwise conditions were extremely unsettled, with violent south-westerly gales on 2nd and 3rd, and around 26th, and an easterly gale on 12th and 13th. Flooding resulted from the accompanying rainfalls, and there was a considerable fall of snow on 13th, with less important falls earlier and later in the month. Thunderstorms occurred sporadically early in the month—at Fort-William on 1st, 7th, and 8th; at Glasgow on 27th; and at Balmoral on 30th. Sunshine amounts were slightly above the normal in the East, but hardly equal to it in West and North. But little coast fog occurred. An aurora was noted at Baltasound on 22nd.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1914.

Year	Estimated Population.	Births.						Marriages.	Deaths.			Excess of Births over Deaths.	Year.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1855	2,978,065	47804	45545	93349	7357	...	...	19680	30626	31378	62004	31345	1855
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886
1887	3,914,318	63842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900

* Including one case of quadruplets.

TABLE 1—*continued.*

Year	Estimated Population.	Births.						Marriages.	Deaths.			Excess of Births over Deaths.	Year.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911
1912	4,741,077	62931	59859	122790	8989	1524	13	32506	36072	36268	72340	50450	1912
1913	4,728,132	61464	59052	120516	8548	1527	21	33691	36504	36565	73069	47447	1913
1914	4,747,167	62974	60960	123934	8879	1634	16	35049	36757	36800	73557	50377	1914

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1914.

Year.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	Year
	Births.	Marriages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE 2—*continued.*

Year.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	Year.
	Births.	Marriages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18 954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29 977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16 621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	121·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·702	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911
1912	25·899	6·856	15·258	15·69	14·85	7·32	105·1	1·27	105·5	1912
1913	25·489	7·126	15·454	15·92	15·02	7·09	104·1	1·30	109·6	1913
1914	26·107	7·383	15·495	15·97	15·05	7·16	103·3	1·35	110·6	1914

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1904 to 1914 inclusive.

	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.		Mean for Ten Years.	1914.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.		No.	Per 1000 of Pop.
FIRST QUARTER.																							
Births,	32894	28·9	32004	28·3	32976	29·0	31508	27·5	32503	27·9	32373	27·9	30422	26·1	30710	26·1	30272	25·6	29825	25·6	*27·3*	30656	26·3
Deaths,	22240	19·6	20820	18·4	20488	18·0	22635	19·8	23997	20·6	21469	18·5	20605	17·7	19794	16·9	20671	17·5	21270	18·2	*18·6*	20654	17·7
Marriages,	7619	6·7	6867	6·1	7302	6·4	7268	6·3	7591	6·5	7111	6·1	7317	6·3	6758	5·8	6994	5·9	7841	6·7	*6·3*	8631	7·4
Mean Temp.	37°·9		40°·2		37°·9		39°·0		38°·8		37°·9		38°·7		39°·4		39°·4		38°·9		*38°·8*	39°·8	
SECOND QUARTER.																							
Births,	35082	30·9	35476	31·0	34960	30·4	34511	29·8	35611	30·5	34671	29·6	33812	28·6	32935	27·7	32221	27·3	32198	27·3	*29·3*	33009	28·0
Deaths,	19519	17·2	18763	16·4	19306	16·8	20119	17·4	19499	16·7	18478	15·8	18593	15·8	18029	15·2	17728	15·0	18143	15·4	*16·2*	18169	15·4
Marriages,	8347	7·3	8153	7·1	8699	7·6	8864	7·7	8813	7·6	8171	7·0	7928	6·7	8567	7·2	8209	7·0	8503	7·2	*7·2*	9088	7·7
Mean Temp.	49°·3		49°·2		48°·7		47°·4		48°·9		48°·6		48°·7		50°·3		49°·8		49°·1		*49°·6*	50°·5	
THIRD QUARTER.																							
Births,	32967	28·7	33044	28·6	32109	27·6	31427	26·8	32612	27·7	31186	26·3	30061	25·2	29653	24·7	30166	25·3	29487	24·7	*26·6*	30339	25·5
Deaths,	16882	14·7	16412	14·2	16439	14·1	15721	13·4	16325	13·9	14964	12·6	15331	12·8	16149	13·4	15219	12·8	16194	13·6	*13·5*	16219	13·6
Marriages,	8118	7·1	8178	7·1	8576	7·4	8994	7·7	8044	6·8	7777	6·6	7975	6·7	8434	7·0	8778	7·4	9037	7·6	*7·1*	9358	7·9
Mean Temp.	55°·4		55°·6		56°·0		54°·2		55°·2		54°·5		55°·1		57°·1		53°·1		55°·6		*55°·2*	56°·4	
FOURTH QUARTER.																							
Births,	31627	27·5	30857	26·7	31875	27·4	31343	26·8	30611	26·0	30352	25·6	29705	24·9	28513	23·7	30057	25·2	29006	24·3	*25·8*	29933	25·1
Deaths,	19320	16·8	18531	16·0	19352	16·6	18792	16·0	18018	15·3	19683	16·6	17716	14·8	17760	14·8	18719	15·7	17462	14·6	*15·7*	18515	15·5
Marriages,	8169	7·1	8045	7·0	8546	7·3	8134	6·9	7135	6·1	7033	5·9	7646	6·4	8052	6·7	8529	7·1	8310	7·0	*6·7*	7972	6·7
Mean Temp.	42°·5		41°·9		43°·2		42°·5		45°·3		40°·7		42°·3		42°·3		42°·4		44°·3		*42°·7*	42°·8	
YEAR.																							
Population,	4563530		4592036		4620720		4649580		4678629		4707858		4737268		4749673		4741077		4728132			4747167	
Births,	132570	29·0	131381	28·6	131920	28·5	128789	27·7	131337	28·1	128582	27·3	124000	26·2	121811	25·6	122716	25·9	120516	25·5	*27·2*	123934	26·1
Deaths,	77961	17·1	74526	16·2	75585	16·4	77267	16·6	77839	16·6	74594	15·8	72245	15·3	71732	15·1	72337	15·3	73069	15·5	*16·0*	73557	15·5
Marriages,	32253	7·1	31243	6·8	33123	7·2	33260	7·2	31533	6·8	30092	6·4	30866	6·5	31811	6·7	32516	6·9	33691	7·1	*6·9*	35049	7·4

Figures in this Table are mainly compiled from the Quarterly Returns, and totals do not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1914.

	Estimated Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution		
SCOTLAND . .	**4,747,167**	**26·11**	**7·38**	**15·49**	**15·49**	**15·49**	**7·16**	**110·6**
LARGER BURGHS* .	2,309,055	26·50	8·95	16·28	16·17	17·27	6·71	123·8
SMALLER BURGHS*	931,031	25·34	7·31	14·98	15·56	15·16	7·13	107·6
COUNTY DISTRICTS	1,507,081	25·97	5·03	14·61	14·38	13·45	7·89	91·8
Glasgow . .	1,053,926	28·0	9·8	16·8	16·6	18·2	6·4	133
Edinburgh . .	324,618	19·9	9·7	16·4	15·5	16·1	7·8	110
Dundee . . .	176,584	25·2	8·3	16·8	16·9	17·4	9·1	135
Aberdeen . .	163,044	24·6	9·4	16·6	16·9	17·1	9·4	121
Paisley . . .	86,593	27·6	7·3	15·9	15·8	17·5	5·8	133
Leith . . .	80,241	26·9	6·2	13·8	15·4	16·1	5·6	99
Greenock . .	77,642	32·8	8·5	18·4	18·0	18·3	5·1	108
Coatbridge . .	43,658	31·4	6·1	16·5	16·7	18·1	4·9	120
Motherwell . .	41,337	31·2	5·3	11·8	13·0	14·7	3·5	101
Kirkcaldy . .	40,658	25·0	6·4	13·0	14·8	15·1	7·5	106
Hamilton . .	38,612	34·1	7·0	13·4	14·5	15·7	4·4	118
Clydebank . .	43,538	31·6	5·6	11·3	14·3	16·5	4·0	109
Perth . . .	35,087	19·7	8·9	15·8	13·8	13·5	6·5	80
Kilmarnock . .	35,980	24·8	8·5	15·0	14·6	15·9	7·8	104
Falkirk . . .	34,066	26·4	7·3	13·7	12·9	14·1	6·4	98
Ayr . . .	33,471	25·7	8·4	19·6	17·1	17·3	7·4	135

* The term "Larger Burghs" in this and other Tables means Burghs with censal populations exceeding 30,000, and "Smaller Burghs" means Burghs with censal populations of less than that amount.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1914.

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Aberchirder	970	30·9	5·2	20·6	21·6	16·6	36·7	133
Aberfeldy	1,542	14·3	3·9	16·9	15·6	13·5	13·6	136
Aberlour (*vide* Charlestown of Aberlour)								
Abernethy	555	18·0	10·8	10·8	10·8	8·2	10·0	0
Airdrie	23,878	30·6	7·7	14·3	15·8	17·4	5·1	112
Alloa	11,431	27·3	7·2	11·9	12·5	13·4	6·7	83
Alva	4,035	19·6	6·4	15·6	17·8	16·5	7·6	165
Alyth	1,738	17·3	8·1	6·3	6·9	5·7	13·3	67
Annan	3,991	19·8	8·8	13·5	16·3	15·7	10·1	101
Anstruther-Easter	1,079	15·8	8·3	12·0	13·0	12·2	0·0	0
Anstruther-Wester	541	29·6	3·7	9·2	9·2	7·7	0·0	63
Arbroath	19,122	22·3	7·5	20·8	20·4	18·6	7·7	124
Ardrossan	5,388	30·4	5·6	12·8	13·0	13·7	5·5	110
Armadale	4,766	38·0	4·4	12·8	15·5	16·9	5·0	138
Auchterarder	2,181	15·6	7·8	15·1	14·7	12·3	11·8	88
Auchtermuchty	1,333	17·3	6·8	22·5	24·0	17·1	8·7	217
Ballater	1,179	20·4	11·9	11·0	9·3	8·3	8·3	42
Banchory	1,604	15·6	6·9	11·8	14·3	12·9	4·0	120
Banff	3,667	27·5	13·9	24·3	18·8	16·3	8·9	109
Barrhead	11,319	26·7	4·8	12·5	14·0	15·7	3·6	76
Bathgate	8,280	33·6	7·0	11·7	13·6	14·8	3·2	126
Biggar	1,251	20·8	3·2	20·8	20·8	16·8	7·7	77
Blairgowrie	3,054	15·1	6·9	15·1	15·1	12·3	8·7	152
Bonnyrigg	2,973	28·9	4·0	13·1	15·8	15·6	3·5	70
Borrowstounness	10,827	31·2	6·7	11·4	13·3	14·7	5·0	124
Brechin	7,882	17·4	7·1	16·0	15·6	13·9	14·6	109
Bridge-of-Allan	2,935	12·6	5·8	11·9	16·7	14·9	13·5	27
Buckhaven, Methil, and Innerleven	16,447	35·0	5·5	12·2	12·8	14·2	5·2	127
Buckie	8,911	32·4	4·2	14·1	15·4	15·2	10·7	190
Burghead	1,519	29·6	3·3	11·2	12·5	11·4	13·3	67
Burntisland	4,662	18·0	5·6	11·4	12·4	12·3	8·3	24
Callander	1,447	21·4	4·8	14·5	17·3	15·3	12·9	161
Campbeltown	7,057	24·5	8·1	16·9	16·3	15·0	17·9	58
Carnoustie	5,151	14·8	4·7	15·5	15·3	13·1	2·6	158
Castle-Douglas	2,872	16·7	8·4	13·2	11·1	10·1	16·7	42
Charlestown of Aberlour	1,241	9·7	4·0	16·1	16·1	17·4	33·3	167
Cockenzie and Port-Seton	2,507	33·1	4·4	7·6	10·0	9·8	3·6	84
Coldstream	1,276	17·2	6·3	13·3	16·5	13·4	13·6	136
Coupar-Angus	2,005	18·0	4·5	13·5	15·5	12·4	2·8	83
Cove and Kilcreggan	795	17·6	10·1	7·5	8·8	7·1	14·3	0
Cowdenbeath	15,124	30·9	8·1	8·7	11·0	12·3	4·1	90
Crail	1,005	20·9	9·0	16·9	17·9	14·3	4·8	48
Crieff	5,418	15·7	5·9	14·0	13·5	11·9	14·1	118
Cromarty	1,794	12·3	2·8	15·1	15·6	18·2	18·2	227
Cullen	1,914	26·6	2·6	15·7	17·2	14·5	9·8	78
Culross	468	21·4	8·5	15·0	21·4	14·7	0·0	400
Cumnock and Holmhead	3,356	32·2	9·5	12·5	14·0	12·9	9·3	148
Cupar	4,132	17·7	12·8	15·0	16·2	12·8	8·2	55
Dalbeattie	3,162	17·7	7·3	14·5	15·2	13·8	10·7	89
Dalkeith	6,752	30·2	8·1	14·1	15·1	14·5	7·8	83
Darvel	3,580	21·2	6·7	14·2	16·2	18·1	5·3	132
Denny and Dunipace	4,880	34·8	6·8	11·1	12·5	13·6	1·8	82
Dingwall	2,551	15·7	12·5	22·7	17·2	15·4	10·0	75

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Dollar	1,388	17·3	5·8	10·8	13·0	11·4	12·5	42
Dornoch	742	20·2	2·7	13·5	12·1	11·0	13·3	0
Doune	839	23·8	6·0	21·5	20·3	18·7	5·0	150
Dufftown	1,488	17·5	10·1	20·8	20·8	15·3	23·1	192
Dumbarton	21,562	31·0	5·7	15·7	15·9	17·0	4·6	117
Dumfries	15,402	24·6	11·0	22·5	19·2	19·8	11·6	137
Dunbar	3,113	25·4	9·6	16·4	19·6	18·5	15·2	139
Dunblane	2,980	15·8	5·0	11·7	13·1	12·1	10·6	64
Dunfermline	28,794	25·2	9·2	18·3	15·6	16·0	4·7	92
Dunipace (*vide* Denny and Dunipace)								
Dunoon	6,557	17·1	7·2	19·2	17·5	14·4	12·5	116
Duns	1,929	16·6	6·7	19·7	18·7	15·2	3·1	63
Dysart	4,194	26·7	10·5	13·1	14·5	14·2	7·1	116
Earlsferry	309	12·9	3·2	16·2	9·7	8·3	0·0	0
East Linton	824	13·3	2·4	21·8	13·3	10·0	0·0	0
Elgin	8,321	19·9	12·9	21·0	21·2	18·5	19·3	181
Elie, Liberty, and Williamsburgh	661	13·6	1·5	13·6	12·1	9·9	0·0	0
Ellon	1,177	17·8	35·7	17·8	17·0	14·0	14·3	48
Eyemouth	2,356	22·5	5·5	14·4	14·9	14·6	9·4	75
Falkland	797	18·8	7·5	17·6	20·1	15·2	13·3	133
Forfar	10,163	20·3	7·9	14·6	14·7	13·7	9·2	97
Forres	4,135	24·7	9·7	17·7	17·7	14·8	14·7	118
Fortrose	894	20·1	1·1	31·3	21·3	15·2	5·6	56
Fort-William	1,880	22·9	6·9	12·8	10·6	9·7	9·3	93
Fraserburgh	10,523	32·5	7·2	14·5	15·7	16·3	13·2	143
Galashiels	14,123	16·4	5·2	13·7	13·8	14·1	8·2	82
Galston	5,173	28·2	6·8	13·7	15·1	16·6	2·7	103
Gatehouse	989	29·3	6·1	13·1	15·2	10·8	10·3	103
Girvan	4,399	15·0	4·5	18·6	18·4	16·0	9·1	152
Gourock	7,763	24·0	5·0	12·4	12·8	13·0	4·8	38
Grangemouth	10,111	26·2	4·8	12·0	13·5	15·1	1·9	94
Grantown-on-Spey	1,346	30·5	8·9	15·6	14·9	13·6	22·0	98
Greenholm (*vide* Newmilns and Greenholm)								
Haddington	3,989	18·3	5·3	18·0	15·0	13·9	8·2	68
Hawick	15,941	17·6	5·8	14·7	15·1	15·2	9·3	125
Helensburgh	8,114	19·5	6·7	16·7	17·6	16·3	6·3	89
Holmhead (*vide* Cumnock and Holmhead)								
Huntly	4,056	22·4	11·8	13·1	14·1	12·0	23·1	99
Innerleithen	2,539	11·8	7·9	13·4	15·8	15·3	10·0	0
Innerleven (*vide* Buckhaven, Methil, and Innerleven)								
Inveraray	462	19·5	2·2	19·5	26·0	18·4	0·0	0
Inverbervie	1,107	19·9	10·8	14·5	16·3	14·3	22·7	45
Invergordon	1,002	25·0	14·0	16·0	16·0	13·1	12·0	80
Inverkeithing	3,545	31·6	8·2	13·3	15·5	15·6	4·5	143
Inverness	20,893	21·8	10·9	18·5	17·6	16·3	11·0	112
Inverurie	4,052	24·9	12·1	13·1	14·3	12·8	17·8	99
Irvine	9,868	33·6	7·8	15·8	17·4	17·6	7·5	114
Jedburgh	2,502	11·2	6·4	17·2	16·4	15·6	7·1	36
Johnstone	11,747	32·5	8·3	14·7	17·5	19·3	5·2	141

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Keith	4,207	20·7	11·2	17·1	17·8	15·1	14·9	138
Kelso	3,784	21·9	5·8	16·9	15·6	13·6	6·0	108
Kilcreggan and Cove (*vide* Cove and Kilcreggan)								
Kilrenny	2,440	21·3	6·6	9·8	11·5	10·5	7·7	19
Kilsyth	7,972	34·7	6·9	14·4	15·6	16·5	4·0	101
Kilwinning	4,827	37·7	8·9	18·9	20·7	21·5	4·4	132
Kinghorn	1,475	28·5	8·8	21·0	21·7	20·8	7·1	119
Kingussie	1,172	17·9	1·7	6·8	7·7	7·6	9·5	0
Kinross	2,630	21·7	9·1	10·6	11·8	10·4	1·8	123
Kintore	789	16·5	6·3	10·1	12·7	10·5	23·1	0
Kirkcudbright	2,044	23·5	9·8	16·6	18·6	15·6	16·7	104
Kirkintilloch	11,807	30·9	6·8	17·1	15·9	16·4	3·6	140
Kirkwall	3,659	16·7	9·6	18·3	15·3	12·4	9·8	65
Kirriemuir	3,497	16·6	9·2	13·7	15·2	12·9	17·2	52
Ladybank and Monkston	1,183	19·4	6·8	11·8	16·1	13·3	0·0	261
Lanark	5,787	22·8	9·2	15·9	15·6	15·2	6·1	114
Langholm	2,725	14·7	3·3	14·7	14·7	12·8	17·5	100
Largs	3,664	13·9	4·4	13·9	14·5	12·5	3·9	39
Lasswade	841	28·5	9·5	13·1	13·1	13·4	4·2	125
Lauder	607	26·4	1·6	14·8	14·8	11·8	12·5	125
Laurencekirk	1,347	15·6	7·4	25·2	26·0	17·2	28·6	143
Lerwick	4,561	20·2	12·7	18·0	18·9	15·5	3·3	130
Leslie	2,064	28·6	12·6	15·0	15·5	13·4	1·7	85
Leven	6,552	29·5	7·5	12·8	14·3	15·2	3·1	109
Liberty (*vide* Elie, Liberty, and Williamsburgh)								
Linlithgow	3,726	26·8	7·8	11·8	13·7	13·5	8·0	90
Loanhead	3,464	35·8	8·4	13·6	15·6	16·7	1·6	137
Lochgelly	10,811	36·8	7·2	11·8	14·2	15·4	3·5	113
Lochgilphead	755	22·5	7·9	19·9	21·2	15·8	5·9	59
Lochmaben	1,008	24·8	7·9	10·9	12·9	10·4	8·0	120
Lockerbie	2,368	25·8	3·4	13·5	16·0	14·2	9·8	0
Lossiemouth	4,101	26·8	3·9	11·2	10·7	10·3	10·0	73
Macduff	3,244	33·9	2·8	16·3	20·0	16·1	15·5	145
Markinch	1,608	23·0	16·2	8·7	12·4	10·7	5·4	54
Maybole	4,346	23·9	7·4	20·0	20·2	19·6	9·6	135
Maxwelltown	6,030	21·4	6·3	12·8	14·6	14·9	6·2	101
Melrose	2,053	6·8	2·9	20·0	11·2	9·5	0·0	71
Methil (*vide* Buckhaven, Methil, and Innerleven)								
Millport	1,520	14·5	2·0	19·1	19·7	16·2	4·5	45
Milngavie	4,576	19·2	6·8	10·5	12·7	13·4	4·5	80
Moffat	1,957	11·8	6·1	17·4	16·9	14·3	4·3	87
Monifieth	3,249	22·8	3·4	8·6	9·8	9·2	5·4	81
Monkston (*vide* Ladybank and Monkston)								
Montrose	10,002	20·1	8·5	19·1	18·8	15·7	7·0	149
Musselburgh	16,439	31·6	8·4	13·6	15·1	16·0	5·2	125
Nairn	4,492	21·4	6·9	17·8	18·9	17·1	4·2	135
Newburgh	1,906	14·7	5·2	14·2	16·3	12·4	7·1	36
New Galloway	328	36·6	3·0	12·2	12·2	10·1	8·3	0
Newmilns and Greenholm	4,682	17·5	4·5	12·2	14·1	14·9	4·9	85

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Newport	3,404	14·4	4·1	11·2	11·5	9·8	8·2	20
Newton-Stewart	1,921	16·7	5·7	15·1	15·6	13·8	9·4	31
North Berwick	3,198	21·3	4·7	8·1	9·1	9·4	4·4	74
Oban	5,333	20·3	11·3	22·5	19·9	19·2	8·3	56
Old Meldrum	1,031	31·0	9·7	19·4	21·3	15·5	31·3	125
Peebles	5,411	16·8	4·4	11·1	11·5	11·3	5·5	22
Penicuik	2,585	28·2	10·1	10·4	11·6	11·5	5·5	27
Peterhead	13,526	28·9	6·7	13·6	15·2	15·1	8·7	123
Pittenweem	1,807	23·2	4·4	13·3	12·7	11·4	4·8	24
Port-Glasgow	17,180	37·4	7·2	17·7	19·0	20·7	3·3	101
Portknockie	1,710	31·6	2·3	14·0	16·4	17·2	3·7	130
Port-Seton (*vide* Cockenzie and Port-Seton)								
Portsoy	1,881	24·5	6·4	19·7	19·1	15·3	17·4	196
Prestonpans	1,895	29·6	7·9	12·7	14·8	14·3	5·4	107
Prestwick	5,163	17·4	2·7	11·4	11·4	10·8	13·3	44
Queensferry	3,390	23·6	4·1	11·2	12·4	18·3	3·8	188
Rattray	1,558	18·6	2·6	14·8	17·3	14·3	24·1	103
Renfrew	12,997	29·3	5·0	9·4	12·1	13·6	4·2	92
Rosehearty	1,284	31·9	7·0	15·6	15·6	13·1	7·3	98
Rothes	1,201	25·0	9·2	10·8	12·5	9·9	33·3	33
Rothesay	8,832	19·2	6·2	17·9	16·4	14·7	11·8	112
Rutherglen	24,934	25·8	9·2	11·5	14·2	15·7	3·3	98
St. Andrews	7,588	18·3	4·0	10·5	10·5	10·6	5·8	43
Saltcoats	8,321	30·9	7·6	16·7	18·3	18·0	5·8	109
Sanquhar	1,477	33·2	6·1	10·8	12·9	12·6	8·2	61
Selkirk	5,677	14·4	6·5	12·2	13·9	13·5	8·5	73
Stewarton	2,682	21·6	6·3	14·2	17·2	16·4	6·9	69
Stirling	21,057	28·0	9·7	20·5	18·7	18·9	6·1	147
Stonehaven	3,967	18·9	10·3	19·4	15·6	11·6	13·3	27
Stornoway	3,600	18·3	6·4	16·1	18·1	17·0	4·5	91
Stranraer	6,263	19·8	5·6	19·5	17·9	16·0	6·5	185
Stromness	1,646	20·0	4·3	23·1	23·1	18·7	6·1	182
Tain	1,509	14·6	15·2	11·3	11·3	9·0	18·2	0
Tayport	3,100	19·7	6·1	17·4	18·1	15·7	8·2	197
Thurso.	3,056	24·9	9·2	19·6	20·3	16·0	17·1	118
Tillicoultry	2,885	22·5	8·3	15·6	18·7	16·8	12·3	31
Tobermory	883	10·2	5·7	22·7	26·0	19·4	11·1	0
Tranent	4,657	35·6	7·7	9·4	12·7	13·3	5·4	78
Troon	6,890	22·4	5·5	7·7	9·1	9·9	3·9	52
Turriff	2,257	28·4	13·7	15·5	16·0	12·3	21·9	31
Whitburn	1,920	35·4	7·8	16·7	19·3	20·7	2·9	162
Whithorn	1,110	21·6	3·6	15·3	15·3	11·4	12·5	125
Wick	8,928	24·9	6·3	15·1	15·5	14·2	7·2	95
Wigtown	1,299	21·6	0·8	15·4	18·5	15·5	3·6	71
Williamsburgh (*vide* Elie, Liberty, and Williamsburgh)								
Wishaw	25,420	36·1	6·6	14·8	16·3	17·7	4·8	119

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1914.

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
ABERDEEN COUNTY—								
Aberdeen	22,146	19·7	3·2	22·5	13·2	11·6	14·4	92
Alford	8,799	26·0	4·4	13·5	14·1	12·3	19·7	70
Deer	26,650	27·1	4·2	13·6	14·2	12·1	16·1	83
Deeside	11,492	20·9	4·0	13·6	14·4	12·2	15·4	25
Ellon	12,946	27·5	3·2	11·2	12·8	11·2	18·3	70
Garioch	13,089	22·0	3·8	11·8	12·7	11·1	16·0	66
Huntly	6,415	23·5	2·2	12·6	12·6	10·7	24·5	99
Turriff	10,511	26·5	3·9	12·9	14·0	12·1	16·1	68
ARGYLL COUNTY—								
Ardnamurchan	2,561	16·4	1·2	18·4	19·9	14·5	7·1	95
Cowal	6,900	17·4	3·0	12·9	13·5	11·4	5·0	25
Islay	6,581	14·9	3·8	17·5	18·2	14·5	12·2	61
Kintyre	6,195	22·6	2·6	12·1	13·6	12·1	12·1	50
Lorn	9,553	19·6	3·3	14·2	15·7	13·2	8·0	21
Mid-Argyll	6,612	14·4	3·3	18·1	14·7	11·9	5·3	21
Mull	4,905	16·1	1·8	21·2	22·0	15·7	6·3	51
AYR COUNTY—								
Ayr	41,143	33·6	6·5	14·7	14·6	15·1	9·2	109
Carrick	12,510	25·8	6·2	12·2	13·7	13·1	11·5	65
Kilmarnock	22,709	28·8	6·7	15·1	15·8	16·2	7·5	109
Northern	45,165	26·6	6·6	14·2	14·4	14·5	6·3	96
BANFF COUNTY—								
Banff	17,761	28·5	3·4	14·3	14·6	13·2	12·1	91
Keith	11,459	20·6	4·5	11·7	12·3	10·3	11·9	81
BERWICK COUNTY—								
East	8,480	17·3	6·1	13·0	14·7	12·9	9·5	68
Middle	7,879	18·1	4·8	11·7	12·6	11·3	16·1	63
West	5,338	19·9	5·8	14·8	15·4	14·0	11·3	66
BUTE COUNTY—								
Arran	4,343	11·5	1·6	14·7	14·5	11·4	8·0	60
Bute	2,353	16·6	2·1	11·0	11·5	10·0	10·3	77
Cumbrae*	87	—	—	—	—	—	—	—
CAITHNESS COUNTY—								
Caithness	17,926	21·3	3·3	17·5	17·7	12·5	13·1	89
CLACKMANNAN COUNTY—								
Clackmannan	9,618	28·2	5·7	14·8	14·8	14·9	5·2	118
DUMBARTON COUNTY—								
Eastern	22,543	26·9	5·1	18·6	14·5	15·0	5·9	107
Western	27,111	27·0	8·0	12·9	14·6	15·4	6·6	94
DUMFRIES COUNTY—								
Annan	9,920	21·0	6·0	13·4	13·7	12·5	14·9	101
Dumfries	8,239	24·2	3·6	17·4	14·2	11·9	13·1	106
Langholm	3,028	20·1	8·3	12·2	12·9	11·0	9·8	66
Lockerbie	8,031	21·4	6·4	14·4	13·8	12·5	17·4	110
Thornhill	11,291	25·1	6·3	14·8	16·1	14·6	11·7	85
EDINBURGH (Midlothian) COUNTY—								
Calder	17,988	29·1	6·8	10·0	12·3	12·8	5·0	80
Gala-Water	6,531	24·3	8·0	14·4	16·7	15·9	11·3	107
Lasswade	24,083	30·5	3·7	15·0	14·2	14·3	4·5	125
Suburban	24,128	21·3	4·7	20·8	13·0	12·8	4·7	76

* The population of this District is too small for the calculation of significant rates.

ERRATUM.

In Table 6 of the Annual Report for 1913, page lxvii, the rows of figures relative to the Upper and Lower Wards of Lanark were inadvertently transposed, and to correct the error the lower row of figures should read as applying to the Upper Ward, and the upper row of figures to the Lower Ward.

TABLE 6—*continued.*

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Elgin County—								
Elgin	20,311	24·7	4·5	16·0	15·5	13·3	14·9	90
Fife County—								
Cupar	14,945	19·1	4·0	17·7	14·2	11·5	9·5	49
Dunfermline	30,841	31·8	6·3	14·5	16·6	17·3	5·2	113
Kirkcaldy	43,088	34·3	5·5	13·9	13·0	13·5	4·8	108
St. Andrews	14,806	17·3	3·9	12·6	13·8	13·0	9·8	74
Forfar County—								
Arbroath	7,879	21·2	7·0	10·3	12·3	10·9	10·8	60
Brechin	12,045	21·4	5·6	13·7	10·8	9·5	10·5	50
Dundee	9,283	24·1	3·6	17·8	11·7	10·8	6·3	67
Forfar	10,414	21·2	3·8	13·0	14·6	12·0	8·1	41
Haddington County—								
Eastern	5,811	18·8	7·1	12·2	13·4	13·1	11·0	83
Western	16,622	27·2	4·4	9·6	11·6	12·0	7·1	80
Inverness County—								
Inverness	8,668	16·6	1·7	16·4	10·5	9·2	7·6	76
Aird	8,299	18·6	1·9	16·0	17·7	13·8	8·4	39
Badenoch	6,182	18·4	2·3	13·1	13·4	10·7	13·2	70
Lochaber	6,580	15·2	2·0	12·6	14·6	11·8	9·0	30
Skye	12,282	20·0	3·8	17·3	18·2	12·8	4·9	65
Harris	5,244	22·3	2·5	12·8	13·0	10·2	6·8	68
North Uist	3,438	16·3	2·6	13·7	14·0	10·2	7·1	71
South Uist	7,605	19·2	4·1	14·6	15·1	12·0	10·3	48
Kincardine County—								
Laurencekirk	4,372	26·1	3·7	12·6	14·0	11·9	13·2	61
Lower Deeside	3,663	21·0	5·7	14·5	15·0	14·1	15·6	65
St. Cyrus	4,449	27·6	7·4	12·4	14·6	12·6	12·2	89
Stonehaven	4,171	22·3	3·6	12·0	11·0	9·6	11·8	97
Upper Deeside	2,888	19·7	3·5	13·9	13·2	11·5	15·8	70
Kinross County—								
Kinross	4,709	20·8	5·1	16·4	15·3	13·1	5·1	82
Kirkcudbright C'nty.								
Eastern	7,049	23·5	6·0	16·2	17·6	15·4	10·4	43
Northern	2,645	19·3	8·3	9·1	9·8	8·3	2·0	78
Southern	7,831	24·0	6·1	13·3	13·9	12·8	19·7	69
Western	3,276	20·5	7·0	12·5	13·7	13·0	10·4	45
Lanark County—								
Lower Ward	29,466	25·6	4·1	13·4	11·6	12·3	3·3	90
Middle Ward	200,455	36·5	6·5	15·1	15·6	16·6	4·8	123
Upper Ward	41,810	27·4	6·1	12·0	12·5	12·6	7·4	85
Linlithgow County—								
Bathgate	32,230	37·0	5·8	12·1	13·7	14·6	5·4	96
Linlithgow	15,205	27·5	5·7	20·5	12·3	12·6	5·3	91
Nairn County—								
Nairn	4,391	22·1	3·0	12·3	12·8	11·1	16·5	93
Orkney County—								
Mainland	8,485	16·7	6·0	14·0	15·2	11·2	9·9	70
North Isles	6,525	22·1	6·0	13·9	15·0	10·5	4·2	83
South Ronaldshay	2,184	27·0	6·0	22·0	23·4	15·6	10·2	119
Walls	1,499	18·0	7·3	21·3	20·0	13·7	0·0	111

TABLE 6—*continued.*

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
PEEBLES COUNTY—								
Peebles . . .	6,642	19·6	4·7	12·2	12·0	11·5	8·9	62
PERTH COUNTY—								
Blairgowrie . .	9,321	20·7	5·0	10·2	11·5	10·1	11·9	78
Central . . .	9,710	20·7	5·6	13·4	14·5	12·4	11·4	65
Highland . . .	12,135	14·9	3·3	13·6	12·7	10·6	12·7	61
Perth . . .	19,920	23·1	5·1	11·3	13·6	11·9	8·3	63
Western . . .	9,634	20·7	4·5	12·9	14·1	13·5	9·0	106
RENFREW COUNTY—								
Upper Ward . .	35,783	22·1	4·8	20·2	13·5	14·4	4·7	101
Lower Ward . .	23,161	20·4	4·5	14·2	14·3	15·0	4·2	106
ROSS & CROMARTY C'NTY.								
Black Isle . .	8,315	13·6	1·9	8·7	10·0	11·1	10·6	35
Easter Ross . .	9,644	23·7	3·7	16·0	16·4	12·4	10·9	66
Lews . . .	24,796	22·3	3·3	14·2	14·3	12·0	3·6	40
Mid-Ross . . .	10,991	18·0	1·7	19·2	21·3	15·4	15·7	56
South-Western . .	3,300	16·1	3·6	16·4	18·5	12·1	11·3	38
Western . . .	4,330	12·9	2·5	18·5	19·2	11·8	7·1	89
ROXBURGH COUNTY—								
Hawick . . .	3,101	15·5	8·1	11·6	11·6	11·3	8·3	42
Jedburgh . . .	4,499	22·4	5·3	11·6	12·0	11·7	12·9	40
Kelso . . .	5,917	19·6	5·6	13·4	15·0	14·7	19·8	52
Liddesdale . .	1,862	18·3	3·8	14·5	15·0	12·0	14·7	59
Melrose . . .	4,786	16·9	3·3	14·8	15·7	13·6	12·3	74
SELKIRK COUNTY—								
Selkirk . . .	4,014	16·7	4·0	11·2	12·0	12·0	4·5	30
SHETLAND COUNTY—								
Mainland . . .	17,485	16·5	1·9	18·1	18·2	12·5	5·9	66
North Isles . .	4,457	18·4	1·1	15·0	15·9	11·7	6·1	12
STIRLING COUNTY—								
Central . . .	27,119	31·1	5·4	13·1	14·3	14·5	3·9	101
Eastern . . .	40,461	28·9	5·6	13·8	12·2	13·0	4·6	87
Western . . .	11,277	19·4	3·9	13·4	13·5	12·4	5·5	78
SUTHERLAND COUNTY—								
Sutherland . .	18,087	18·3	2·1	16·7	17·1	12·1	8·2	48
WIGTOWN COUNTY—								
Machars . . .	8,329	25·5	6·0	14·8	15·6	13·6	16·5	99
Rhins . . .	11,341	25·8	7·1	16·3	16·8	15·3	18·8	85

TABLE 7.—Births, Deaths, and Marriages in the Counties* in 1914.

COUNTIES.	Estimated Population.	Births.		Marriages.	Deaths (Corrected).	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Total.	Illegitimate.			Birth.	Marriage.	Death. Uncorrected.	Death. Corrected for Transfers.	Death. Corrected for Transfers and Age and Sex Distribution.		
SCOTLAND	**4,747,167**	**123,934**	**8,879**	**35,049**	**73,557 †**	**26·11**	**7·38**	**15·49**	**15·49**	**15·49**	**7·16**	**110·6**
Aberdeen	303,118	7,457	969	2,285	4,746	24·60	7·54	15·85	15·66	14·70	12·99	104·6
Argyll	64,354	1,189	123	304	1,090	18·48	4·72	17·02	16·94	14·35	10·34	50·5
Ayr	263,317	7,186	542	1,845	4,009	27·29	7·01	15·11	15·22	15·51	7·54	106·5
Banff	58,453	1,548	195	302	915	26·48	5·17	15·23	15·65	13·82	12·60	122·7
Berwick	27,865	519	60	156	407	18·63	5·60	13·60	14·61	12·95	11·56	71·3
Bute	17,135	283	29	70	266	16·52	4·09	16·22	15·52	13·24	10·25	91·9
Caithness	29,910	679	79	144	517	22·70	4·81	16·98	17·29	13·19	11·63	94·3
Clackmannan	29,357	751	52	195	429	25·58	6·64	13·66	14·61	14·60	6·92	98·5
Dumbarton	140,046	4,006	199	871	2,076	28·60	6·22	14·17	14·82	15·78	4·97	108·3
Dumfries	69,437	1,579	198	486	1,088	22·74	7·00	16·27	15·67	14·51	12·54	102·0
Edinburgh (Midlothian)	510,643	11,590	778	4,311	7,737	22·70	8·44	15·68	15·15	15·64	6·71	105·6
Elgin	40,934	996	158	282	662	24·33	6·89	16·39	16·17	14·06	15·86	103·4
Fife	271,367	7,404	415	1,777	3,875	27·28	6·55	13·82	14·28	14·16	5·61	101·0
Forfar	275,271	6,500	586	2,089	4,481	23·61	7·59	16·48	16·28	15·78	9·02	121·4
Haddington	42,616	1,097	80	244	544	25·74	5·73	11·38	12·77	12·70	7·29	83·9
Inverness	82,243	1,597	143	401	1,267	19·42	4·88	15·75	15·41	12·59	8·95	73·9
Kincardine	39,416	975	99	207	532	24·74	5·25	13·19	13·50	12·21	10·15	80·0
Kinross	7,339	155	6	48	103	21·12	6·54	14·31	14·03	12·15	3·87	96·8
Kirkcudbright	36,226	794	96	247	529	21·92	6·82	13·66	14·60	13·24	12·09	69·3
Lanark	1,530,516	45,100	2,634	13,366	24,597	29·47	8·83	16·00	16·07	17·49	5·84	122·0
Linlithgow	80,344	2,655	135	482	1,089	33·05	6·00	13·65	13·55	14·54	5·08	108·9
Nairn	8,883	193	20	44	141	21·73	4·95	15·08	15·87	14·08	10·36	114·0
Orkney	23,998	466	34	156	402	19·42	6·50	16·46	16·75	12·22	7·30	90·1
Peebles	14,592	251	19	75	182	17·20	5·14	11·99	12·47	12·05	7·57	39·8
Perth	119,124	2,314	216	736	1,625	19·43	6·18	13·57	13·64	12·25	9·33	80·4
Renfrew	284,205	8,094	404	1,944	4,531	28·48	6·84	16·54	15·94	17·05	4·99	112·2
Ross and Cromarty	72,726	1,396	117	273	1,164	19·20	3·75	15·51	16·01	13·02	8·38	54·4
Roxburgh	44,445	786	88	242	646	17·68	5·44	14·58	14·53	13·76	11·20	84·0
Selkirk	23,814	380	29	127	322	15·96	5·33	12·93	13·52	13·61	7·63	71·1
Shetland	26,503	463	25	96	476	17·47	3·62	17·58	17·96	12·86	5·40	69·1
Stirling	159,878	4,472	217	1,022	2,236	27·97	6·39	14·30	13·99	14·60	4·85	100·0
Sutherland	18,829	346	29	40	319	18·38	2·12	16·57	16·94	12·13	8·38	46·2
Wigtown	30,263	713	105	182	504	23·56	6·01	16·39	16·65	14·74	14·73	105·2

* Burghs included. — † Including deaths of 50 British and Foreign Soldiers and Sailors from causes originating outwith Scotland. These have not been allocated to any Public Health District.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1914.

	Estimated Number of Married Women aged 15–45.	Number of Legitimate Children born.	Legitimate Births per 1000 Married Women aged 15–45.	Estimated Number of Unmarried Women and of Widows aged 15–45.	Number of Illegitimate Children born.	Illegitimate Births per 1000 Unmarried Women and Widows aged 15–45.
SCOTLAND	**486,630**	**115,054**	**236·4**	**655,809**	**8,879**	**13·5**
LARGER BURGHS	251,981	57,093	226·6	335,854	4,108	12·2
SMALLER BURGHS	93,209	21,906	235·0	133,306	1,682	12·6
COUNTY DISTRICTS	141,440	36,055	254·9	186,649	3,089	16·5
Counties.						
Aberdeen	29,023	6,488	223·5	42,480	969	22·8
Argyll	4,715	1,066	226·1	9,469	123	13·0
Ayr	26,622	6,644	249·6	35,605	542	15·2
Banff	5,178	1,353	261·3	7,276	195	26·8
Berwick	2,553	459	179·8	4,217	60	14·2
Bute	1,430	254	177·6	2,914	29	10·0
Caithness	2,279	600	263·3	4,025	79	19·6
Clackmannan	2,852	699	245·1	4,603	52	11·3
Dumbarton	15,152	3,807	251·3	18,274	199	10·9
Dumfries	6,135	1,381	225·1	10,182	198	19·4
Edinburgh (Midlothian)	53,227	10,812	203·1	82,528	778	9·4
Elgin	3,435	838	244·0	5,742	158	27·5
Fife	29,677	6,989	235·5	33,107	415	12·5
Forfar	27,432	5,914	215·6	43,946	586	13·3
Haddington	4,288	1,017	237·2	5,603	80	14·3
Inverness	5,839	1,453	248·8	11,823	143	12·1
Kincardine	3,874	876	226·1	4,841	99	20·5
Kinross	683	149	218·2	982	6	6·1
Kirkcudbright	3,138	698	222·4	5,467	96	17·6
Lanark	171,326	42,466	247·9	197,157	2,634	13·4
Linlithgow	8,957	2,520	281·3	7,154	135	18·9
Nairn	705	173	245·4	1,441	20	13·9
Orkney	1,862	432	232·0	3,298	34	10·3
Peebles	1,356	232	171·1	2,579	19	7·4
Perth	10,509	2,098	199·6	18,665	216	11·6
Renfrew	30,401	7,690	253·0	41,515	404	9·7
Ross and Cromarty	4,861	1,279	263·1	9,985	117	11·7
Roxburgh	4,019	698	173·7	7,793	88	11·3
Selkirk	2,205	351	159·2	4,302	29	6·7
Shetland	1,942	438	225·5	3,970	25	6·3
Stirling	17,107	4,255	248·7	17,982	217	12·1
Sutherland	1,207	317	262·6	2,502	29	11·6
Wigtown	2,641	608	230·0	4,381	105	24·0
Larger Burghs.						
Glasgow	116,738	27,570	236·2	151,226	1,892	12·5
Edinburgh	32,885	5,966	181·4	58,151	502	8·6
Dundee	18,872	4,044	214·3	28,654	407	14·2
Aberdeen	17,258	3,627	210·2	24,105	377	15·6
Paisley	8,975	2,249	250·6	13,728	139	10·1
Leith	9,346	2,039	218·2	10,246	122	11·9
Greenock	8,515	2,419	284·1	9,691	131	13·5
Coatbridge	4,897	1,304	266·3	3,989	67	16·8
Motherwell	5,090	1,247	245·0	3,526	45	12·8
Kirkcaldy	4,559	940	206·2	5,542	76	13·7
Hamilton	4,585	1,260	274·8	3,581	58	16·2
Clydebank	5,540	1,320	238·3	4,046	55	13·6
Perth	3,509	645	183·8	5,865	45	7·7
Kilmarnock	3,847	824	214·2	4,993	70	14·0
Falkirk	3,908	843	215·7	3,323	58	17·5
Ayr	3,457	796	230·3	5,188	64	12·3

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855–1913. Numbers.

Year.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	19680	6·608	8879	4665	2952	1826	350	923	76	9
1856	20740	6·923	9863	4645	2875	1953	360	984	24	36
1857	21369	7·094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6·492	9104	4650	2707	1697	379	1034	57	27
1859	21201	6·969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6·948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6·808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6·651	9307	4930	2846	1778	371	990	348	27
1863	22234	7·160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7·200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7·412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7·367	10392	5570	3385	2259	516	1483	41	42
1867	22618	6·970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6·673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6·698	9761	5095	3277	2043	450	1393	56	69
1870	23854	7·149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7·130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7·531	11794	5661	3312	2461	579	1681	5	148
1873	26748	7·773	12187	5806	3596	2451	648	1853	10	197
1874	26390	7·588	11820	5922	3586	2267	643	1923	13	216
1875	25974	7·390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7·482	11996	5944	3603	2279	719	1703	37	298
1877	25817	7·191	11773	5833	3313	2368	651	1477	47	355
1878	24358	6·713	11330	5431	3013	2181	653	1350	12	388
1879	23519	6·416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6·612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6·948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7·053	12356	5481	3128	2697	746	1678	59	451
1883	26869	7·073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6·821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6·562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6·310	11507	5036	2821	2241	723	1597	0	590
1887	24876	6·355	11689	4866	2928	2422	685	1655	2	629
1888	25305	6·417	11647	5052	2876	2464	783	1724	0	759
1889	26344	6·630	11846	5263	3004	2653	791	1943	3	841
1890	27469	6·862	12408	5347	3097	2791	768	2025	0	1033
1891	27969	6·929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7·029	12865	5677	3284	2850	809	1981	0	1204
1893	27145	6·585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6·627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6·752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7·115	13694	5552	3316	2991	981	2268	0	1468
1897	31050	7·222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7·391	14567	6033	3486	3091	949	2418	0	1568
1899	32978	7·511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7·312	14600	4705 Un. Free Ch.* 1768	2769	3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE 9—*continued.*

Year.	Total Marriages.		Regular Marriages according to the Rites of							Irregular Marriages.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
				Un. Free Ch.*						
1901	31387	7·000	14167	8669		3184	942	2473	0	1952
1902	31913	7·043	14267	8803		3337	969	2446	0	2091
1903	32351	7·065	14692	8778		3487	876	2592	0	1926
1904	32271	6·974	14803	8776		3328	925	2577	0	1862
1905	31270	6·686	14245	8240		3376	946	2601	0	1862
1906	33142	7·013	14983	8634		3644	983	2913	0	1985
1907	33298	6·972	15116	8667		3536	1005	2750	0	2224
1908	31606	6·548	14238	8271		3272	934	2645	0	2246
1909	30108	6·395	13753	7821		2975	908	2636	0	2015
1910	30902	6·523	13871	8110		3171	867	2703	0	2180
1911	31844	6·702	14032	8083		3404	984	2734	0	2607
1912	32506	6·856	14168	8440		3607	964	2772	0	2555
1913	33676	7·122	14328	8480		3960	1111	2746	0	3051

*See Note on previous page.

TABLE 10.—Method of Celebration, etc., of Marriages in Scotland, 1855–1913. Percentages.

Year.	Percentage of Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE **10**—*continued.*

Year.	Percentage of Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45·13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33
1878	46·51	22·30	12·37	8·96	2·68	5·54	0·05	1·59
1879	45·68	22·59	12·24	9·23	2·78	6·02	0·08	1·38
1880	46·02	21·58	12·17	9·53	2·85	6·24	0·13	1·48
1881	46·83	20·77	11·88	9·76	2·67	6·30	0·18	1·61
1882	46·46	20·61	11·76	10·14	2·80	6·31	0·22	1·70
1883	46·09	20·39	12·10	10·15	2·71	6·32	0·04	2·20
1884	45·97	21·06	11·50	9·98	2·70	6·43	0·00	2·36
1885	46·21	21·12	11·52	9·65	2·77	6·49	0·00	2·24
1886	46·94	20·54	11·51	9·14	2·95	6·51	0·00	2·41
1887	46·99	19·56	11·77	9·74	2·75	6·65	0·01	2·53
1888	46·03	19·96	11·37	9·74	3·09	6·81	0·00	3·00
1889	44·97	19·98	11·40	10·07	3·00	7·38	0·01	3·19
1890	45·17	19·47	11·27	10·16	2·80	7·37	0·00	3·76
1891	45·40	19·36	11·47	9·62	2·82	7·33	0·00	4·00
1892	44·87	19·80	11·46	9·94	2·82	6·91	0·00	4·20
1893	45·57	19·38	11·23	9·17	2·99	7·07	0·00	4·59
1894	45·82	19·25	11·14	9·45	2·90	7·22	0·00	4·22
1895	45·15	19·34	10·73	10·05	3·06	7·30	0·00	4·37
1896	45·24	18·34	10·96	9·88	3·24	7·49	0·00	4·85
1897	45·09	18·45*	11·16	9·75	3·16	7·46	0·00	4·93
1898	45·36	18·79	10·86	9·63	2·95	7·53	0·00	4·88
1899	44·53	18·44	10·82	10·37	3·13	7·19	0·00	5·52
1900	45·00	14·50 United Free Ch.* 5·45	8·54	10·24	2·97	7·40	0·00	5·90
1901	45·14	27·62		10·14	3·00	7·88	0·00	6·22
1902	44·71	27·58		10·46	3·04	7·66	0·00	6·55
1903	45·42	27·13		10·78	2·71	8·01	0·00	5·95
1904	45·87	27·19		10·31	2·87	7·99	0·00	5·77
1905	45·55	26·35		10·80	3·03	8·32	0·00	5·95
1906	45·21	26·05		10·99	2·97	8·79	0·00	5·99
1907	45·39	26·03		10·62	3·02	8·26	0·00	6·68
1908	45·05	26·17		10·35	2·95	8·37	0·00	7·11
1909	45·68	25·98		9·88	3·02	8·75	0·00	6·69
1910	44·89	26·24		10·26	2·81	8·75	0·00	7·05
1911	44·06	25·38		10·69	3·09	8·59	0·00	8·19
1912	43·59	25·96		11·10	2·96	8·53	0·00	7·86
1913	42·55	25·18		11·76	3·30	8·15	0·00	9·06

* See Note on page lxxv.

TABLE **11.**—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1913. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758
1887	1661	5063	9555	14137	15321	10739	23758	22836	1118	2040	21271	677	2166	758
1888	1664	5168	9708	14536	15597	10769	24305	23437	1000	1868	21807	672	2078	741
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780
1896	1886	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785
1898	1917	5916	11832	17810	20280	14302	31528	31146	584	966	28371	761	2153	819
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814
1900	2006	6039	12040	11763	20404	14681	31744	31547	700	897	28685	908	2044	801

TABLE **11.**—*continued.*

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1901	1927	5788	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772
1904	1937	5922	11328	17191	20943	15080	31717	31529	554	742	28949	794	2055	752
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761
1906	2022	6107	11425	17643	21717	15497	32661	32489	481	653	29557	807	1986	773
1907	1902	5905	11396	17460	21899	15835	32860	32716	438	582	29684	805	2042	735
1908	1872	5604	10915	16475	20691	15131	31284	31099	322	507	28233	752	1962	638
1909	1693	5168	10097	15399	20011	14709	29761	29662	347	446	29846	722	1884	632
1910	1690	5267	10164	15443	20738	15459	30600	30489	302	413	27529	712	1910	743
1911	1723	5489	10388	15824	21456	16020	31606	31447	238	397	28325	785	1944	772
1912	1846	5766	10771	16348	21735	16158	32287	32187	219	319	29212	752	1773	754
1913	2076	6379	11343	17345	22333	16331	33406	33298	270	378	30107	803	1923	813

TABLE **12.**—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1913. Percentages.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	39·25	56·50	60·75	43·50	86·60	77·10	11·40	22·90	83·38	3·05	10·19	3·38
1856	?	?	40·66	58·02	59·34	41·98	88·16	76·05	11·84	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·00	58·28	58·00	41·72	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·19	58·47	58·81	41·53	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·16	58·61	58·84	41·39	89·11	77·80	10·89	22·20	85·25	2·76	9·06	2·93
1860	7·37	21·78	40·83	58·70	59·17	41·30	89·69	78·29	10·31	21·71	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·92	58·55	59·08	41·45	89·39	77·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·06	59·26	57·94	40·74	89·99	79·65	10·81	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·06	43·77	59·84	56·23	40·16	89·14	77·90	10·86	22·10	87·29	1·59	8·46	2·66
1864	7·47	22·00	42·52	59·61	57·48	40·39	88·54	76·13	11·46	23·87	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·76	58·72	58·24	41·28	88·58	77·78	11·42	22·22	85·97	2·53	0·77	2·73
1866	7·20	20·69	41·89	58·44	58·11	41·56	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·59	57·44	59·41	42·56	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·66	56·92	60·34	43·08	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·35	60·30	42·65	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·48	57·53	59·52	42·47	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

TABLE **12.**—*continued.*

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women				
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·95	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09
1879	7·64	22·06	42·11	59·00	57·89	41·00	92·37	84·69	7·63	15·31	84·68	3·32	8·86	3 08
1880	7·22	22·01	41·71	59·69	58·29	40·31	92·62	84·79	7·38	15·21	85·07	3·12	8·66	3·06
1881	6·98	22 27	41·60	59·69	58·40	40·31	92·94	86·06	7·06	13·94	85·83	2·69	8·27	3·18
1882	7·75	22·54	41·85	60·11	58·15	39·89	93·15	86·84	6·85	13·16	86·42	2·57	8·02	2·97
1883	7·54	22·09	41·45	59·59	58·55	40·41	93·64	87·90	6·36	12·10	86·02	2·82	8·28	2·85
1884	7·37	22·30	40·72	58·90	59·28	41·10	93·84	88·67	6·16	11·33	85·63	2·85	8·37	3·10
1885	7·21	21·46	40·24	58·42	59·76	41·58	94·59	90·32	5·41	9·68	86·08	2·69	8·15	3·14
1886	6·88	20·55	38·77	57·85	61·21	42·12	95·35	91·72	4·65	8·28	85·32	2·69	8·88	3·09
1887	6·68	20·35	38·41	56·83	61·59	43·17	95·91	91·80	4·49	8·20	85·51	2·72	8·71	3·06
1888	6·58	20·42	38·36	57·44	61·64	42·56	96·05	92·62	3·95	7·38	86·18	2·66	8·21	2·93
1889	6·19	19·56	34·20	56·44	65·80	43·56	95·70	92·62	4·30	7·38	85·87	2·75	8·26	3·03
1890	6·24	19·76	38·30	56·94	61·70	43·06	96·08	93·58	3·92	6·42	86·33	2·72	7·93	2·97
1891	6·19	19·49	37·77	56·07	62·23	43·93	96·59	94·34	3·41	5·66	86·46	2·65	8·94	2·80
1892	6·23	19·68	37·53	55·93	62·47	44·07	96·77	95·03	3·23	4·97	86·76	2·68	7·79	2·76
1893	6·27	19·24	36·92	55 07	63·08	44·93	97·30	95·56	2·70	4·44	86·85	2·60	7·61	2·94
1894	6·09	18·78	36·31	54·15	63·23	45·19	97·23	95·49	2·77	4·51	86·81	2·61	7·67	2·88
1895	5·88	18·62	39·54	55·31	63·46	44·69	97·37	95·74	2·63	4·26	87·06	2·71	7·45	2·74
1896	6 23	18·72	36·44	54·48	63·56	45·52	97·74	96·22	2·26	3·78	87·41	2·56	7·22	2·77
1897	6·17	18·68	37·13	53·11	62·87	44·33	97·84	96·73	2·16	3·27	88·01	2·72	6·72	2·53
1898	5·97	18·42	36·85	55·46	63·15	44·54	98·18	96·99	1·82	3·01	88·35	2·37	6·70	2·55
1899	6·09	18·25	37·04	55·26	62·96	44·74	98·09	97·17	1·91	2·83	88·54	2·62	6·36	2·47
1900	6·18	18·61	37·11	54·75	62·89	45·25	97·84	97·24	2·16	2·76	88·41	2·80	6·30	2·47
1901	6·14	18·44	36·41	53·66	63·59	46·34	98·03	97·33	1·97	2·67	88·26	2·84	6·37	2·53
1902	6·01	17·57	35·72	52·65	64·28	47·35	98·20	97·45	1·80	2·55	88·36	2·89	6·23	2·52
1903	6·13	18·24	36·31	53·60	63·69	46·40	98·26	97·70	1·74	2·30	88·46	2·84	6·31	2·39
1904	6·00	18·35	35·10	53·27	64·90	46·73	98·28	97·70	1·72	2·30	88·84	2·46	6·37	2·33
1905	6·06	18·70	34·86	53·13	65·14	48·87	98·39	97·83	1·61	2·17	88·55	2·62	6·39	2·44
1906	6·10	18·43	34·47	53·24	65·53	46·76	98·55	98·03	1·45	1·97	89·23	2·44	6·00	2·33
1907	5·71	17·73	34·23	52·44	65·77	47·57	98·68	98·25	1·32	1·75	89·23	2·42	6·14	2·21
1908	5·92	17·73	34·53	52·13	65·47	47·87	98·98	98·40	1·02	1·60	89·39	2·38	6·21	2·02
1909	5·62	17·16	33·54	51·15	66·46	48·85	98·85	98·52	1·15	1·48	89·24	2·40	6·26	2·10
1910	5·47	17·04	32·89	49·97	67·11	50·03	99·02	98·66	0·98	1·34	89·11	2·30	6·18	2·41
1911	5·42	17·26	32·66	49·75	67·34	50·25	99·25	98·75	0·75	1·25	89·00	2·47	6·11	2·42
1912	5·68	17·74	33·14	50·29	66·86	49·71	99·33	99·02	0·67	0·98	89·91	2·31	5·46	2·32
1913	6·16	18·94	33·68	51·51	66·32	48·49	99·20	98·88	0·80	1·12	89·50	2·38	5·71	2·41

TABLE **13.**—Regular and Irregular Marriages in Scotland, 1913.

	Total Marriages.	Numbers.					Percentage of Total Marriages.				
		Regular Marriages.			Irregular Marriages.		Regular Marriages.			Irregular Marriages.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND . .	**33,676**	**18,476**	**11,338**	**811**	**3,049**	**2**	**54·9**	**33·7**	**2·4**	**9·0**	**0·0**
LARGER BURGHS .	19,465	7,728	8,427	392	2,916	2	39·7	43·3	2·0	15·0	0·0
OTHER DISTRICTS .	14,211	10,748	2,911	419	133	–	75·6	20·5	3·0	0·9	–
Counties.											
Aberdeen . .	2,165	1,364	612	56	133	–	63·0	28·3	2·6	6·1	–
Argyll . . .	270	240	17	9	4	–	88·9	6·3	3·3	1·5	–
Ayr	1,734	1,229	406	76	23	–	70·9	23·4	4·4	1·3	–
Banff . . .	345	318	16	6	5	–	92·2	4·6	1·7	1·5	–
Berwick . . .	166	163	3	–	–	–	98·2	1·8	–	–	–
Bute . . .	76	71	1	4	–	–	93·4	1·3	5·3	–	–
Caithness. . .	126	116	4	4	2	–	92·0	3·2	3·2	1·6	–
Clackmannan . .	220	174	36	9	1	–	79·1	16·3	4·1	0·5	–
Dumbarton . .	778	405	350	21	2	–	52·1	45·0	2·7	0·2	–
Dumfries . . .	471	427	31	4	9	–	90·7	6·6	0·8	1·9	–
Edinburgh (Midlothian) . .	4,110	2,022	1,352	93	642	1	49·2	32·9	2·3	15·6	0·0
Elgin . . .	270	232	13	9	16	–	85·9	4·8	3·4	5·9	–
Fife	1,705	1,240	393	42	30	–	72·7	23·0	2·5	1·8	–
Forfar . . .	1,889	957	775	51	106	–	50·7	41·0	2·7	5·6	–
Haddington . .	230	203	20	7	–	–	88·3	8·7	3·0	–	–
Inverness. . .	403	314	57	14	18	–	77·9	14·1	3·5	4·5	–
Kincardine . .	190	152	33	5	–	–	80·0	17·4	2·6	–	–
Kinross . . .	35	34	1	–	–	–	97·1	2·9	–	–	–
Kirkcudbright . .	210	196	5	5	4	–	93·3	2·4	2·4	1·9	–
Lanark . . .	12,909	4,813	5,861	272	1,963	–	37·3	45·4	2·1	15·2	–
Linlithgow . .	431	354	56	17	4	–	32·1	13·0	4·0	0·9	–
Nairn . . .	64	57	3	3	1	–	89·1	4·7	4·7	1·5	–
Orkney . . .	147	138	5	2	2	–	93·8	3·4	1·4	1·4	–
Peebles . . .	75	67	2	5	1	–	89·3	2·7	6·7	1·3	–
Perth . . .	708	545	118	21	24	–	77·0	16·6	3·0	3·4	–
Renfrew . . .	1,892	996	833	32	30	1	52·6	44·0	1·7	1·6	0·1
Ross and Cromarty .	288	181	97	5	5	–	62·9	33·7	1·7	1·7	–
Roxburgh. . .	286	248	27	11	–	–	86·7	9·4	3·9	–	–
Selkirk . . .	130	117	11	2	–	–	90·0	8·5	1·5	–	–
Shetland . . .	137	135	–	1	1	–	98·6	–	0·7	0·7	–
Stirling . . .	986	751	191	24	20	–	76·2	19·4	2·4	2·0	–
Sutherland . .	62	54	8	–	–	–	87·1	12·9	–	–	–
Wigtown . . .	168	163	1	1	3	–	97·0	0·6	0·6	1·8	–
Larger Burghs.											
Glasgow . . .	9,801	3,225	4,457	182	1,937	–	32·9	45·5	1·8	19·8	–
Edinburgh . .	2,939	1,265	982	61	630	1	43·1	33·4	2·1	21·4	0·0
Dundee . . .	1,305	478	698	32	97	–	36·6	53·5	2·5	7·4	–
Aberdeen. . .	1,348	575	609	32	132	–	42·6	45·2	2·4	9·8	–
Paisley . . .	652	287	345	5	15	–	44·0	52·9	0·8	2·3	–
Leith . . .	534	246	267	9	12	–	46·1	50·0	1·7	2·2	–
Greenock . . .	540	290	227	8	14	1	53·7	42·0	1·5	2·6	0·2
Coatbridge . .	239	82	155	2	–	–	34·3	64·9	0·8	–	–
Motherwell . .	258	137	112	5	4	–	53·1	43·4	1·9	1·6	–
Kirkcaldy . .	271	219	41	7	4	–	80·8	15·1	2·6	1·5	–
Hamilton . .	297	178	99	9	11	–	60·0	33·3	3·0	3·7	–
Clydebank . .	233	126	105	2	–	–	54·1	45·1	0·8	–	–
Perth . . .	303	170	96	13	24	–	56·1	31·7	4·3	7·9	–
Kilmarnock . .	273	120	137	9	7	–	43·9	50·2	3·3	2·6	–
Falkirk . . .	209	146	43	6	14	–	69·8	20·6	2·9	6·7	–
Ayr	263	184	54	10	15	–	70·0	20·5	3·8	5·7	–

TABLE **14.**—Church of Celebration of Regular Marriages in Scotland, 1913.

	Total Marriages.	Marriages According to each Denomination.						Percentage to Total Marriages.					
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.
SCOTLAND . .	**33,676**	**14,328**	**8,480**	**335**	**3,960**	**1,111**	**2,411**	**42·5**	**25·2**	**1·0**	**11·8**	**3·3**	**7·2**
LARGER BURGHS .	19,465	6,642	4,798	67	2,579	762	1,699	34·1	24·7	0·4	13·2	3·9	8·7
OTHER DISTRICTS .	14,211	7,686	3,682	268	1,381	349	712	54·1	25·9	1·9	9·7	2·5	5·0
Counties.													
Aberdeen . .	2,165	1,213	564	1	38	73	143	56·0	26·1	0·0	1·8	3·4	6·6
Argyll . . .	270	158	55	15	18	10	10	58·5	20·4	5·5	6·7	3·7	3·7
Ayr	1,734	937	454	15	152	56	97	54·0	26·2	0·9	8·8	3·2	5·6
Banff . . .	345	195	87	–	18	9	31	56·5	25·2	–	5·2	2·6	9·0
Berwick . . .	166	109	46	–	2	3	6	65·7	27·7	–	1·2	1·8	3·6
Bute . . .	76	32	33	6	2	2	1	42·1	43·5	7·9	2·6	2·6	1·3
Caithness. . .	126	49	54	12	–	1	8	38·9	42·9	9·5	–	0·8	6·3
Clackmannan . .	220	134	57	–	9	4	15	60·9	25·9	–	4·1	1·8	6·8
Dumbarton . .	778	337	180	6	160	38	55	43·3	23·1	0·8	20·6	4·9	7·1
Dumfries . . .	471	281	113	2	21	21	24	59·6	24·0	0·4	4·5	4·5	5·1
Edinburgh (Midlothian) . .	4,110	1,711	992	6	291	249	218	41·6	24·1	0·2	7·1	6·1	5·3
Elgin . . .	270	146	86	4	1	8	9	54·1	31·8	1·5	0·4	3·0	3·3
Fife	1,705	954	480	10	105	43	83	55·9	28·1	0·6	6·2	2·5	4·9
Forfar . . .	1,889	819	430	–	229	141	164	43·4	22·8	–	12·1	7·4	8·7
Haddington . .	230	142	53	–	21	11	3	61·7	23·1	–	9·1	4·8	1·3
Inverness. . .	403	153	104	75	38	9	6	38·0	25·8	18·6	9·4	2·2	1·5
Kincardine . .	190	133	32	–	2	21	2	70·0	16·8	–	1·1	11·0	1·1
Kinross . . .	35	25	8	–	–	2	–	71·4	22·9	–	–	5·7	–
Kirkcudbright. .	210	150	41	–	9	3	3	71·5	19·5	–	4·3	1·4	1·4
Lanark . . .	12,909	4,243	3,001	55	2,216	260	1,171	32·9	23·2	0·4	17·2	2·0	9·1
Linlithgow . .	431	237	115	–	57	4	14	55·0	26·7	–	13·2	0·9	3·3
Nairn . . .	64	35	20	4	3	–	1	54·7	31·3	6·2	4·7	–	1·6
Orkney . . .	147	66	69	–	–	3	7	44·9	46·9	–	–	2·0	4·8
Peebles . . .	75	53	12	–	2	3	4	70·7	16·0	–	2·7	4·0	5·3
Perth . . .	708	386	215	2	27	32	22	54·5	30·4	0·3	3·8	4·5	3·1
Renfrew . . .	1,892	681	496	2	418	70	194	36·0	26·2	0·1	22·1	3·7	10·2
Ross and Cromarty .	288	64	108	101	–	3	7	22·2	37·5	35·1	–	1·1	2·4
Roxburgh . .	286	169	85	–	10	13	9	59·1	29·7	–	3·4	4·6	3·2
Selkirk . . .	130	74	38	–	5	–	13	56·9	29·2	–	3·9	–	10·0
Shetland . . .	137	52	53	–	–	2	29	37·9	38·7	–	–	1·5	21·2
Stirling . . .	986	458	334	–	101	17	56	46·5	33·9	–	10·2	1·7	5·7
Sutherland . .	62	24	19	19	–	–	–	38·8	30·6	30·6	–	–	–
Wigtown . . .	168	108	46	–	5	–	6	64·3	27·4	–	3·0	–	3·5
Larger Burghs.													
Glasgow . . .	9,801	2,930	2,287	48	1,501	204	894	29·9	23·3	0·5	15·3	2·1	9·1
Edinburgh . .	2,939	1,019	728	6	182	222	151	34·7	24·8	0·2	6·2	7·6	5·1
Dundee . . .	1,305	438	287	–	222	118	143	33·6	22·0	–	17·0	9·0	11·0
Aberdeen . .	1,348	583	431	1	29	66	106	43·2	32·0	0·1	2·2	4·9	7·8
Paisley . . .	652	194	203	–	146	9	85	29·8	31·1	–	22·4	1·4	13·0
Leith . . .	534	276	153	–	34	13	46	51·7	28·7	–	6·4	2·4	8·6
Greenock. . .	540	196	114	2	129	26	58	36·3	21·1	0·4	23·9	4·8	10·7
Coatbridge . .	239	48	64	7	86	9	25	20·1	26·8	2·9	36·0	3·8	10·4
Motherwell . .	258	127	49	–	41	10	27	49·2	19·0	–	15·9	3·9	10·4
Kirkcaldy . .	271	146	68	2	10	10	31	53·9	25·1	0·7	3·7	3·7	11·4
Hamilton. . .	297	125	54	–	64	11	32	42·1	18·2	–	21·5	3·7	10·8
Clydebank . .	233	95	43	–	54	4	37	40·8	18·4	–	23·2	1·7	15·9
Perth . . .	303	126	104	1	13	15	20	41·6	34·3	0·3	4·3	5·0	6·6
Kilmarnock . .	273	113	96	–	34	10	13	41·4	35·1	–	12·4	3·7	4·8
Falkirk . . .	209	70	83	–	20	6	16	33·5	39·7	–	9·6	2·9	7·6
Ayr	263	156	34	–	14	29	15	59·3	13·0	–	5·3	11·0	5·7

TABLE **15.**—Civil Condition of Persons Marrying in Scotland, 1913.

	Total.	No. of Marriages between				Condition not Stated.	Percentage of Marriages between				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND	**33,676**	**30,107**	**803**	**1,923**	**813**	**30**	**89·4**	**2·4**	**5·7**	**2·4**	**0·1**
LARGER BURGHS	19,465	17,067	596	1,165	609	28	87·7	3·1	6·0	3·1	0·1
OTHER DISTRICTS	14,211	13,040	207	758	204	2	91·8	1·5	5·3	1·4	0·0
Counties.											
Aberdeen	2,165	1,945	37	138	45	–	89·8	1·7	6·4	2·1	–
Argyll	270	249	2	18	1	–	92·2	0·7	6·7	0·4	–
Ayr	1,734	1,592	15	101	26	–	91·8	0·9	5·8	1·5	–
Banff	345	315	4	21	5	–	91·3	1·2	6·1	1·4	–
Berwick	166	152	2	11	1	–	91·6	1·2	6·6	0·6	–
Bute	76	67	1	8	–	–	88·2	1·3	10·5	–	–
Caithness	126	117	2	7	–	–	92·9	1·6	5·5	–	–
Clackmannan	220	208	3	7	2	–	94·5	1·4	3·2	0·9	–
Dumbarton	778	711	13	38	16	–	91·4	1·7	4·9	2·0	–
Dumfries	471	426	8	31	5	1	90·4	1·7	6·6	1·1	0·2
Edinburgh (Midlothian)	4,110	3,627	132	244	106	1	88·2	3·2	6·0	2·6	0·0
Elgin	270	235	6	22	7	–	87·0	2·2	8·2	2·6	–
Fife	1,705	1,562	38	70	35	–	91·6	2·2	4·1	2·1	–
Forfar	1,889	1,685	43	128	33	–	89·2	2·3	6·8	1·7	–
Haddington	230	217	5	5	3	–	94·3	2·2	2·2	1·3	–
Inverness	403	369	6	24	4	–	91·6	1·5	5·9	1·0	–
Kincardine	190	180	1	8	1	–	94·8	0·5	4·2	0·5	–
Kinross	35	31	–	4	–	–	88·6	–	11·4	–	–
Kirkcudbright	210	194	2	12	2	–	92·4	1·0	5·6	1·0	–
Lanark	12,909	11,311	404	734	433	27	87·6	3·1	5·7	3·4	0·2
Linlithgow	431	397	12	14	8	–	92·1	2·8	3·2	1·9	–
Nairn	64	59	–	4	1	–	92·2	–	6·2	1·6	–
Orkney	147	136	1	7	3	–	92·5	0·7	4·8	2·0	–
Peebles	75	70	–	5	–	–	93·3	–	6·7	–	–
Perth	708	645	11	42	9	1	91·1	1·6	5·9	1·3	0·1
Renfrew	1,892	1,725	34	99	34	–	91·2	1·8	5·2	1·8	–
Ross and Cromarty	288	264	3	18	3	–	91·7	1·0	6·3	1·0	–
Roxburgh	286	271	2	11	2	–	94·8	0·7	3·8	0·7	–
Selkirk	130	120	2	7	1	–	92·3	1·5	5·4	0·8	–
Shetland	137	120	1	13	3	–	87·6	0·7	9·5	2·2	–
Stirling	986	900	12	53	21	–	91·3	1·2	5·4	2·1	–
Sutherland	62	53	–	8	1	–	85·5	–	12·9	1·6	–
Wigtown	168	154	1	11	2	–	91·7	0·6	6·5	1·2	–
Larger Burghs.											
Glasgow	9,801	8,470	340	594	371	26	86·4	3·5	6·0	3·8	0·3
Edinburgh	2,939	2,572	105	185	77	–	87·5	3·6	6·3	2·6	–
Dundee	1,305	1,161	37	84	23	–	89·0	2·8	6·4	1·8	–
Aberdeen	1,348	1,203	22	87	36	–	89·2	1·6	6·5	2·7	–
Paisley	652	593	9	39	11	–	90·9	1·4	6·0	1·7	–
Leith	534	472	11	30	20	1	88·4	2·1	5·6	3·7	0·2
Greenock	540	480	17	29	14	–	88·9	3·1	5·4	2·6	–
Coatbridge	239	216	10	7	6	–	90·4	4·2	2·9	2·5	–
Motherwell	258	233	8	13	4	–	90·3	3·1	5·0	1·6	–
Kirkcaldy	271	240	10	11	10	–	88·6	3·7	4·0	3·7	–
Hamilton	297	267	6	14	10	–	89·9	2·0	4·7	3·4	–
Clydebank	233	214	5	8	6	–	91·9	2·1	3·4	2·6	–
Perth	303	271	7	19	5	1	89·4	2·3	6·3	1·7	0·3
Kilmarnock	273	245	2	20	6	–	89·8	0·7	7·3	2·2	–
Falkirk	209	190	4	10	5	–	90·9	1·9	4·8	2·4	–
Ayr	263	240	3	15	5	–	91·3	1·1	5·7	1·9	–

TABLE **16.**—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1913.

	Total.	Number of				Percentage of			
		Men.		Women.		Men.		Women.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND	**33,676**	**33,406**	**270**	**33,298**	**378**	**99·2**	**0·8**	**98·9**	**1·1**
LARGER BURGHS	19,465	19,303	162	19,230	235	99·2	0·8	98·8	1·2
OTHER DISTRICTS	14,211	14,103	108	14,068	143	99·2	0·8	99·0	1·0
Counties.									
Aberdeen	2,165	2,161	4	2,161	4	99·8	0·2	99·8	0·2
Argyll	270	268	2	267	3	99·3	0·7	98·9	1·1
Ayr	1,734	1,720	14	1,718	16	99·2	0·8	99·1	0·9
Banff	345	344	1	344	1	99·7	0·3	99·7	0·3
Berwick	166	165	1	166	–	99·4	0·6	100·0	–
Bute	76	76	–	76	–	100·0	–	100·0	–
Caithness	126	126	–	125	1	100·0	–	99·2	0·8
Clackmannan	220	220	–	218	2	100·0	–	99·1	0·9
Dumbarton	778	770	8	775	3	99·0	1·0	99·6	0·4
Dumfries	471	471	–	469	2	100·0	–	99·6	0·4
Edinburgh (Midlothian)	4,110	4,093	17	4,082	28	99·6	0·4	99·3	0·7
Elgin	270	268	2	266	4	99·3	0·7	98·5	1·5
Fife	1,705	1,701	4	1,697	8	99·8	0·2	99·5	0·5
Forfar	1,889	1,878	11	1,869	20	99·4	0·6	98·9	1·1
Haddington	230	230	–	229	1	100·0	–	99·6	0·4
Inverness	403	399	4	391	12	99·0	1·0	97·0	3·0
Kincardine	190	190	–	190	–	100·0	–	100·0	–
Kinross	35	35	–	35	–	100·0	–	100·0	–
Kirkcudbright	210	209	1	209	1	99·5	0·5	99·5	0·5
Lanark	12,909	12,735	174	12,679	230	98·7	1·3	98·2	1·8
Linlithgow	431	426	5	428	3	98·8	1·2	99·3	0·7
Nairn	64	64	–	64	–	100·0	–	100·0	–
Orkney	147	147	–	147	–	100·0	–	100·0	–
Peebles	75	75	–	75	–	100·0	–	100·0	–
Perth	708	707	1	703	5	99·9	0·1	99·3	0·7
Renfrew	1,892	1,880	12	1,877	15	99·4	0·6	99·2	0·8
Ross and Cromarty	288	286	2	284	4	99·3	0·7	98·6	1·4
Roxburgh	286	286	–	285	1	100·0	–	99·7	0·3
Selkirk	130	130	–	130	–	100·0	–	100·0	–
Shetland	137	137	–	137	–	100·0	–	100·0	–
Stirling	986	981	5	978	8	99·5	0·5	99·2	0·8
Sutherland	62	61	1	58	4	98·4	1·6	93·6	6·4
Wigtown	168	167	1	166	2	99·4	0·6	98·8	1·2
Larger Burghs.									
Glasgow	9,801	9,696	105	9,656	145	98·9	1·1	98·5	1·5
Edinburgh	2,939	2,932	7	2,922	17	99·8	0·2	99·4	0·6
Dundee	1,305	1,295	10	1,286	19	99·2	0·8	98·5	1·5
Aberdeen	1,348	1,345	3	1,345	3	99·8	0·2	99·8	0·2
Paisley	652	647	5	645	7	99·2	0·8	98·9	1·1
Leith	534	532	2	532	2	99·6	0·4	99·6	0·4
Greenock	540	537	3	533	7	99·4	0·6	98·7	1·3
Coatbridge	239	234	5	236	3	97·9	2·1	98·7	1·3
Motherwell	258	256	2	255	3	99·2	0·8	98·8	1·2
Kirkcaldy	271	271	–	268	3	100·0	–	98·9	1·1
Hamilton	297	283	14	280	17	95·3	4·7	94·3	5·7
Clydebank	233	230	3	233	–	98·7	1·3	100·0	–
Perth	303	303	–	302	1	100·0	–	99·7	0·3
Kilmarnock	273	272	1	271	2	99·6	0·4	99·3	0·7
Falkirk	209	208	1	207	2	99·5	0·5	99·0	1·0
Ayr	263	262	1	259	4	99·6	0·4	98·5	1·5

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND, 1913.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1913.

	All Ages.	Average Age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND	33,676	29·2	–	–	4	34	212	586	1,240	9,267	11,128	5,402	2,653	1,283	792	456	293	162	83	39	6	3
Counties.																						
Aberdeen . .	2,165	29·6	–	–	–	3	11	38	93	609	696	311	173	80	57	42	22	20	5	5	–	–
Argyll . .	270	31·7	–	–	–	–	1	–	4	40	80	75	41	12	8	4	2	2	1	–	–	–
Ayr . . .	1,734	28·1	–	–	1	2	11	38	74	554	569	261	117	48	22	15	13	3	5	1	–	–
Banff . .	345	29·8	–	–	–	–	1	6	8	102	117	40	31	17	11	8	1	1	2	–	–	–
Berwick . .	166	29·2	–	–	–	–	–	1	2	51	57	26	16	8	2	2	1	–	–	–	–	–
Bute . . .	76	32·4	–	–	–	–	–	–	1	14	24	15	9	3	7	2	–	–	1	–	–	–
Caithness . .	126	31·3	–	–	–	–	2	3	3	28	32	23	17	4	9	–	4	–	1	–	–	–
Clackmannan .	220	27·6	–	–	–	–	1	5	4	74	87	31	6	5	4	2	–	1	–	–	–	–
Dumbarton .	778	28·5	–	–	1	1	4	14	23	227	285	121	47	28	11	7	7	2	–	–	–	–
Dumfries . .	471	30·0	–	–	–	–	2	9	15	95	171	98	33	19	18	5	3	2	1	–	–	–
Edinburgh (Midlothian) .	4,110	30·0	–	–	1	4	20	50	127	1,016	1,363	729	346	191	114	70	41	16	14	8	–	–
Elgin . .	270	31·7	–	–	–	–	2	1	4	54	92	46	30	17	7	7	5	4	–	1	–	–

AGES of MEN at Marriage in Scotland, 1913.

Fife . . .	1,705	27·5	–	–	–	4	12	53	89	554	556	243	94	48	25	9	10	5	2	–	1	–
Forfar . .	1,889	29·3	–	–	–	2	16	30	70	505	665	289	128	67	38	30	27	12	10	–	–	–
Haddington .	230	28·3	–	–	–	–	2	4	11	68	76	38	16	8	4	1	–	1	1	–	–	–
Inverness . .	403	33·1	–	–	–	–	1	2	4	57	109	93	68	29	21	11	2	5	1	–	–	–
Kincardine .	190	28·7	–	–	–	–	–	5	12	64	52	23	15	7	3	4	3	1	1	–	–	–
Kinross . .	35	29·4	–	–	–	–	–	–	2	9	13	7	1	–	1	1	–	1	–	–	–	–
Kirkcudbright .	210	29·9	–	–	–	–	–	2	4	55	70	45	15	4	6	4	3	2	–	–	–	–
Lanark . .	12,909	29·1	–	–	1	16	100	246	536	3,678	4,152	1,958	1,002	489	310	168	109	59	28	16	5	36
Linlithgow .	431	27·5	–	–	–	1	2	7	19	152	150	61	17	11	5	4	1	1	–	–	–	–
Nairn . .	64	31·5	–	–	–	–	–	–	1	11	21	16	6	3	5	–	–	1	–	–	–	–
Orkney . .	147	32·5	–	–	–	–	2	1	2	26	37	38	15	11	9	3	–	1	1	1	–	–
Peebles . .	75	29·6	–	–	–	–	–	1	3	18	24	14	8	6	–	–	–	–	–	1	–	–
Perth . .	708	30·8	–	–	–	–	1	9	14	148	245	135	78	27	22	12	5	6	2	4	–	–
Renfrew . .	1,892	28·3	–	–	–	1	14	39	61	580	666	280	128	53	30	21	10	7	2	–	–	–
Ross & Cromarty	288	32·2	–	–	–	–	–	3	5	23	90	87	46	22	5	2	3	2	–	–	–	–
Roxburgh .	286	30·3	–	–	–	–	–	1	8	60	105	56	27	13	4	7	4	–	–	1	–	–
Selkirk . .	130	30·1	–	–	–	–	1	2	2	21	52	30	11	6	4	–	1	–	–	–	–	–
Shetland . .	137	32·5	–	–	–	–	–	1	3	31	43	21	20	6	2	5	3	2	–	–	–	–
Stirling . .	986	28·8	–	–	–	–	6	13	29	284	361	149	74	29	17	10	9	2	3	–	–	–
Sutherland .	62	35·3	–	–	–	–	–	–	1	10	16	13	5	5	6	–	3	1	2	–	–	–
Wigtown . .	168	29·5	–	–	–	–	–	2	6	49	52	30	13	7	5	–	1	2	–	1	–	–

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1913.

	All Ages.	Average age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND	33,676	26·4	1	6	86	493	1293	1984	2,516	10,966	8,954	3,816	1,834	841	454	213	108	45	17	10	3	36
Counties.																						
Aberdeen . .	2,165	26·3	–	1	12	32	94	133	162	706	547	246	120	62	22	19	7	1	–	1	–	–
Argyll . .	270	28·2	–	–	–	1	4	10	9	65	93	52	23	4	5	4	–	–	–	–	–	–
Ayr . . .	1,734	25·7	–	–	4	23	76	132	142	600	450	171	71	38	12	8	5	1	–	1	–	–
Banff . .	345	26·5	–	–	–	2	10	14	29	131	85	39	17	9	4	4	–	1	–	–	–	–
Berwick . .	166	27·1	–	–	–	1	1	3	10	62	52	20	9	4	4	–	–	–	–	–	–	–
Bute . .	76	28·4	–	–	–	–	–	6	6	15	25	12	5	5	1	–	–	–	1	–	–	–
Caithness . .	126	27·3	–	–	1	1	4	8	8	39	35	8	12	5	4	1	–	–	–	–	–	–
Clackmannan .	220	25·2	–	–	–	2	6	17	15	90	62	18	5	2	2	–	–	1	–	–	–	–
Dumbarton .	778	25·8	–	–	2	10	24	41	51	299	220	69	36	17	6	1	2	–	–	–	–	–
Dumfries . .	471	27·4	–	–	1	5	17	19	19	142	151	59	28	15	11	3	1	–	–	–	–	–
Edinburgh (Midlothian) .	4,110	27·2	1	1	8	46	126	194	255	1,254	1,182	527	259	130	71	37	11	5	2	1	–	–
Elgin . .	270	28·0	–	–	–	1	8	11	18	79	79	29	19	13	8	1	3	1	–	–	–	–

AGES of WOMEN at Marriage in Scotland, 1913.

Fife . . .	1,705	25·5	–	–	5	32	91	120	145	601	428	143	72	32	18	9	4	4	1	–	–	–
Forfar . .	1,889	27·0	–	–	3	30	53	83	125	596	559	224	103	45	41	15	8	1	2	–	1	–
Haddington .	230	26·1	–	–	1	1	12	12	19	74	65	25	15	2	2	–	1	–	1	–	–	–
Inverness .	403	28·1	–	1	–	1	10	14	18	99	131	82	24	13	6	4	–	–	–	–	–	–
Kincardine .	190	25·8	–	–	–	1	11	13	18	75	32	18	15	3	1	1	–	2	–	–	–	–
Kinross . .	35	25·5	–	–	–	–	1	3	2	11	12	4	2	–	–	–	–	–	–	–	–	–
Kirkcudbright .	210	27·4	–	–	–	2	–	10	13	65	63	30	22	3	1	1	–	–	–	–	–	–
Lanark . .	12,909	26·2	–	2	37	237	582	856	1,057	4,230	3,145	1,380	689	314	178	84	48	21	6	5	2	36
Linlithgow .	431	24·4	–	–	–	11	24	39	58	154	96	28	8	9	3	–	1	–	–	–	–	–
Nairn . .	64	27·3	–	–	–	1	2	3	2	17	21	11	5	1	1	–	–	–	–	–	–	–
Orkney . .	147	28·5	–	1	1	1	4	10	2	34	47	20	14	7	4	–	2	–	–	–	–	–
Peebles . .	75	26·8	–	–	–	–	1	–	1	33	23	10	6	1	–	–	–	–	–	–	–	–
Perth . .	708	27·8	–	–	1	5	11	22	42	209	229	99	49	23	8	2	3	1	4	–	–	–
Renfrew . .	1,892	25·9	–	–	3	29	56	126	141	665	512	203	86	42	15	5	6	2	–	1	–	–
Ross & Cromarty	288	28·3	–	–	–	1	5	9	13	59	105	63	25	3	1	2	2	–	–	–	–	–
Roxburgh	286	27·8	–	–	–	2	5	6	11	82	101	45	21	6	6	–	–	1	–	–	–	–
Selkirk . .	130	28·1	–	–	–	–	1	4	5	28	54	22	11	4	1	–	–	–	–	–	–	–
Shetland . .	137	28·6	–	–	–	1	3	1	3	34	52	25	8	3	3	3	1	–	–	–	–	–
Stirling . .	986	25·7	–	–	5	13	43	57	94	360	242	103	32	16	9	6	3	2	–	1	–	–
Sutherland .	62	30·6	–	–	1	–	1	1	5	15	8	12	11	3	3	1	–	1	–	–	–	–
Wigtown . .	168	27·2	–	–	1	1	7	7	18	43	48	19	12	7	3	2	–	–	–	–	–	–

TABLE **19.**—Age Distribution of Persons at Marriage in Scotland, 1913.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·48	2·76	2·10	11·47	11·74	11·10
20—24	31·20	30·80	31·75	40·03	38·74	41·80
25—29	33·04	32·41	33·91	26·59	26·32	26·95
30—34	16·04	15·85	16·30	11·33	11·57	11·00
35—39	7·88	8·04	7·66	5·44	5·79	4·98
40—44	3·81	4·04	3·49	2·50	2·67	2·26
45—49	2·35	2·52	2·12	1·35	1·59	1·02
50 and above	3·09	3·39	2·67	1·18	1·39	0·89
Not stated	0·11	0·19	–	0·11	0·19	–
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **20.**—Age Distribution of Persons at Marriage in Scotland, 1855–1913.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	42,793	2·72	186,591	11·84
20—24	565,242	35·87	699,017	44·35
25—29	503,421	31·94	401,214	25·46
30—34	216,667	13·75	147,207	9·34
35—39	106,204	6·74	71,788	4·56
40—44	57,954	3·68	36,135	2·29
45—49	35,701	2·26	19,019	1·21
50 and above	47,170	2·99	13,668	0·87
Not stated	816	0·05	1,329	0·08
TOTAL	1,575,968	100·00	1,575,968	100·00

TABLE **21.**—AGES in Combination of **MEN** and **WOMEN** at Marriage in Scotland, 1913.

Ages of Husbands.	Ages of Wives. 14-	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not Stated	Total Husbands.	Ages of Husbands.
16-	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4	16-
17-	1	–	3	7	9	3	5	4	2	–	–	–	–	–	–	–	–	–	–	–	34	17-
18-	–	1	7	38	73	36	25	31	1	–	–	–	–	–	–	–	–	–	–	–	212	18-
19-	–	–	7	70	145	139	97	119	9	–	–	–	–	–	–	–	–	–	–	–	586	19-
20-	–	1	16	77	211	289	249	352	39	6	–	–	–	–	–	–	–	–	–	–	1,240	20-
21-	–	1	33	230	594	1,045	1,357	4,700	1,160	120	24	2	1	–	–	–	–	–	–	–	9,267	21-
25-	–	2	14	56	198	369	625	4,246	4,567	879	144	21	7	–	–	–	–	–	–	–	11,128	25-
30-	–	–	3	10	44	79	113	1,073	2,109	1,489	386	81	15	–	–	–	–	–	–	–	5,402	30-
35-	–	–	–	4	13	17	28	292	731	789	576	164	32	7	–	–	–	–	–	–	2,653	35-
40-	–	–	1	1	2	5	14	97	208	299	361	215	67	12	1	–	–	–	–	–	1,283	40-
45-	–	–	–	–	2	1	1	30	86	140	185	169	130	36	7	2	–	2	–	1	792	45-
50-	–	–	1	–	–	1	1	14	23	62	86	100	85	55	21	7	–	–	–	–	456	50-
55-	–	–	–	–	–	–	–	5	14	15	41	54	67	54	34	7	1	1	–	–	293	55-
60-	–	–	–	–	1	–	1	–	4	11	26	23	29	28	24	9	3	3	–	–	162	60-
65-	–	–	–	–	–	–	–	1	–	4	4	6	15	18	15	11	7	1	1	–	83	65-
70-	–	–	–	–	–	–	–	–	1	2	1	5	5	3	6	7	5	3	1	–	39	70-
75-	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	1	–	6	75-
80-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80-
Not stated	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	35	36	Not stated
Total Wives	1	6	86	493	1,293	1,984	2,516	10,966	8,954	3,816	1,834	841	454	213	108	45	17	10	3	36	33,676	Tl. Husbands and Wives.

Average age—Husbands, 29·2; Wives, 26·4.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage :—Thus, of 1,984 Wives at the age of 19, *three* married Husbands aged 17, *thirty-six* married Husbands aged 18, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage :—Thus, of 9267 Husbands whose ages ranged from 21 to 24, *one* married a Wife aged 15, *thirty-three* married Wives aged 16, etc.

TABLE 22.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1913.

Ages of Bachelors.	Ages of Spinsters. 14-	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	Not stated	Total Bachelors.	Ages of Bachelors.
16-	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	4	16-
17-	1	–	3	7	9	3	5	4	1	–	–	–	–	–	–	–	–	–	–	33	17-
18-	–	1	7	38	73	36	25	31	1	–	–	–	–	–	–	–	–	–	–	212	18-
19-	–	–	7	70	145	139	97	118	8	–	–	–	–	–	–	–	–	–	–	584	19-
20-	–	1	16	77	211	289	249	351	39	5	–	–	–	–	–	–	–	–	–	1,238	20-
21-	–	1	33	230	593	1,042	1,355	4,674	1,136	103	16	2	1	–	–	–	–	–	–	9,186	21-
25-	–	2	14	56	190	364	612	4,181	4,454	808	103	9	1	–	–	–	–	–	–	10,794	25-
30-	–	–	2	9	43	72	99	994	1,981	1,326	285	47	3	–	–	–	–	–	–	4,961	30-
35-	–	–	–	3	11	13	23	241	591	625	385	74	12	3	–	–	–	–	–	1,981	35-
40-	–	–	–	1	1	4	8	59	137	176	184	95	20	3	–	–	–	–	–	588	40-
45-	–	–	–	–	2	–	1	17	49	73	74	68	37	5	–	–	–	–	–	326	45-
50-	–	–	1	–	–	1	–	3	11	20	25	28	16	7	2	–	–	–	–	114	50-
55-	–	–	–	–	–	–	–	1	6	2	6	12	6	9	9	1	–	–	–	52	55-
60-	–	–	–	–	–	–	–	–	–	–	5	2	4	4	1	–	–	–	–	16	60-
65-	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	5	65-
70-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	70-
75-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75-
Not stated.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	11	Not stated.
Total Spinsters	1	6	84	491	1,279	1,963	2,474	10,675	8,414	3,138	1,083	338	101	33	12	3	1	–	11	30,107	Total Bachelors and Spinsters.

Average age—Husbands, 27·7; Wives, 25·2.

TABLE **23**.—Ages in Combination of **BACHELORS** and **WIDOWS** at Marriage in Scotland, 1913.

Ages of Bachelors.	Ages of Widows. 19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated	Total Bachelors.	Ages of Bachelors.
17-	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	17-
18-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18-
19-	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	19-
20-	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	20-
21-	1	1	10	21	17	7	–	–	–	–	–	–	–	–	–	57	21-
25-	–	1	10	59	50	33	10	6	–	–	–	–	–	–	–	169	25-
30-	–	–	4	32	68	60	26	9	–	–	–	–	–	–	–	199	30-
35-	–	–	1	13	37	61	39	10	3	–	–	–	–	–	–	164	35-
40-	–	–	1	4	16	33	28	17	2	–	–	–	–	–	–	101	40-
45-	–	–	–	1	6	12	20	14	6	4	2	–	1	–	–	66	45-
50-	–	–	–	–	–	3	5	8	5	6	1	–	–	–	–	28	50-
55-	–	–	–	–	–	–	5	3	1	1	–	–	–	–	–	10	55-
60-	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	60-
65-	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	65-
70-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70-
75-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75-
Not stated.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	Not stated.
Total Widows.	1	2	27	132	195	209	133	67	18	11	5	–	1	1	1	803	Total Bachelors and Widows.

Average age—Husbands, 35·4; Wives, 36·6.

TABLE 24.—AGES in Combination of the WIDOWERS and SPINSTERS at Marriage in Scotland, 1913.

Ages of Widowers.	Ages of Spinsters. 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	Not stated	Total Widowers.	Ages of Widowers.
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	20–
21–	–	–	1	2	1	15	3	–	1	–	–	–	–	–	–	–	–	23	21–
25–	–	–	8	5	12	54	49	16	2	1	–	–	–	–	–	–	–	147	25–
30–	1	1	1	7	14	71	88	78	30	2	1	–	–	–	–	–	–	294	30–
35–	–	1	2	4	5	50	115	101	83	26	3	–	–	–	–	–	–	390	35–
40–	1	–	1	1	6	37	64	86	92	52	9	1	1	–	–	–	–	351	40–
45–	–	–	–	1	–	9	34	43	66	45	40	9	–	–	–	–	–	247	45–
50–	–	–	–	–	1	11	11	32	40	44	26	16	3	3	–	–	–	187	50
55–	–	–	–	–	–	4	6	10	30	24	29	19	9	–	1	–	–	132	55–
60–	–	–	1	–	1	–	4	10	17	14	14	13	11	1	2	2	–	90	60–
65–	–	–	–	–	–	1	–	4	3	4	10	8	8	1	3	–	–	42	65–
70–	–	–	–	–	–	–	1	1	1	4	1	2	–	2	1	–	–	13	70–
75–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	3	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	Not stated
Total Spinsters	2	2	14	20	40	253	375	381	365	217	133	68	32	8	8	2	3	1,923	Total Widowers and Spinsters.

Average age—Husbands, 43·0; Wives, 34·2.

TABLE **25.**—AGES in Combination of the WIDOWS and WIDOWERS at Marriage in Scotland, 1913.

	Ages of WIDOWS.															Total Widowers.	
	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated		
Ages of WIDOWERS. 18-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18-
19-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19-
20-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20-
21-	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	21-
25-	–	–	1	4	5	5	1	–	–	–	–	–	–	–	–	16	25-
30-	–	–	4	8	15	11	6	2	–	–	–	–	–	–	–	46	30-
35-	–	–	–	12	26	47	24	7	1	–	–	–	–	–	–	117	35-
40-	–	–	–	3	21	52	40	21	6	–	–	–	–	–	–	143	40-
45-	–	–	2	2	18	33	36	39	15	3	–	–	1	–	1	150	45-
50-	–	–	–	1	10	18	23	34	27	10	3	–	–	–	–	126	50-
55-	–	–	–	2	3	5	13	29	25	15	6	–	1	–	–	99	55-
60-	–	–	–	–	1	4	7	11	10	12	7	1	1	–	–	54	60-
65-	–	–	–	–	–	1	1	4	8	7	8	4	1	–	–	34	65-
70-	–	–	–	–	1	–	1	4	1	6	4	3	3	1	–	24	70-
75-	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	3	75-
80-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80-
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	8	32	100	176	152	152	93	53	29	8	7	2	1	813	Total Widowers and Widows.

Average age—Husbands, 48·6; Wives, 43·7.

Note:—33,646 Marriages are accounted for in Tables 22–25, the condition of one or both of the contracting parties in the remaining 30 cases not having been specified in the Marriage Register.

TABLE **26**.—Ages at Death in 1914.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.	Unallocated Deaths.*
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both sexes.	
0– – –	13,710	7,684	6,026	7,579	2,538	3,593	–
1– – –	7,148	3,708	3,440	4,324	1,167	1,657	–
5– – –	1,887	947	940	1,032	329	526	–
10– – –	1,244	604	640	625	230	389	–
15– – –	3,301	1,706	1,595	1,651	654	982	14
25– – –	4,074	1,992	2,082	2,225	703	1,119	27
35– – –	5,094	2,496	2,598	2,815	901	1,371	7
45– – –	6,429	3,365	3,064	3,622	1,228	1,577	2
55– – –	8,715	4,611	4,104	4,583	1,727	2,405	–
65– – –	10,884	5,196	5,688	4,976	2,426	3,482	–
75– – –	11,064	4,441	6,623	3,915	2,581	4,568	–
Not stated –	7	7	—	—	1	6	–
ALL AGES –	73,557	36,757	36,800	37,347	14,485	21,675	50

* Deaths of British and Foreign Soldiers and Sailors from causes originating outwith Scotland.

TABLE **27**.—Death-rate per 1000 in each Age-group in 1914.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	126·9	140·9	112·5	141·8	125·8	104·0
1– – – –	16·9	17·4	16·4	21·2	14·6	11·9
5– – – –	3·7	3·7	3·7	4·3	3·3	3·1
10– – – –	2·5	2·5	2·6	2·7	2·4	2·4
15– – – –	3·8	3·9	3·6	3·7	4·0	3·6
25– – – –	5·5	5·7	5·4	5·9	4·7	5·2
35– – – –	8·5	8·6	8·4	9·3	7·8	7·6
45– – – –	14·4	15·8	13·2	16·6	13·9	11·3
55– – – –	29·5	33·3	26·2	33·6	28·3	24·9
65– – – –	59·0	66·5	53·5	65·8	60·3	52·0
75– – – –	153·2	165·8	145·7	168·2	154·8	147·8
Not stated – –	—	—	—	—	—	—
ALL AGES –	15·49	15·97	15·05	16·17	15·56	14·38

TABLE **28**.—Percentage of Deaths in each Age-group in 1914.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	18·64	20·91	16·37	20·29	17·52	16·58
1– – – –	9·72	10·09	9·35	11·58	8·06	7·64
5– – – –	2·56	2·58	2·55	2·76	2·27	2·43
10– – – –	1·69	1·64	1·74	1·67	1·59	1·79
15– – – –	4·49	4·64	4·33	4·42	4·51	4·53
25– – – –	5·54	5·42	5·66	5·96	4·85	5·16
35– – – –	6·92	6·79	7·06	7·54	6·22	6·32
45– – – –	8·74	9·15	8·33	9·70	8·48	7·28
55– – – –	11·85	12·54	11·15	12·27	11·92	11·10
65– – – –	14·80	14·14	15·46	13·33	16·75	16·06
75– – – –	15·04	12·08	18·00	10·48	17·82	21·08
Not stated – –	0·01	0·02	0·00	0·00	0·01	0·03
ALL AGES – –	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **29.**—DEATHS, MALE AND FEMALE, AT EACH YEAR OF AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOTLAND, 1914.

TABLE **29**.—Deaths, Male and Female, at each year of Age,

MALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	7684	7684	–	–	–	52	405	91	257	52	5
1	2090	2090	–	–	–	53	348	77	216	54	1
2	793	793	–	–	–	54	401	81	259	58	3
3	491	491	–	–	–						
4	334	334	–	–	–	55	379	80	248	49	2
						56	401	74	267	57	3
5	273	273	–	–	–	57	455	60	311	81	3
6	201	201	–	–	–	58	496	82	319	94	1
7	189	189	–	–	–	59	452	73	292	87	–
8	142	142	–	–	–						
9	142	142	–	–	–	60	472	78	280	101	13
						61	434	71	273	89	1
10	124	124	–	–	–	62	483	68	300	114	1
11	129	129	–	–	–	63	510	56	313	140	1
12	104	104	–	–	–	64	529	88	300	141	–
13	124	124	–	–	–						
14	123	123	–	–	–	65	539	73	325	136	5
						66	463	60	277	125	1
15	142	142	–	–	–	67	463	73	269	120	1
16	149	149	–	–	–	68	503	69	291	142	1
17	157	155	2	–	–	69	496	73	256	165	2
18	177	176	1	–	–						
19	202	199	3	–	–	70	535	69	269	193	4
						71	494	58	234	201	1
20	184	177	4	1	2	72	586	50	306	230	–
21	177	167	9	–	1	73	588	72	263	250	3
22	189	173	15	–	1	74	529	62	247	218	2
23	178	167	7	1	3						
24	151	128	23	–	–	75	540	53	237	250	–
						76	503	51	215	237	–
25	176	138	35	–	3	77	468	39	180	247	2
26	164	112	51	1	–	78	420	46	190	183	1
27	220	148	71	1	–	79	325	36	147	142	–
28	189	120	64	2	3						
29	203	129	71	3	–	80	354	46	127	180	1
						81	286	31	108	145	2
30	198	117	76	3	2	82	236	26	85	125	–
31	181	99	79	3	–	83	228	19	72	137	–
32	232	110	116	5	1	84	236	24	73	139	–
33	211	102	105	3	1						
34	218	92	119	6	1	85	203	25	59	119	–
						86	138	14	43	81	–
35	217	90	111	12	4	87	124	16	30	78	–
36	222	77	137	7	1	88	92	13	31	47	1
37	249	99	143	7	–	89	69	10	16	43	–
38	264	97	155	12	–						
39	227	75	142	8	2	90	38	3	4	31	–
						91	42	2	9	31	–
40	278	112	148	8	10	92	51	11	6	34	–
41	247	77	158	12	–	93	30	2	3	25	–
42	262	76	162	20	4	94	23	4	2	17	–
43	251	64	163	21	3						
44	279	88	169	20	2	95	12	1	1	10	–
						96	8	1	3	4	–
45	321	80	205	24	12	97	5	1	1	3	
46	309	69	225	14	1	98	1	–	1	–	–
47	288	61	195	32	–	99	6	–	2	4	–
48	318	83	214	18	3						
49	291	58	207	26	–	100 and over	3	–	–	3	–
						Not Stated	7	–	–	–	7
50	372	90	235	40	7						
51	312	64	204	43	1	Total ...	36,757	19,215	11,841	5,565	136

and by Condition as to Marriage, in Scotland, 1914.

FEMALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	6026	6026	–	–	–	52	370	68	219	83	–
1	1862	1862	–	–	–	53	313	63	180	70	–
2	751	751	–	–	–	54	376	77	218	81	–
3	480	480	–	–	–						
4	347	347	–	–	–	55	382	69	224	89	–
						56	336	58	189	89	–
5	290	290	–	–	–	57	354	63	212	79	–
6	198	198	–	–	–	58	434	82	230	122	–
7	169	169	–	–	–	59	393	54	209	130	–
8	153	153	–	–	–						
9	130	130	–	–	–	60	457	90	205	162	–
						61	380	62	180	138	–
10	118	118	–	–	–	62	458	76	217	165	–
11	112	112	–	–	–	63	456	78	210	168	–
12	124	124	–	–	–	64	454	72	199	183	–
13	137	137	–	–	–						
14	149	149	–	–	–	65	461	95	172	194	–
						66	430	84	163	183	–
15	147	147	–	–	–	67	460	97	152	211	–
16	149	148	1	–	–	68	490	98	160	232	–
17	162	159	3	–	–	69	490	87	168	235	–
18	165	159	6	–	–						
19	158	136	22	–	–	70	624	109	173	341	1
						71	565	94	167	303	1
20	145	117	27	1	–	72	728	164	164	399	1
21	155	118	37	–	–	73	692	131	131	430	–
22	158	112	46	–	–	74	748	135	140	472	1
23	181	110	71	–	–						
24	175	108	65	2	–	75	735	135	144	456	–
						76	652	116	115	421	–
25	190	106	80	3	1	77	610	127	84	399	–
26	182	85	93	4	–	78	561	119	75	367	–
27	208	82	126	–	–	79	482	90	64	328	–
28	207	82	122	3	–						
29	205	76	127	2	–	80	520	100	61	359	–
						81	346	60	39	247	–
30	198	57	139	2	–	82	419	101	31	287	–
31	200	61	134	5	–	83	350	82	26	242	–
32	215	81	131	3	–	84	387	89	19	278	1
33	231	47	179	5	–						
34	246	60	177	9	–	85	313	60	17	235	1
						86	240	47	14	179	–
35	219	63	148	7	1	87	211	41	13	157	–
36	225	44	173	8	–	88	199	48	7	144	–
37	252	56	187	9	–	89	126	23	4	99	–
38	258	54	189	14	1						
39	313	70	231	12	–	90	124	35	3	86	–
						91	80	18	4	58	–
40	273	70	187	16	–	92	77	15	1	61	–
41	228	47	169	12	–	93	62	11	3	48	–
42	278	74	185	19	–	94	44	13	–	31	–
43	277	59	193	24	1						
44	275	56	194	25	–	95	25	4	–	21	–
						96	20	5	–	15	–
45	238	55	153	30	–	97	10	1	–	9	–
46	272	72	166	34	–	98	11	4	–	7	–
47	248	53	170	25	–	99	8	3	–	5	–
48	291	59	204	28	–						
49	331	59	222	50	–	100 and over	11	1	–	10	–
						Not stated	–	–	–	–	–
50	314	81	184	49	–						
51	311	62	197	52	–	Total ...	36,800	17,485	9,744	9,561	10

TABLE **30**.—Deaths at various Age-periods in the Larger Burghs in 1914.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	3913	709	603	485	318	215	276	164	130	108	156	150	55	93	88	116
1—	2284	429	288	259	147	133	169	124	79	70	81	85	30	35	40	71
5—	463	116	67	124	34	38	36	26	21	18	13	27	10	16	14	9
10—	301	58	41	71	21	29	20	9	6	9	10	15	8	12	7	8
15—	799	178	130	145	58	50	64	30	29	27	27	21	21	25	25	22
25—	1111	276	164	134	79	62	85	39	37	38	35	49	28	29	24	35
35—	1327	381	233	182	92	95	94	52	34	54	42	63	46	42	41	37
45—	1685	508	307	220	126	155	149	64	53	50	42	65	56	48	45	49
55—	2119	729	354	322	168	143	179	77	56	65	59	60	63	73	57	59
65—	2128	888	427	376	168	176	194	83	53	94	50	54	87	70	58	70
75 and over	1392	753	365	431	157	138	135	61	39	70	45	34	80	81	39	95
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All Ages	17522	5025	2979	2749	1368	1234	1401	729	537	603	560	623	484	524	438	571

TABLE **31**.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods in 1914

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	157·9	120·5	151·9	133·2	166·5	109·0	130·2	131·7	107·5	117·4	132·9	115·7	78·5	122·2	106·4	145·9
1—	24·4	18·2	19·7	17·6	19·5	17·9	23·3	26·9	17·0	19·2	18·8	17·2	11·4	11·0	11·8	23·3
5—	4·2	3·9	3·7	6·8	3·7	4·3	4·4	4·9	4·1	4·1	2·6	5·1	3·1	4·0	3·5	2·5
10—	2·9	2·0	2·3	4·0	2·4	3·5	2·6	1·9	1·3	2·2	2·4	3·3	2·4	3·0	1·9	2·4
15—	4·0	2·9	3·9	4·6	3·3	3·5	4·4	3·8	3·8	3·6	3·8	2·6	3·2	3·5	4·2	3·4
25—	6·1	5·0	6·0	5·6	5·6	4·8	6·5	5·4	5·3	5·9	5·6	6·4	4·9	5·4	4·3	6·8
35—	9·5	8·4	10·1	9·1	8·7	9·2	9·6	9·5	6·6	10·4	8·8	10·9	9·7	9·4	9·4	9·0
45—	17·0	15·0	17·2	14·8	15·4	20·5	21·6	17·1	16·3	13·1	14·6	19·4	15·5	14·1	14·6	16·3
55—	35·1	32·4	30·5	31·9	33·5	29·8	39·6	37·0	33·4	25·0	34·3	37·9	25·4	33·6	31·3	28·5
65—	67·9	68·2	62·6	60·0	61·1	63·0	69·7	73·7	65·7	62·1	54·0	72·3	57·0	60·8	61·5	56·3
75 and over	165·2	160·7	173·9	177·2	212·4	172·9	164·4	214·8	192·1	130·8	169·2	202·4	131·4	211·5	145·0	204·3
All Ages	16·6	15·5	16·9	16·9	15·8	15·4	18·0	16·7	13·0	14·8	14·5	14·3	13·8	14·6	12·9	17·1

TABLE **32**.—Deaths in each Age-group from various Diseases in Scotland in 1914. (Both Sexes.)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	225	2	4	15	25	61	64	33	12	5	4	-
Typhus Fever	6	-	-	-	-	1	2	2	1	-	-	-
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-
Measles	1458	371	990	61	8	12	10	3	3	-	-	-
Scarlet Fever	815	45	393	234	54	44	29	8	5	2	1	-
Whooping-cough	1342	665	641	32	2	-	-	-	1	-	-	1
Diphtheria and Croup	901	85	529	211	46	17	5	4	4	-	-	-
Influenza	230	10	5	2	4	8	10	7	6	29	54	95
Erysipelas	178	32	4	1	-	9	10	17	29	40	12	24
Phthisis, Pulmonary Tuberculosis	4917	21	92	98	181	1119	1212	1005	652	388	119	30
Tuberculous Meningitis	1011	261	464	133	53	43	25	20	8	2	2	-
Abdominal Tuberculosis	849	155	316	114	70	82	36	32	23	16	5	-
Other Tuberculous Diseases	919	74	159	86	88	175	120	78	67	48	12	12
Cancer, Malignant Disease	5388	1	14	6	10	36	108	487	992	1465	1429	840
Rheumatic Fever	268	-	6	35	38	65	32	29	29	22	10	2
Meningitis	1009	365	321	83	49	57	39	41	29	11	10	4
Organic Heart Disease	6662	23	20	51	90	203	261	463	800	1410	1894	1447
Bronchitis	4729	942	302	22	14	34	46	158	342	688	1085	1096
Pneumonia (all forms)	5703	1416	1221	146	58	193	313	372	438	517	581	448
Other Diseases of Respiratory Organs	1139	177	169	24	9	34	54	77	105	145	179	166
Diarrhœa and Enteritis (under 2 years)	2159	1835	324	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	453	2	12	64	88	96	49	54	28	31	21	8
All Liver Diseases (not Malignant)	590	17	8	2	6	9	32	53	109	144	139	71
Other Diseases of Digestive System (under 2 years)	475	415	60	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2128	26	50	39	31	73	155	257	381	469	417	230
Puerperal Sepsis	229	-	-	-	-	58	119	52	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	517	-	-	-	-	83	232	193	9	-	-	-
Congenital Debility and Malformation, including Premature Birth	4978	4913	38	14	6	7	-	-	-	-	-	-
Violent Deaths, excluding Suicide	†2866	215	307	179	86	302	343	344	360	315	209	199
Suicide	261	-	-	-	-	14	41	73	61	47	23	2
Other Defined Diseases	19402	1462	589	217	212	436	683	1117	1779	2623	4271	6013
Diseases Ill-defined or Unknown	1749	180	110	18	16	30	44	115	155	298	407	376
Total	†73557	13710	7148	1887	1244	3301	4074	5094	6429	8715	10884	11064

† Including 7 of unstated age.

TABLE **33**.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1914.

Causes of Death.	All Ages	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
Enteric Fever	5	2	1	3	5	7	9	6	3	2	2	0
Typhus Fever	0	0	0	0	0	0	0	0	0	0	0	0
Small-pox	0	0	0	0	0	0	0	0	0	0	0	0
Measles	31	343	234	12	2	1	1	1	1	0	0	0
Scarlet Fever	17	42	93	46	11	5	4	1	1	1	1	0
Whooping-cough	28	615	151	6	0	0	0	0	0	0	0	1
Diphtheria and Croup	19	79	125	41	10	2	1	1	1	0	0	0
Influenza	5	9	1	0	1	1	1	1	1	10	29	132
Erysipelas	4	30	1	0	0	1	1	3	7	14	7	33
Phthisis, Pulmonary Tuberculosis	104	19	22	19	37	127	164	168	146	131	65	42
Tuberculous Meningitis	21	241	110	26	11	5	3	3	2	1	1	0
Abdominal Tuberculosis	18	143	75	22	14	9	5	5	5	5	3	0
Other Tuberculous Diseases	19	68	37	17	18	20	16	13	15	16	7	17
Cancer, Malignant Disease	113	1	3	1	2	4	15	81	223	497	775	1163
Rheumatic Fever	6	0	1	7	8	7	4	5	6	7	5	3
Meningitis	21	338	76	16	10	7	5	7	6	4	5	6
Organic Heart Disease	140	21	5	10	18	23	35	77	180	478	1027	2003
Bronchitis	100	872	71	4	3	4	6	26	77	233	588	1517
Pneumonia (all forms)	120	1310	288	29	12	22	43	62	98	175	315	620
Other Diseases of Respiratory Organs	24	164	40	5	2	4	7	13	24	49	97	230
Diarrhœa and Enteritis (under 2 years)	46	1698	77	0	0	0	0	0	0	0	0	0
Appendicitis and Typhlitis	10	2	3	12	18	11	7	9	6	10	11	11
All Liver Diseases (not Malignant)	12	16	2	0	1	1	4	9	24	49	75	98
Other Diseases of Digestive System (under 2 years)	10	384	14	0	0	0	0	0	0	0	0	0
Nephritis and Bright's Disease	45	24	12	8	6	8	21	43	86	159	226	318
Puerperal Sepsis	5	0	0	0	0	7	16	9	0	0	0	0
Other Diseases and Accidents of Pregnancy and Parturition	11	0	0	0	0	9	31	32	2	0	0	0
Congenital Debility and Malformation, including Premature Birth	105	4546	9	3	1	1	0	0	0	0	0	0
Violent Deaths, excluding Suicide	60	199	73	35	18	34	47	58	81	107	113	275
Suicide	5	0	0	0	0	2	6	12	14	16	12	3
Other Defined Diseases	409	1353	139	42	43	50	93	187	399	889	2315	8324
Diseases Ill-defined or Unknown	37	166	26	4	3	3	6	19	35	101	221	521
Total	1550	12685	1689	368	254	375	551	851	1443	2954	5900	15317

TABLE **34**.—Percentage of Deaths from various Causes in 1914.

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	0·31	0·01	0·06	0·79	2·01	1·85	1·57	0·65	0·19	0·06	0·04	—
Typhus Fever	0·01	—	—	—	—	0·03	0·05	0·04	0·02	—	—	—
Small-pox	0·00	—	—	—	—	—	—	—	0·02	—	—	—
Measles	1·98	2·71	13·85	3·23	0·64	0·36	0·25	0·06	0·05	—	—	—
Scarlet Fever	1·11	0·33	5·50	12·40	4·34	1·33	0·71	0·16	0·08	0·02	0·01	—
Whooping-cough	1·82	4·85	8·97	1·70	0·16	—	—	—	0·02	—	—	0·01
Diphtheria and Croup	1·22	0·62	7·40	11·18	3·70	0·51	0·12	0·08	0·06	—	—	—
Influenza	0·31	0·07	0·07	0·11	0·32	0·24	0·25	0·14	0·09	0·33	0·50	0·86
Erysipelas	0·24	0·23	0·06	0·05	—	0·27	0·25	0·33	0·45	0·46	0·11	0·22
Phthisis, Pulmonary Tuberculosis	6·68	0·15	1·29	5·19	14·55	33·90	29·75	19·73	10·14	4·45	1·09	0·27
Tuberculous Meningitis	1·37	1·90	6·49	7·05	4·26	1·30	0·61	0·39	0·12	0·02	0·02	—
Abdominal Tuberculosis	1·15	1·13	4·42	6·04	5·63	2·49	0·88	0·63	0·36	0·18	0·05	—
Other Tuberculous Diseases	1·25	0·54	2·23	4·56	7·07	5·30	2·94	1·53	1·04	0·55	0·11	0·11
Cancer, Malignant Disease	7·33	0·01	0·19	0·32	0·80	1·09	2·65	9·56	15·43	16·81	13·13	7·59
Rheumatic Fever	0·36	—	0·08	1·85	3·06	1·97	0·78	0·57	0·45	0·25	0·09	0·02
Meningitis	1·37	2·66	4·49	4·40	3·94	1·73	0·98	0·80	0·45	0·13	0·09	0·04
Organic Heart Disease	9·06	0·17	0·28	2·70	7·24	6·15	6·41	9·09	12·44	16·18	17·40	13·07
Bronchitis	6·43	6·87	4·22	1·17	1·13	1·03	1·13	3·10	5·32	7·90	9·97	9·91
Pneumonia (all forms)	7·75	10·33	17·07	7·74	4·66	5·85	7·68	7·30	6·81	5·93	5·34	4·05
Other Diseases of Respiratory Organs	1·55	1·29	2·36	1·27	0·72	1·03	1·32	1·51	1·63	1·66	1·64	1·50
Diarrhœa and Enteritis (under 2 years)	2·94	13·39	4·54	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis	0·62	0·01	0·17	3·39	7·07	2·91	1·20	1·06	0·44	0·36	0·19	0·07
All Liver Diseases (not Malignant)	0·80	0·12	0·11	0·11	0·48	0·27	0·79	1·04	1·69	1·65	1·28	0·64
Other Diseases of Digestive System (under 2 years)	0·65	3·03	0·84	—	—	—	—	—	—	—	—	—
Nephritis and Bright's Disease	2·89	0·19	0·70	2·07	2·49	2·21	3·80	5·05	5·93	5·38	3·83	2·08
Puerperal Sepsis	0·31	—	—	—	—	1·76	2·92	1·02	—	—	—	—
Other Diseases and Accidents of Pregnancy and Parturition	0·70	—	—	—	—	2·52	5·69	3·79	0·14	—	—	—
Congenital Debility and Malformation, including Premature Birth	6·77	35·84	0·53	0·74	0·48	0·21	8·42	—	—	—	—	—
Violent Deaths, excluding Suicide	3·90	1·57	4·29	9·49	6·91	9·15	1·01	6·75	5·60	3·62	1·92	1·80
Suicide	0·35	—	—	—	—	0·42	0·86	1·43	0·95	0·54	0·21	0·02
Other Defined Diseases	26·38	10·67	8·25	11·50	17·05	13·21	16·76	21·93	27·67	30·10	39·24	54·34
Diseases Ill-defined or Unknown	2·39	1·31	1·54	0·95	1·29	0·91	1·08	2·26	2·41	3·42	3·74	3·40
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **35**.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1914.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts	Unallocated Deaths.*
	Both Sexes.	Males.	Females.				
Enteric Fever	225	114	111	122	45	54	4
Typhus Fever	6	4	2	4	2	–	–
Small-pox	1	1	0	1	–	–	–
Measles	1,458	765	693	901	210	347	–
Scarlet Fever	815	379	436	473	121	221	–
Whooping-cough	1,342	636	706	741	256	345	–
Diphtheria and Croup	901	462	439	507	145	249	–
Influenza	230	100	130	71	59	100	–
Erysipelas	178	95	83	97	29	52	–
Phthisis, Pulmonary Tuberculosis	4,917	2,545	2,372	2,761	880	1,276	–
Tuberculous Meningitis	1,011	542	469	629	164	217	1
Abdominal Tuberculosis	849	428	421	459	171	219	–
Other Tuberculous Diseases	919	518	401	477	176	266	–
Cancer, Malignant Disease	5 388	2,199	3,189	2,570	1,185	1,633	–
Rheumatic Fever	268	116	152	135	58	74	1
Meningitis	1,009	529	480	487	218	304	–
Organic Heart Disease	6,662	3,112	3,550	3,109	1,431	2,121	1
Bronchitis	4,729	2,352	2,377	2,548	945	1,236	–
Pneumonia (all forms)	5,703	3,199	2,504	3,304	919	1,477	3
Other Diseases of Respiratory Organs	1,139	609	530	543	237	359	–
Diarrhœa and Enteritis (under 2 years)	2,159	1,153	1,006	1,293	360	506	–
Appendicitis and Typhlitis	453	233	220	218	84	150	1
All Liver Diseases (not Malignant)	590	267	323	279	137	174	–
Other Diseases of Digestive System (under 2 years)	475	295	180	250	92	133	–
Nephritis and Bright's Disease	2,128	1,127	1,001	1,159	402	566	1
Puerperal Sepsis	229	–	229	153	21	55	–
Other Diseases and Accidents of Pregnancy and Parturition	517	–	517	233	101	183	–
Congenital Debility and Malformation, including Premature Birth	4,978	2,793	2,185	2,617	1,027	1,334	–
Violent Deaths, excluding Suicide	2,866	2,054	812	1,417	533	889	27
Suicide	261	207	54	127	48	86	–
Other Defined Diseases	19,402	9,004	10,398	8,981	4,098	6,313	10
Diseases Ill-defined or Unknown	1,749	919	830	681	331	736	1
Total	73,557	36,757	36,800	37,347	14,485	21,675	50

* *Vide* Note—Table 26.

TABLE **36**.—Death-rate from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1914.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever	5	5	5	5	5	4
Typhus Fever	0	0	0	0	0	0
Small-pox	0	0	0	0	0	0
Measles	31	33	28	39	23	23
Scarlet Fever	17	16	18	20	13	15
Whooping-cough	28	28	29	32	27	23
Diphtheria and Croup	19	20	18	22	16	16
Influenza	5	4	5	3	6	7
Erysipelas	4	4	3	4	3	3
Phthisis, Pulmonary Tuberculosis	104	111	97	120	95	85
Tuberculous Meningitis	21	24	19	27	18	14
Abdominal Tuberculosis	18	19	17	20	18	14
Other Tuberculous Diseases	19	23	17	21	19	18
Cancer, Malignant Disease	113	96	131	111	127	108
Rheumatic Fever	6	5	6	6	6	5
Meningitis	21	23	20	21	23	20
Organic Heart Disease	140	135	145	135	154	141
Bronchitis	100	102	97	110	102	82
Pneumonia (all forms)	120	139	103	143	99	98
Other Diseases of Respiratory Organs	24	26	22	24	25	24
Diarrhœa and Enteritis (under 2 years)	46	50	41	56	39	34
Appendicitis and Typhlitis	10	10	9	10	9	10
All Liver Diseases (not Malignant)	12	12	13	12	15	11
Other Diseases of Digestive System (under 2 years)	10	13	7	11	10	9
Nephritis and Bright's Disease	45	49	41	50	43	37
Puerperal Sepsis	5	–	9	7	2	4
Other Diseases and Accidents of Pregnancy and Parturition	11	–	21	10	11	12
Congenital Debility and Malformation, including Premature Birth	105	121	89	113	110	88
Violent Deaths, excluding Suicide	60	89	33	61	57	59
Suicide	5	9	2	6	5	6
Other Defined Diseases	409	391	426	389	440	419
Diseases Ill-defined or Unknown	37	40	34	29	36	49
Total	1550	1597	1505	1617	1556	1438

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1914.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	81	11	6	3	–	1	3	5	1	–	1	–	3	4	2	1
Typhus Fever	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	491	109	69	7	43	29	29	26	17	3	29	14	2	3	4	26
Scarlet Fever	227	43	29	83	18	16	5	3	13	9	6	7	–	7	5	2
Whooping-cough	524	13	29	12	30	2	26	50	10	6	4	11	2	4	12	6
Diphtheria and Croup	162	97	30	133	8	10	9	2	9	12	7	13	4	6	2	3
Influenza	20	9	2	12	6	1	7	–	–	5	2	3	1	1	1	1
Erysipelas	39	12	1	13	6	6	5	1	1	–	2	1	2	2	6	–
Phthisis, Pulmonary Tuberculosis	1,374	379	255	171	82	88	78	43	33	38	28	40	36	39	35	42
Tuberculous Meningitis	318	59	42	36	11	27	31	18	22	12	6	14	9	6	8	10
Abdominal Tuberculosis	224	50	38	16	14	14	22	20	7	6	11	14	8	7	1	7
Other Tuberculous Diseases	194	81	40	30	20	19	20	13	6	7	12	6	12	8	5	4
Cancer, Malignant Disease	1,106	449	231	185	83	96	80	39	36	48	28	40	37	40	32	40
Rheumatic Fever	65	12	6	13	8	7	5	4	1	3	4	2	2	1	1	1
Meningitis	253	38	31	20	17	12	24	16	18	6	14	13	2	9	4	10
Organic Heart Disease	1,202	583	263	288	113	131	118	68	25	65	42	44	59	30	24	54
Bronchitis	1,299	277	209	159	101	76	88	39	34	50	40	36	35	50	24	31
Pneumonia (all forms)	1,707	399	215	217	90	95	146	57	47	40	59	62	38	37	56	39
Other Diseases of Respiratory Organs	275	75	42	33	18	23	19	8	3	9	9	5	2	7	5	10
Diarrhœa and Enteritis (under 2 years)	684	94	146	87	43	32	52	22	26	8	29	19	6	17	10	18
Appendicitis and Typhlitis	98	24	10	19	8	8	15	2	2	3	6	4	4	3	3	9
All Liver Diseases (not Malignant)	113	58	16	24	13	11	10	6	6	1	4	5	1	3	2	6
Other Diseases of Digestive System (under 2 years)	128	13	22	18	18	9	13	1	9	5	4	3	1	2	2	2
Nephritis and Bright's Disease	616	157	76	78	36	32	27	16	15	15	8	19	16	19	7	22
Puerperal Sepsis	81	13	8	18	3	3	4	2	2	–	4	6	1	1	3	4
Other Diseases and Accidents of Pregnancy and Parturition	95	29	18	17	12	8	13	5	7	–	7	7	4	4	2	5
Congenital Debility and Malformation, including Premature Birth	1,230	273	234	171	127	79	107	61	38	43	53	50	31	35	30	55
Violent Deaths, excluding Suicide	665	158	118	98	40	71	67	32	19	25	32	29	11	13	19	20
Suicide	43	27	13	11	7	4	2	3	2	1	1	1	3	2	–	2
Other Defined Diseases	3,844	1,431	727	751	374	305	339	151	118	165	101	134	139	157	117	128
Diseases Ill-defined or Unknown	362	52	47	25	19	19	36	16	10	18	7	21	13	7	16	13
Total	17,522	5,025	2,979	2,749	1,368	1,234	1,401	729	537	603	560	623	484	524	438	571

TABLE 38.—Death-rate per 100,000 from various Causes in the Larger Burghs in 1914.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	8	3	3	2	–	1	4	11	2	–	3	–	8	11	6	3
Typhus Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	47	34	39	4	50	36	37	59	41	7	75	32	6	8	12	78
Scarlet Fever	22	13	16	51	21	20	6	7	31	22	16	16	–	19	15	6
Whooping-cough	50	4	16	7	35	2	34	115	24	15	10	25	6	11	35	18
Diphtheria and Croup	15	30	17	82	9	12	12	5	22	30	18	30	11	17	6	9
Influenza	2	3	1	7	7	1	9	–	–	12	5	7	3	3	3	3
Erysipelas	4	4	1	8	7	7	6	2	2	–	5	2	6	6	18	–
Phthisis, Pulmonary Tuberculosis	130	117	144	105	95	110	100	98	80	93	73	92	103	108	103	125
Tuberculous Meningitis	30	18	24	22	13	34	40	41	53	30	16	32	26	17	23	30
Abdominal Tuberculosis	21	15	22	10	16	17	28	46	17	15	28	32	23	20	3	21
Other Tuberculous Diseases	18	25	23	18	23	24	26	30	15	17	31	14	34	22	15	12
Cancer, Malignant Disease	105	138	131	113	96	120	103	89	87	118	73	92	105	111	94	119
Rheumatic Fever	6	4	3	8	9	9	6	9	2	7	10	5	6	3	3	3
Meningitis	24	12	18	12	20	15	31	37	43	15	36	30	6	25	12	30
Organic Heart Disease	114	180	149	177	130	163	152	156	60	160	108	101	168	83	70	161
Bronchitis	123	85	118	98	116	95	113	89	82	123	104	83	100	139	70	93
Pneumonia (all forms)	162	123	122	133	104	118	188	130	117	98	153	142	108	103	164	116
Other Diseases of Respiratory Organs	26	23	24	20	21	29	25	18	7	22	23	11	6	20	15	30
Diarrhœa and Enteritis (under 2 years)	65	29	83	53	50	40	67	50	63	20	75	44	17	47	29	54
Appendicitis and Typhlitis	9	7	6	12	9	10	19	5	4	7	16	9	11	8	9	27
All Liver Diseases (not Malignant)	11	18	9	15	15	14	13	14	15	2	10	11	2	8	6	18
Other Diseases of Digestive System (under 2 years)	12	4	12	11	21	11	17	2	22	12	10	7	3	6	6	6
Nephritis and Bright's Disease	58	48	43	48	42	40	35	37	36	37	21	44	46	53	20	66
Puerperal Sepsis	8	4	4	11	3	4	5	5	5	–	10	14	3	3	9	12
Other Diseases and Accidents of Pregnancy and Parturition	9	9	10	10	14	10	17	11	17	–	18	16	11	11	6	15
Congenital Debility and Malformation, including Premature Birth	117	84	132	105	146	98	138	140	92	106	137	115	88	97	88	164
Violent Deaths, excluding Suicide	63	47	67	60	46	88	86	73	46	62	83	67	31	36	56	60
Suicide	4	8	10	7	8	5	3	7	5	2	3	2	8	6	–	6
Other Defined Diseases	365	441	412	461	432	380	437	346	285	407	262	308	396	436	343	382
Diseases Ill-defined or Unknown	34	16	27	15	22	24	46	37	24	44	18	48	37	19	47	39
Total	1662	1547	1687	1686	1580	1537	1804	1669	1299	1483	1450	1431	1379	1456	1286	1706

TABLE **39**.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1914.

Year	Number of Deaths from														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419		79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344		96	1014	11,212	8165	2416	5400	2186
1861	766	971	1764	1571	2204	2416	2579		122	1165	10,582	7571	1974	5017	2089
1862	426	1404	1281	2393	2799	2350	3021		126	1152	11,429	8211	1932	5764	2057
1863	1646	2212	3413	3615	1649	2493	3441		139	1162	10,981	7614	2212	5484	2260
1864	1741	1102	3411	3156	1993	2581	4804		125	1300	11,445	8083	2268	6383	2291
1865	383	1195	2244	2010	2318	3180	3272	1048	158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615	1625	212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794
1890	–	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859
1891	–	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422

TABLE **39**—*continued.*

Year.	Number of Deaths from														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	–	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	–	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	–	1329	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1342	2753	6	225	227	5388	7,696	4917	5703	4729	3127

TABLE **40**.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1914.

Year.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855–1860	*35*	*43*	*98*	*44*	*72*	*106*	*91*		*3*	*34*	*360*	*255*	*75*	*126*	*72*
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861–1870	*18*	*42*	*96*	*68*	*70*	*95*	*†65*	*†42*	*5*	*42*	*379*	*268*	*71*	*210*	*73*

† Mean 1865–1870.

TABLE **40**—*continued.*

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871–1880	*19*	*36*	*79*	*55*	*63*	*90*	*15*	*40*	*6*	*49*	*354*	*244*	*90*	*252*	*76*
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	159	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	0	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	0	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881–1890	*0*	*39*	*29*	*43*	*61*	*72*	*3*	*23*	*6*	*59*	*278*	*202*	*109*	*201*	*70*
1891	0	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891–1900	*1*	*47*	*19*	*29*	*52*	*84*	*1*	*18*	*5*	*74*	*239*	*171*	*130*	*165*	*71*
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	68
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	0	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	0	48	13	20	21	58	0	6	4	103	181	115	134	100	58
Mean 1901–1910	*1*	*34*	*9*	*18*	*44*	*64*	*0*	*9*	*5*	*93*	*211*	*139*	*145*	*116*	*66*
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	0	28	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	28	58	0	5	5	113	162	104	120	100	65

TABLE 41.—Deaths and Death-rate from Puerperal Conditions, 1914.

	Births.	Deaths from Puerperal Conditions.	Death-rate per 1000 Births.
SCOTLAND . . .	**123,934**	**746**	**6·0**
LARGER BURGHS .	61,201	386	6·3
SMALLER BURGHS .	23,588	122	5·2
COUNTY DISTRICTS .	39,145	238	6·1
Glasgow . . .	29,462	176	6·0
Edinburgh . .	6,468	42	6·5
Dundee . . .	4,451	26	5·8
Aberdeen . . .	4,004	35	8·7
Paisley . . .	2,388	15	6·3
Leith	2,161	11	5·1
Greenock . . .	2,550	17	6·7
Coatbridge . .	1,371	7	5·1
Motherwell . .	1,292	9	7·0
Kirkcaldy . . .	1,016	0	0·0
Hamilton . . .	1,318	11	8·3
Clydebank . .	1,375	13	9·5
Perth . . .	690	5	7·2
Kilmarnock . .	894	5	5·6
Falkirk . . .	901	5	5·5
Ayr	860	9	10·5

TABLE **42**.—Deaths from Malignant Disease in 1914.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25–	35–	45–	55–	65–	75 and over	All Ages.	Under 25	25–	35–	45–	55–	65–	75 and over
Lip	23	–	–	–	–	3	9	11	7	1	–	–	–	–	4	2
Mouth	27	–	1	2	3	8	12	1	5	–	1	1	1	–	1	1
Tongue	111	–	1	5	21	36	31	17	16	–	–	–	3	5	4	4
Jaw	71	3	2	5	5	17	16	23	13	–	1	1	2	3	3	3
Pharynx, Throat	43	1	–	4	4	14	14	6	16	–	–	2	4	7	2	1
Œsophagus	88	–	–	7	21	24	27	9	49	–	3	10	11	9	9	7
Stomach	567	–	12	35	115	168	165	72	636	1	7	38	105	193	188	104
Intestine	308	4	7	14	48	96	89	50	453	2	2	34	59	108	148	100
Rectum	186	1	8	11	22	56	57	31	147	2	4	14	19	34	35	39
Salivary Glands	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–
Liver	238	3	4	15	35	80	69	32	327	1	1	14	45	86	123	57
Pancreas	38	2	1	4	10	9	10	2	35	–	1	1	6	10	14	3
Peritoneum, Mesentery	13	2	1	2	2	4	2	–	30	–	–	1	12	5	7	5
Abdomen	40	2	1	3	6	12	13	3	98	2	3	4	18	21	34	16
Larynx	27	–	–	–	6	10	8	3	21	–	–	8	–	4	6	3
Lung	29	1	2	6	7	8	5	–	33	2	1	4	7	12	3	4
Pleura	4	–	–	–	–	2	2	–	2	–	–	1	–	1	–	–
Heart	1	–	–	1	–	–	–	–	2	–	–	–	1	–	–	1
Mediastinum	13	2	–	5	1	3	2	–	11	–	–	1	2	2	3	3
Thorax	4	–	–	1	1	1	1	–	6	–	–	1	1	2	1	1
Kidney	24	3	–	1	5	8	5	2	22	–	1	–	3	10	5	3
Bladder, Urethra	55	–	–	1	7	16	19	12	20	–	–	1	1	6	9	3
Testis, Penis, Scrotum	24	1	1	5	4	3	2	8	–	–	–	–	–	–	–	–
Prostate	56	–	–	1	3	15	27	10	–	–	–	–	–	–	–	–
Breast	5	–	–	–	2	1	2	–	437	–	6	74	123	110	78	46
Ovary	–	–	–	–	–	–	–	–	35	–	4	6	12	7	4	2
Uterus	–	–	–	–	–	–	–	–	517	2	19	103	157	127	76	33
Vagina, Vulva	–	–	–	–	–	–	–	–	30	1	1	2	3	10	7	6
Pelvis	13	3	1	1	1	5	2	–	25	2	2	1	5	9	5	1
Brain	3	–	1	–	–	1	1	–	1	–	–	–	1	–	–	–
Spinal Cord	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–
Eye and Orbit	7	–	1	–	3	–	2	1	14	2	–	2	2	3	1	4
Ear	9	–	–	–	1	1	4	3	3	–	–	–	–	–	3	–
Nose	3	–	–	–	–	–	2	1	6	–	–	–	1	1	–	4
Skull and Spinal Column	9	1	–	2	–	6	–	–	11	–	–	1	3	4	3	–
Spleen	3	–	–	1	–	2	–	–	3	–	–	–	1	1	–	1
Thyroid	2	–	–	–	–	–	–	2	7	–	1	1	–	3	1	1
Lymphatic Glands	60	3	1	2	12	21	11	10	40	–	1	5	10	7	9	8
Ribs and Sternum	5	1	–	1	1	2	–	–	4	–	–	–	1	1	–	2
Arm and Leg	41	7	2	7	3	4	8	10	48	8	1	4	10	7	10	8
Scalp and Face	40	–	1	1	6	7	6	19	40	–	–	4	3	5	7	21
Skin	3	–	–	1	–	1	1	–	6	–	–	–	2	1	1	2
Other Locations	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not stated	4	–	–	1	–	2	–	1	10	–	–	3	2	3	–	2
TOTAL	2199	41	48	145	356	646	624	339	3189	26	60	342	636	819	805	501

TABLE 43.—DEATHS FROM SUICIDE IN 1914.

TABLE **43**.—Deaths from

	Total.		Cut; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND	**207**	**54**	**77**	**12**	**22**	**11**
COUNTIES.						
Aberdeen	17	8	3	3	4	2
Argyll	2	1	1	–	–	1
Ayr	7	4	2	2	–	–
Banff	4	–	2	–	–	–
Berwick	1	–	–	–	–	–
Bute	–	–	–	–	–	–
Caithness	2	–	1	–	–	–
Clackmannan	–	–	–	–	–	–
Dumbarton	2	–	1	–	–	–
Dumfries	1	2	–	2	–	–
Edinburgh (Midlothian)	30	8	9	2	1	2
Elgin	–	–	–	–	–	–
Fife	6	1	2	–	–	–
Forfar	28	4	12	1	4	–
Haddington	1	1	–	–	–	1
Inverness	4	2	1	–	–	1
Kincardine	1	–	–	–	1	–
Kinross	–	–	–	–	–	–
Kirkcudbright	3	–	–	–	1	–
Lanark	53	7	25	–	4	–
Linlithgow	3	1	–	–	–	–
Nairn	–	–	–	–	–	–
Orkney	–	1	–	–	–	–
Peebles	1	–	1	–	–	–
Perth	8	2	3	–	1	–
Renfrew	12	3	5	1	3	–
Ross and Cromarty	7	1	2	–	1	–
Roxburgh	1	1	1	–	–	–
Selkirk	–	–	–	–	–	–
Shetland	3	1	2	–	1	1
Stirling	6	4	3	–	1	3
Sutherland	4	–	1	–	–	–
Wigtown	–	1	–	1	–	–
LARGER BURGHS.						
Glasgow	38	5	19	–	1	–
Edinburgh	21	6	4	2	1	1
Dundee	15	3	7	1	2	–
Aberdeen	8	3	3	1	2	1
Paisley	5	2	2	–	1	–
Leith	3	1	2	–	–	–
Greenock	1	1	–	1	–	–
Perth	2	1	1	–	–	–
Coatbridge	3	–	1	–	2	–
Motherwell	1	1	1	–	–	–
Kirkcaldy	–	1	–	–	–	–
Hamilton	1	–	1	–	–	–
Clydebank	1	–	1	–	–	–
Kilmarnock	2	–	–	–	–	–
Falkirk	–	–	–	–	–	–
Ayr	1	1	–	1	–	–
TOTAL, Larger Burghs	102	25	42	6	9	2

SUICIDE in 1914.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
23	1	63	20	11	5	2	3	5	1	4	1
1	–	5	3	3	–	–	–	–	–	1	–
–	–	1	–	–	–	–	–	–	–	–	–
1	–	4	1	–	–	–	–	–	1	–	–
1	–	1	–	–	–	–	–	–	–	–	–
1	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	–	–	–	1	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
4	–	12	2	3	–	1	2	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	1	–	–	2	–	1	–
2	–	5	2	3	1	1	–	1	–	–	–
–	–	–	–	–	–	–	–	–	–	1	–
2	–	1	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	–	–	–	–	–	–	–	–	–
2	–	19	6	1	–	–	–	1	–	1	1
2	–	1	–	–	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
2	–	2	2	–	–	–	–	–	–	–	–
–	–	3	–	–	1	–	1	1	–	–	–
2	–	2	1	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	1	1	–	–	–	–	–	–	–	–	–
1	–	2	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	16	4	–	–	–	–	–	–	1	1
3	–	10	1	2	–	1	2	–	–	–	–
1	–	2	1	3	1	–	–	–	–	–	–
–	–	–	1	2	–	–	–	–	–	1	–
–	–	1	–	–	1	–	1	1	–	–	–
–	–	1	1	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	1	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	–	–	–	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
6	–	34	10	7	3	1	3	1	–	2	1

TABLE 44.—Deaths from Poison in Scotland in 1914.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL
Opium,	9	4	13
Carbolic Acid,	3	4	7
Strychnine,	2	3	5
Ammonia,	1	3	4
Liniment,	1	2	3
Irritant Poison,	1	2	3
Chloroform,	2	–	2
Phosphorous,	–	2	2
Narcotic (not specified),	1	1	2
Chlorodyne,	1	1	2
Lysol,	–	2	2
Caustic Soda,	2	–	2
Hydrochloric Acid,	1	–	1
Oxalic Acid,	1	–	1
Alcohol,	1	–	1
Chloral,	1	–	1
Nitric Acid,	1	–	1
Paraldehyde,	1	–	1
Copper Sulphate,	1	–	1
Belladonna,	1	–	1
Camphor,	1	–	1
Poisonous Berries,	1	–	1
Chloral Hydrate,	1	–	1
Boracic Acid,	1	–	1
Arsenic,	–	1	1
Easton's Syrup,	–	1	1
Corrosive Sublimate,	–	1	1
Not stated,	2	1	3
Total,	37	28	65

SUICIDAL POISONING.

Coal Gas,	5	1	6
Opium,	3	–	3
Oxalic Acid,	1	1	2
Turpentine,	1	–	1
A.B.C. Liniment,	1	–	1
Lysol,	–	1	1
Salts of Sorrel,	–	1	1
Insect Destroyer,	–	1	1
Total,	11	5	16

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform,	14	13	27
Chloroform and Ether,	10	5	15
Ether,	1	1	2
Ethyl Chloride,	1	1	2
Not stated,	1	1	2
Total,	27	21	48

TABLE **45.**—Deaths of Children under one year of age, from Selected Causes, at each age month.

Causes of Death.	Sexes.		Under 1 Month.	Age in Completed Months.										
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles	204	167	3	3	2	11	7	15	27	38	54	61	58	92
Whooping-cough	330	335	42	77	56	61	42	47	50	52	55	67	56	60
Diphtheria (including Croup)	47	38	3	1	2	3	2	2	4	4	11	12	19	22
Tuberculous Meningitis	159	102	5	5	21	26	35	24	24	25	25	32	22	17
Abdominal Tuberculosis	93	62	7	9	7	17	14	17	16	16	17	13	11	11
Other Tuberculous Diseases	58	37	3	3	1	5	8	8	8	8	16	10	9	16
Syphilis	83	83	59	41	19	19	6	6	3	4	2	3	2	2
Cerebro-spinal Meningitis	6	8	2	–	1	–	1	1	1	6	–	–	1	1
Basal Meningitis	212	153	30	27	27	31	30	29	34	39	29	25	30	34
Convulsions	362	237	204	66	59	50	39	30	36	26	28	26	19	16
Bronchitis	547	395	196	138	90	98	77	62	59	47	43	46	38	48
Broncho-pneumonia	561	424	83	67	85	88	89	79	76	75	73	96	98	76
Pneumonia	236	195	30	31	31	28	38	36	42	34	41	42	33	45
Pulmonary Congestion	66	48	35	16	11	8	6	3	4	8	7	7	4	5
Other Diseases of Stomach, Gastritis	143	106	48	41	34	39	19	16	12	8	12	7	7	6
Diarrhœa,	991	844	179	199	226	226	232	164	128	121	94	97	87	82
Congenital Malformations	272	228	344	49	29	24	8	8	11	7	4	7	5	4
Premature Birth	1362	1072	2262	118	35	9	5	–	3	1	–	–	–	1
Congenital Debility, Icterus, Sclerema	1124	855	1233	253	141	105	72	51	37	26	22	16	12	11
Other Infantile Diseases	229	150	349	16	5	5	3	1	–	–	–	–	–	–
Overlaying	48	41	25	23	18	13	8	2	–	–	–	–	–	–
Suffocation (otherwise)	50	40	36	14	19	11	6	3	–	–	–	1	–	–
All Other Causes	501	406	253	89	74	66	50	52	57	46	66	49	54	51
Total			5431	1286	993	943	797	656	632	591	599	617	565	600
Males	7684	–	3076	728	549	532	462	362	351	349	332	328	289	326
Females	–	6026	2355	558	444	411	335	294	281	242	267	289	276	274

TABLE **46.**—Deaths of Children under one year of age from Selected Causes, according to months of Registration.

Causes of Death.	Total.	Month of Registration of Death.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.
Measles	371	56	54	75	64	43	28	21	6	4	2	10	8
Whooping-cough	665	46	31	60	55	61	61	41	51	56	37	53	113
Diphtheria	85	12	7	6	5	9	4	3	6	3	6	13	11
Tuberculous Meningitis	261	32	18	20	25	22	22	19	23	28	18	15	19
Abdominal Tuberculosis	155	17	13	8	13	14	11	17	8	12	18	14	10
Other Tuberculous Diseases	95	7	10	7	11	18	10	7	7	5	7	4	2
Syphilis	166	15	11	18	11	11	14	16	15	14	16	16	9
Cerebro-spinal Meningitis	14	1	–	3	1	1	1	1	2	–	2	2	–
Basal Meningitis	365	28	35	27	26	32	28	25	23	48	29	26	38
Convulsions	599	60	51	69	63	43	41	31	42	38	40	65	56
Bronchitis	942	192	149	100	71	46	35	21	31	28	56	78	135
Broncho-pneumonia	985	161	153	100	86	72	63	20	26	31	50	74	149
Pneumonia	431	74	70	46	34	23	20	19	27	15	21	33	49
Pulmonary Congestion	114	18	13	11	9	4	7	9	4	3	7	8	21
Other Diseases of Stomach, Gastritis	249	14	26	25	22	12	14	12	35	33	18	21	17
Diarrhœa, Enteritis	1835	79	91	89	89	70	88	133	274	483	228	125	86
Congenital Malformations	500	45	46	47	31	50	44	45	35	34	40	37	46
Premature Birth	2434	221	218	250	195	202	212	187	168	192	187	200	202
Congenital Debility, Icterus, Sclerema	1979	177	162	152	159	127	155	142	180	196	174	160	195
Other Infantile Diseases	379	36	39	30	44	36	29	33	23	23	30	27	29
Overlaying	89	6	3	6	6	8	7	9	4	9	4	14	13
Suffocation (otherwise)	90	12	3	14	11	8	8	8	6	7	7	4	2
All Other Causes	907	95	93	76	77	67	67	64	58	83	76	73	78
Total	13710	1404	1296	1239	1108	979	969	883	1054	1345	1073	1072	1288

TABLE 47.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1914.

	Total Deaths (Uncorrected).	Deaths from Certified Causes.	Deaths from Uncertified Causes.	Percentage of Uncertified to Total Deaths.		
				1914.	1913.	Mean of Five Years 1909–1913.
SCOTLAND,	73,557	72,336	1,220	1·7	1·9	*1·9*
NORTHERN DIVISION,	1,681	1,490	191	11·4	13·5	*13·1*
NORTH-WESTERN Do.	2,423	1,945	478	19·7	18·5	*18·9*
NORTH-EASTERN Do.	7,019	6,971	48	0·7	1·1	*0·8*
EAST-MIDLAND Do.	10,407	10,350	57	0·5	0·8	*0·6*
WEST-MIDLAND Do.	5,644	5,545	99	1·8	2·0	*1·9*
SOUTH-WESTERN Do.	33,164	32,938	226	0·7	0·8	*0·8*
SOUTH-EASTERN Do.	10,450	10,341	108	1·0	1·5	*1·5*
SOUTHERN Do.	2,769	2,756	13	0·5	0·8	*0·5*
Counties.						
Aberdeen,	4,804	4,774	30	0·6	1·0	*0·6*
Argyll,	1,095	1,028	67	6·1	5·4	*7·1*
Ayr,	3,981	3,979	2	0·1	0·5	*0·4*
Banff,	890	884	6	0·7	1·7	*1·4*
Berwick,	379	376	3	0·8	0·5	*0·5*
Bute,	278	276	2	0·7	1·4	*1·7*
Caithness,	508	497	11	2·2	6·1	*4·9*
Clackmannan,	401	401	0	0·0	1·1	*0·5*
Dumbarton,	1,984	1,960	24	1·2	1·8	*0·8*
Dumfries,	1,130	1,121	9	0·8	1·1	*0·7*
Edinburgh (Midlothian).	8,006	7,911	95	1·2	1·8	*2·2*
Elgin,	671	668	3	0·4	1·1	*0·8*
Fife,	3,749	3,728	21	0·6	1·3	*0·8*
Forfar,	4,536	4,513	23	0·5	0·2	*0·4*
Haddington,	485	476	9	1·9	2·2	*1·8*
Inverness,	1,295	1,097	198	15·3	15·3	*15·7*
Kincardine,	520	516	4	0·8	1·2	*0·8*
Kinross,	105	104	1	1·0	0·9	*1·0*
Kirkcudbright,	495	495	0	0·0	0·6	*0·4*
Lanark,	24,483	24,318	165	0·7	0·7	*0·7*
Linlithgow,	1,097	1,096	0	0·0	0·2	*0·3*
Nairn,	134	129	5	3·7	2·6	*2·5*
Orkney,	395	363	32	0·8	8·6	*9·7*
Peebles,	175	174	1	0·6	0·0	*0·0*
Perth,	1,616	1,604	12	0·8	1·0	*0·8*
Renfrew,	4,700	4,641	59	1·3	1·6	*1·5*
Ross and Cromarty,	1,128	848	280	2·5	22·5	*22·8*
Roxburgh,	648	645	3	0·5	0·6	*0·2*
Selkirk,	308	308	0	0·0	0·3	*0·1*
Shetland,	466	373	93	20·0	21·9	*19·8*
Stirling,	2,287	2,281	6	0·3	0·5	*0·4*
Sutherland,	312	257	55	17·6	20·5	*22·2*
Wigtown,	496	495	1	0·2	0·2	*0·4*

TABLE **48**.—Meteorology of Scotland for 1914; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1914.

1913.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	29·994	29·401	29·543	29·919	30·012	30·035	29·802	29·917	29·960	30·006	29·727	29·393	29·802
Mean of Max. Temp.	42°·6	46°·8	45°·9	55°·9	56°·0	63°·8	65°·1	65°·2	60°·9	54°·8	47°·8	42°·0	53°·9
,, ,, Min. ,, .	33°·3	36°·2	34°·0	38°·8	41°·3	47°·1	50°·6	50°·2	46°·1	42°·4	37°·1	32°·5	40°·8
Mean Temperature.	**38°·0**	**41°·5**	**40°·0**	**47°·4**	**48°·7**	**55°·5**	**57°·9**	**57°·7**	**53°·5**	**48°·6**	**42°·5**	**37°·3**	**47°·4**
Absolute Maximum.	56°·0	58°·0	59°·0	76°·0	78°·0	88°·0	86°·0	85°·0	78°·0	68°·0	62°·0	56°·0	88°·0
Absolute Minimum .	8°·0	15°·0	10°·0	23°·0	19°·0	30°·0	30°·0	34°·0	22°·0	19°·0	12°·0	7°·0	7°·0
Number of Rainy Days	16	21	22	13	15	12	14	16	12	15	22	20	198
Amount of Rain (inch)	**3·32**	**4·33**	**4·33**	**1·97**	**2·40**	**1·22**	**2·76**	**3·17**	**1·82**	**20·8**	**5·14**	**6·37**	**38·91**
Births	10378	9537	10741	10881	10931	11197	10741	9927	9668	10441	9505	9987	123934
Deaths	7645	6224	6785	6436	5965	5718	5274	5276	5669	5578	5926	7011	73557
Marriages	4333	2021	2277	3110	1086	4892	4077	2443	2838	2162	2410	3400	35049
Daily Births . . .	335	341	346	363	353	373	346	320	322	337	317	322	340
Daily Deaths . . .	247	222	219	216	192	191	170	170	189	180	198	226	202
Daily Marriages . .	140	72	73	104	35	163	132	79	95	70	80	110	96

TABLE **49**.—Deaths, Temperature, and Fall of Rain in Eight of the Larger Burghs of Scotland during each Week of 1914.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE. Maximum.	Minimum	Mean.	RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population	TEMPERATURE. Maximum.	Minimum.	Mean.	RAIN, in inches
				°	°	°						°	°	°	
1	January 10	889	20·2	50·0	23·5	39·6	1·21	27	July 11	597	13·6	76·2	44·0	59·4	0·22
2	17	896	20·4	44·8	22·0	34·3	0·03	28	18	559	12·7	77·5	42·0	60·4	0·81
3	24	919	20·9	52·5	28·2	36·8	0·38	29	25	592	13·5	84·0	45·7	60·1	0·15
4	31	878	20·0	55·0	31·5	42·6	1·09	30	August 1	569	12·9	72·0	40·0	56·3	0·54
5	February 7	807	18·4	55·0	32·0	46·5	0·66	31	8	519	11·8	67·2	43·0	56·1	1·45
6	14	743	16·9	53·2	32·0	42·8	0·88	32	15	608	13·8	81·0	43·5	60·2	0·08
7	21	727	16·5	52·8	25·5	40·1	1·27	33	22	658	15·0	74·0	43·5	58·4	0·28
8	28	770	17·5	55·2	25·5	41·2	0·64	34	29	631	14·4	76·0	44·5	60·3	0·88
9	March 7	728	16·6	50·0	31·5	41·3	0·74	35	September 5	703	16·0	74·0	41·6	58·3	0·04
10	14	787	17·9	50·3	20·5	38·2	1·09	36	12	727	16·5	73·0	38·5	57·0	0·30
11	21	729	16·6	51·5	27·5	39·4	1·18	37	19	699	15·9	63·6	38·5	51·8	0·81
12	28	726	16·5	56·0	26·7	41·0	0·49	38	26	717	16·3	65·1	28·5	51·8	0·17
13	April 4	819	18·6	59·0	31·0	47·7	0·90	39	October 3	687	15·6	73·0	30·5	51·7	0·15
14	11	727	16·5	57·0	30·5	45·1	0·84	40	10	698	15·9	66·0	37·0	53·4	0·13
15	18	702	16·0	70·0	29·5	47·6	0·35	41	17	646	14·7	61·0	30·5	48·7	0·23
16	25	741	16·9	75·2	31·5	51·6	0.25	42	24	659	15·0	58·0	30·5	47·5	0·22
17	May 2	669	15·2	72·4	33·0	48·7	0·05	43	31	640	14·6	58·8	30·0	46·4	1·29
18	9	713	16·2	65·0	32·0	47·9	1·12	44	November 7	696	15·8	54·8	38·0	48·4	1·17
19	16	673	15·3	71·1	31·0	49·3	0·27	45	14	668	15·2	58·0	28·9	45·2	0·95
20	23	709	16·1	73·3	39·0	54·0	0·41	46	21	730	16·6	52·2	22·0	36·5	0·22
21	30	686	15·6	71·0	32·0	50·5	0·21	47	28	808	18·4	55·5	26·5	41·2	1·19
22	June 6	702	16·0	75·0	36·5	53·5	0·06	48	December 5	803	18·3	55·0	30·7	42·8	3·08
23	13	631	14·4	75·0	35·5	54·0	0·26	49	12	780	17·7	47·3	29·5	39·9	1·09
24	20	641	14·6	83·0	44·0	60·1	0·23	50	19	791	18·0	51·5	23·0	40·0	1·37
25	27	605	13·8	71·0	40·5	57·0	0·14	51	26	791	18·0	52·8	16·5	33·0	0·71
26	July 4	621	14·1	79·3	40·9	58·6	0·92	52	(1915) Jan. 2	899	20·5	46·5	22·0	36·3	0·89

This Table is compiled from Weekly Returns for 1914. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE **50**.—VACCINATIONS in SCOTLAND, 1903–1913.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination. From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
1903	Numbers .	113,599	547	375	10	12,699	—	2,557	3,806	133,593
1904	Numbers .	111,575	808	550	2	12,951	—	2,842	3,935	132,663
1905	Numbers .	111,164	764	511	1	12,168	—	2,831	4,014	131,453
1906	Numbers .	109,246	563	531	0	12,592	253	3,105	5,766	132,056
1907	Numbers .	96,842	611	744	1	12,187	7,258	3,864	7,384	128,891
1908	Numbers .	90,374	820	796	0	12,689	15,846	3,722	7,159	131,406
1909	Numbers .	83,289	746	784	0	11,594	22,746	3,354	6,207	128,710
1910	Numbers .	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
1911	Numbers .	70,472	648	1143	0	11,137	29,582	2,775	6,140	121,897
1912	Numbers .	69,179	476	454	0	10,788	33,166	2,903	5,910	122,876
10 Years	*Average .*	*93,181*	*663*	*663*	*1*	*11,947*	—	*3,101*	*5,631*	*128,766*
1913	**Numbers**	**63,952**	**460**	**424**	**0**	**10,826**	**36,479**	**2,712**	**5,769**	**120,622**
1903	Percentage	85·034	0·409	0·281	0·007	9·506	—	1·914	2·849	100·000
1904	Percentage	84·104	0·609	0·415	0·002	9·762	—	2·142	2·966	100·000
1905	Percentage	84·566	0·581	0·389	0·001	9·256	—	2·154	3·053	100·000
1906	Percentage	82·727	0·426	0·402	0·000	9·536	0·192	2·351	4·366	100·000
1907	Percentage	75·135	0·474	0·577	0·001	9·455	5·631	2·998	5·729	100·000
1908	Percentage	68·775	0·624	0·606	0·000	9·656	12·059	2·832	5·448	100·000
1909	Percentage	64·706	0 579	0·609	0·000	9·007	17·671	2·606	4·822	100·000
1910	Percentage	61·289	0·521	0·595	0·000	8·591	21·717	2·461	4·826	100·000
1911	Percentage	57·813	0·531	0·938	0·000	9·136	24·268	2·277	5·037	100·000
1912	Percentage	56·500	0·387	0·369	0·000	8·780	26·991	2·363	4·810	100·000
10 Years	*Percentage*	*72·045*	*0·514*	*0·518*	*0·001*	*9·268*	—	*2·410*	*4·391*	*100·000*
1913	**Percentage**	**53·019**	**0·381**	**0·352**	**0·000**	**8·975**	**30·242**	**2·248**	**4·783**	**100·000**

TABLE **51**.—VACCINATIONS in SCOTLAND, 1903–1913, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination. From Previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox	Statutory Declaration of Conscientious Objection.	Vaccination Postponed	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
1903	Numbers .	113,599	547	375	10	—	2,557	3,806	120,894
1904	Numbers .	111,575	808	550	2	—	2,842	3,935	119,712
1905	Numbers .	111,164	764	511	1	—	2,831	4,014	119,285
1906	Numbers .	109,246	563	531	0	253	3,015	5,766	119,464
1907	Numbers .	96,842	611	744	1	7,258	3,864	7,384	116,704
1908	Numbers .	90,374	820	796	0	15,846	3,722	7,159	118,717
1909	Numbers .	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers .	76,068	647	739	0	26,954	3,054	5,990	113,452
1911	Numbers .	70,472	648	1,143	0	29,582	2,775	6,140	110,760
1912	Numbers .	69,179	476	454	0	35,166	2,903	5,910	112,088
10 Years	*Average .*	*93,181*	*663*	*663*	*1*	—	*3,101*	*5,631*	*116,320*
1913	**Numbers**	**63,952**	**460**	**424**	**0**	**36,479**	**2,712**	**5,769**	**109,796**
1903	Percentage	93·966	0·453	0·310	0·008	—	2·115	3·148	100·000
1904	Percentage	93·203	0·675	0·459	0·002	—	2·374	3·287	100·000
1905	Percentage	93·192	0·641	0·428	0·001	—	2·373	3·365	100·000
1906	Percentage	91·447	0·471	0·444	0·000	0·212	2·599	4·827	100·000
1907	Percentage	82·981	0·524	0·637	0·001	6·219	3·311	6·327	100·000
1908	Percentage	76·126	0·691	0·670	0·000	13·348	3·135	6·030	100·000
1909	Percentage	71·111	0·637	0·669	0·000	19·420	2·864	5·299	100·000
1910	Percentage	67·049	0·570	0·651	0·000	23·758	2·692	5·280	100·000
1911	Percentage	63·626	0·585	1·032	0·000	26·708	2·505	5·544	100·000
1912	Percentage	61·718	0·425	0·405	0·000	29·589	2·590	5·273	100·000
10 Years	*Percentage*	*79·442*	*0·567*	*0·571*	*0·001*	—	*2·656*	*4·838*	*100·000*
1913	**Percentage**	**58·246**	**0·419**	**0·386**	**0·000**	**33·224**	**2·470**	**5·255**	**100·000**

TABLE **52.**—Deaths from Small-pox in Scotland, 1855-1913, with Vaccination Particulars, 1864-1913.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1913: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1913.					Deaths from Cow-pox and Effects of Vaccination, 1883-1913.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0–5 Years.	5–24 Years.	25–64 Years.	65 Years and upwards.	
1855						‡1,309	983	224	99	2	
1856						§1,306	982	218	99	5	
1857						845	657	123	65	.	
1858						332	249	53	28	2	
1859						682	473	130	78	1	
1860						‖1,495	991	301	194	6	
1861						‡766	535	139	89	2	
1862						426	305	79	41	1	
1863						‡1,646	1,036	377	227	5	
1864	95·8	0·7	0·8		2·7	‡1,741	983	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2 4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	‡2,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	‡1,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	‡1,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	18	1	
1877	96·7	1·1	0·2		2·0	38	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·1	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	..	..	3	..	
1883	96·0	1·6	0·2		2·2	11	2	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	1
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	3
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	6
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	2
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	3
1890	94 6	2·5	0·2		2 7	..	..	..	..	..	4
1891	94·8	2·3	0·2		2·7	..	..	..	..	..	5
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	3
1893	94·8	2·2	0·4		2·6	68	11	13	43	1	1
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	3
1895	64·9	2·3	0·4		2·4	47	4	8	35	..	1
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	1	5	1	3
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	1
1899	93·6	2·5	0·5		3·4	1	..	..	1	..	..
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	93·5	2·4	0·8		3·2	278	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	128	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4 8	1	..	..	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	..	..	1	..	..
1908	76·8	3·1	0·7	13·4	6·0	6	..	1	5	..	..
1909	71·7	2·9	0·7	19·4	5·3	..	..	..	..	..	1
1910	67·6	2·7	0·6	23·8	5·3	..	..	..	..	..	2
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3	..	..
1912	62·1	2·6	0·4	29·6	5·3	17	1	3	12	1	..
1913	58·6	2·5	0·4	33·2	5·3	..	..	..	..	..	..

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth. ‡ Including 1 of unstated age.

§ Including 2 of unstated age. ‖ Including 3 of unstated age.

TABLE **53.**—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1905-1913.		SMALL-POX DEATHS, 1895-1904.		SMALL-POX DEATHS, 1885-1894.		SMALL-POX DEATHS, 1875-1884.		SMALL-POX DEATHS, 1865-1874.		SMALL-POX DEATHS, 1855-1864.	
	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.
0–5	3	8·8	106	15·2	41	13·7	38	17·1	1893	26·5	7194	68·3
5–24	6	17·7	85	12·1	77	25·8	96	43·3	2935	41·1	2079	19·7
25–64	24	70·6	494	70·7	175	58·5	82	36·9	2246	31·5	1233	11·7
65 and above	1	2·9	14	2·0	6	2·0	6	2·7	61	0·9	33	0·3
Total .	34	100·0	699	100·0	299	100·0	222	100·0	*7138	100·0	†10548	100·0

* Including 3 of unstated age. † Including 9 of unstated age.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1914. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1913.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages, 1914.				Vaccinations, 1913.								
				Births.					Insusceptible of Vaccine Disease.							
		1901	1911	Total.	Illegitimate.	Deaths	Marriages.	Successfully Vaccinated.	On the ground of previous Successful Vaccination.	Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	1. SHETLAND.															
1	Bressay,	686	641	11	0	8	1	3	0	1	0	0	3	0	0	7
2	Delting,	1389	1338	21	3	14	1	2	0	0	0	1	27	0	0	30
3	Dunrossness, etc.—															
	(1) Dunrossness,	1375	1381	24	1	14	1	7	0	0	0	1	11	0	0	19
	(2) Sandwick and Cunningsburgh,	2116	2241	28	0	43	1	5	0	0	0	2	28	1	0	36
	(3) Fair Isle,	147	139	1	0	0	0	1	0	0	0	0	2	0	0	3
4	Fetlar,	347	279	0	0	2	0	0	0	0	0	0	1	0	0	1
5	Lerwick—(1) Lerwick,	5661	6402	127	6	141	70	10	0	0	0	11	108	0	6	135
	(2) Burra Isles,	858	894	29	0	12	0	7	0	0	0	3	15	2	2	29
6	Yell—(1) Mid and South Yell,	1792	1690	41	4	21	2	3	0	0	0	2	22	0	3	30
	(2) North Yell,	691	658	10	0	14	0	0	0	0	0	0	17	0	0	17
7	Nesting, etc.—(1) Nesting,	726	605	5	0	9	0	0	0	0	0	0	8	0	0	8
	(2) Lunnasting,	655	559	8	0	10	1	0	0	0	0	1	12	0	0	13
	(3) Whalsay,	975	1042	21	1	19	1	2	0	0	0	0	20	0	1	23
	(4) Whalsay Skerries,	124	144	0	0	1	0	0	0	0	0	0	1	0	0	1
8	Northmavine,	2014	1866	25	2	32	1	3	0	0	0	0	18	0	0	21
9	Sandsting and Aithsting,	2396	2100	32	4	32	2	6	0	0	0	4	17	0	8	35
10	Tingwall, etc.—(1) Tingwall,	1502	1406	20	1	22	9	4	0	0	0	0	9	0	1	14
	(2) Whiteness and Weisdale,	771	704	7	0	6	2	0	0	0	0	0	8	0	0	8
11	Unst,	1946	2077	32	0	30	3	2	0	0	0	2	17	0	3	24
12	Walls, etc.—(1) Walls,	990	852	8	0	19	1	0	0	0	0	0	5	0	0	5
	(2) Sandness,	503	497	7	0	8	0	1	0	0	0	0	3	0	4	8
	(3) Papa-Stour,	272	212	3	1	2	0	1	0	0	0	0	1	0	0	2
	(4) Foula,	230	184	2	0	7	0	0	0	0	0	0	1	0	0	1
	Total,	28166	27911	462	23	466	96	57	0	1	0	27	354	3	28	470

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages, 1914.				Vaccinations, 1913.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	2. ORKNEY.															
13	Birsay,	1329	1164	14	3	14	7	7	0	0	0	1	1	1	0	10
14	Deerness,	742	642	10	0	6	2	2	0	0	0	0	6	0	0	8
15	Eday and Pharay,	643	559	10	0	10	2	5	0	0	0	0	7	0	0	12
16	Evie and Rendall,	1084	955	15	1	9	2	4	0	0	0	0	11	0	0	15
17	Firth and Stennes—(1) Firth,	700	693	11	4	7	5	2	0	0	0	2	3	0	0	7
	(2) Stennes,	570	517	11	0	9	2	5	0	0	0	0	2	0	0	7
18	Harray,	675	608	7	1	7	5	3	0	0	0	1	8	0	0	12
19	Holm and Paplay,	818	763	14	0	11	4	1	0	2	0	1	9	0	0	13
20	Hoy and Græmsay,	485	393	5	0	9	2	2	0	0	0	0	3	0	0	5
21	Kirkwall and St. Ola,	4522	4595	87	6	78	39	35	0	0	0	3	38	0	12	88
22	North Ronaldshay,	442	436	5	0	5	1	0	0	0	0	0	2	0	0	2
23	Orphir,	877	798	8	2	7	9	4	0	0	0	1	9	1	0	15
24	Rousay and Egilshay,	829	710	16	0	5	10	13	0	1	0	0	3	0	0	17
25	St. Andrews,	737	698	7	1	11	5	4	0	1	0	0	3	0	0	8
26	Sanday,	1727	1529	29	2	23	7	9	0	0	0	3	18	0	0	30
27	Sandwick,	1071	986	9	0	20	3	12	0	0	0	0	1	1	0	14
28	Shapinshay,	769	718	11	1	9	3	2	0	0	0	1	7	0	0	10
29	South Ronaldshay and Burray,	2707	2395	62	6	48	13	32	0	0	0	8	8	5	1	54
30	Stromness,	3180	2348	42	2	45	10	14	0	0	0	2	23	2	0	41
31	Stronsay,	1184	1217	34	2	13	4	14	0	0	0	0	21	0	0	35
32	Walls, etc.—(1) Walls,	926	843	10	0	12	6	2	0	0	0	0	12	1	0	15
	(2) Flotta,	431	404	11	0	11	3	5	0	0	0	0	3	0	0	8
33	Westray, etc.—(1) Westray,	1956	1668	34	1	20	12	9	0	0	0	1	20	0	0	30
	(2) Papa-Westray,	295	258	2	0	6	0	1	0	0	0	0	4	0	0	5
	Total,	28669	25897	464	32	395	156	187	0	4	0	24	222	11	13	461

	3. CAITHNESS.															
34	Bower,	1453	1393	33	4	15	2	16	0	0	0	1	9	3	3	32
35	Canisbay,	2006	1866	28	4	25	6	18	0	0	0	4	3	0	4	29
36	Dunnet,	1232	1147	25	1	12	2	5	0	0	0	1	6	6	0	18
37*a*	Halkirk,	2355	2160	49	5	37	12	17	0	0	0	2	9	0	4	32
37*b*	Keiss,	1110	1001	13	6	17	3	6	0	0	0	2	3	8	0	19
38	Latheron,	5223	4514	74	7	84	15	27	0	0	0	7	33	1	4	72
39	Olrig,	1555	1450	21	2	28	3	8	0	0	0	2	10	11	0	31
40	Reay,	974	920	17	1	7	2	10	0	0	0	3	6	2	0	21
41	Thurso,	5406	4709	105	15	83	29	29	0	0	0	8	37	1	11	86
42	Watten,	1230	1079	24	4	8	8	17	0	0	0	3	9	0	0	29
43	Wick,	11326	11771	283	22	192	62	110	2	1	0	43	83	14	54	307
	Total,	33870	32010	672	71	508	144	263	2	1	0	76	208	46	80	676
	4. SUTHERLAND.															
44	Assynt—(1) Kirkton,	338	306	7	0	5	2	1	0	0	0	1	3	0	0	5
	(2) Stoer,	2048	1805	25	0	24	2	8	0	0	0	0	11	2	2	23
45	Clyne,	1724	1749	33	2	18	3	16	0	0	0	3	3	2	6	30
46	Creich—(1) Bonar,	1355	1282	25	5	21	5	8	0	0	0	0	8	0	4	20
	(2) Rosehall,	481	431	10	0	6	3	1	0	0	0	1	2	0	0	4
47	Dornoch,	2794	2670	56	7	42	4	42	0	0	0	4	7	0	1	54
48	Durness,	870	830	12	1	11	1	10	0	0	0	1	1	1	0	13
49	Eddrachillis—(1) Scourie,	541	441	4	0	7	3	4	0	0	0	0	3	4	0	11
	(2) Kinlochbervie,	877	809	19	1	18	2	4	0	0	0	1	7	2	1	15
50	Farr—(1) Kirkton,	1025	1062	16	0	22	0	1	0	0	0	0	10	1	1	13
	(2) Strathy,	1532	1406	21	2	22	3	3	0	0	0	2	15	0	1	21
51	Golspie,	1665	1685	31	2	27	0	13	0	0	0	5	1	0	7	26
52	Kildonan,	1772	1786	28	3	19	3	4	0	0	0	0	8	0	15	27
53	Lairg,	1081	995	16	0	16	4	15	0	0	0	0	1	0	0	16
54	Loth,	449	367	9	3	8	1	6	0	0	0	0	0	0	2	8
55	Rogart,	1105	946	11	1	17	3	6	0	0	0	0	0	0	1	7
56	Tongue,	1783	1609	22	2	29	1	12	0	0	0	2	14	2	0	30
	Total,	21440	20179	345	29	312	40	154	0	0	0	20	94	14	41	323

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages, 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations. 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	5. ROSS AND CROMARTY. *Mainland.*															
57	Alness,	956	898	17	3	16	5	12	0	0	0	3	5	0	2	22
58	Applecross—(1) Applecross,	813	703	8	1	6	0	6	0	0	0	0	1	1	0	8
	(2) Shieldaig,	864	801	12	1	16	2	1	0	0	0	1	3	0	3	8
59*a*	Avoch,	1852	1782	45	6	15	4	35	0	0	0	0	6	1	1	43
59*b*	Carnoch,	235	224	7	1	0	0	4	0	0	0	0	1	1	0	6
60	Contin—(1) Contin,	516	445	6	1	7	1	3	0	0	0	0	0	0	0	3
	(2) Kinlochluichart,	589	512	11	0	6	0	4	0	0	0	0	0	2	0	6
61	Cromarty,	1848	5637	31	6	38	5	14	0	0	0	6	4	12	3	39
62	Dingwall,	2758	2898	41	3	63	32	24	0	0	0	5	13	3	7	52
63	Edderton,	577	545	7	0	12	0	2	0	0	0	1	6	0	0	9
64	Fearn,	1761	1785	44	4	23	7	26	0	0	0	5	5	0	4	40
65	Fodderty,	1787	1692	24	2	24	6	19	0	2	0	1	9	0	0	31
66	Gairloch—(1) Northern,	1118	944	12	0	14	7	0	0	0	0	1	17	1	0	19
	(2) Southern,	2617	2310	23	1	44	2	8	0	0	0	1	9	0	5	23
67	Glenshiel,	343	339	8	2	4	0	2	0	0	0	0	1	0	2	5
68	Killearnan,	933	782	16	1	11	1	4	0	0	0	1	8	0	1	14
69	Kilmuir-Easter,	985	887	16	2	15	0	4	0	0	0	0	11	1	0	16
70	Kiltearn,	1258	1138	29	4	18	1	29	0	0	0	1	4	2	0	27
71	Kincardine—(1) Kincardine,	1005	971	12	0	10	4	3	0	0	0	0	8	4	0	15
	(2) Strathoykel,	260	227	2	0	3	1	0	0	0	0	0	2	0	0	2
72	Kintail,	491	414	7	0	4	0	3	0	0	0	0	5	1	0	9
73	Knockbain,	1504	1356	24	1	18	2	13	0	0	0	2	1	0	1	17
74	Lochalsh,	1830	1761	21	3	29	10	6	0	0	0	1	18	4	2	31
75	Lochbroom—(1) Lochbroom,	2322	2042	20	0	45	3	15	0	0	0	0	5	0	5	25
	(2) Coigach,	885	752	9	1	23	1	6	0	0	0	0	1	0	2	9
76	Lochcarron,	1442	1108	15	1	17	2	1	0	0	0	0	18	2	0	21
77	Logie-Easter,	819	700	23	3	9	2	6	0	1	0	1	4	3	1	16

78	Nigg,	892	827	23	2	13	4	11	0	0	0	1	1	0	4	17
79	Resolis,	1036	954	12	1	13	8	17	0	0	0	0	2	0	1	20
80	Rosemarkie,	1465	1309	27	4	32	2	19	0	0	0	0	3	1	1	24
81	Rosskeen,	3460	3362	76	7	50	25	29	0	0	0	2	7	14	1	53
82	Tain,	2756	2507	42	10	33	27	26	0	0	0	2	10	1	6	45
83	Tarbat,	1358	1224	26	1	19	3	14	0	0	0	0	6	0	1	21
84	Urquhart and Logie-Wester,	2102	2006	27	5	40	2	16	1	1	0	1	5	0	0	24
85	Urray,	2064	1919	36	8	27	0	14	0	0	0	1	9	0	5	29
	Insular.															
86*a*	Barvas,	5915	6040	116	3	84	21	37	0	0	0	6	99	6	0	148
86*b*	Carloway,	3076	3022	60	0	52	6	56	0	0	0	0	10	0	7	73
87	Lochs,	4768	4774	117	3	49	13	78	0	0	0	6	10	0	22	116
88	Stornoway,	12983	13438	298	14	192	61	225	0	0	0	13	20	3	28	289
89	Uig,	2207	2329	29	0	34	3	28	0	0	0	2	10	0	5	45
	Total,	76450	77364	1379	105	1128	273	811	1	4	0	64	357	63	120	1420
	6. INVERNESS.															
	Mainland.															
90*a*	Abernethy and Kincardine,	1279	1228	21	3	17	4	9	0	0	0	2	3	0	3	17
90*b*	Alvie,	533	590	17	2	5	0	6	0	0	0	0	0	0	0	6
91*a*	Ardersier,	1594	1913	40	4	16	4	34	1	0	0	2	0	0	8	45
91*b*	Arisaig,	1079	1009	12	0	10	4	14	0	0	0	2	2	1	0	19
91c	Ballachulish and Onich,	466	481	2	2	2	0	5	0	0	0	0	0	0	0	5
92*a*	Boleskine, etc.—															
	(1) Boleskine,	838	1013	16	1	9	2	22	0	0	0	1	0	0	0	23
	(2) Fort-Augustus or Abertarff,	1005	883	9	0	18	2	4	0	0	0	0	1	4	2	11
92*b*	Cannich,	484	442	6	0	4	1	0	0	0	0	0	0	0	0	0
	(93 *Cromdale and Inverallan.—Now* 128 *infra.*)															
94	Croy and Dalcross—*Inverness portion,*	579	542	7	0	4	0	4	0	0	0	0	1	0	2	7
95	Daviot and Dunlichty,	999	907	14	1	9	1	7	0	0	0	1	0	0	2	10
96*a*	Dores,	835	781	10	0	6	2	8	0	0	0	1	3	0	0	12
96*b*	Duthil, etc.—(1) Duthil,	1788	1700	40	6	28	2	15	0	0	0	1	6	1	0	23
	(2) Rothiemurchus,	207	243	6	0	2	3	5	0	0	0	1	1	0	1	8
97	Glenelg—(1) Glenelg,	543	481	1	0	9	1	5	3	0	0	0	0	0	0	8
	(2) Knoydart,	309	308	1	0	3	1	1	0	1	0	0	3	0	0	5
	(3) North Morar,	651	881	16	0	13	1	6	0	0	0	3	7	0	1	17

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Inverness—*continued.*															
98*a*	Inverness,	27046	25952	505	57	486	232	254	3	0	0	43	197	3	35	535
98*b*	Kilmallie—*Inverness portion,*	3331	3223	59	6	37	16	21	0	0	0	3	26	5	2	57
99	Kilmonivaig—(1) Glengarry,	617	466	7	0	7	0	2	0	0	0	1	1	1	0	5
	(2) Lochaber,	1435	1234	22	2	17	2	12	0	0	0	1	6	0	1	20
100	Kilmorack,	1814	1881	34	1	39	3	21	0	0	0	2	7	0	8	38
101	Kiltarlity,	1628	1627	36	2	19	2	15	0	1	0	0	3	1	2	22
102	Kingussie and Insh,	2194	2464	42	4	26	6	18	0	0	0	1	9	3	3	34
103	Kirkhill,	1296	1237	23	0	14	3	23	0	0	0	2	3	1	2	31
104	Laggan,	738	754	9	2	8	1	7	0	0	0	2	3	1	1	14
105	Moy and Dalarossie,	761	688	3	1	3	0	4	0	0	0	0	4	1	0	9
106	Petty,	1291	1263	31	1	7	4	18	0	0	0	2	1	4	3	28
107	Urquhart, etc.—(1) Urquhart,	1499	1382	17	3	24	2	15	0	0	0	1	1	1	0	18
	(2) Glenmoriston,	329	293	6	1	6	1	0	0	0	0	0	0	1	0	1
505	Aharacle—*Inverness portion, Insular.*	599	562	9	0	4	1	8	0	1	0	0	0	0	1	10
108	Barra,	2545	2620	47	4	33	12	28	0	0	0	9	14	0	0	51
109	Bracadale—(1) Bracadale,	384	346	6	0	4	2	3	0	0	0	0	1	0	4	8
	(2) Minginish,	488	459	17	1	10	1	6	0	0	0	1	1	1	0	9
110	Duirinish—(1) Duirinish,	2610	2385	40	2	37	8	23	0	0	0	1	2	0	20	46
	(2) Waternish,	757	708	19	2	15	5	6	0	0	0	0	0	0	3	9
111	Harris—(1) North Harris,	3191	3223	75	4	36	9	7	0	2	0	7	2	1	52	71
	(2) South Harris,	1476	1641	35	4	23	3	0	0	0	0	4	10	0	15	29
	(3) Bernera,	527	505	8	0	6	0	1	0	0	0	0	6	0	3	10
	(4) St. Kilda,	77	80	1	0	2	1	0	0	0	0	0	0	0	1	1
112	Kilmuir—(1) Kilmuir,	948	887	17	0	17	3	5	0	0	0	1	1	1	7	15
	(2) Stenscholl,	1185	1077	25	0	23	1	8	0	0	0	4	3	0	9	24
113	North Uist,	3891	3677	56	3	47	9	69	0	0	0	2	0	0	3	74
114	Portree—(1) Portree,	2152	1923	33	2	21	14	13	0	1	0	4	11	0	6	35
	(2) Raasay,	629	508	8	0	2	2	0	0	0	0	0	4	0	7	11

115	Sleat,	1665	1373	22	1	30	0	9	0	0	0	1	2	1	0	13
116	Small Isles,	495	396	6	0	5	0	3	0	0	0	0	0	0	0	3
117	Snizort—(1) North,	614	634	12	0	9	0	1	0	0	0	2	6	2	0	11
	(2) South,	1035	1060	13	1	17	1	2	0	0	0	0	13	0	4	19
118	South Uist—(1) Benbecula,	1497	1384	21	5	19	6	7	0	0	0	1	15	0	3	26
	(2) Howmore,	1726	1639	31	4	15	6	9	0	0	0	6	10	0	13	38
	(3) Boisdale,	2293	2360	46	2	44	7	22	0	0	0	6	0	0	17	45
119	Strath,	2152	1959	34	4	28	10	11	0	1	0	1	14	0	6	33
	Total,	90104	87272	1593	138	1295	401	796	7	7	0	122	403	34	250	1619
	7. NAIRN.															
120	Ardclach,	772	759	14	0	8	3	9	0	0	0	0	2	0	0	11
121	Auldearn,	1292	1248	30	6	14	3	24	0	0	0	7	2	0	6	39
122	Cawdor,	925	847	14	0	8	2	11	0	0	0	0	0	2	0	13
123	Nairn,	5732	5906	127	14	98	36	64	0	0	0	8	19	18	1	110
94	Croy and Dalcross—*Nairn portion*,	570	559	8	0	6	0	5	0	0	0	1	1	0	0	7
	Total,	9291	9319	193	20	134	44	113	0	0	0	16	24	20	7	180
	8. ELGIN (OR MORAY). (124 *Abernethy and Kincardine.—Now* 90*a supra.*)															
125	Alves,	1025	1109	34	3	6	6	30	0	0	0	2	5	0	3	40
126	Bellie,	1801	1749	40	10	21	4	25	0	0	0	1	7	0	1	34
127	Birnie,	356	363	12	2	4	0	7	0	0	0	1	1	0	0	9
128	Cromdale, etc.—															
	(1) Cromdale & Advie	1048	898	13	1	11	4	11	0	0	0	0	1	0	1	13
	(2) Inverallan,	2181	1989	49	12	37	14	29	0	0	0	7	1	2	0	39
129	Dallas,	738	656	14	1	11	5	11	0	0	0	1	0	0	1	13
130	Drainie,	4380	4700	121	11	50	19	98	0	0	0	11	16	6	10	141
131	Duffus—(1) Burghead,	2125	2056	55	5	24	9	6	0	0	0	3	39	0	0	48
	(2) Duffus,	1940	1949	46	3	21	7	22	0	0	0	2	1	2	0	27
	(132 *Duthil, etc.—Now* 96*b supra.*)															
133	Dyke,	1049	1020	20	1	8	2	19	0	0	0	2	0	1	1	23
134	Edinkillie,	869	832	17	2	10	4	11	0	0	0	0	2	1	2	16
135	Elgin,	11560	11692	245	39	233	116	161	0	0	0	21	22	17	29	250

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Elgin (or Moray)—*continued.*															
136	New Spynie,	661	612	26	9	21	1	16	0	0	0	3	1	1	0	21
137	Forres,	5241	4932	113	14	80	43	52	0	2	0	7	14	2	13	90
138	Kinloss,	929	851	22	3	13	4	10	0	0	0	1	0	1	0	12
139	Knockando,	1756	1488	32	7	28	12	25	0	0	0	6	2	0	0	33
140	Rafford,	934	895	26	4	11	1	16	0	0	0	5	3	0	1	25
141	Rothes,	2361	2016	43	11	18	13	27	1	0	0	3	7	1	0	38
142	St. Andrews-Lhanbryde,	1209	1155	18	2	18	2	18	0	0	0	0	0	1	0	19
143	Speymouth,	619	595	18	2	11	1	11	0	0	0	2	1	0	0	14
144	Urquhart—(1) Urquhart,	977	899	17	5	20	7	24	0	1	0	0	1	0	0	26
	(2) Garmouth,	740	690	12	1	9	6	9	0	0	0	1	2	0	1	13
152	Enzie—*Elgin portion,*	301	281	6	1	6	2	5	0	0	0	4	3	0	0	12
	Total,	44800	43427	999	149	671	282	642	1	3	0	83	129	35	63	956
	9. BANFF.															
145	Aberlour,	2538	2569	39	7	34	14	32	0	0	0	1	22	0	1	56
146	Alvah,	1281	1200	29	3	11	4	25	0	0	0	1	4	1	0	31
147*a*	Banff,	4546	4570	124	13	105	54	58	0	0	0	8	22	6	1	95
147*b*	Boharm,	1128	990	15	1	6	6	18	0	0	0	1	3	0	0	22
148	Botriphnie,	754	732	13	1	4	2	12	0	0	0	3	7	0	0	22
149*a*	Boyndie,	2005	2178	43	4	42	5	37	0	0	0	8	20	2	2	69
149*b*	Cabrach,	581	534	12	2	3	0	12	0	0	0	0	0	0	1	13
150	Cullen,	1936	1992	50	5	30	5	21	0	0	0	3	19	0	0	43
151	Deskford,	714	695	7	0	7	1	7	0	0	0	0	1	0	0	8
152	Enzie—*Banff portion,*	1976	2154	70	10	40	12	9	0	1	0	6	35	0	0	51
153	Fordyce—(1) Fordyce,	1850	1808	43	8	24	4	28	0	0	0	3	13	3	1	48
	(2) Portsoy,	2091	2172	56	10	39	12	24	0	0	0	5	29	0	1	59
154	Forglen,	653	620	19	4	4	3	15	0	0	0	1	0	0	0	16

155*a*	Gamrie—(1) Gamrie,	2557	2462	87	5	38	6	27	0	0	0	8	13	0	3	51
	(2) Macduff,	3852	3798	111	17	62	10	38	0	0	0	10	51	3	0	102
155*b*	Glenrinnes,	337	280	3	1	2	1	4	0	0	0	0	1	2	1	8
156	Grange,	1673	1461	35	0	17	4	32	0	0	0	0	10	0	0	42
157	Inveravon—(1) Inveravon,	760	754	17	2	10	1	13	0	0	0	0	3	0	4	20
	(2) Glenlivat,	1441	1263	26	4	13	10	14	0	0	0	0	9	0	0	23
158	Inverkeithny,	769	725	15	1	5	1	23	0	0	0	1	0	2	0	26
159	Keith,	6828	6359	119	19	100	55	68	0	0	0	12	44	1	9	134
160	Kirkmichael, etc.—															
	(1) Kirkmichael,	353	312	5	0	5	0	1	0	0	0	0	5	0	0	6
	(2) Tomintoul,	682	637	11	0	6	6	3	0	0	0	0	10	0	1	14
161	Marnoch,	2851	2532	67	19	36	10	55	0	0	0	10	7	0	1	73
162	Mortlach,	3170	2816	45	12	44	15	29	0	1	0	4	2	0	13	49
163	Ordiquhill,	642	644	12	1	7	9	7	0	0	0	3	2	1	0	13
164	Rathven,	10133	11767	385	36	157	44	42	0	0	0	40	282	8	1	373
165	Rothiemay,	1252	1143	22	2	13	4	21	0	0	0	2	2	0	0	25
	(166 *St. Fergus.—Now* 237*c infra.*)															
167	Seafield,	2135	2235	57	1	26	4	16	0	0	0	5	25	1	0	47
	Total,	61488	61402	1537	188	890	302	691	0	2	0	135	641	30	40	1539
	10. ABERDEEN.															
168	Aberdeen—(1) St. Nicholas,	52053	50424	1603	242	1290	837	895	106	0	0	216	154	68	71	1510
	(2) St. Machar,	38665	42436	802	46	519	372	1144	35	3	0	179	247	46	51	1705
	(3) Rubislaw*	42335	47819	996	81	620	218	–	–	–	–	–	–	–	–	–
	(4) Woodside,	8115	8714	197	19	103	54	138	3	0	0	21	36	3	2	203
	(5) Old Aberdeen,	2949	3070	78	7	60	17	51	3	0	0	13	11	5	0	83
169	Aberdour,	1496	1431	48	4	16	5	23	0	0	0	1	11	1	0	36
170	Aboyne,	1477	1525	19	1	25	7	16	0	1	0	1	1	1	0	20
171*a*	Alford,	1486	1464	35	6	10	5	27	0	0	0	6	4	0	1	38
171*b*	Ardallie,	1080	896	16	3	9	2	15	0	0	0	3	1	1	1	21
172	Auchindoir,	1216	1058	29	8	17	6	23	0	0	0	4	5	0	2	34
173	Auchterless,	1623	1469	37	4	11	3	40	0	0	0	2	1	2	0	45
174	Belhelvie,	1614	1491	39	1	12	3	32	0	1	0	6	5	0	0	44
175	Birse,	1085	1047	21	2	18	5	5	0	0	0	1	1	0	0	7
176	Bourtie,	408	413	7	1	4	0	10	0	0	0	0	0	2	0	12
	(177 *Cabrach.—Now* 149*b supra.*)															
178	Cairney,	1283	1212	17	3	15	4	32	0	0	0	3	3	1	0	39
179	Chapel of Garioch,	1559	1492	35	4	16	2	27	0	0	0	1	1	1	2	32

* New District, erected January 1, 1914.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths.	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Aberdeen—*continued.*															
180	Clatt,	425	434	6	1	6	0	9	0	0	0	0	2	0	0	11
181	Cluny,	1207	1132	28	3	13	1	18	0	0	0	2	2	1	0	23
182	Coull,	684	606	14	3	9	2	8	0	0	0	1	6	0	0	15
183	Crathie, etc.—(1) Braemar,	846	780	14	2	12	4	8	0	0	0	0	0	0	0	8
	(2) Crathie,	606	621	7	0	9	0	11	0	0	0	2	0	1	0	14
184	Crimond,	719	671	17	0	6	2	12	0	0	0	1	3	0	0	16
185	Cruden,	3060	2860	60	9	23	9	46	0	0	0	7	17	0	3	73
186	Culsamond,	683	607	12	2	9	2	13	0	0	0	2	0	0	0	15
187	Daviot,	568	581	8	1	4	1	12	0	0	0	2	0	0	1	15
188	Drumblade,	948	883	18	1	9	1	17	0	0	0	4	1	1	0	23
189	Drumoak,	865	843	13	1	12	2	11	0	0	0	1	2	1	0	15
190	Dyce,	1482	1319	29	4	20	7	27	0	0	0	4	1	0	1	33
191	Echt,	1249	1222	21	5	11	0	19	0	0	0	2	1	0	0	22
192	Ellon,	3395	3088	80	7	47	45	74	0	0	0	12	4	2	1	93
193	Fintray,	866	872	22	1	14	0	16	0	0	0	2	2	0	0	21
194	Forgue,	1107	1079	27	3	15	1	25	0	0	0	3	0	0	2	30
195	Foveran,	1793	1649	45	8	16	5	18	0	0	0	3	11	1	0	33
196	Fraserburgh,	9715	11151	358	46	157	76	120	7	4	0	41	148	14	19	353
197	Fyvie,	2774	2786	83	11	40	7	55	0	0	0	2	2	0	4	63
198	Gartly,	862	758	16	2	6	0	17	0	0	0	3	2	0	0	22
199	Glass,	809	703	16	3	9	2	12	0	0	0	1	2	0	0	15
200	Glenbuchat,	403	340	4	2	6	0	5	0	0	0	0	4	0	0	9
201	Glenmuick, Tullich, and Glengairn,	2347	2210	43	4	28	16	29	0	0	0	2	8	0	0	39
202	Huntly,	4899	4937	111	32	63	49	83	0	0	0	16	21	3	11	134
203	Insch,	1408	1340	25	4	28	2	23	0	0	0	1	2	0	1	27
204	Inverurie,	3491	4425	107	17	62	49	50	0	0	0	13	28	6	3	100
205	Keig,	626	574	6	3	2	1	10	0	0	0	0	2	1	0	13
206	Keith-hall,	803	760	15	2	9	2	9	0	1	0	1	1	0	5	17

207	Kemnay,	2084	1886	34	2	17	16	43	0	0	0	2	0	0	0	45
208	Kildrummy,	574	455	17	2	14	2	10	0	0	0	0	2	0	0	12
209	Kincardine O'Neil,	2005	1910	25	7	18	6	27	0	0	0	3	2	0	0	32
210*a*	King Edward—(1) King Edward	897	897	12	2	6	0	8	0	0	0	0	2	0	4	14
	(2) New Byth,	1537	1357	32	7	17	5	24	0	0	0	1	8	5	2	40
210*b*	Kininmonth,	934	785	19	3	10	2	16	0	0	0	1	1	0	0	18
211	Kinnellar,	551	501	11	4	8	4	7	0	0	0	0	2	0	0	9
212	Kinnethmont,	920	915	18	6	11	0	21	0	0	0	0	0	1	0	22
213	Kintore,	2553	2429	44	9	21	8	41	0	0	0	5	3	3	5	57
214	Leochel-Cushnie,	1018	1028	26	3	12	4	16	0	0	0	1	5	0	0	22
215	Leslie,	443	377	9	1	2	1	8	0	0	0	1	0	0	0	9
216	Logie-Buchan,	651	597	9	2	4	3	13	0	0	0	1	1	0	0	15
217	Logie-Coldstone and Cromar,	974	983	22	4	12	1	7	0	0	0	2	9	0	0	18
218	Longside,	2697	2595	64	13	35	10	46	0	0	0	3	6	1	0	56
219	Lonmay,	1622	1565	33	4	25	6	19	0	0	0	3	9	0	1	32
220	Lumphanan,	966	1022	28	6	13	10	17	0	1	0	0	2	0	0	20
221	Methlic,	1692	1658	39	7	21	3	34	0	0	0	5	1	0	0	40
222*a*	Midmar,	1000	881	16	2	8	4	14	0	0	0	3	1	1	1	20
222*b*	Millbrex,	1207	966	26	3	11	6	27	0	0	0	2	0	0	0	29
223	Monquhitter,	2170	1927	43	10	29	11	37	0	2	0	5	2	1	2	49
224	Monymusk,	1106	1093	24	2	6	1	21	0	0	0	3	0	0	0	24
225	New Deer,	3706	3508	65	13	46	25	51	0	0	0	5	12	2	3	73
226	Newhills,	5753	6419	123	31	242	26	113	0	0	0	19	5	4	4	145
227*a*	New Machar,	1393	1882	32	4	83	0	15	0	0	0	4	7	0	0	26
227*b*	New Pitsligo,	2332	2226	73	15	39	14	35	0	0	0	3	7	0	16	61
228*a*	Old Deer,	3144	2730	70	6	37	9	49	0	0	0	6	6	0	0	61
228*b*	Old Machar,	1457	1274	24	4	18	2	19	0	0	0	3	4	0	0	26
229	Old Meldrum,	1855	1767	42	13	23	10	34	0	0	0	5	2	0	1	42
230	Oyne,	770	804	13	1	11	0	17	0	0	0	2	0	0	0	19
231	Peterculter—															
	(1) East Peterculter,	2125	2526	43	7	35	13	37	0	0	0	3	4	1	1	46
	(2) West Peterculter,	2815	3090	63	6	33	10	21	0	1	0	2	4	0	25	53
232	Peterhead—(1) Peterhead,	13705	15677	431	41	199	92	118	2	1	0	48	243	16	22	450
	(2) Boddam,	1441	1271	27	5	16	7	10	0	0	0	3	17	1	0	31
233	Pitsligo,	2307	2440	80	7	35	9	34	0	2	0	6	21	2	4	69
234	Premnay,	926	836	21	1	6	17	27	0	0	0	1	2	0	0	30
235	Rathen—(1) Rathen,	1012	946	24	1	14	4	18	0	0	0	4	3	0	1	26
	(2) Inverallochy,	1565	1814	58	7	21	2	5	0	0	0	2	31	4	3	45
236	Rayne,	1097	1058	25	6	18	3	23	0	0	0	2	2	0	1	28
237*a*	Rhynie,	1005	862	25	8	11	4	14	0	0	0	3	4	0	0	21
237	Savoch,	1736	1565	32	6	11	4	18	0	0	0	2	2	0	0	22

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Aberdeen—*continued.*															
237c	St. Fergus,	1194	970	24	3	9	6	21	0	0	0	1	7	0	0	29
238	Skene,	1546	1437	27	5	11	3	24	0	0	0	2	4	0	1	31
239	Slains,	936	846	24	7	9	3	17	0	0	0	2	6	0	0	25
240	Strathdon,	1096	1014	25	3	17	5	3	0	0	0	2	8	0	0	13
241	Strichen,	2033	2085	57	11	36	7	42	0	0	0	4	6	0	0	52
242	Tarland,	733	741	23	1	4	4	11	0	0	0	0	5	0	0	16
243	Tarves,	2101	1946	51	15	20	9	52	0	0	0	3	1	0	0	56
244	Tough,	675	613	13	2	4	2	5	0	0	0	0	0	0	0	5
245	Towie,	938	728	20	2	8	6	12	0	0	0	1	6	0	0	19
246	Tullynessle and Forbes,	903	872	28	4	12	8	14	0	0	0	2	3	0	0	19
247	Turriff,	4139	4128	103	20	54	40	72	0	0	0	11	6	0	8	97
248	Tyrie,	747	719	19	6	5	5	20	0	0	0	2	8	2	0	32
249a	Udny,	1564	1469	47	8	18	6	23	0	0	0	10	2	0	0	35
249b	Ythan Wells,	1005	895	18	5	9	1	23	0	0	0	0	0	1	1	25
	Total,	304439	312177	7485	982	4804	2285	4688	157	17	0	789	1247	207	287	7392
	11. KINCARDINE.															
250	Arbuthnot,	698	674	16	2	5	1	12	0	0	0	1	6	1	1	21
251	Banchory-Devenick—															
	(1) Banchory-Devenick,	508	504	9	2	6	2	2	0	0	0	0	1	1	0	4
	(2) Portlethen,	1218	996	14	1	17	1	22	0	0	0	1	1	0	0	24
252	Banchory-Ternan,	3449	3377	59	8	48	12	54	0	0	0	5	4	0	3	66
253	Benholm,	1426	1276	29	2	15	7	10	0	0	0	1	9	1	0	21
254	Bervie,	2523	2391	60	12	29	21	13	0	0	0	5	30	1	1	50
255	Dunnottar,	2533	2255	46	6	21	9	25	0	0	0	1	18	0	1	45
256	Durris,	884	872	15	2	5	6	19	0	0	0	1	0	0	0	20
257	Fettercairn,	1390	1301	34	5	14	5	29	0	0	0	3	5	0	0	37

258	Fetteresso—(1) Fetteresso,	3930	3683	61	7	76	37	47	0	0	0	5	14	3	6	75
	(2) Cookney,	1479	1278	24	4	15	7	30	0	0	0	1	0	0	0	31
259	Fordoun,	1809	1717	44	3	21	6	34	0	0	0	5	0	2	0	41
260	Garvock,	368	371	5	1	3	3	7	0	0	0	1	0	0	0	8
261	Glenbervie,	870	779	16	0	6	2	14	0	0	0	2	1	0	0	17
262	Kinneff and Catterline,	899	835	21	3	9	1	14	0	0	0	2	7	0	1	24
263	Laurencekirk,	2011	1921	31	5	41	10	41	0	0	0	7	2	0	1	51
264	Maryculter,	951	861	16	2	9	1	12	0	0	0	1	0	0	0	13
265	Marykirk,	1209	1167	22	4	13	5	17	0	0	0	0	0	0	0	17
266	Nigg,	10914	13001	403	23	142	55	262	9	0	0	42	44	25	13	395
267	St. Cyrus,	1228	1222	33	1	19	13	12	0	0	0	1	3	0	0	16
268	Strachan,	626	527	11	1	6	3	7	0	0	0	0	0	0	0	7
	Total,	40923	41008	969	94	520	207	683	9	0	0	85	145	34	27	983
	12. FORFAR.															
269	Aberlemno,	804	728	18	1	6	8	18	0	0	0	0	2	0	0	20
270	Airlie,	698	723	13	2	3	6	14	0	0	0	0	1	0	0	15
271	Arbirlot,	800	840	15	0	5	4	17	0	0	0	0	0	0	0	17
272	Arbroath, etc.—(1) Arbroath,	22569	20821	433	34	401	144	153	2	1	0	20	223	2	4	405
	(2) St. Vigeans,	2108	1909	33	5	21	18	19	0	0	0	2	11	0	1	33
273	Auchterhouse,	547	629	22	2	4	4	6	0	0	0	1	6	0	0	13
274	Barry,	4652	4933	83	2	70	29	60	0	1	0	5	31	0	0	97
275	Brechin,	10444	9836	171	28	142	60	93	0	0	0	9	76	2	0	180
276	Carmylie,	1063	847	18	3	7	5	15	0	0	0	1	2	0	1	19
277	Careston,	221	213	7	2	2	2	6	0	0	0	1	1	0	0	8
278	Cortachy and Clova,	569	479	7	0	4	2	5	0	0	0	0	0	0	0	5
	(279 *Coupar-Angus.—Now* 341*b* *infra.*)															
280	Craig,	2019	1883	40	1	21	16	12	0	0	0	3	17	0	0	32
281	Dun,	526	498	12	2	4	3	10	0	0	0	1	1	0	0	12
282	Dundee—(1) St. Peter,	29343	29977	707	56	400	164	178	7	1	0	73	371	6	48	684
	(2) St. Mary,	29222	29115	968	158	763	447	159	9	1	0	153	479	5	78	884
	(3) St. Clement,	28077	27199	661	54	419	247	146	7	1	0	51	395	3	19	622
	(4) St. Andrew,	60403	61638	1529	110	1016	373	461	17	4	0	165	755	14	78	1494
	(5) Lochee,	14790	14846	385	35	218	147	115	7	0	0	40	154	1	55	372
283	Dunnichen,	1132	1098	19	2	18	5	15	0	0	0	0	3	0	0	18
284	Eassie and Nevay,	474	486	13	0	5	1	15	0	0	0	0	0	0	0	15
285	Edzell,	822	878	10	2	8	4	9	0	0	0	1	2	0	0	12
286	Farnell,	536	506	8	0	2	2	8	0	0	0	0	1	0	0	9
287	Fern,	322	308	11	0	7	1	2	0	0	0	2	3	0	0	7

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Forfar—*continued.*															
288*a*	Forfar,	12879	12254	248	24	178	85	198	0	0	0	11	14	0	2	225
288*b*	Fowlis-Easter,	254	249	9	0	3	0	4	0	0	0	2	1	0	0	7
289	Glamis,	1351	1159	24	2	13	4	20	0	0	0	0	1	0	0	21
290	Glenisla,	409	344	4	0	1	2	5	0	0	0	0	1	0	1	7
291	Guthrie,	264	257	5	1	3	2	6	0	0	0	0	0	0	0	6
292	Inverarity,	823	861	17	2	5	2	11	0	0	0	1	1	0	0	13
293	Inverkeillor,	1397	1377	24	6	8	3	31	0	0	0	1	7	0	1	40
294*a*	Kettins,	704	689	15	3	6	1	10	0	0	0	0	1	0	0	11
294*b*	Kilry,	324	278	7	0	7	2	7	0	0	0	0	1	0	0	8
295	Kingoldrum,	355	349	8	2	0	1	5	0	0	0	0	1	0	0	6
296	Kinnell,	574	589	15	0	3	1	12	0	0	0	2	2	0	0	16
297	Kinnettles,	323	310	12	0	5	0	6	0	0	0	0	0	0	0	6
298	Kirkden,	1491	1337	24	1	16	9	24	0	0	0	2	4	0	0	30
299	Kirriemuir,	5902	5391	80	13	69	34	62	0	1	0	3	4	0	0	70
300	Lethnott and Navar,	238	205	6	0	1	1	4	0	0	0	1	0	0	0	5
301	Liff, Benvie, and Invergowrie,	1834	1923	36	2	75	4	15	0	0	0	1	7	0	1	24
302	Lintrathen,	495	507	10	1	4	3	5	0	0	0	0	0	0	0	6
303	Lochlee,	326	295	1	0	4	2	1	0	0	0	0	1	0	0	2
304	Logie-Pert,	982	1002	22	1	7	7	21	0	0	0	1	0	0	2	24
305	Lunan,	302	312	8	0	0	1	6	0	0	0	2	3	0	0	11
306	Lundie,	268	256	12	0	2	1	2	0	0	0	0	2	0	0	4
307	Mains and Strathmartine,	5443	6631	109	3	89	41	68	1	0	0	7	30	0	4	110
308	Marytown,	278	262	4	1	3	1	2	0	0	0	1	0	0	0	3
309	Menmuir,	704	627	15	0	1	3	11	0	0	0	1	3	0	1	16
310	Monifieth—(1) East,	2614	3546	91	4	36	11	54	0	0	0	2	22	0	1	79
	(2) West,	9058	9599	187	15	103	57	100	0	0	0	15	52	1	1	169
311	Monikie,	1299	1184	22	2	17	8	19	0	0	0	2	5	2	0	28
312	Montrose,	14027	12669	211	13	257	88	123	0	1	0	16	56	0	9	205
313	Murroes,	1041	898	19	0	5	1	16	0	0	0	2	5	0	0	23

314	Newtyle,	818	840	17	1	13	4	9	0	0	0	1	4	0	0	14
315	Oathlaw,	365	324	11	1	2	1	5	0	0	0	0	0	0	0	5
316	Panbride,	1885	1806	28	1	28	8	21	0	0	0	1	7	0	0	29
317	Rescobie,	594	526	8	1	6	1	8	0	0	0	0	1	0	0	9
318	Ruthven,	169	172	5	0	0	0	6	0	0	0	0	0	0	1	7
	(319 *St. Vigeans—Now* 272 (2) *supra.*)															
320	Stracathro,	430	398	7	0	1	3	7	0	0	0	1	0	0	0	8
321	Tannadice,	1106	1013	21	3	11	5	16	0	0	0	0	3	1	2	22
322	Tealing,	615	588	12	0	8	0	8	0	0	0	3	0	0	0	11
	Total,	284082	281417	6537	602	4536	2089	2464	50	12	0	607	2773	37	310	6253
	13. PERTH.															
323	Aberdalgie,	278	278	6	0	3	1	2	0	0	0	0	2	1	0	5
324	Aberfeldy,	2198	2248	24	3	41	9	31	0	0	0	1	0	0	0	32
325	Aberfoyle,	1052	1147	20	0	7	1	6	0	0	0	4	2	0	1	13
326	Abernethy,	1276	1267	22	1	10	6	8	0	0	0	0	5	1	2	16
327	Abernyte,	241	209	3	0	1	0	1	0	0	0	0	1	0	0	2
328*a*	Alyth,	2943	2858	52	9	23	15	31	0	0	0	6	3	0	0	40
328*b*	Ardoch,	916	863	25	1	13	6	23	0	0	0	0	1	0	0	24
328*c*	Arngask,	593	652	13	0	3	1	5	0	0	0	1	5	2	0	13
329	Auchterarder,	3159	3175	56	11	50	18	33	0	0	0	7	7	5	5	57
330	Auchtergaven,	1288	1299	28	2	23	9	10	0	0	0	2	0	0	1	13
331	Balquhidder,	709	734	9	0	12	4	7	0	0	0	1	1	0	2	11
332	Bendochy,	473	542	8	1	3	6	6	0	1	0	1	0	0	0	8
333	Blackford,	1539	1374	23	3	15	7	23	0	0	0	1	2	0	0	26
334	Blair-Athol,	1501	1342	18	0	6	3	17	0	0	0	0	1	0	0	18
335	Blairgowrie,	4282	4122	66	7	59	26	35	0	0	0	9	20	3	1	68
336	Callander,	2171	2215	45	9	30	10	19	0	2	0	0	2	0	1	24
337	Caputh,	1005	986	26	0	7	3	18	0	0	0	1	2	0	0	21
338	Cargill,	1411	1411	26	3	16	11	22	0	0	0	4	3	0	0	29
339	Clunie,	561	508	8	0	6	0	13	0	0	0	0	1	0	2	16
340	Collace,	440	366	9	0	2	0	7	0	0	0	0	0	0	0	7
341*a*	Comrie,	1964	1675	22	0	19	7	21	0	0	0	1	1	3	1	27
341*b*	Coupar-Angus,	2468	2523	48	4	33	10	28	0	6	0	3	18	0	2	57
342	Crieff,	5706	6089	101	11	83	36	56	0	0	0	7	26	1	1	91
	(343 *Culross—Now* 418*b infra.*)															
344	Dowally,	304	283	2	1	3	1	1	0	0	0	0	0	0	0	1
345	Dron,	232	256	7	0	1	3	8	0	0	0	0	0	1	0	9

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Perth—*continued.*															
346	Dull,	355	287	1	0	2	0	4	0	0	0	0	0	0	0	4
347	Dunbarney,	909	862	15	1	12	3	16	0	0	0	3	2	1	0	22
348	Dunblane and Lecropt,	3812	4591	70	6	47	21	75	0	1	0	10	6	0	0	92
349	Dunkeld,	897	798	14	4	10	4	17	0	0	0	0	0	0	0	17
350	Dunning,	1141	1145	23	3	16	7	23	0	0	0	3	2	0	1	29
351	Errol,	2070	2083	45	5	25	3	39	0	0	0	1	6	0	0	46
352	Findo-Gask,	323	357	10	1	0	2	3	0	1	0	0	0	0	1	5
353	Forgandenny,	527	540	6	0	9	6	11	0	0	0	0	0	0	0	11
354	Forteviot,	562	549	16	0	8	3	13	0	0	0	0	0	0	0	13
355*a*	Fortingall—															
	(1) Innerwick in Glenlyon,	312	272	3	0	2	1	3	0	0	0	0	0	0	0	3
	(2) Fortingall,	465	465	7	1	5	0	8	0	0	0	0	0	0	0	8
	(3) Kinloch-Rannoch,	807	787	13	1	7	4	3	0	0	0	0	7	1	0	11
355*b*	Foss,	197	161	1	1	1	0	2	0	0	0	0	0	0	0	2
	(356 *Fowlis-Easter.—Now* 288*b supra.*)															
357	Fowlis-Wester,	1000	1007	15	2	14	2	8	0	0	0	1	2	2	0	13
358	Glendevon,	147	148	3	0	1	1	2	0	0	0	0	0	0	0	2
359	Inchture,	552	545	10	1	7	7	6	0	0	0	1	1	0	0	8
360	Kenmore,	971	826	14	0	5	1	10	0	0	0	0	0	0	0	10
361	Killin,	1269	1192	17	4	22	3	9	0	1	0	1	0	0	0	11
362	Kilmadock,	2705	2428	52	1	32	13	33	0	0	0	0	6	1	2	42
363	Kilspindie,	568	498	15	2	3	2	9	0	0	0	0	0	0	1	10
364	Kincardine,	1309	1150	28	6	22	6	16	0	0	0	3	6	3	0	28
365	Kinclaven,	562	468	10	2	1	4	5	0	0	0	2	1	0	0	8
366	Kinfauns,	611	571	12	1	7	3	7	0	0	0	2	0	0	0	9
	(367 *Kinloch-Rannoch.—Now* 355*a* (3) *supra.*)															
368	Kinnaird,	217	172	2	0	1	0	5	0	0	0	1	0	0	0	6

369	Kinnoull,	320	258	13	1	3	1	6	0	0	0	1	1	0	0	8
370	Kirkmichael—(1) Kirkmichael,	508	421	7	0	5	2	4	0	0	0	0	1	0	0	5
	(2) Glenshee,	163	159	2	0	1	0	1	0	0	0	0	0	0	0	1
	(371 *Lecropt.—Merged in* 348.)															
372	Lethendy and Kinloch,	351	340	7	1	4	1	8	0	0	0	0	0	0	0	8
373	Little Dunkeld,	2072	2079	36	3	47	7	24	0	0	0	0	2	1	0	27
	(374 *Logie.—Now* 485*b infra.*)															
375	Logiealmond,	619	530	8	0	2	4	8	0	0	0	0	5	0	0	13
376	Logierait,	1374	1312	20	6	18	5	12	0	0	0	3	0	0	0	15
377	Longforgan,	1886	1997	34	1	19	7	25	0	0	0	4	8	0	2	39
378	Madderty,	443	438	9	1	4	7	9	0	0	0	0	3	0	0	12
379	Meigle,	959	1036	19	3	8	7	23	0	0	0	0	1	0	0	24
380	Methven,	1638	1789	41	3	17	9	18	0	0	0	3	19	0	1	41
381	Moneydie,	251	237	5	0	1	2	7	0	0	0	0	1	0	0	8
	(382 *Monzie.—Merged in* 342, 380, *and* 383.)															
383	Monzievaird and Strowan,	588	508	8	0	5	2	11	0	0	0	1	0	0	1	13
384	Moulin—(1) Moulin,	2192	2299	32	4	32	9	24	0	0	0	1	2	0	0	27
	(2) Strathloch,	158	205	2	0	2	1	3	0	0	0	0	0	0	0	3
385	Muckart,	475	535	13	1	8	2	5	0	0	0	1	2	0	0	8
386*a*	Muthill,	1401	1269	24	3	18	10	22	0	0	0	2	0	0	0	24
386*b*	Persie,	513	512	9	0	3	0	5	0	0	0	0	2	0	0	7
387	Perth,	34176	36009	715	55	558	313	405	0	0	0	62	194	16	16	693
388	Port of Menteith,	1088	1035	18	0	11	5	11	0	0	0	1	1	0	0	13
389	Rattray,	2462	2160	35	7	25	8	26	0	0	0	2	17	1	2	48
390	Redgorton,	1077	1086	23	0	13	13	18	0	0	0	1	3	0	0	22
391	Rhynd,	183	205	5	1	1	0	5	0	0	0	0	1	0	0	6
392	St. Madoes,	336	359	7	1	2	0	9	0	0	0	0	0	0	0	9
393*a*	St. Martins,	850	820	19	6	7	6	10	0	0	0	1	0	0	0	11
393*b*	Stanley,	1220	1388	32	2	17	8	29	0	0	0	2	0	0	1	32
394*a*	Scone,	2362	2341	46	3	31	9	29	0	1	0	1	11	0	0	42
394*b*	Strathfillan,	443	490	11	0	7	1	7	0	0	0	0	0	0	0	7
394	Tenandry,	355	385	6	0	3	0	6	0	0	0	0	0	0	1	7
395	Tibbermore,	1035	1017	19	3	11	6	23	0	0	0	0	2	0	0	25
396	Trinity-Gask,	381	360	12	0	2	1	3	0	0	0	0	0	1	0	4
	(397 *Tulliallan.—Now* 458*b infra.*)															
398	Weem,	406	439	1	0	3	1	3	0	0	0	0	0	0	0	3
	Total,	123283	124342	2307	213	1616	736	1557	0	13	0	163	418	44	48	2243

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	14. FIFE. (399 *Abbotshall.—Merged in* 442.)															
400	Abdie,	664	647	15	1	4	3	8	0	0	0	1	3	0	0	12
401	Aberdour,	1997	2147	50	3	23	10	27	0	0	0	4	11	6	0	48
402	Anstruther-Easter,	1190	1147	19	0	13	9	9	0	0	0	1	1	0	1	12
403	Anstruther-Wester, (404 *Arngask.—Now* 328*c supra.*)	558	613	16	0	5	2	7	0	0	0	0	0	0	0	7
405	Auchterderran—															
	(1) Auchterderran,	3068	7351	332	10	92	45	121	0	3	0	29	115	1	8	277
	(2) Lochgelly,	5558	10196	418	15	139	65	157	0	1	0	31	167	3	10	369
406	Auchtermuchty,	1884	1893	26	3	41	9	18	0	1	0	0	2	0	0	21
407	Auchtertool,	742	781	25	1	9	2	9	0	0	0	2	15	1	2	29
408	Ballingry—(1) Lochore,	1218	5106	261	8	68	45	122	0	3	0	17	48	1	34	225
	(2) Lumphinnans,	2938	4108	184	8	52	24	60	0	0	0	14	65	9	9	157
409	Balmerino,	576	568	10	0	6	5	11	0	0	0	0	3	0	0	14
410	Beath—(1) Cowdenbeath,	9904	15509	531	19	150	127	149	0	3	0	40	324	10	9	535
	(2) Kelty,	5908	8842	312	15	116	52	149	0	0	0	24	125	6	11	315
411	Burntisland,	5599	5305	86	7	56	26	52	0	0	0	9	39	0	0	100
412	Cameron,	738	785	12	0	10	2	10	0	0	0	2	3	0	0	15
413	Carnbee,	910	843	18	1	13	4	14	0	0	0	0	3	1	0	18
414	Carnock,	1349	1315	42	2	32	9	18	0	0	0	7	7	0	0	32
415	Ceres,	1545	1467	26	0	19	4	20	0	0	0	2	3	1	0	26
416	Collessie,	2161	2215	40	2	24	12	32	0	0	0	3	6	0	0	41
417	Crail,	1534	1547	29	2	21	10	19	0	1	0	0	7	0	1	28
418*a*	Creich,	297	309	5	0	1	2	3	0	0	0	0	1	0	0	4
418*b*	Culross,	1120	1499	86	5	37	15	49	0	0	0	3	27	3	6	88
419	Cults,	628	617	11	0	9	2	11	0	0	0	0	1	0	0	12
420	Cupar,	6768	6736	108	12	160	53	67	0	2	0	6	29	0	1	105

421	Dairsie,	464	503	8	0	10	3	8	0	0	0	0	2	0	0	10
422	Dalgetty,	1133	1206	32	1	12	15	18	0	0	0	5	11	2	2	38
423	Dunbog,	323	335	4	0	5	1	6	0	0	0	0	0	0	0	6
424	Dunfermline,	31697	35731	872	46	623	302	435	0	2	0	55	308	40	18	858
425	Dunino,	359	353	8	1	3	1	5	0	0	0	2	1	0	0	8
426	Dysart,	15709	19591	590	29	267	126	179	2	1	0	51	291	38	29	591
427	Elie,	1142	1147	13	0	14	3	17	0	0	0	0	1	0	0	18
428	Falkland,	2231	2356	40	2	43	10	26	0	0	0	3	15	0	0	44
429	Ferry-Port-on-Craig,	3445	3400	64	4	57	19	25	0	0	0	6	23	0	0	54
430	Flisk,	195	198	4	1	0	0	2	0	0	0	0	1	0	0	3
431	Forgan,	4720	4771	55	3	42	16	38	0	0	0	3	9	1	0	51
432	Inverkeithing,	3468	6274	220	8	97	54	106	0	4	0	12	42	1	20	185
433	Kemback,	412	532	13	0	4	3	4	0	0	0	1	1	0	0	6
434	Kennoway,	1505	1721	43	7	23	10	19	0	0	0	1	5	0	0	25
435	Kettle,	1759	1715	32	1	20	9	20	0	0	0	1	3	2	0	26
436	Kilconquhar,	1517	1491	26	3	19	7	15	0	2	0	2	2	1	1	23
437	Kilmany,	502	476	9	0	4	5	10	0	1	0	1	0	0	0	12
438	Kilrenny,	2784	2823	55	5	27	16	41	0	0	0	5	4	2	0	52
439	Kinghorn,	2311	2295	63	8	48	13	27	0	0	0	8	21	2	0	58
440	Kinglassie,	1478	1944	84	5	51	13	48	0	1	0	3	17	0	5	74
441	Kingsbarns,	652	638	21	1	7	4	7	0	2	0	2	1	0	0	12
442	Kirkcaldy, etc.,	22997	25444	554	51	327	181	212	1	0	0	59	217	36	31	556
443	Largo,	2046	2274	32	2	32	7	24	0	0	0	0	13	1	0	38
444	Leslie,	3960	3869	95	4	56	37	58	0	0	0	4	20	0	2	84
445	Leuchars,	2499	2605	38	2	37	6	35	0	0	0	4	7	2	0	48
446	Logie,	285	341	10	0	5	2	5	0	0	0	2	1	1	0	9
447	Markinch—(1) Markinch,	3580	3975	94	5	39	37	69	1	0	0	5	27	2	0	104
	(2) Windygates,	1815	2262	77	3	31	13	73	0	0	0	1	25	0	5	104
448	Monimail,	720	694	17	1	9	4	10	0	0	0	0	4	0	0	14
449	Moonzie,	138	146	3	2	0	1	2	0	0	0	1	2	0	0	5
450	Newburgh,	1780	1898	28	2	27	10	25	0	0	0	0	3	2	0	30
451	Newburn,	296	283	6	0	9	2	10	0	0	0	0	1	0	0	11
452	Pittenweem,	1911	1922	44	1	26	8	28	0	0	0	3	10	0	3	44
453	St. Andrews and St. Leonards,	9410	9701	175	10	96	44	107	2	2	0	9	29	6	1	156
454	St. Monance (or Abercrombie),	2007	2020	32	1	25	7	25	0	0	0	7	11	2	2	47
455	Saline,	1012	1171	41	0	21	8	30	0	0	0	2	6	0	3	41
456	Scoonie,	6342	7474	209	5	93	50	93	0	0	0	12	70	3	10	188
457*a*	Strathmiglo,	1618	1726	31	3	21	8	22	0	0	0	2	5	0	1	30
457*b*	Thornton,	1741	2196	63	7	78	22	41	0	0	0	5	7	1	1	55
458*a*	Torryburn,	1130	1497	42	0	16	13	19	0	1	0	4	12	0	4	40
458*b*	Tulliallan,	1862	2091	53	3	33	12	27	0	0	0	4	12	3	2	48

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Fife—*continued.*															
459	Wemyss—(1) Wemyss,	4587	6213	160	7	69	33	62	0	0	0	12	59	16	2	151
	(2) Buckhaven,	10444	16891	631	33	223	105	158	2	1	0	54	312	3	34	564
	Total,	218840	267739	7353	381	3749	1777	3333	8	31	0	546	2616	209	268	7011
	15. KINROSS.															
460	Cleish,	631	546	16	0	6	2	7	0	0	0	1	0	0	0	8
461	Fossoway and Tulliebole,	1046	1059	13	0	17	4	14	0	0	0	3	2	0	1	20
462	Kinross,	2655	3094	65	2	33	24	47	0	0	0	3	20	0	4	74
463	Orwell,	1822	1983	40	3	37	14	20	0	0	0	1	20	0	0	41
464	Portmoak,	827	845	17	1	12	4	12	0	0	0	1	4	0	4	21
	Total,	6981	7527	151	6	105	48	100	0	0	0	9	46	0	9	164
	16. CLACKMANNAN.															
465*a*	Alloa	16858	17130	444	30	207	101	142	5	1	0	34	188	25	10	405
465*b*	Alva,	5641	5265	109	9	77	29	78	0	0	0	9	32	3	0	122
466	Clackmannan,	2501	2203	51	1	30	13	25	0	1	0	7	20	0	1	54
467	Dollar,	2042	1874	34	4	22	11	10	0	1	0	1	4	2	6	24
468	Tillicoultry,	4987	4649	110	9	65	41	58	0	0	0	6	39	5	2	110
	Total,	32029	31121	754	53	401	195	313	5	3	0	57	283	35	19	715

	17. STIRLING.															
469	Airth, ...	1360	1515	49	3	20	9	28	0	0	0	7	15	3	0	53
	(470 *Alva.—Now* 465*b supra.*)															
471	Baldernock, ...	582	747	13	0	6	3	11	0	0	0	0	3	0	0	14
472	Balfron, ...	1092	1155	25	2	14	3	18	0	0	0	1	2	1	0	22
473	Bonnybridge, ...	4264	5611	167	2	67	30	81	0	0	0	13	62	15	1	172
474	Buchanan—(1) Buchanan, .	365	371	6	2	2	1	0	0	0	0	0	0	0	2	2
	(2) Inversnaid, .	122	424	2	0	1	0	4	0	0	0	0	0	0	1	5
475	Campsie, ...	5424	5304	124	5	86	25	55	0	1	0	8	42	6	12	124
476	Denny—(1) Denny, . . .	4710	4591	144	2	46	23	71	0	1	0	8	33	8	3	124
	(2) Haggs, . . .	2147	2882	90	3	42	14	37	0	0	0	5	69	0	1	112
477	Drymen, ...	1390	1269	19	1	11	6	15	0	0	0	0	0	0	8	23
478	Dunipace, ...	2010	1870	72	3	16	11	40	0	0	0	2	13	1	1	57
479	Falkirk, ...	33815	38571	1048	58	532	269	246	0	0	0	68	694	16	15	1039
480	Fintry, ...	314	280	2	0	3	0	5	0	0	0	1	0	0	0	6
481*a*	Gargunnock, ...	633	573	10	0	3	2	3	0	0	0	0	1	0	0	4
481*b*	Grangemouth—(1) Bothkennar,	1964	1869	35	1	21	12	24	0	0	0	4	15	0	2	45
	(2) Grangemouth,	9146	10244	266	4	119	49	122	0	4	0	14	132	3	0	275
	(3) Polmont, .	6353	7357	208	4	76	55	66	0	0	0	10	134	2	3	215
482	Killearn, ...	929	1085	9	0	16	4	18	0	0	0	1	2	1	0	22
483	Kilsyth, ...	9840	11052	359	12	140	70	128	0	1	0	30	170	16	0	345
484	Kippen, ...	1456	1365	17	0	19	6	12	0	0	0	4	4	1	0	21
485*a*	Larbert, ...	11684	12984	275	7	244	70	121	0	0	0	29	149	4	3	306
485*b*	Logie, ...	4432	4373	65	4	49	21	61	0	0	0	3	7	0	0	71
486	Muiravonside, ...	5332	5706	214	16	69	23	58	6	3	0	24	91	0	3	185
	(487 *Polmont.—Now* 481*b* (3) *supra.*)															
488	St. Ninians—(1) St. Ninians, .	6611	12275	472	14	187	80	250	7	3	0	42	140	9	16	467
	(2) Cambusbarron,	1541	1593	35	0	28	7	20	0	0	0	4	4	0	2	30
489	Slamannan, ...	5286	3440	87	8	22	20	27	2	0	0	7	57	0	1	94
490	Stirling, ...	18609	21461	609	41	436	207	338	14	2	0	64	133	1	23	575
491	Strathblane, ...	880	1024	15	0	12	2	11	0	0	0	1	3	1	0	16
	Total,	142291	160991	4437	192	2287	1022	1870	29	15	0	350	1975	88	97	4424
	18. DUMBARTON.															
492	Arrochar, ...	605	537	12	1	7	6	5	0	0	0	0	2	0	1	8
493	Bonhill, ...	14581	15969	452	21	202	129	131	0	1	0	23	199	20	22	396
494	Cardross—(1) Cardross, . .	1372	1520	30	2	13	6	14	0	0	0	2	8	0	0	24
	(2) Renton, . .	5114	4977	150	12	66	52	34	1	3	0	19	77	14	6	154

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Dumbarton—*continued.*															
495	Cumbernauld,	4905	5120	168	10	76	27	50	4	0	0	17	71	0	10	152
496	Dumbarton,	20205	22175	675	33	349	139	222	0	2	0	55	344	8	10	641
497	Kilmaronock,	874	847	11	0	2	1	12	0	0	0	0	2	0	1	15
498	Kirkintilloch,	14401	16530	479	15	370	92	149	0	0	0	48	264	6	9	476
499	Luss,	572	553	7	1	12	0	6	0	0	0	0	0	0	0	6
500	New or East Kilpatrick,	8389	10200	176	10	115	50	143	0	1	0	6	31	13	1	195
501	Old or West Kilpatrick,	27311	44911	1572	60	601	300	512	0	26	0	139	834	5	131	1647
502	Roseneath—(1) Roseneath,	778	724	18	2	10	3	5	0	0	0	0	1	0	0	6
	(2) Kilcreggan and Cove,	1145	1059	13	0	8	8	9	0	0	0	1	1	2	0	13
503	Row,	11187	11111	194	10	153	58	114	1	2	0	15	48	4	9	193
	Total,	111439	136233	3957	177	1984	871	1406	6	35	0	325	1882	72	200	3926
	19. ARGYLL. *Mainland.*															
504*a*	Ardchattan,	841	704	12	0	3	0	9	0	0	0	0	1	5	0	15
504*b*	Ardgour and Kingairloch,	298	314	2	0	4	0	3	0	0	0	0	3	0	0	6
505	Ardnamurchan—(1) Aharacle, *Argyll portion.*	787	572	12	0	7	1	6	0	1	0	0	0	0	2	9
	(2) *Arisaig* (now 91*b sup.*) (3) Sunart (or Strontian)	519	423	6	1	11	0	1	0	0	0	0	0	2	0	3
	(4) Western Ardnamurchan,	648	547	6	1	13	0	10	0	0	0	2	2	0	0	14
	(506 *Ballachulish and Corran of Ardgour.—Now Ballachulish and Onich,* 91*c supra.*)															

507	Campbeltown,	10236	9497	220	41	142	61	190	0	0	0	17	13	2	2	224
508	Craignish,	327	322	4	0	3	0	7	0	0	0	0	1	0	0	8
509	Cumloddenand Minard,	875	844	9	0	14	1	9	0	0	0	1	4	0	0	14
510	Dunoon & Kilmun—(1) Dunoon	8924	8836	141	12	157	53	61	0	3	0	13	48	6	6	137
	(2) Kilmun	1544	1391	18	0	10	2	9	0	2	0	2	4	0	1	18
511	Glassary,	729	641	12	1	7	3	11	0	0	0	2	0	1	0	14
512	Glenorchy and Inishail,	827	760	12	2	9	5	12	0	0	0	0	0	0	1	13
513	Inveraray,	1118	919	12	0	14	1	4	0	0	0	1	2	0	1	8
514	Inverchaolain,	334	371	3	0	5	0	3	0	0	0	0	2	0	0	5
515	Kilbrandon and Kilchattan,	1631	1431	12	1	26	0	11	0	0	0	0	1	1	3	16
516	Kilcalmonell,	495	437	8	1	4	0	3	0	0	0	0	0	0	0	3
517	Kilchrenan, etc.—															
	(1) Kilchrenan,	416	338	6	0	6	1	3	3	0	0	0	0	1	1	8
	(2) Dalavich,	138	144	2	0	0	1	0	0	0	0	0	2	0	0	2
518	Kilfinan,	1915	2709	40	2	25	9	33	0	0	0	3	1	2	0	39
519	Killean and Kilchenzie,	1078	1019	20	0	13	5	16	0	0	0	2	1	1	0	20
	(520 *Kilmallie.—Now* 98*b* *supra.*)															
521	Kilmartin,	663	582	8	0	4	2	6	0	0	0	0	1	1	1	9
522	Kilmodan,	387	264	2	1	1	1	2	0	0	0	0	4	0	1	7
523	Kilmore and Kilbride,	6301	7298	118	14	131	62	75	0	0	0	7	9	0	29	120
524	Kilninver, etc.—(1) Kilninver,	172	170	3	1	1	0	1	0	0	0	0	0	0	0	1
	(2) Kilmelford,	185	225	5	0	4	1	2	0	0	0	0	0	0	0	2
525	Lismore, etc.—(1) Lismore,	504	407	2	0	7	2	3	0	0	0	0	0	0	2	5
	(2) Appin,	940	607	13	1	7	0	7	0	0	0	0	1	2	0	10
	(3) Glencoe and Ballachulish,	1700	1346	24	1	23	6	19	0	0	0	1	0	0	0	20
	(4) Kinlochleven,	18	1189	39	0	6	3	32	0	1	0	2	10	0	1	46
	(5) Duror,	545	337	3	1	5	2	7	0	0	0	0	0	0	0	7
526	Lochgilphead,	3770	3156	48	2	75	15	22	0	0	0	2	9	0	1	34
527	Lochgoilhead, etc.—															
	(1) Lochgoilhead,	430	540	12	0	4	1	3	0	0	0	1	1	0	0	5
	(2) Kilmorich,	241	242	6	0	3	0	4	0	1	0	0	2	0	0	7
528	Morvern,	730	694	11	1	9	2	9	0	0	0	0	0	0	0	9
529	Muckairn,	1492	1749	38	3	29	9	17	0	0	0	4	3	0	18	42
530	North Knapdale,	768	656	10	2	12	0	6	0	0	0	1	0	0	0	7
531	Saddell, etc.—(1) Saddell,	764	692	15	1	4	2	8	0	0	0	1	0	0	2	11
	(2) Skipness,	321	272	4	0	6	0	5	0	0	0	0	0	2	1	8
532	Southend,	732	767	15	3	7	1	15	0	0	0	1	2	0	1	19
533	South Knapdale—															
	(1) South Knapdale,	390	375	1	0	5	2	5	0	0	0	0	0	0	0	5
	(2) Kilberry,	343	378	8	0	2	2	8	0	0	0	0	0	0	0	8

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Argyll—*continued.*															
534	Stralachlan, etc.—															
	(1) Stralachlan,	238	217	3	0	3	1	5	0	0	0	0	0	0	0	5
	(2) Strachur,	496	483	4	0	7	1	0	3	0	0	1	3	0	0	7
535	Tarbert,	2128	1983	33	2	22	5	26	1	0	0	1	0	1	2	31
98*b*	Kilmallie—*Argyll portion, Insular.*	249	272	4	0	3	0	0	0	0	0	0	1	0	0	1
536	Bowmore (or Kilarrow),	1813	1765	27	3	18	11	13	0	0	0	1	12	1	0	27
537	Gigha,	374	326	8	2	4	2	4	0	0	0	0	0	1	0	5
	(538 *Iona—Merged in* 542.)															
539	Jura, etc.—(1) Jura,	562	509	3	0	9	0	5	0	0	0	0	0	0	0	5
	(2) Colonsay,	313	273	0	0	7	1	1	0	0	0	0	0	0	0	1
540	Kilchoman,	1632	1459	14	3	29	3	15	0	0	0	2	3	0	0	20
541	Kildalton and Oa,	1872	1648	30	1	26	5	20	0	0	0	1	6	0	0	27
542	Kilfinichen and Kilvickeon,	1529	1403	21	3	29	2	6	0	0	0	1	10	0	1	18
543	Kilmeny,	822	787	11	2	10	4	7	0	0	0	1	4	1	1	14
544	Kilninian and Kilmore—															
	(1) Ulva,	242	193	4	0	3	0	2	0	0	0	0	0	1	1	4
	(2) Kilninian and Kilmore,	624	539	12	1	4	0	3	0	0	0	0	0	0	0	3
545	Kinlochspelvie,	259	258	0	0	1	1	0	0	0	0	0	0	0	0	0
	(546 *Oa—Merged in* 541.)															
547	Portnahaven,	728	628	8	0	15	1	7	0	0	0	0	2	1	0	10
548	Salen,	441	419	5	0	2	2	7	0	0	0	0	0	0	0	7
549	Tobermory,	1301	1079	11	1	25	5	10	0	0	0	1	5	0	0	16
550	Torosay,	316	282	3	0	6	1	3	0	0	0	0	0	0	0	3
551	Tyree, etc.—(1) Tyree,	2195	1825	21	1	45	2	8	0	1	0	0	9	3	0	21
	(2) Coll,	432	389	9	0	12	1	6	0	0	0	0	2	0	0	8
	Total,	73642	70902	1173	112	1098	304	805	7	9	0	72	184	35	79	1191

	20. BUTE.															
552	Cumbrae, ...	1769	1707	23	1	30	3	20	0	0	0	2	6	0	0	28
553	Kilbride—(1) Brodick, . .	1048	992	4	0	13	1	7	0	0	0	0	0	1	0	8
	(2) Kilbride, . .	1335	1323	21	0	19	1	15	0	0	0	0	4	1	0	20
554	Kilmory—(1) Kilmory, . .	978	954	9	0	11	2	7	0	0	0	0	0	0	4	11
	(2) Shiskine, . .	831	764	9	0	8	2	5	0	0	0	0	0	1	0	6
555	Kingarth, ...	1056	967	13	0	6	1	13	0	0	0	0	0	0	0	13
556	Lochranza, ...	645	595	3	0	13	1	1	0	0	0	0	1	0	0	2
557	North Bute, ...	1747	1585	27	3	20	4	19	0	0	0	2	4	0	0	25
558	Rothesay, ...	9378	9299	171	15	158	55	86	0	1	0	23	18	5	14	147
	Total,	18787	18186	280	19	278	70	173	0	1	0	27	33	8	18	260
	21. RENFREW.															
	(559*a* *Abbey—Merged in* 572 (2) *and* 573, *infra.*)															
559*b*	Bridge of Weir, . . .	2316	2716	54	1	32	13	36	0	0	0	5	18	1	1	61
560	Cathcart—*now* 633*b* *infra* .															
561	Eaglesham, ...	1075	1138	25	0	24	3	9	0	0	0	4	2	0	0	15
562	Eastwood—*Renfrew portion*, .	4183	5573	100	1	81	30	71	0	0	0	3	22	6	1	103
563	Erskine, ...	1519	1712	39	2	17	3	16	0	1	0	2	11	1	1	32
564	Greenock—(1) East, . .	34599	38027	1434	63	547	211	499	3	4	0	109	650	9	16	1290
	(2) West, . .	33618	36267	1089	51	722	450	397	4	1	0	87	580	4	13	1086
565	Houston and Killellan, . .	1402	1345	22	0	12	7	21	0	0	0	4	6	1	1	33
566	Inchinnan, ...	573	592	17	1	4	5	7	0	0	0	0	2	0	0	9
567	Inverkip—(1) Inverkip, . .	1151	1168	23	2	8	7	10	0	0	0	0	3	0	1	14
	(2) Gourock, . .	6112	8458	208	25	259	41	76	0	0	0	21	93	0	12	202
568	Kilbarchan—(1) Kilbarchan, .	3450	3462	64	2	60	19	35	0	0	0	2	19	0	1	57
	(2) Linwood, .	2099	2055	67	3	70	6	27	0	1	0	6	29	3	1	67
569	Kilmalcolm, ...	4869	6242	88	3	63	25	57	0	0	0	9	25	1	5	97
570	Lochwinnoch, ...	4402	4254	93	4	60	18	71	0	2	0	2	10	2	0	87
571	Mearns—(1) Busby, . .	1297	1058	28	1	13	5	14	0	0	0	1	5	2	2	24
	(2) Newton-Mearns, .	2112	2143	36	4	24	10	29	0	0	0	4	11	2	0	46
572	Neilston—(1) Neilston, . .	4459	4616	109	6	73	29	58	0	0	0	3	28	5	0	94
	(2) Barrhead and Levern,	12051	14210	376	27	267	63	178	4	0	0	35	150	4	12	383
573	Paisley—(1) Paisley, . .	83459	91001	2491	134	1590	660	929	4	0	0	220	993	64	109	2319
	(2) Johnstone & Elderslie, .	13613	15132	454	26	228	109	183	7	1	0	42	130	18	29	410
574	Port-Glasgow, ...	16888	17775	638	21	304	124	295	11	0	0	60	236	12	10	624

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Renfrew—*continued.*															
575	Renfrew—(1) Renfrew, . .	9616	12902	376	13	125	64	173	0	1	0	29	151	10	3	367
	(2) Scotstoun and Yoker—*Renfrew portion* .	1619	4816	179	1	89	23	83	0	2	0	9	79	4	10	187
633*b*	Cathcart—*Renfrew portion* .	1403	2404	49	1	27	19	43	0	0	0	2	13	0	0	58
644	(18) Pollokshields—*Renfrew portion**	33	37	1	0	1	0	–	–	–	–	–	–	–	–	–
	Total,	247918	279103	8060	392	4700	1944	3317	33	13	0	659	3266	149	228	7665
	22. AYR.															
576	Ardrossan—(1) Old Ardrossan,	5834	6124	147	6	49	49	81	0	0	0	17	50	5	1	154
	(2) New Ardrossan,	6054	5627	165	10	69	29	69	0	0	0	14	58	2	2	145
577	Auchinleck—(1) Auchinleck, .	2828	3616	119	7	59	27	46	0	1	0	7	54	2	5	115
	(2) Lugar, . .	3777	3808	127	14	55	26	68	0	1	0	12	35	4	0	120
578	Ayr—(1) Ayr, . . .	28697	32986	865	67	655	282	541	15	6	0	85	161	24	15	847
	(2) St. Quivox, . .	1219	1438	55	7	21	8	33	0	0	0	6	2	3	2	46
	(3) Alloway, . . .	2011	2221	30	2	80	6	28	0	0	0	2	1	0	0	31
579	Ballantrae, ...	1124	1080	14	2	13	7	13	0	0	0	3	2	0	1	19
580	Barr, ...	581	521	6	2	9	7	14	0	0	0	0	0	0	0	14
581	Beith, ...	7523	6699	143	11	74	40	95	0	2	0	11	33	7	4	152
582	Colmonell—(1) Colmonell, .	993	996	24	1	6	6	26	0	0	0	1	2	0	0	29
	(2) Barrhill, . .	961	936	23	1	10	6	16	0	0	0	0	2	0	0	18
583	Coylton—(1) Coylton, . .	1875	2112	53	4	23	17	53	0	0	0	4	6	0	0	63
	(2) Rankinston, .	667	931	37	2	8	1	26	0	0	0	2	4	1	2	35
584*a*	Craigie, ...	509	538	6	0	5	1	5	0	0	0	0	0	0	0	5
584*b*	Crosshill, ...	1108	1040	27	10	11	11	12	0	0	0	0	11	1	0	24
585	Dailly, ...	1673	1940	79	8	29	9	48	0	0	0	6	3	0	1	58
586	Dalmellington—															
	(1) Dalmellington, . .	2585	3161	104	3	35	19	61	0	0	0	4	38	1	1	105
	(2) Waterside, . .	2533	2853	88	14	26	14	58	0	2	0	5	20	2	0	87

587	Dalry,	8212	7418	168	7	99	45	97	0	0	0	11	65	1	0	174
588	Dalrymple,	931	1031	33	1	9	1	26	0	0	0	2	2	4	0	34
589	Dreghorn,	4332	4373	149	13	46	35	26	0	0	0	7	74	12	1	120
590	Dundonald—(1) Dundonald,	1260	1481	30	5	17	8	14	0	0	0	3	14	3	0	34
	(2) Troon,	5181	7172	161	6	60	38	74	0	0	0	4	32	5	25	140
591	Dunlop,	1542	1353	29	3	19	10	12	0	0	0	3	10	7	1	33
592	Fenwick,	1063	1062	28	2	10	10	12	0	0	0	0	7	0	0	19
593	Galston,	6939	7171	184	4	104	45	61	0	3	0	13	96	2	1	176
594	Girvan,	4872	5331	89	12	89	24	71	0	3	0	9	22	0	5	110
595	Irvine,	11267	12030	371	31	239	78	72	0	2	0	28	221	4	8	335
596	Kilbirnie,	7207	7618	175	11	74	60	122	0	0	0	13	55	11	5	206
597	Kilmarnock,	33142	33817	848	64	524	301	312	1	7	0	65	398	28	24	835
598	Kilmaurs,	4549	4349	158	17	52	33	47	0	0	0	12	79	2	2	142
599	Kilwinning,	8125	8411	279	17	140	59	121	0	2	0	27	109	2	4	265
600	Kirkmichael,	839	807	15	0	11	7	6	0	0	0	0	1	0	0	7
601	Kirkoswald,	1452	1562	22	4	22	5	24	1	0	0	0	8	0	4	37
602	Largs—(1) Largs,	4405	4770	68	3	64	21	39	0	0	0	4	19	2	0	64
	(2) Skelmorlie,	1096	1259	24	0	17	11	11	0	0	0	0	5	0	3	19
603	Loudoun—(1) Newmilns,	4920	5213	108	5	53	22	24	1	0	0	4	81	2	0	112
	(2) Darvel,	3325	3796	82	6	53	26	22	0	0	0	7	49	2	0	80
604	Mauchline,	2572	2441	43	3	39	18	30	0	0	0	4	5	0	0	39
605	Maybole,	7462	6455	148	12	106	37	104	1	0	0	12	22	2	0	141
606	Monkton and Prestwick,	3854	5645	102	9	67	17	61	0	0	0	6	28	5	2	102
607	Muirkirk,	5670	4982	136	6	70	30	58	0	0	0	6	38	5	2	109
608	New Cumnock,	5367	5661	191	21	70	33	104	0	0	0	16	24	0	8	152
609	Ochiltree,	1932	2024	75	6	27	19	44	0	0	0	5	26	2	0	77
610*a*	Old Cumnock,	5144	5465	180	17	76	44	99	0	1	0	9	74	2	1	186
610*b*	Patna,	906	1062	37	3	15	14	27	0	0	0	3	5	0	0	35
611	Riccarton—(1) Riccarton,	4028	3765	121	5	77	22	38	4	1	0	12	62	0	1	118
	(2) Hurlford,	4052	3825	110	3	53	34	28	0	0	0	8	69	0	0	105
	(612 *St. Quivox.—Now* 578 (2) *supra.*)															
613	Sorn—(1) Sorn,	1267	1421	39	4	21	6	26	0	0	0	1	9	0	0	36
	(2) Catrine,	2340	2337	65	6	40	11	20	0	0	0	6	25	1	0	52
614	Stair,	1175	959	33	2	6	8	24	0	0	0	0	9	2	1	36
615	Stevenston,	9497	10733	393	16	161	78	192	0	0	0	30	103	17	16	358
616	Stewarton,	3958	3889	77	5	55	21	39	0	0	0	7	33	5	2	86
617	Straiton,	545	657	17	0	5	1	10	0	0	0	0	0	1	2	13
618	Symington,	592	639	11	0	6	1	11	0	0	0	0	2	1	1	15

* Transferred, as from January 1, 1914, from Paisley.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Ayr—*continued.*															
619	Tarbolton,	3961	4593	203	19	67	38	109	1	0	0	20	17	17	0	164
620	West Kilbride,	2935	3133	49	3	37	9	50	0	0	0	9	7	0	0	66
	Total,	254468	268337	7163	522	3937	1845	3560	24	31	0	545	2387	199	153	6899
	23. LANARK.															
621	Avondale, (622 *Barony—Now merged in* 644 *infra.*)	5773	5033	104	6	77	34	59	0	1	0	4	24	16	0	104
623	Biggar,	1897	1931	37	2	32	5	23	0	0	0	0	0	2	0	25
624	Blantyre,	14145	16821	722	35	241	124	297	6	0	0	68	247	10	13	641
625	Bothwell—(1) Bothwell,	16260	18956	681	20	251	112	331	7	9	0	69	164	27	19	626
	(2) Holytown,	14660	17297	727	22	241	121	255	4	1	0	62	269	23	18	632
	(3) Bellshill,	14985	18638	794	35	324	111	242	5	2	0	98	373	29	26	775
626*a*	Cadder—(1) Western,	4743	5585	131	7	52	21	65	0	0	0	9	38	5	6	123
	(2) Eastern,	5825	9143	270	5	171	17	128	3	0	0	20	62	3	40	256
626*b*	Calderhead,	6641	8671	363	13	130	61	154	0	1	0	45	129	7	10	346
627	Cambuslang,	20211	24864	814	38	331	158	400	0	0	0	65	275	3	42	785
628	Cambusnethan,	25878	30921	996	40	423	197	553	0	2	0	106	295	38	18	1012
629	Carluke,	8966	9619	246	16	120	64	132	0	0	0	20	104	4	0	260
630	Carmichael,	1198	1471	44	5	17	8	7	0	0	0	0	28	2	0	37
631	Carmunnock,	682	747	11	1	11	2	7	0	0	0	1	1	0	0	9

632	Carnwath—(1) Carnwath,	3052	3741	120	6	36	20	92	0	0	0	10	21	1	2	126
	(2) Forth,	1790	2031	48	4	15	8	12	0	0	0	4	61	3	0	80
	(3) Haywood,	995	674	34	3	5	6	11	0	0	0	2	13	1	2	29
633*a*	Carstairs,	1893	1878	36	1	17	17	27	0	0	0	3	6	0	2	38
633*b*	Cathcart—*Lanark portion*,	26955	44284	888	13	743	225	619	7	2	0	50	231	17	9	935
634	Covington and Thankerton,	314	385	7	0	4	3	7	0	0	0	0	2	1	0	10
635	Crawford—(1) Crawford,	719	681	13	2	9	4	7	0	1	0	0	4	0	0	12
	(2) Leadhills,	895	839	13	1	20	9	12	0	0	0	0	1	0	0	13
636	Crawfordjohn,	707	617	18	3	5	1	7	0	0	0	2	0	0	0	9
637	Culter,	392	372	1	0	3	2	2	0	0	0	0	0	0	0	2
638	Dalserf—(1) Larkhall,	12034	14202	487	18	200	100	211	0	0	0	50	210	48	7	526
	(2) Dalserf,	4088	4427	142	12	67	31	71	0	0	0	18	30	2	39	160
639	Dalziel,	37257	47503	1625	61	728	272	746	6	0	0	147	630	88	53	1670
640	Dolphinton,	250	245	6	0	3	3	6	0	0	0	0	0	0	0	6
641	Douglas,	2397	2509	75	3	36	13	56	0	0	0	2	7	0	0	65
642	Dunsyre,	200	175	5	0	1	0	2	0	0	0	0	0	0	0	2
643	East Kilbride,	3948	3977	80	6	45	10	35	0	0	0	4	15	11	2	67
644	Glasgow—(1) Bridgeton,	49900	52062	1818	78	1148	281	1043	0	5	0	176	453	15	108	1800
	(2) Camlachie,	51508	56500	1965	80	745	369	1124	2	0	0	203	460	16	118	1923
	(3) Calton,	67861	60372	1694	115	761	800	1042	1	2	0	211	268	13	136	1673
	(4) Dennistoun,	31903	38209	956	87	1724	325	627	0	4	0	69	223	2	35	960
	(5) Garngadhill,	28126	34583	1150	59	734	161	657	1	5	0	126	347	20	53	1209
	(6) Springburn,	25988	30438	930	75	895	205	403	0	2	0	86	353	4	38	886
	(7) Possilpark,	17801	21421	690	18	615	95	376	0	2	0	63	180	11	26	658
	(8) St. Rollox,	42285	36571	947	59	403	532	539	0	2	0	97	192	12	56	898
	(9) Milton,	52058	43957	1087	132	826	502	590	2	5	0	134	177	14	124	1046
	(10) Blythswood,	30789	24120	1278	450	542	2494	620	0	0	0	275	219	6	185	1305
	(11) Anderston,	58030	53441	1441	88	774	558	855	4	3	0	162	258	11	92	1385
	(12) Hillhead,	34279	38601	468	9	1114	339	288	0	7	0	24	54	4	8	385
	(13) Kelvin,	52688	48278	1352	157	771	402	678	0	3	0	100	336	11	81	1209
	(14) Maryhill,	25878	31755	1058	43	351	228	528	1	5	0	93	267	62	62	1018
	(15) Hutchesontown,	52257	48556	1692	106	701	342	807	2	0	0	207	337	26	237	1616
	(16) Govanhill,	33612	39449	1166	27	424	224	630	11	0	0	81	352	17	48	1139
	(17) Gorbals,	66300	57991	1583	116	688	465	753	8	5	0	152	353	26	153	1450
	(18) Pollokshields,	34161	37332	760	37	402	389	407	5	3	0	71	230	14	50	780
	(19) Shettleston	21955	32046	1017	23	399	142	571	0	9	0	102	263	64	39	1048
	(20) Plantation	31980	34031	1002	59	376	221	397	0	6	0	72	229	21	77	802
	(21) Govan	51850	57968	2098	124	1536	397	983	6	20	0	214	744	36	150	2153
	(22) Partick	54298	66849	2040	77	747	528	1005	0	17	0	182	504	38	182	1928

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Lanark—*continued.*															
645	Glassford, ...	1321	1312	38	0	21	10	19	0	0	0	4	10	1	2	36
	(646 *Govan—Now merged in* 644 *supra.*)															
647	Hamilton, ...	40372	46419	1607	78	595	315	585	1	1	0	152	738	11	29	1517
648	Lanark, ...	8103	8978	178	7	146	61	106	0	1	0	16	31	6	3	163
649	Lesmahagow—(1) Lesmahagow,	9608	10641	330	22	117	67	184	2	0	0	18	109	3	6	322
	(2) Kirkfieldbank,	1346	1349	27	3	13	7	20	0	0	0	1	6	1	0	28
650	Libberton, ...	432	461	9	1	2	3	9	0	0	0	1	0	0	0	10
651	New Monkland, ...	36786	38116	1208	55	517	255	554	0	12	0	102	444	9	74	1195
652	Old Monkland—(1) Western, .	10653	12472	425	18	156	89	226	2	0	0	39	75	21	7	370
	(2) Coatbridge,	39930	46058	1461	71	758	278	794	7	2	0	157	439	28	52	1479
	(3) Eastern, .	2665	2496	87	3	30	10	37	0	0	0	10	40	1	5	93
653	Pettinain, ...	271	261	5	0	3	1	6	0	0	0	0	0	0	0	6
654	Rutherglen, ...	20934	28343	769	19	344	255	368	0	8	0	49	326	14	15	780
655	Shotts—(1) Middle District, .	2823	3270	88	3	106	8	26	0	0	0	6	38	6	0	76
	(2) Eastern do., .	3593	3690	132	9	43	25	43	0	0	0	8	71	2	0	124
	(3) Western do., .	3757	4559	155	13	96	29	69	0	0	0	13	62	4	10	158
	(4) Northern do., .	1263	1234	39	2	16	20	21	0	0	0	2	9	0	2	34
656	Stonehouse, ...	3665	3688	116	5	71	31	18	0	0	0	5	69	10	2	104
657	Symington, ...	388	420	5	1	5	3	13	0	0	0	0	1	1	0	15
658	Walston, ...	283	255	5	1	0	3	2	0	0	0	0	1	0	0	3
659	Wandell and Lamington, .	362	271	10	2	2	0	4	0	0	0	0	0	0	0	4
660	Wiston and Roberton, . .	412	400	11	2	6	3	4	0	0	0	0	1	0	0	5
500	New Kilpatrick—*Lanark portion,**	2426	3598	–	–	–	–	63	0	0	0	4	47	4	0	118

562	Eastwood—*Lanark portion*, .	14717	18942	497	27	254	79	217	0	0	0	32	190	17	10	466
575	(2) Scotstoun and Yoker—*Lanark portion*, . .	3907	9716	243	3	148	56	110	1	1	0	20	83	5	15	235
	Total,	1362815	1486081	45175	2742	24483	13366	22997	94	149	0	4398	12829	928	2598	43993
	24. LINLITHGOW.															
661	Abercorn, ...	866	933	21	2	15	6	19	0	0	0	3	2	0	0	24
662	Bathgate—(1) Bathgate, . .	9371	11812	411	17	145	67	224	0	0	0	30	98	2	18	372
	(2) Armadale, .	4633	5847	220	10	77	34	46	0	1	0	30	97	9	19	202
663	Borrowstounness, etc.—															
	(1) Borrowstounness, .	7921	9260	282	14	100	63	150	0	1	0	22	82	9	1	265
	(2) Carriden, . . .	3552	4774	160	6	52	29	94	0	1	0	7	30	10	6	148
	(664 *Carriden.—Now* 663 (2) *supra.*)															
665	Dalmeny—(1) Dalmeny, . .	1523	1629	50	2	19	12	27	0	0	0	8	0	6	4	45
	(2) Queensferry, .	2557	3510	79	2	38	14	34	0	0	0	10	14	0	1	59
666	Ecclesmachen, ...	681	1449	14	0	103	0	20	0	0	0	1	3	0	1	25
667	Kirkliston—*Linlithgow portion*,	3169	4467	127	6	65	29	123	0	0	0	15	13	4	0	155
668	Linlithgow, ...	8076	7567	202	15	125	48	136	0	0	0	17	31	2	28	214
669	Livingstone—(1) Livingstone, .	906	1641	79	2	11	6	43	0	0	0	1	10	0	2	56
	(2) Blackburn, .	1858	2073	91	4	26	9	51	0	0	0	7	23	5	0	86
	(670 *Queensferry.—Now* 665 (2) *supra.*)															
671	Torphichen—(1) Torphichen, .	1377	1562	43	3	18	17	16	0	0	0	1	29	0	1	47
	(2) Blackridge, .	1848	2486	103	7	30	14	17	0	1	0	11	66	2	1	98
672	Uphall, ...	10535	12766	402	18	144	74	251	5	2	0	0	32	4	93	387
673	Whitburn—(1) Whitburn, .	3318	4456	186	7	66	31	97	0	0	0	12	64	2	4	179
	(2) Fauldhouse, .	3517	3923	174	9	63	29	85	0	0	0	17	37	8	2	149
	Total,	65708	80155	2644	124	1097	482	1433	5	6	0	192	631	63	181	2511

* Transferred, as from January 1, 1914, to Hillhead.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	25. EDINBURGH.															
674	Borthwick,	1237	1304	24	1	19	3	13	0	0	0	1	13	0	1	28
675	Carrington,	460	480	14	1	2	1	7	0	0	0	2	4	0	0	13
676	Cockpen,	3720	3812	109	5	45	26	51	0	0	0	6	11	2	9	79
677	Colinton,	5499	6100	126	30	298	35	79	0	0	0	10	7	2	4	102
678	Corstorphine,	2725	3870	78	3	31	18	44	0	0	0	4	11	2	4	65
679	Cramond,	2727	3763	55	3	37	12	59	0	1	0	7	4	1	4	76
680	Cranston,	846	805	15	2	9	3	11	0	1	0	0	4	0	0	16
681	Crichton,	810	733	13	1	8	10	6	0	0	0	0	1	0	1	8
682	Currie,	2513	2519	44	2	20	21	47	0	0	0	4	5	0	0	56
683	Dalkeith,	7297	7502	211	18	99	59	106	0	0	0	19	44	2	14	185
	(684 *Duddingston.—Merged in* 685 (7))															
685	Edinburgh—(1) St. George,	53004	53165	1071	55	627	287	721	3	8	0	73	117	13	45	980
	(2) St. Andrew,	47103	45349	738	46	491	499	575	1	6	0	52	85	14	42	775
	(3) Canongate,	49365	47494	1095	57	508	360	757	0	2	0	75	169	29	25	1057
	(4) St. Giles,	53077	49051	1521	376	1555	1280	882	3	6	0	175	200	6	151	1423
	(5) Newington,	45445	42824	816	34	827	263	578	0	3	0	77	118	16	34	826
	(6) Morningside,	56682	66124	1071	46	1106	354	774	4	3	0	54	131	17	23	1006
	(7) Portobello,	12659	16762	396	19	205	122	228	0	2	0	37	97	8	16	388
686	Fala and Soutra,	319	276	12	1	4	1	4	0	0	0	1	0	0	1	6
687	Glencorse,	1347	1387	24	1	13	8	29	0	0	0	3	2	0	0	34
688	Heriot,	417	414	8	1	8	2	11	0	0	0	2	0	0	2	15
689	Inveresk,	14094	19791	625	27	293	141	318	1	4	0	61	213	8	9	614
690	Kirknewton and East Calder,	3221	2873	84	3	26	20	67	0	0	0	11	4	8	0	90
691	Lasswade,	9196	10504	317	9	177	52	189	0	2	0	28	20	17	9	265
692	Leith—(1) North Leith,	29952	30211	782	30	389	129	447	0	1	0	62	209	6	21	746
	(2) South Leith,	47611	50390	1311	70	719	371	820	1	3	0	106	355	14	36	1335

693	Liberton,	5301	6017	149	3	89	34	81	0	1	0	10	6	14	4	116
694	Mid-Calder,	3132	3249	79	2	36	13	71	0	0	0	8	5	2	1	87
695*a*	Newbattle,	3754	5282	197	4	68	32	127	0	0	0	25	38	20	0	210
695*b*	New Craighall,	2414	2913	115	3	47	10	30	0	1	0	11	47	5	6	100
696	Newton,	1028	1156	29	1	9	7	20	0	0	0	2	4	0	0	26
697	Penicuik,	5609	5205	141	8	57	31	103	0	0	0	8	12	1	2	126
698*a*	Ratho,	1946	1883	38	3	14	17	26	0	0	0	1	6	1	2	36
698*b*	Stobhill,	3514	4231	146	11	66	30	56	0	0	0	15	62	2	2	137
699	Stow,	1560	1317	28	5	17	7	19	0	0	0	2	3	0	1	25
700	Temple,	385	363	8	2	4	2	7	0	0	0	2	2	0	0	11
701	West Calder,	8092	7716	257	10	76	47	170	0	0	0	26	39	7	2	244
667	Kirkliston—*Edinburgh portion*,	735	831	19	0	7	4	23	0	0	0	4	0	1	0	28
	Total,	488796	507666	11766	893	8006	4311	7556	13	44	0	984	2048	218	471	11334
	26. HADDINGTON.															
702	Aberlady,	950	963	22	3	6	1	5	0	0	0	3	1	0	0	9
703	Athelstaneford,	635	666	15	4	8	5	12	0	0	0	2	1	0	0	15
704	Bolton,	298	256	5	0	1	2	4	0	0	0	1	0	0	0	5
705	Dirleton,	1810	2062	38	2	19	7	28	0	0	0	2	1	1	0	32
706	Dunbar,	5031	4830	116	14	80	38	67	1	0	0	10	7	5	2	92
707	Garvald,	628	511	14	1	13	4	11	0	0	0	0	0	0	0	11
708	Gladsmuir,	1481	1433	34	6	8	9	30	0	0	0	2	8	0	0	40
709	Haddington,	5126	5424	99	8	77	23	56	0	1	0	11	6	6	3	83
710	Humbie,	720	679	18	0	5	3	11	0	0	0	0	2	0	0	13
711	Innerwick,	782	676	12	2	8	9	13	0	0	0	1	2	0	0	16
712	Morham,	201	199	3	0	2	0	0	0	0	0	0	0	0	1	1
713	North Berwick,	3649	3968	79	3	29	19	57	0	0	0	2	6	0	2	67
714	Oldhamstocks,	429	404	6	1	3	1	6	0	0	0	0	1	0	0	7
715	Ormiston,	1190	1598	51	3	15	8	38	0	0	0	0	5	0	2	45
716	Pencaitland,	1112	1273	33	3	12	4	16	0	0	0	1	13	0	1	31
717	Prestonkirk,	1673	1634	24	0	25	8	20	0	0	0	2	2	0	0	24
718	Prestonpans,	3382	4722	156	4	55	32	95	0	0	0	16	30	0	12	153
719	Salton,	431	386	11	0	4	0	4	0	0	0	0	0	0	3	7
720	Spott,	423	386	4	0	7	1	8	0	0	0	0	0	0	0	8
721	Stenton,	511	461	11	1	6	4	10	0	0	0	0	1	0	0	11
722	Traunent,	6117	8677	303	13	89	52	186	1	0	0	24	107	1	5	324
723	Whitekirk and Tynninghame,	835	776	7	0	5	5	11	0	0	0	0	1	0	0	12

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages. 1914.				Vaccinations, 1913.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	HADDINGTON—*continued.*															
724	Whittinghame,	521	523	7	1	3	3	10	0	0	0	0	0	0	0	10
725	Yester,	730	747	18	0	5	6	9	0	0	0	1	1	0	0	11
	Total,	38665	43254	1086	69	485	244	707	2	1	0	78	195	13	31	1027
	27. BERWICK.															
726	Abbey St. Bathans,	213	229	6	1	4	0	1	0	0	0	1	0	0	0	2
727	Ayton,	1629	1577	21	1	17	9	27	0	0	0	3	5	0	0	35
728	Bunkle and Preston,	629	562	15	1	5	6	6	0	0	0	1	1	1	0	9
729	Channelkirk,	568	478	10	2	5	1	5	0	0	0	0	0	0	0	5
730	Chirnside,	1580	1508	16	2	28	8	21	0	0	0	3	2	0	2	28
731	Cockburnspath,	982	997	16	1	2	5	14	0	0	0	1	1	1	0	17
732	Coldingham—(1) Coldingham,	2315	2313	40	4	30	11	30	0	1	0	0	3	4	0	38
	(2) Grantshouse,	498	436	18	1	8	4	6	0	0	0	1	0	0	0	7
733	Coldstream,	2281	2192	32	2	23	11	22	0	0	0	8	4	2	1	37
734	Cranshaws,	159	125	4	0	1	1	3	0	1	0	0	0	0	0	4
735	Duns,	3199	3042	56	5	46	15	34	0	0	0	0	10	0	1	45
736	Earlston,	1677	1749	32	1	28	7	13	0	0	0	4	12	8	2	39
737	Eccles,	1433	1449	16	0	10	9	22	0	0	0	4	5	0	0	31
738	Edrom,	1290	1269	15	2	16	4	18	0	0	0	0	1	0	0	19
739	Eyemouth,	2487	2561	53	5	35	13	27	0	1	0	5	26	2	1	62
740	Fogo,	445	389	8	4	2	1	4	0	0	0	2	1	0	0	7
741	Foulden,	386	313	4	0	6	3	5	0	0	0	1	0	0	0	6
742	Gordon,	791	711	13	3	12	7	11	0	1	0	1	0	2	1	16
743	Greenlaw,	1015	941	14	3	14	5	8	0	0	0	0	8	0	0	16
744	Hume,	311	298	8	1	8	1	2	0	0	0	0	0	0	0	2

745	Hutton,	750	682	4	1	4	3	6	0	0	0	0	2	0	0	8
746	Ladykirk,	316	315	6	0	6	1	8	0	0	0	0	0	0	0	8
747	Langton,	398	408	12	1	8	3	5	0	0	0	1	2	0	0	8
748	Lauder,	1461	1336	27	4	19	4	20	0	2	0	2	1	0	0	25
749	Legerwood,	431	401	12	0	3	5	6	0	0	0	1	2	0	0	9
750	Longformacus,	281	263	5	1	4	1	2	0	0	0	0	1	0	0	3
751	Merton,	576	532	9	0	4	4	8	0	0	0	0	0	0	0	8
752	Mordington,	284	292	5	0	5	3	5	0	0	0	0	0	1	0	6
753	Nenthorn,	416	356	5	0	5	1	3	0	0	0	0	0	0	0	3
754	Polwarth,	203	197	2	1	2	1	3	0	0	0	0	0	0	0	3
755	Swinton,	791	727	10	2	8	3	10	0	0	0	0	1	0	0	11
756	Westruther,	504	503	8	2	5	2	6	0	1	0	0	0	1	0	8
757	Whitsome,	525	492	14	1	6	4	2	0	0	0	0	0	0	0	2
	Total,	30824	29643	516	52	379	156	363	0	7	0	39	88	22	8	527
	28. PEEBLES.															
	(758 *Broughton.—Merged in* 763.)															
759	Drumelzier,	194	164	4	0	2	1	2	0	0	0	0	0	0	0	2
760	Eddlestone,	535	589	11	0	6	1	5	0	0	0	1	2	2	0	10
	(761 *Glenholm—Merged in* 763.)															
762	Innerleithen—(1) Innerleithen,	2410	2788	38	4	39	20	28	1	0	0	3	6	0	0	38
	(2) Walkerburn,	1217	1331	16	1	8	5	14	0	0	0	1	1	0	0	16
763	Kilbucho, Broughton, and Glenholm,	862	668	12	1	7	1	14	0	0	0	0	1	0	0	15
764	Kirkurd,	293	253	5	1	2	1	4	0	0	0	0	0	0	0	4
765	Lyne,	98	125	5	1	1	2	0	0	0	0	0	0	0	0	0
766	Manor,	257	261	4	0	7	1	3	0	0	0	1	1	1	0	6
767	Newlands,	564	590	14	1	4	2	6	0	0	0	0	2	0	0	8
768	Peebles,	5810	6112	102	2	68	27	75	0	0	0	8	17	1	4	105
769	Skirling,	230	241	6	0	2	2	1	0	0	0	0	1	0	0	2
770	Stobo,	401	350	2	1	5	4	3	0	0	0	1	2	0	2	8
771	Traquair,	618	559	9	0	9	3	14	0	0	0	0	3	0	0	17
772	Tweedsmuir,	435	198	2	0	4	2	1	0	0	0	0	0	0	0	1
773*a*	West Linton,	1110	1000	15	1	11	3	12	0	0	0	0	3	0	0	15
774*a*	Caddonfoot—*Peebles portion*,	32	29	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total,	15066	15258	245	13	175	75	182	1	0	0	15	39	4	6	247

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	29. SELKIRK.															
773*b*	Ashkirk,	404	329	2	0	0	1	3	0	0	0	2	1	0	0	6
774*a*	Caddonfoot—*Selkirk portion*,	663	709	12	0	7	6	9	0	0	0	0	2	0	0	11
774*b*	Ettrick,	331	344	3	0	4	2	4	0	0	0	0	2	0	0	6
775	Galashiels,	13969	14919	233	17	203	75	86	0	0	0	27	148	7	2	270
776	Kirkhope, (777 *Roberton.—Now* 802*b infra.*)	399	384	5	0	2	0	1	0	0	0	0	1	1	0	3
778	Selkirk,	7090	7406	108	7	83	42	81	0	1	0	4	35	0	2	123
779	Yarrow—(1) Yarrow,	427	436	7	1	9	1	2	0	0	0	0	0	0	0	2
	(2) Megget,	73	74	2	0	0	0	2	0	0	0	0	0	0	0	2
	Total,	23356	24601	372	25	308	127	188	0	1	0	33	189	8	4	423
	30. ROXBURGH.															
780	Ancrum, (781 *Ashkirk.—Now* 773*b supra.*)	973	968	15	1	9	5	7	0	1	0	2	0	0	1	11
782	Bedrule,	206	188	2	0	1	1	1	0	0	0	1	0	0	0	2
783	Bowden,	660	659	8	1	6	2	6	0	0	0	1	2	0	0	9
784	Castleton,	1872	1934	34	6	27	7	23	0	0	0	3	6	0	0	32
785	Cavers—(1) Cavers,	559	588	7	0	6	2	7	0	0	0	1	3	0	0	11
	(2) Kirktown,	691	709	12	1	7	3	5	0	0	0	1	0	0	0	6
786	Crailing,	501	465	10	2	7	4	4	0	0	0	0	0	0	0	4
787*a*	Eckford,	707	711	9	3	9	4	12	0	0	0	1	0	0	0	13
787*b*	Edgerston,	262	214	3	0	3	3	4	0	0	0	1	0	0	0	5
788	Ednam,	523	495	11	1	8	2	7	0	0	0	0	0	0	0	7

789	Hawick,	18502	18021	303	30	253	108	169	0	0	0	26	111	4	0	310
790	Hobkirk,	552	545	14	1	8	0	10	0	0	0	2	1	0	0	13
791	Hownam,	192	193	5	1	1	0	3	0	0	0	0	1	0	0	4
792	Jedburgh,	4318	3806	55	5	57	18	43	0	0	0	2	6	2	0	53
793	Kelso,	4525	4471	90	9	71	23	55	0	2	0	6	24	1	1	89
	(794 *Kirktown.—Now* 785 (2) *supra.*)															
795	Lilliesleaf,	592	547	13	1	9	4	7	0	0	0	1	2	0	0	10
796	Linton,	405	407	9	3	3	6	7	0	0	0	1	1	0	0	9
797	Makerston,	337	295	2	0	4	1	7	0	0	0	1	1	0	0	9
798	Maxton,	411	380	5	1	8	2	4	0	0	0	0	0	0	0	4
799	Melrose—(1) Melrose—*Roxburgh portion,*	4148	4150	45	2	67	9	61	0	0	0	3	6	2	0	72
	(2) Langshaw,	559	500	8	1	4	2	6	0	0	0	0	3	1	2	12
800	Minto,	427	348	3	0	4	4	8	0	0	0	0	0	1	0	9
801	Morebattle,	779	740	10	2	5	4	7	0	0	0	0	1	0	0	8
802*a*	Oxnam,	624	566	13	4	4	4	6	0	0	0	0	0	1	0	7
802*b*	Roberton,	397	436	8	1	2	3	7	0	0	0	0	1	0	0	8
803	Roxburgh,	835	793	23	1	17	4	12	0	0	0	0	3	0	0	15
804	St. Boswells,	940	977	17	3	18	3	18	0	0	0	1	2	2	0	23
805	Smailholm,	341	292	4	0	4	3	2	0	0	0	0	2	2	0	6
806	Southdean,	530	507	10	1	2	1	6	0	0	0	1	2	0	0	9
807	Sprouston,	911	876	21	6	9	3	13	0	0	0	1	1	0	0	15
808	Stitchel,	304	275	9	0	4	2	5	0	0	0	1	0	0	0	6
809	Teviothead,	419	381	4	0	3	2	5	0	0	0	0	3	0	0	8
	(810 *Wilton.—Merged in* 789.)															
811	Yetholm,	802	755	9	3	8	3	14	0	0	0	2	0	0	0	16
	Total,	48804	47192	791	90	648	242	551	0	3	0	59	182	16	4	815
	31. DUMFRIES.															
812	Annan,	6378	6261	123	17	81	44	69	0	0	0	9	38	3	5	124
813*a*	Applegarth,	807	821	15	1	5	7	11	0	0	0	5	2	0	3	21
813*b*	Brydekirk,	832	751	19	1	8	4	12	0	0	0	0	5	0	1	18
814	Canonbie,	1959	1838	30	5	23	16	27	0	0	0	4	1	0	2	34
815	Carlaverock,	841	811	19	6	10	3	12	0	0	0	5	7	0	0	24
816	Closeburn,	1275	1244	20	1	11	5	16	0	0	0	2	0	3	0	21
817	Cummertrees,	938	1027	23	1	14	7	14	0	0	0	4	5	0	1	24

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible. Constitutional Insusceptibility.	Insusceptible. On the ground of Small-pox.	Insusceptible. In respect of the children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	Dumfries—*continued.*																
818	Dalton,	563	589	16	1	5	4	6	0	0	0	1	3	2	0	12	
819	Dornock,	871	820	16	4	11	7	22	0	0	0	0	2	0	0	24	
820	Dryfesdale,	3130	3188	76	6	44	9	59	0	0	0	6	10	0	0	75	
821	Dumfries,	18146	19076	422	47	427	177	154	6	0	0	46	161	6	11	384	
822	Dunscore,	1055	1027	17	2	11	6	17	0	0	0	2	3	0	0	22	
823	Durrisdeer,	970	849	17	2	17	3	8	0	0	0	3	5	1	0	17	
824	Eskdalemuir,	441	392	9	0	4	1	6	0	0	0	4	0	0	0	10	
825	Ewes,	261	247	5	0	1	2	4	0	0	0	0	1	0	0	5	
826	Glencairn,	1490	1410	19	2	17	10	21	0	0	0	1	0	0	0	22	
827	Graitney (or Gretna),	1250	1212	28	2	13	9	29	0	0	0	1	0	0	1	31	
828	Halfmorton,	346	319	3	1	5	0	6	0	0	0	0	0	1	0	7	
829	Hoddom,	1415	1258	34	4	18	12	12	0	0	0	0	6	1	0	19	
830	Holywood—*Dumfries portion,*	938	865	28	0	12	5	12	0	0	0	3	2	0	0	17	
831	Hutton,	663	630	20	7	12	3	12	0	0	0	0	1	0	0	13	
832	Johnstone,	800	751	12	2	14	2	12	0	0	0	2	0	0	0	14	
833	Keir,	540	538	9	0	9	3	5	0	0	0	0	0	1	0	6	
834	Kirkconnel,	1248	2144	100	12	33	22	23	0	1	0	7	40	8	2	81	
835	Kirkmahoe,	1106	1080	32	2	14	3	15	0	0	0	2	10	0	0	27	
836	Kirkmichael,	748	725	29	3	7	1	17	0	0	0	0	1	0	1	19	
837	Kirkpatrick-Fleming—																
	(1) Northern,	355	298	4	2	2	2	8	0	0	0	0	0	0	0	8	
	(2) Southern,	1111	1056	17	3	16	8	11	0	0	0	1	6	0	0	18	
838	Kirkpatrick-Juxta,	980	998	19	3	14	9	10	0	0	0	1	2	0	3	16	
839	Langholm,	3500	3302	52	7	42	13	46	0	1	0	3	6	0	0	55	
840	Lochmaben,	2388	2355	51	7	34	13	44	0	0	0	8	5	1	0	58	
841	Middlebie—																
	(1) Northern District,	654	636	5	3	11	3	11	0	0	0	2	1	0	0	14	
	(2) Southern District,	1169	1086	20	1	13	6	15	0	0	0	1	2	0	0	18	

842	Moffat,	2799	2702	36	2	44	16	27	0	0	0	3	4	2	1	37
843	Morton,	1872	1820	36	4	32	8	22	0	0	0	2	5	1	1	31
844	Mouswald,	475	493	12	0	4	4	8	0	0	0	0	2	0	0	10
845	Penpont,	923	831	13	0	16	3	8	0	0	0	1	4	0	1	14
846	Ruthwell,	766	770	15	3	8	1	16	0	0	0	0	1	0	0	17
847	St. Mungo,	567	573	8	2	6	3	10	0	0	0	3	1	0	0	14
848	Sanquhar,	2309	2428	70	5	28	11	32	0	0	0	2	25	0	2	61
849	Tinwald,	741	728	13	3	5	4	14	0	0	0	1	0	0	0	15
850	Torthorwald,	779	788	22	3	11	3	8	0	0	0	0	4	1	1	14
851	Tundergarth,	403	399	7	2	2	4	4	0	0	0	1	1	0	0	6
852	Tynron,	334	309	6	1	2	3	3	0	0	0	0	3	0	1	7
853*a*	Wamphray,	396	369	8	1	0	1	6	0	0	0	0	1	0	0	7
853*b*	Wanlockhead,	624	618	15	2	7	4	8	0	0	0	0	1	0	1	10
854	Westerkirk	415	393	6	0	7	2	8	0	0	0	0	0	1	0	9
	Total,	72571	72825	1576	183	1130	486	920	6	1	0	136	377	32	38	1510
	32. KIRKCUDBRIGHT.															
855	Anwoth,	651	688	12	1	9	2	12	0	0	0	1	1	0	0	14
856	Balmaclellan,	546	494	8	0	2	3	0	0	0	0	1	0	0	0	1
857*a*	Balmaghie,	802	770	15	3	8	6	14	0	0	0	0	1	0	0	15
857*b*	Bargrennan—*Kirkcudbright portion*,	195	180	2	0	2	2	0	0	0	0	0	0	0	0	0
858	Borgue,	1045	1023	27	3	16	8	19	0	0	0	0	1	0	1	21
859	Buittle,	879	825	22	3	8	2	14	0	0	0	0	6	0	0	20
860	Carsphairn,	351	360	7	0	4	2	1	0	0	0	0	3	0	0	4
861	Colvend—(1) Colvend,	695	696	11	2	8	3	6	0	0	0	1	1	1	0	9
	(2) Southwick,	476	447	7	1	1	2	6	0	0	0	0	1	0	0	7
862	Corsock Bridge,	406	356	7	0	1	1	6	0	0	0	3	1	0	0	10
863	Crossmichael,	1231	1196	29	4	23	9	12	0	1	0	2	7	0	0	22
864	Dalbeattie,	3670	3553	59	8	50	26	45	0	1	0	4	20	0	2	72
865	Dalry,	826	807	20	1	11	8	18	0	0	0	1	0	0	0	19
866	Girthon,	1209	1174	26	2	13	9	15	0	0	0	0	4	0	0	19
867	Irongray,	701	594	15	1	9	5	9	0	0	0	0	1	1	0	11
868	Kells,	878	847	18	1	9	5	20	0	0	0	2	0	0	0	22
869	Kelton,	3734	3746	66	10	44	24	48	0	1	0	3	14	0	3	69
870	Kirkbean,	685	711	16	2	10	5	13	0	1	0	0	6	0	0	20

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1914. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1913. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1913.
	KIRKCUDBRIGHT—*continued.*															
871	Kirkcudbright,	3309	3116	81	18	49	25	45	0	1	0	5	4	0	0	55
872	Kirkgunzeon,	527	497	13	1	4	2	8	0	0	0	0	2	0	0	10
873	Kirkmabreck,	1859	1549	32	3	13	8	18	0	0	0	1	5	0	0	24
874	Kirkpatrick-Durham,	818	795	14	0	24	1	7	0	0	0	0	2	0	0	9
875	Lochrutton,	497	484	12	2	8	5	2	0	0	0	0	1	0	0	3
876	Minnigaff,	1114	1022	19	3	17	8	18	0	1	0	4	1	0	0	24
877	New Abbey,	957	742	28	3	14	9	12	0	0	0	1	2	0	0	15
878	Parton,	436	421	9	0	2	4	10	0	0	0	3	1	0	0	14
879	Rerrick,	1356	1293	16	7	11	10	28	0	0	0	1	1	0	0	30
880	Terregles,	453	438	11	0	2	1	5	0	0	0	0	0	0	0	5
881	Tongland,	693	751	11	2	10	5	10	0	0	0	2	1	0	0	13
882	Troqueer,	6599	7050	147	7	94	40	50	0	0	0	15	62	4	1	132
883	Twynholm,	718	758	25	3	7	3	19	0	0	0	2	2	0	0	23
884	Urr,	1066	983	8	2	12	4	15	0	0	0	1	2	1	1	20
830	Holywood—*Kirkcudbright portion,*	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total,	39383	38367	793	93	495	247	505	0	6	0	53	153	7	8	732
	33. WIGTOWN.															
885	Glasserton,	887	920	24	5	13	7	17	0	0	0	1	0	1	3	22
886	Inch,	1987	1860	40	7	25	11	35	0	1	0	0	3	0	4	43
887	Kirkcolm,	1506	1507	43	9	22	11	25	0	0	0	1	5	2	2	35
888	Kirkcowan,	1153	1244	32	2	17	7	14	0	0	0	0	4	5	5	28
889	Kirkinner,	1255	1206	33	6	12	7	19	0	0	0	2	0	3	0	24
890	Kirkmaiden,	1943	1792	37	6	26	6	43	0	0	0	3	1	1	0	48

891	Leswalt, ...	979	987	28	6	8	8	13	0	0	0	2	4	1	0	20
892	Mochrum, ...	1958	1822	48	11	34	11	25	0	1	0	3	1	3	3	36
893	New Luce, ...	557	481	11	1	6	3	9	0	0	0	0	0	0	0	9
894	Old Luce (or Glenluce), . .	2157	2096	45	3	37	23	51	0	0	0	5	2	1	0	59
895	Penninghame, . . .	3228	2965	55	4	37	18	60	0	2	0	2	2	0	0	66
896	Portpatrick, ...	1136	1097	19	2	15	4	20	0	0	0	0	3	0	0	23
897	Sorbie, ...	1373	1354	28	5	17	7	12	0	0	0	0	6	2	0	20
898	Stoneykirk, ...	2420	2279	57	15	46	15	46	0	0	0	3	1	3	2	55
899	Stranraer, ...	6036	6444	129	12	122	35	108	0	0	0	10	27	0	13	158
900	Whithorn, ...	2235	2140	42	6	34	7	41	0	0	0	1	1	0	1	44
901	Wigtown, ...	1747	1710	38	2	24	2	27	0	0	0	5	1	6	2	41
857*b*	Bargrennan—*Wigtown portion*,	128	94	0	0	1	0	2	0	0	0	0	0	0	0	2
	Total,	32685	31998	709	102	496	182	567	0	4	0	38	61	28	35	733

Causes of Death in SCOTLAND in 1914—Both Sexes.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	73,557	13,710	7148	1887	1244	3301	4074	5094	6429	8715	10,884	11,064	7
I. GENERAL DISEASES.													
1 Enteric Fever	225	2	4	15	25	61	64	33	12	5	4	–	–
2 Typhus Fever	6	–	–	–	–	1	2	2	1	–	–	–	–
4 Malaria	8	–	1	–	–	–	2	2	1	1	–	1	–
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	1	–	–	–	–	–	–	–	1	–	–	–	–
Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	1458	371	990	61	8	12	10	3	3	–	–	–	–
7 Scarlet Fever	815	45	393	234	54	44	29	8	5	2	1	–	–
8 Whooping-cough	1342	665	641	32	2	–	–	–	1	–	–	1	–
9 (*a*) Diphtheria	859	75	505	203	46	17	5	4	4	–	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	42	10	24	8	–	–	–	–	–	–	–	–	–
10 Influenza	230	10	5	2	4	8	10	7	6	29	54	95	–
13 Cholera Nostras	29	20	8	–	–	–	–	–	–	1	–	–	–
14 Dysentery	12	2	1	–	–	–	2	4	3	–	–	–	–
18 Erysipelas	178	32	4	1	–	9	10	17	29	40	12	24	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	38	10	11	4	–	1	2	2	6	1	1	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	139	16	10	9	11	10	15	11	23	16	12	6	–
(*c*) Vaccinia	1	1	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	1	–	–	–	–	–	–	–	1	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	20	5	–	–	2	–	3	5	3	1	1	–	–
28 Pulmonary Tuberculosis, Phthisis	4774	19	86	90	174	1069	1187	983	636	383	117	30	–
29 (*a*) Acute Phthisis	143	2	6	8	7	50	25	22	16	5	2	–	–
(*b*) Acute Miliary Tuberculosis	65	5	12	7	6	17	8	5	5	–	–	–	–
30 Tuberculous Meningitis	1011	261	464	133	53	43	25	20	8	2	2	–	–
31 Abdominal Tuberculosis	849	155	316	114	70	82	36	32	23	16	5	–	–
32 Tuberculosis of Spine	143	–	10	18	21	34	20	15	13	11	1	–	–
33 Tuberculosis of Joints	89	1	5	5	15	32	8	9	7	3	1	3	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	622	68	132	56	46	92	84	49	42	34	10	9	–
36 Rickets, Osteomalacia	61	29	29	2	1	–	–	–	–	–	–	–	–
37 Syphilis	227	166	13	–	–	3	8	8	18	6	5	–	–
38 Other Venereal Diseases	7	3	–	–	–	1	–	1	–	1	1	–	–
45 (*a*) Carcinoma (39-44)	3117	–	1	–	1	10	49	306	617	860	811	462	–
(*b*) Sarcoma (39-44)	249	1	12	6	9	19	18	37	44	52	30	21	–
(*c*) Malignant Disease, other or not defined (39-44)	2022	–	1	–	–	7	41	144	331	553	588	357	–
46 Other Tumours (Situation undefined)	51	1	–	–	–	3	2	8	10	13	8	6	–
47 Rheumatic Fever	268	–	6	35	38	65	32	29	29	22	10	2	–
48 (*a*) Chronic Rheumatism	84	–	–	–	1	–	–	3	8	11	26	35	–
(*b*) Osteo-arthritis	122	–	–	1	–	1	3	4	11	34	38	30	–
(*c*) Gout	2	–	–	–	–	–	–	–	1	–	1	–	–
49 Scurvy	3	1	1	–	–	–	–	–	1	–	–	–	–
50 Diabetes	525	–	3	4	14	41	65	54	65	114	121	44	–
51 Exophthalmic Goitre	63	–	–	–	1	6	8	17	17	8	4	2	–
52 Addison's Disease	29	–	–	–	–	–	6	7	7	7	1	1	–
53 (*a*) Leucocythæmia	44	1	4	2	4	7	5	5	7	2	7	–	–
(*b*) Lymphadenoma	38	1	1	3	2	7	10	5	2	6	1	–	–
54 Anæmia, Chlorosis	419	9	6	1	1	17	34	59	86	93	89	24	–
55 (*b*) Purpura	50	9	7	1	6	6	4	2	6	3	2	4	–
(*c*) Hæmophilia	9	5	–	–	–	2	2	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	7	–	2	1	–	1	–	–	1	1	1	–	–
56 Alcoholism	206	–	–	–	–	2	29	55	59	38	20	3	–
57 Chronic Lead Poisoning	3	–	–	–	–	–	–	1	2	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	2	–	–	–	–	1	–	–	1	–	–	–	–

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	55	4	11	3	3	7	3	11	3	4	5	1	–
61 (*a*) Cerebro-spinal Meningitis	60	14	16	11	8	5	2	2	1	1	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	1009	365	321	83	49	57	39	41	29	11	10	4	–
62 Locomotor Ataxy	73	–	–	–	–	–	2	12	20	23	13	3	–
63 Other Diseases of Spinal Cord	380	7	14	7	5	11	25	45	64	81	83	38	–
64 Cerebral Hæmorrhage, Apoplexy	4688	9	6	2	4	21	38	149	535	1036	1603	1285	–
65 Softening of Brain	334	–	–	–	–	1	3	7	32	59	129	103	–
66 (*a*) Hemiplegia	609	1	2	1	–	4	9	17	44	116	225	190	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	96	–	2	–	2	2	3	6	15	29	12	25	–
67 General Paralysis of Insane	251	–	–	–	–	4	36	93	70	34	11	3	–
68 Other Insanity	175	–	–	1	1	10	17	16	40	36	34	20	–
69 Epilepsy	261	12	13	12	14	36	42	42	30	28	20	12	–
71 Convulsions (not Puerperal) (70)	784	599	164	10	2	5	1	1	1	–	1	–	–
72 Chorea	10	–	–	–	2	–	–	–	3	1	2	2	–
73 Neuralgia, Neuritis	53	–	–	–	–	2	6	11	8	16	6	4	–
74 (*c*) Cerebral Tumour	150	1	5	8	11	14	12	25	37	29	12	1	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	128	13	7	1	2	6	4	14	17	14	28	22	–
75 Diseases of Eye and Annexa	9	3	1	–	–	–	–	–	–	1	4	–	–
76 (*a*) Mastoid Disease	35	8	7	3	5	5	2	2	1	1	1	–	–
(*b*) Diseases of Ear	117	23	20	8	16	16	15	7	7	4	1	–	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	69	1	2	2	10	9	7	5	11	11	6	5	–
78 Acute Endocarditis	197	–	3	13	19	29	23	33	33	31	9	4	–
79 (*a*) Valvular Disease	2748	9	5	23	42	116	141	262	371	584	700	495	–
(*b*) Fatty Degeneration of Heart	388	–	1	–	–	2	5	21	49	110	132	68	–
(*c*) Other Organic Diseases of Heart	2971	13	9	13	19	47	76	130	303	580	946	835	–
80 Angina Pectoris	289	–	–	–	–	–	9	12	33	94	101	40	–
81 (*a*) Aneurysm	131	–	–	–	–	–	4	27	36	36	19	9	–
(*b*) Arterio-sclerosis	406	–	–	–	–	–	–	4	14	57	138	193	–
(*c*) Other Diseases of Arteries	7	1	–	–	–	–	–	–	1	1	3	1	–
82 (*a*) Cerebral Embolism, Thrombosis	590	–	1	3	2	8	16	28	48	116	175	193	–
(*b*) Embolism and Thrombosis, not Cerebral	86	7	–	1	1	3	6	7	15	24	14	8	–
83 Diseases of Veins	34	–	–	1	–	2	5	4	2	3	14	3	–
84 (*a*) Lymphatism, Status Lymphaticus	10	4	2	3	1	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	15	2	4	–	1	1	–	2	–	3	1	1	–
85 Hæmorrhage, Other Diseases of Circulatory System	14	1	–	1	–	–	2	–	1	3	4	2	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	16	5	1	1	–	2	–	1	1	–	2	3	–
87 (*b*) Laryngitis	103	24	53	9	2	–	2	1	3	3	2	4	–
(*c*) Other Diseases of Larynx (*a*)	56	19	25	3	–	–	1	–	2	2	4	–	–
88 Diseases of Thyroid	49	4	–	–	–	–	–	3	10	13	16	3	–
90 Bronchitis (89)	4729	942	302	22	14	34	46	158	342	688	1085	1096	–
91 Broncho-pneumonia	2307	985	805	56	8	15	31	38	50	77	123	119	–
92 Pneumonia	3396	431	416	90	50	178	282	334	388	440	458	329	–
93 Pleurisy	274	9	29	2	5	17	28	33	31	42	50	28	–
94 (*a*) Pulmonary Apoplexy	21	–	–	1	–	1	3	2	2	4	7	1	–
(*b*) Pulmonary Congestion (*c*, *d*)	416	114	58	6	1	6	7	16	15	34	57	102	–
95 Gangrene of Lung	20	–	1	2	–	–	3	2	5	4	2	1	–
96 Asthma	84	–	–	–	–	5	5	7	17	18	19	13	–
97 Pulmonary Emphysema	28	1	1	–	–	–	–	–	6	7	8	5	–
98 (*a*) Fibroid Diseases of Lung	52	–	–	–	1	2	3	7	8	17	10	4	–
(*b*) Other Diseases of Respiratory System	20	1	1	–	–	1	2	5	5	1	2	2	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	39	13	3	–	3	2	5	2	3	2	3	3	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	95	16	23	8	4	11	12	6	1	2	7	5	–
102 Gastric Ulcer – – – –	326	1	–	1	3	26	41	83	57	60	41	13	–
103 Other Dis. of Stomach. Gastritis	629	249	44	10	5	7	18	18	35	54	98	91	–
104 Diarrhœa, Enteritis (under 2 years)	2159	1835	324	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	553	–	111	31	16	19	13	31	46	78	98	110	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	453	2	12	64	88	96	49	54	28	31	21	8	–
109 (*a*) Hernia – – – –	186	21	5	3	3	2	6	11	26	36	41	32	–
(*b*) Intestinal Obstruction – –	332	81	19	8	10	14	27	26	20	40	44	43	–
110 Other Diseases of Intestine –	266	21	9	3	3	18	27	32	44	46	23	40	–
111 Acute Yellow Atrophy of Liver –	11	1	1	–	–	1	2	3	2	1	–	–	–
112 Hydatids of Liver – – –	1	–	–	–	–	–	–	–	1	–	–	–	–
113 Cirrhosis of Liver – – –	279	–	1	1	3	2	16	27	70	83	62	14	–
114 Gallstones – – – –	102	–	–	–	–	–	2	7	15	26	30	22	–
115 Other Diseases of Liver – –	197	16	6	1	3	6	12	16	21	34	47	35	–
116 Diseases of Spleen – – –	5	–	–	–	–	–	–	3	2	–	–	–	–
117 Peritonitis, cause not specified –	120	13	12	15	8	10	9	12	7	11	16	7	–
118 Other Diseases of Digestive System	28	–	1	–	–	2	1	3	7	8	3	3	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	352	21	45	29	19	26	40	42	38	49	34	9	–
120 (*a*) Bright's Disease – – –	1666	2	4	8	11	45	113	194	321	404	360	204	–
(*b*) Uræmia – – – –	110	3	1	2	1	2	2	21	22	16	23	17	–
122 Other Dis. of Kidney, Chyluria (121)	109	8	3	3	1	7	14	10	19	24	14	6	–
123 Urinary Calculus – – –	27	–	–	–	–	–	–	4	8	5	3	7	–
124 Diseases of Bladder – – –	231	3	–	–	–	2	8	8	18	39	57	96	–
125 Dis. of Urethra, Urinary Abscess	39	–	–	–	–	3	3	8	12	6	6	1	–
126 Diseases of Prostate – – –	189	–	–	–	–	–	–	–	3	19	85	82	–
127 Diseases of Male Genital Organs (not Venereal)	9	1	1	–	–	–	–	2	3	1	–	1	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	13	–	–	–	–	1	2	4	4	1	1	–	–
129 Uterine Tumour (non-Cancerous)	45	–	–	–	–	–	2	14	13	2	7	7	–
130 Other Diseases of Uterus – –	40	–	–	–	–	7	8	10	7	6	2	–	–
131 Cysts, and Other Tumours of Ovary	35	–	–	–	–	1	4	2	15	4	6	3	–
132 Other Dis. of Female Genit. Organs	38	–	1	2	–	7	13	12	2	1	–	–	–
133 Non-Puerperal Diseases of Breast	2	2	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	55	–	–	–	–	6	28	18	3	–	–	–	–
(*c*) Uncontrollable Vomiting –	18	–	–	–	–	2	11	5	–	–	–	–	–
(*d*) Ectopic Gestation – – –	13	–	–	–	–	–	5	7	1	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	22	–	–	–	–	5	9	8	–	–	–	–	–
135 Puerperal Hæmorrhage – –	90	–	–	–	–	5	31	52	2	–	–	–	–
136 Other Accidents of Childbirth –	47	–	–	–	–	10	24	13	–	–	–	–	–
137 Puerperal Sepsis – – –	229	–	–	–	–	58	119	52	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	119	–	–	–	–	31	53	33	2	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	59	–	–	–	–	9	27	23	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	2	–	–	–	–	1	1	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	91	–	–	–	–	14	42	34	1	–	–	–	–
141 Puerperal Diseases of Breast –	1	–	–	–	–	–	1	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	240	–	–	–	–	–	–	–	1	7	89	143	–
(*b*) Noma, Cancrum Oris – –	8	1	6	1	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	37	1	4	–	–	–	1	3	8	20	–	–	–
143 Carbuncle, Boil – – –	32	–	1	–	–	–	1	3	3	6	9	9	–
144 Phlegmon, Acute Abscess – –	146	43	13	3	3	9	6	18	13	17	12	9	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	105	25	6	–	1	3	3	4	6	7	25	25	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	104	7	13	23	26	12	4	3	8	5	2	1	-
147 Diseases of Joints - - -	23	2	2	2	3	2	1	-	3	1	5	2	-
149 Other Dis. of Locomotor Syst. (148)	6	1	-	-	-	-	-	-	1	1	2	1	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	565	500	32	14	6	7	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	2434	2434	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1979	1979	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	379	379	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	38	-	-	-	-	-	-	-	-	1	13	34	-
(*b*) Senile Decay - - -	3636	-	-	-	-	-	-	-	-	-	662	2974	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	261	-	-	-	-	14	41	73	61	47	23	2	-
164 Poisoning by Food - - -	16	1	2	4	1	-	-	1	1	2	3	1	-
165 Other Accidental Poisonings -	65	-	8	3	1	2	9	13	15	11	2	1	-
167 Burns and Scalds (166) - -	423	16	192	38	9	22	25	16	23	31	15	36	-
168 Exposure to Poisonous Vapours -	29	-	1	-	-	3	-	6	9	6	3	1	-
169 Drowning - - - - -	491	1	33	42	13	85	80	79	67	57	21	6	7
170 Accidents with Fire Arms - -	30	-	-	1	1	11	8	1	5	2	1	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	149	1	5	4	3	11	12	23	28	15	22	25	-
173 (*a*) Accidents in Coal Mines -	96	-	-	-	4	23	24	27	11	5	2	-	-
(*b*) Accidents in Other Mines -	8	-	-	-	-	-	3	1	4	-	-	-	-
(*c*) Accidents in Quarries - -	7	-	-	-	-	2	4	-	1	-	-	-	-
174 Accidents with Machinery - -	18	-	-	1	1	5	3	3	2	3	-	-	-
175 (*a*) Accidents on Railways - -	149	-	1	2	2	30	27	26	31	18	9	3	-
(*b*) Acc. with Horses and Vehicles	34	-	8	3	1	6	3	3	-	6	3	1	-
(*c*) Accidents with Motor Vehicles	48	-	1	11	4	3	8	9	3	3	4	2	-
(*d*) Accidents with Tramways -	8	-	3	1	-	-	-	-	1	2	1	-	-
(*e*) Other Crushing Accidents -	39	-	2	3	4	3	8	5	9	2	1	2	-
177 Hunger - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
180 Weather Agencies (178, 179) -	49	1	2	3	1	4	4	6	7	10	5	6	-
186 (*a*) Overlaying - - - -	89	89	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	155	90	5	1	3	6	6	8	16	14	4	2	-
(*c*) Other Accidents (176, 181, 185)	925	5	44	62	38	79	104	114	127	126	113	113	-
184 Homicide (182, 183) - - -	14	11	-	-	-	2	1	-	-	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	23	-	-	-	-	5	14	3	-	1	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - -	13	1	-	-	-	1	-	1	-	-	5	5	-
188 (*a*) Syncope - - - -	237	21	-	-	-	5	11	25	26	42	77	30	-
(*b*) Sudden Death (not otherwise defined)	30	4	3	1	2	2	1	3	5	4	3	2	-
189 (*a*) Heart Failure - - -	836	21	5	3	5	10	13	55	83	155	244	242	-
(*c*) Teething - - - -	11	4	7	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	124	5	64	3	2	3	1	1	6	36	2	1	-
(*f*) Dis. not Specified, Nat. Causes	498	124	31	11	7	9	18	30	35	61	76	96	-

Causes of Death in SCOTLAND in 1914—Males.

	All Ages	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	36,757	7684	3708	947	604	1706	1992	2496	3365	4611	5196	4441	7
I. GENERAL DISEASES.													
1 Enteric Fever	114	1	1	6	9	31	37	19	8	1	1	-	-
2 Typhus Fever	4	-	-	-	-	1	1	1	1	-	-	-	-
4 Malaria	8	-	1	-	-	-	2	2	1	1	-	1	-
5 (*a*) Smallpox Vaccinated	1	-	-	-	-	-	-	-	1	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Smallpox Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	765	204	516	29	4	4	5	1	2	-	-	-	-
7 Scarlet Fever	379	25	182	110	24	25	8	1	2	1	1	-	-
8 Whooping Cough	636	330	291	12	2	-	-	-	1	-	-	-	-
9 (*a*) Diphtheria	437	41	268	99	19	7	-	2	1	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	25	6	16	3	-	-	-	-	-	-	-	-	-
10 Influenza	100	4	3	2	2	6	6	5	3	13	23	33	-
13 Cholera Nostras	16	10	5	-	-	-	-	-	-	1	-	-	-
14 Dysentery	10	1	1	-	-	-	2	4	2	-	-	-	-
18 Erysipelas	95	17	3	1	-	6	6	5	16	23	5	13	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	19	4	5	4	-	1	-	2	2	1	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	82	13	6	4	8	6	7	7	13	6	8	4	-
(*c*) Vaccinia	1	1	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	14	4	-	-	2	-	2	4	1	1	-	-	-
28 Pulmonary Tuberculosis, Phthisis	2,477	10	46	46	52	517	578	511	385	245	71	16	-
29 (*a*) Acute Phthisis	68	1	4	2	-	25	12	11	8	4	1	-	-
(*b*) Acute Miliary Tuberculosis	37	5	6	3	3	9	4	3	4	-	-	-	-
30 Tuberculous Meningitis	542	159	244	63	24	23	14	8	4	2	1	-	-
31 Abdominal Tuberculosis	428	93	169	55	31	34	15	10	9	9	3	-	-
32 Tuberculosis of Spine	78	-	7	9	8	21	16	7	5	5	-	-	-
33 Tuberculosis of Joints	59	-	4	4	12	20	6	8	2	2	1	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	344	42	85	29	22	50	51	23	17	19	5	1	-
36 Rickets, Osteomalacia	39	21	17	1	-	-	-	-	-	-	-	-	-
37 Syphilis	112	83	7	-	-	-	1	3	14	2	2	-	-
38 Other Venereal Diseases	5	2	-	-	-	-	-	1	-	1	1	-	-
45 (*a*) Carcinoma } 39-44	1,228	-	-	-	1	4	17	75	213	385	352	181	-
(*b*) Sarcoma } 39-44	132	1	7	6	7	11	10	25	17	25	12	11	-
(*c*) Malignant Disease, other or not defined } 39-44	839	-	-	-	-	4	21	45	126	236	260	147	-
46 Other Tumours (Situation undefined)	24	1	-	-	-	2	-	5	4	9	2	1	-
47 Rheumatic Fever	116	-	4	12	17	23	14	14	11	15	5	1	-
48 (*a*) Chronic Rheumatism	30	-	-	-	1	-	-	-	3	4	12	10	-
(*b*) Osteo-arthritis	27	-	-	-	-	1	1	-	3	8	10	4	-
(*c*) Gout	1	-	-	-	-	-	-	-	1	-	-	-	-
49 Scurvy	2	1	1	-	-	-	-	-	-	-	-	-	-
50 Diabetes	252	-	-	2	9	30	33	32	32	45	50	19	-
51 Exophthalmic Goitre	2	-	-	-	-	1	-	-	1	-	-	-	-
52 Addison's Disease	10	-	-	-	-	-	2	2	4	2	-	-	-
53 (*a*) Leucocythæmia	22	1	2	2	1	2	2	3	3	1	5	-	-
(*b*) Lymphadenoma	27	1	-	2	1	6	8	3	1	5	-	-	-
54 Anæmia, Chlorosis	180	4	4	-	-	5	10	18	42	49	40	8	-
55 (*b*) Purpura	27	3	3	-	2	6	2	1	3	2	2	3	-
(*c*) Hæmophilia	5	3	-	-	-	2	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	2	-	-	1	-	-	-	-	1	-	-	-	-
56 Alcoholism	133	-	-	-	-	2	20	32	39	30	7	3	-
57 Chronic Lead Poisoning	3	-	-	-	-	-	-	1	2	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	1	-	-	-	-	-	1	-	-	-	-	-	-

	All Ages.	Age -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	29	2	4	3	–	3	2	7	2	1	4	1	–
61 (*a*) Cerebro-Spinal Meningitis	30	6	5	7	7	3	1	–	–	1	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	529	212	168	38	22	30	21	16	10	7	4	1	–
62 Locomotor Ataxy	62	–	–	–	–	–	2	11	17	18	11	3	–
63 Other Diseases of Spinal Cord	207	2	9	2	3	7	15	25	34	49	43	18	–
64 Cerebral Hæmorrhage, Apoplexy	2,048	6	1	1	2	10	16	65	230	469	731	517	–
65 Softening of Brain	139	–	–	–	–	1	2	2	14	24	55	41	–
66 (*a*) Hemiplegia	279	1	1	1	–	2	7	6	23	56	105	77	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	48	–	2	–	1	1	1	2	5	15	6	15	–
67 General Paralysis of Insane	200	–	–	–	–	4	28	78	53	29	7	1	–
68 Other Insanity	60	–	–	1	1	2	4	4	12	13	17	6	–
69 Epilepsy	164	6	5	6	10	18	18	30	18	13	11	5	–
71 Convulsions (not Puerperal) (70)	454	362	84	3	2	2	–	1	–	–	–	–	–
72 Chorea	4	–	–	–	–	–	–	–	1	1	–	2	–
73 Neuralgia, Neuritis	25	–	–	–	–	1	2	6	3	11	2	–	–
74 (*c*) Cerebral Tumour	75	–	4	2	7	7	6	7	17	18	7	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	57	5	4	–	1	5	2	6	9	8	11	6	–
75 Diseases of Eye and Annexa	6	2	1	–	–	–	–	–	–	–	3	–	–
76 (*a*) Mastoid Disease	23	7	2	–	4	5	2	1	1	1	–	–	–
(*b*) Diseases of Ear	65	12	11	4	8	6	10	5	5	3	1	–	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	32	1	1	1	5	3	3	4	6	5	1	2	–
78 Acute Endocarditis	98	–	3	8	9	12	14	15	14	13	6	3	–
79 (*a*) Valvular Disease	1,260	5	2	12	17	55	53	110	178	278	350	200	–
(*b*) Fatty Degeneration of Heart	146	–	1	–	–	–	1	7	23	38	46	30	–
(*c*) Other Organic Diseases of Heart	1,406	9	4	6	6	27	34	63	134	299	478	346	–
80 Angina Pectoris	170	–	–	–	–	–	5	8	22	66	54	15	–
81 (*a*) Aneurysm	98	–	–	–	–	–	3	24	28	27	12	4	–
(*b*) Arterio-sclerosis	219	–	–	–	–	–	–	3	10	40	82	84	–
(*c*) Other Diseases of Arteries	5	1	–	–	–	–	–	–	1	1	2	–	–
82 (*a*) Cerebral Embolism, Thrombosis	214	–	–	1	1	–	5	6	14	46	63	78	–
(*b*) Embolism and Thrombosis, not Cerebral	42	6	–	–	1	1	2	2	9	11	9	1	–
83 Diseases of Veins	9	–	–	1	–	1	–	1	1	1	4	–	–
84 (*a*) Lymphatism, Status Lymphaticus	7	2	2	3	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	4	–	1	–	1	–	–	1	–	1	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	5	1	–	–	–	–	–	–	1	2	1	–	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	11	4	1	1	–	–	–	1	–	–	1	3	–
87 (*b*) Laryngitis	54	13	29	5	1	–	1	–	2	2	–	1	–
(*c*) Other Diseases of Larynx (*a*)	38	14	15	3	–	–	1	–	1	1	3	–	–
88 Diseases of Thyroid	5	–	–	–	–	–	–	–	–	1	4	–	–
90 Bronchitis (89)	2,352	547	157	11	5	14	31	84	190	380	525	408	–
91 Broncho-pneumonia	1,174	561	386	24	4	7	11	18	23	42	55	43	–
92 Pneumonia	2,025	236	238	52	22	117	177	217	265	291	260	150	–
93 Pleurisy	161	6	21	2	3	10	14	20	17	27	34	7	–
94 (*a*) Pulmonary Apoplexy	7	–	–	–	–	–	1	–	1	–	4	1	–
(*b*) Pulmonary Congestion (*c*, *d*)	213	66	31	3	1	5	3	7	9	15	26	47	–
95 Gangrene of Lung	15	–	1	2	–	–	3	2	3	3	–	1	–
96 Asthma	36	–	–	–	–	–	1	2	5	13	8	7	–
97 Pulmonary Emphysema	18	–	1	–	–	–	–	–	–	5	7	5	–
98 (*a*) Fibroid Diseases of Lung	38	–	–	–	–	2	2	6	7	14	6	1	–
(*b*) Other Diseases of Respiratory System	13	1	1	–	–	1	–	3	4	1	–	2	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	17	6	1	-	1	1	1	2	1	2	-	2	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	48	9	14	5	1	3	5	4	-	-	5	2	-
102 Gastric Ulcer - - - -	161	-	-	1	1	13	18	35	34	34	20	5	-
103 Other Dis. of Stomach. Gastritis	309	143	24	4	3	5	8	10	21	24	37	30	-
104 Diarrhœa, Enteritis (under 2 years)	1153	991	162	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	236	-	58	9	10	6	5	11	25	31	38	43	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	233	1	4	31	46	49	27	27	17	18	12	1	-
109 (*a*) Hernia - - - -	93	21	5	3	3	2	3	9	10	9	15	13	-
(*b*) Intestinal Obstruction - -	179	57	12	4	7	10	10	15	10	19	18	17	-
110 Other Diseases of Intestine - -	155	10	5	2	1	14	19	19	34	33	11	7	-
111 Acute Yellow Atrophy of Liver -	2	1	-	-	-	-	-	1	-	-	-	-	-
112 Hydatids of Liver - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
113 Cirrhosis of Liver - - -	167	-	1	1	2	-	7	14	48	55	31	8	-
114 Gallstones - - - - -	27	-	-	-	-	-	-	3	4	3	9	8	-
115 Other Diseases of Liver - -	70	5	4	-	2	1	6	7	9	14	9	13	-
116 Diseases of Spleen - - -	2	-	-	-	-	-	-	1	1	-	-	-	-
117 Peritonitis, cause not specified -	56	10	5	5	1	6	3	6	5	7	7	1	-
118 Other Diseases of Digestive System	15	-	1	-	-	1	-	-	4	5	2	2	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - - -	195	10	24	20	10	10	21	24	25	27	19	5	-
120 (*a*) Bright's Disease - - -	877	1	2	4	7	20	57	79	174	238	200	95	-
(*b*) Uræmia - - - -	55	2	-	2	1	1	1	7	12	9	12	9	-
122 Other Dis. of Kidney, Chyluria (121)	53	2	-	2	1	6	4	4	10	14	8	2	-
123 Urinary Calculus - - -	17	-	-	-	-	-	-	1	4	3	2	7	-
124 Diseases of Bladder - - -	161	3	-	-	-	1	4	4	12	29	44	64	-
125 Dis. of Urethra, Urinary Abscess	36	-	-	-	-	3	2	8	12	6	5	-	-
126 Diseases of Prostate - - -	189	-	-	-	-	-	-	-	3	19	85	82	-
127 Diseases of Male Genital Organs (not Venereal)	9	1	1	-	-	-	-	2	3	1	-	1	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	98	-	-	-	-	-	-	-	-	3	28	67	-
(*b*) Noma, Cancrum Oris - -	5	-	4	1	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	16	-	2	-	-	-	-	1	3	10	-	-	-
143 Carbuncle, Boil - - - -	18	-	-	-	-	-	-	1	1	5	5	6	-
144 Phlegmon, Acute Abscess - -	72	16	6	2	-	5	2	13	8	12	6	2	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	45	12	4	-	1	1	-	2	4	2	11	8	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	70	2	8	18	19	10	3	3	2	3	1	1	-
147 Diseases of Joints - - -	12	-	-	2	1	1	1	-	2	-	4	1	-
149 Other Dis. of Locomotor Sys. (148)	4	-	-	-	-	-	-	-	1	1	1	1	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	307	272	21	8	4	2	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	1,362	1362	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	1,124	1124	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	229	229	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	11	-	-	-	-	-	-	-	-	1	3	7	-
(*b*) Senile Decay - - -	1,373	-	-	-	-	-	-	-	-	-	264	1109	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	207	-	-	-	-	12	30	61	45	41	17	1	-
164 Poisoning by Food - - -	8	1	1	1	1	-	-	-	1	-	3	-	-
165 Other Accidental Poisonings -	37	-	2	-	1	1	6	9	9	8	1	-	-
167 Burns and Scalds (166) - -	199	9	110	8	3	7	13	8	10	14	3	14	-
168 Exposure to Poisonous Vapours -	22	-	1	-	-	3	-	5	8	3	1	1	-
169 Drowning - - - - - -	416	1	23	37	12	69	73	67	60	48	15	4	7
170 Accidents with Fire Arms - -	29	-	-	1	1	10	8	1	5	2	1	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	103	1	3	1	2	11	12	19	22	11	11	10	-
173 (*a*) Accidents in Coal Mines -	96	-	-	-	4	23	24	27	11	5	2	-	-
(*b*) Accidents in Other Mines -	8	-	-	-	-	-	3	1	4	-	-	-	-
(*c*) Accidents in Quarries	7	-	-	-	-	2	4	-	1	-	-	-	-
174 Accidents with Machinery - -	18	-	-	1	1	5	3	3	2	3	-	-	-
175 (*a*) Accidents on Railways - -	135	-	1	1	1	29	25	22	30	17	7	2	-
(*b*) Acc. with Horses and Vehicles	27	-	4	2	1	6	3	2	-	5	3	1	-
(*c*) Accidents with Motor Vehicles	41	-	1	6	3	3	8	8	3	3	4	2	-
(*d*) Accidents with Tramways -	3	-	1		-	-	-	-	1	1	-	-	-
(*e*) Other Crushing Accidents -	39	-	2	3	4	3	8	5	9	2	1	2	-
177 Hunger - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
180 Weather Agencies (178, 179)	36	-	-	2	-	3	3	6	7	6	4	5	-
186 (*a*) Overlaying - - - -	48	48	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	91	50	2	-	3	5	4	6	11	5	3	2	-
(*c*) Other Accidents (176, 181, 185)	664	3	24	39	31	73	96	98	101	107	64	28	-
184 Homicide (182, 183) - - -	3	3	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	23	-	-	-	-	5	14	3	-	1	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	7	-	-	-	-	1	-	1	-	-	3	2	-
188 (*a*) Syncope - - - - -	124	13	-	-	-	1	7	11	16	28	40	8	-
(*b*) Sudden Death (not otherwise defined)	18	1	1	1	1	2	1	3	3	3	-	2	-
189 (*a*) Heart Failure - - -	472	8	4	2	2	7	10	32	56	101	134	116	-
(*c*) Teething - - - - -	7	2	5	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	65	4	35	2	2	2	-	1	3	15	1	-	-
(*f*) Dis. not Specified, Nat. Causes	226	61	16	6	4	4	12	14	17	31	27	34	-

Causes of Death in SCOTLAND in 1914—Females.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	36800	6026	3440	940	640	1595	2082	2598	3064	4104	5688	6623	-
I. GENERAL DISEASES.													
1 Enteric Fever	111	1	3	9	16	30	27	14	4	4	3	-	-
2 Typhus Fever	2	-	-	-	-	-	1	1	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (a) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	693	167	474	32	4	8	5	2	1	-	-	-	-
7 Scarlet Fever	436	20	211	124	30	19	21	7	3	1	-	-	-
8 Whooping-cough	706	335	350	20	-	-	-	-	-	-	-	1	-
9 (a) Diphtheria	422	34	237	104	27	10	5	2	3	-	-	-	-
(c) Croup, Membr. Laryngitis (b)	17	4	8	5	-	-	-	-	-	-	-	-	-
10 Influenza	130	6	2	-	2	2	4	2	3	16	31	62	-
13 Cholera Nostras	13	10	3	-	-	-	-	-	-	-	-	-	-
14 Dysentery	2	1	-	-	-	-	-	-	1	-	-	-	-
18 Erysipelas	83	15	1	-	-	3	4	12	13	17	7	11	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	19	6	6	-	-	-	2	-	4	-	1	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	57	3	4	5	3	4	8	4	10	10	4	2	-
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	1	-	-	-	-	-	-	-	1	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	6	1	-	-	-	-	1	1	2	-	1	-	-
28 Pulmonary Tuberculosis, Phthisis	2,297	9	40	44	122	552	609	472	251	138	46	14	-
29 (a) Acute Phthisis	75	1	2	6	7	25	13	11	8	1	1	-	-
(b) Acute Miliary Tuberculosis	28	-	6	4	3	8	4	2	1	-	-	-	-
30 Tuberculous Meningitis	469	102	220	70	29	20	11	12	4	-	1	-	-
31 Abdominal Tuberculosis	421	62	147	59	39	48	21	22	14	7	2	-	-
32 Tuberculosis of Spine	65	-	3	9	13	13	4	8	8	6	1	-	-
33 Tuberculosis of Joints	30	1	1	1	3	12	2	1	5	1	-	3	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	278	26	47	27	24	42	33	26	25	15	5	8	-
36 Rickets, Osteomalacia	22	8	12	1	1	-	-	-	-	-	-	-	-
37 Syphilis	115	83	6	-	-	3	7	5	4	4	3	-	-
38 Other Venereal Diseases	2	1	-	-	-	1	-	-	-	-	-	-	-
45 (a) Carcinoma	1,889	-	1	-	-	6	32	231	404	475	459	281	-
(b) Sarcoma 39-44	117	-	5	-	2	8	8	12	27	27	18	10	-
(c) Malignant Disease, other or not defined 39-44	1,183	-	1	-	-	3	20	99	205	317	328	210	-
46 Other Tumours (Situation undefined)	27	-	-	-	-	1	2	3	6	4	6	5	-
47 Rheumatic Fever	152	-	2	23	21	42	18	15	18	7	5	1	-
48 (a) Chronic Rheumatism	54	-	-	-	-	-	-	3	5	7	14	25	-
(b) Osteo-arthritis	95	-	-	1	-	-	2	4	8	26	28	26	-
(c) Gout	1	-	-	-	-	-	-	-	-	-	1	-	-
49 Scurvy	1	-	-	-	-	-	-	-	1	-	-	-	-
50 Diabetes	273	-	3	2	5	11	32	22	33	69	71	25	-
51 Exophthalmic Goitre	61	-	-	-	1	5	8	17	16	8	4	2	-
52 Addison's Disease	19	-	-	-	-	-	4	5	3	5	1	1	-
53 (a) Leucocythæmia	22	-	2	-	3	5	3	2	4	1	2	-	-
(b) Lymphadenoma	11	-	1	1	1	1	2	2	1	1	1	-	-
54 Anæmia, Chlorosis	239	5	2	1	1	12	24	41	44	44	49	16	-
55 (b) Purpura	23	6	4	1	4	-	2	1	3	1	-	1	-
(c) Hæmophilia	4	2	-	-	-	-	2	-	-	-	-	-	-
(d) Other General Diseases (a)	5	-	2	-	-	1	-	-	-	1	1	-	-
56 Alcoholism	73	-	-	-	-	-	9	23	20	8	13	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	1	-	-	-	-	-	-	-	1	-	-	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	26	2	7	-	3	4	1	4	1	3	1	-	-
61 (*a*) Cerebro-spinal Meningitis	30	8	11	4	1	2	1	2	1	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	480	153	153	45	27	27	18	25	19	4	6	3	-
62 Locomotor Ataxy	11	-	-	-	-	-	-	1	3	5	2	-	-
63 Other Diseases of Spinal Cord	173	5	5	5	2	4	10	20	30	32	40	20	-
64 Cerebral Hæmorrhage, Apoplexy	2,640	3	5	1	2	11	22	84	305	567	872	768	-
65 Softening of Brain	193	-	-	-	-	-	1	5	18	35	74	62	-
66 (*a*) Hemiplegia	330	-	1	-	-	2	2	11	21	60	120	113	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	48	-	-	-	1	1	2	4	10	14	6	10	-
67 General Paralysis of Insane	51	-	-	-	-	-	8	15	17	5	4	2	-
68 Other Insanity	115	-	-	-	-	8	13	12	28	23	17	14	-
69 Epilepsy	121	6	8	6	4	18	24	12	12	15	9	7	-
71 Convulsions (not Puerperal) (70)	330	237	80	7	-	3	1	-	1	-	1	-	-
72 Chorea	6	-	-	-	2	-	-	-	2	-	2	-	-
73 Neuralgia, Neuritis	28	-	-	-	-	1	4	5	5	5	4	4	-
74 (*c*) Cerebral Tumour	80	1	1	6	4	7	6	18	20	11	5	1	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	71	8	3	1	1	1	2	8	8	6	17	16	-
75 Diseases of Eye and Annexa	3	1	-	-	-	-	-	-	-	1	1	-	-
76 (*a*) Mastoid Disease	12	1	5	3	1	-	-	1	-	-	1	-	-
(*b*) Diseases of Ear	52	11	9	4	8	10	5	2	2	1	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	37	-	1	1	5	6	4	1	5	6	5	3	-
78 Acute Endocarditis	99	-	-	5	10	16	9	18	19	18	3	1	-
79 (*a*) Valvular Disease	1,488	4	3	11	25	61	88	152	193	306	350	295	-
(*b*) Fatty Degeneration of Heart	242	-	-	-	-	2	4	14	26	72	86	38	-
(*c*) Other Organic Diseases of Heart	1,565	4	5	7	13	20	42	67	169	281	468	489	-
80 Angina Pectoris	119	-	-	-	-	-	4	4	11	28	47	25	-
81 (*a*) Aneurysm	33	-	-	-	-	-	1	3	8	9	7	5	-
(*b*) Arterio-sclerosis	187	-	-	-	-	-	-	1	4	17	56	109	-
(*c*) Other Diseases of Arteries	2	-	-	-	-	-	-	-	-	-	1	1	-
82 (*a*) Cerebral Embolism, Thrombosis	376	-	1	2	1	8	11	22	34	70	112	115	-
(*b*) Embolism and Thrombosis, not Cerebral	44	1	-	1	-	2	4	5	6	13	5	7	-
83 Diseases of Veins	25	-	-	-	-	1	5	3	1	2	10	3	-
84 (*a*) Lymphatism, Status Lymphaticus	3	2	-	-	1	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	11	2	3	-	-	1	-	1	-	2	1	1	-
85 Hæmorrhage, Other Diseases of Circulatory System	9	-	-	1	-	-	2	-	-	1	3	2	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	5	1	-	-	-	2	-	-	1	-	1	-	-
87 (*b*) Laryngitis	49	11	24	4	1	-	1	1	1	1	2	3	-
(*c*) Other Diseases of Larynx (*a*)	18	5	10	-	-	-	-	-	1	1	1	-	-
88 Diseases of Thyroid	44	4	-	-	-	-	-	3	10	12	12	3	-
90 Bronchitis (89)	2,377	395	145	11	9	20	15	74	152	308	560	688	-
91 Broncho-pneumonia	1,133	424	419	32	4	8	20	20	27	35	68	76	-
92 Pneumonia	1,371	195	178	38	28	61	105	117	123	149	198	179	-
93 Pleurisy	113	3	8	-	2	7	14	13	14	15	16	21	-
94 (*a*) Pulmonary Apoplexy	14	-	-	1	-	1	2	2	1	4	3	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	203	48	27	3	-	1	4	9	6	19	31	55	-
95 Gangrene of Lung	5	-	-	-	-	-	-	-	2	1	2	-	-
96 Asthma	48	-	-	-	-	5	4	5	12	5	11	6	-
97 Pulmonary Emphysema	10	1	-	-	-	-	-	-	6	2	1	-	-
98 (*a*) Fibroid Diseases of Lung	14	-	-	-	1	-	1	1	1	3	4	3	-
(*b*) Other Diseases of Respiratory System	7	-	-	-	-	-	2	2	1	-	2	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	22	7	2	-	2	1	4	-	2	-	3	1	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	47	7	9	3	3	8	7	2	1	2	2	3	-
102 Gastric Ulcer - - - -	165	1	-	-	2	13	23	48	23	26	21	8	-
103 Other Dis. of Stomach. Gastritis	320	106	20	6	2	2	10	8	14	30	61	61	-
104 Diarrhœa, Enteritis (under 2 years)	1,006	844	162	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	317	-	53	22	6	13	8	20	21	47	60	67	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	220	1	8	33	42	47	22	27	11	13	9	7	-
109 (*a*) Hernia - - - - -	93	-	-	-	-	-	3	2	16	27	26	19	-
(*b*) Intestinal Obstruction - -	153	24	7	4	3	4	17	11	10	21	26	26	-
110 Other Diseases of Intestine - -	111	11	4	1	2	4	8	13	10	13	12	33	-
111 Acute Yellow Atrophy of Liver -	9	-	1	-	-	1	2	2	2	1	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	112	-	-	-	1	2	9	13	22	28	31	6	-
114 Gallstones - - - - -	75	-	-	-	-	-	2	4	11	23	21	14	-
115 Other Diseases of Liver - -	127	11	2	1	1	5	6	9	12	20	38	22	-
116 Diseases of Spleen - - -	3	-	-	-	-	-	-	2	1	-	-	-	-
117 Peritonitis, cause not specified -	64	3	7	10	7	4	6	6	2	4	9	6	-
118 Other Diseases of Digestive System	13	-	-	-	-	1	1	3	3	3	1	1	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	157	11	21	9	9	16	19	18	13	22	15	4	-
120 (*a*) Bright's Disease - - -	789	1	2	4	4	25	56	115	147	166	160	109	-
(*b*) Uræmia - - - -	55	1	1	-	-	1	1	14	10	7	11	8	-
122 Other Dis. of Kidney, Chyluria (121)	56	6	3	1	-	1	10	6	9	10	6	4	-
123 Urinary Calculus - - -	10	-	-	-	-	-	-	3	4	2	1	-	-
124 Diseases of Bladder - - -	70	-	-	-	-	1	4	4	6	10	13	32	-
125 Dis. of Urethra, Urinary Abscess	3	-	-	-	-	-	1	-	-	-	1	1	-
126 Diseases of Prostate - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	13	-	-	-	-	1	2	4	4	1	1	-	-
129 Uterine Tumour (non-Cancerous)	45	-	-	-	-	-	2	14	13	2	7	7	-
130 Other Diseases of Uterus - -	40	-	-	-	-	7	8	10	7	6	2	-	-
131 Cysts, and Other Tumours of Ovary	35	-	-	-	-	1	4	2	15	4	6	3	-
132 Other Dis. of Female Genit. Organs	38	-	1	2	-	7	13	12	2	1	-	-	-
133 Non-Puerperal Diseases of Breast	2	2	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	55	-	-	-	-	6	28	18	3	-	-	-	-
(*c*) Uncontrollable Vomiting -	18	-	-	-	-	2	11	5	-	-	-	-	-
(*d*) Ectopic Gestation - -	13	-	-	-	-	-	5	7	1	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	22	-	-	-	-	5	9	8	-	-	-	-	-
135 Puerperal Hæmorrhage - -	90	-	-	-	-	5	31	52	2	-	-	-	-
136 Other Accidents of Childbirth -	47	-	-	-	-	10	24	13	-	-	-	-	-
137 Puerperal Sepsis - - -	229	-	-	-	-	58	119	52	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	119	-	-	-	-	31	53	33	2	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	59	-	-	-	-	9	27	23	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	2	-	-	-	-	1	1	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	91	-	-	-	-	14	42	34	1	-	-	-	-
141 Puerperal Diseases of Breast -	1	-	-	-	-	-	1	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	142	-	-	-	-	-	-	-	1	4	61	76	-
(*b*) Noma, Cancrum Oris - -	3	1	2	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	21	1	2	-	-	-	1	2	5	10	-	-	-
143 Carbuncle, Boil - - - -	14	-	1	-	-	-	1	2	2	1	4	3	-
144 Phlegmon, Acute Abscess - -	74	27	7	1	3	4	4	5	5	5	6	7	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	60	13	2	-	-	2	3	2	2	5	14	17	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
46 Dis. of Bones (Mastoid excluded)	34	5	5	5	7	2	1	-	6	2	1	-	-
47 Diseases of Joints - - -	11	2	2	-	2	1	-	-	1	1	1	1	-
49 Other Dis. of Locomotor Syst. (148)	2	1	-	-	-	-	-	-	-	-	1	-	-
X. MALFORMATIONS.													
50 Congenital Malformations - -	258	228	17	6	2	5	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
51 (*a*) Premature Birth - - -	1072	1072	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	855	855	-	-	-	-	-	-	-	-	-	-	-
52 Other Diseases peculiar to Early Infancy	150	150	-	-	-	-	-	-	-	-	-	-	-
53 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
54 (*a*) Senile Dementia - - -	27	-	-	-	-	-	-	-	-	-	10	17	-
(*b*) Senile Decay - - -	2263	-	-	-	-	-	-	-	-	-	398	1865	-
XIII. VIOLENT CAUSES.													
63 Suicide (155-162) - - -	54	-	-	-	-	2	11	12	16	6	6	1	-
64 Poisoning by Food - - -	8	-	1	3	-	-	-	1	-	2	-	1	-
65 Other Accidental Poisonings -	28	-	6	3	-	1	3	4	6	3	1	1	-
67 Burns and Scalds (166) - -	224	7	82	30	6	15	12	8	13	17	12	22	-
68 Exposure to Poisonous Vapours -	7	-	-	-	-	-	-	1	1	3	2	-	-
69 Drowning - - - - -	75	-	10	5	1	16	7	12	7	9	6	2	-
70 Accidents with Fire Arms - -	1	-	-	-	-	1	-	-	-	-	-	-	-
71 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
72 Accidental Falls - - -	46	-	2	3	1	-	-	4	6	4	11	15	-
73 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-
74 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-
75 (*a*) Accidents on Railways - -	14	-	-	1	1	1	2	4	1	1	2	1	-
(*b*) Acc. with Horses and Vehicles	7	-	4	1	-	-	-	1	-	1	-	-	-
(*c*) Accidents with Motor Vehicles	7	-	-	5	1	-	-	1	-	-	-	-	-
(*d*) Accidents with Tramways -	5	-	2	1	-	-	-	-	-	1	1	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-
77 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
80 Weather Agencies (178, 179) -	13	1	2	1	1	1	1	-	-	4	1	1	-
86 (*a*) Overlaying - - - -	41	41	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	64	40	3	1	-	1	2	2	5	9	1	-	-
(*c*) Other Accidents (176, 181, 185)	261	2	20	23	7	6	8	16	26	19	49	85	-
184 Homicide (182, 183) - - -	11	8	-	-	-	2	1	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - -	6	1	-	-	-	-	-	-	-	-	2	3	-
188 (*a*) Syncope - - - -	113	8	-	-	-	4	4	14	10	14	37	22	-
(*b*) Sudden Death (not otherwise defined)	12	3	2	-	1	-	-	-	2	1	3	-	-
189 (*a*) Heart Failure - - -	364	13	1	1	3	3	3	23	27	54	110	126	-
(*c*) Teething - - - -	4	2	2	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	59	1	29	1	-	1	1	-	3	21	1	1	-
(*f*) Dis. not Specified, Nat. Causes	272	63	15	5	3	5	6	16	18	30	49	62	-

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914.

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
All Causes	73,557	4,746	1,090	4,009	915	407	266	517	429	2,076	1,088	7,737	662	3,875	4,481	544	1,267
I. GENERAL DISEASES.																	
1 Enteric Fever	225	13	1	20	4	–	1	2	–	6	–	14	2	6	7	2	2
2 Typhus Fever	6	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–
4 Malaria	8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2
5 Small-pox (a) Vaccinated	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (c) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	1,458	5	1	55	2	2	3	1	5	34	8	165	–	69	82	6	2
7 Scarlet Fever	815	95	7	31	5	1	1	3	3	25	8	88	3	43	42	2	3
8 Whooping Cough	1,342	50	5	75	32	2	1	8	1	48	16	19	11	40	39	1	14
9 (a) Diphtheria	859	160	5	40	10	2	2	5	3	17	9	120	–	56	60	7	16
(c) Croup, Membranous Laryngitis (b)	42	5	2	2	1	–	–	–	–	–	–	–	1	7	1	–	2
10 Influenza	230	24	7	6	2	3	–	3	–	9	4	11	11	14	6	1	16
13 Cholera Nostras	29	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	12	1	–	3	–	–	–	–	1	–	–	2	–	–	2	–	–
18 Erysipelas	178	24	1	6	2	–	1	–	2	2	–	21	3	7	3	1	2
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	38	3	1	–	–	–	–	–	–	1	–	4	–	2	2	–	–
20 (a) Pyæmia, Septicæmia (not Puerperal (b)	139	6	–	9	3	1	–	–	1	6	1	15	2	6	6	1	3
(c) Vaccinia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	20	2	–	–	–	–	1	–	–	–	1	–	–	3	1	2	1
28 Pulmonary Tuberculosis, Phthisis	4,774	245	72	258	41	18	15	30	26	112	70	531	32	206	329	27	126
29 (a) Acute Phthisis	143	4	4	9	1	–	–	5	–	2	3	14	2	7	12	2	3
(b) Acute Miliary Tuberculosis	65	7	1	3	–	1	1	–	–	1	1	10	1	–	6	–	2
30 Tuberculous Meningitis	1,011	50	5	43	10	2	2	5	5	40	11	106	4	64	64	2	9
31 Abdominal Tuberculosis	849	35	3	49	8	1	2	2	3	51	12	81	3	42	50	5	6
32 Tuberculosis of Spine	143	10	6	3	4	1	–	1	1	–	1	15	–	5	11	1	5
33 Tuberculosis of Joints	89	1	3	4	–	–	1	1	–	1	1	8	2	5	7	–	1
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	622	31	8	28	5	3	1	7	4	19	9	90	4	31	37	3	2

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
All Causes	532	103	529	24,597	1,089	141	402	182	1,625	4,531	1,164	646	322	476	2,236	319	504	50
I. GENERAL DISEASES.																		
1 Enteric Fever	–	–	–	100	1	2	–	–	7	6	10	1	–	3	9	1	1	4
2 Typhus Fever	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
4 Malaria	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
5 Small-pox (a) Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (c) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	4	–	–	750	44	–	–	–	5	99	32	2	–	24	51	–	7	–
7 Scarlet Fever	9	–	2	331	24	–	1	1	2	43	1	4	1	3	28	3	2	–
8 Whooping Cough	3	5	9	754	15	2	11	–	8	100	6	1	3	–	54	4	5	–
9 (a) Diphtheria	7	1	1	237	10	–	–	3	8	34	3	1	5	11	25	–	1	–
(c) Croup, Membranous Laryngitis (b)	–	–	–	13	1	–	–	–	–	1	1	1	1	–	1	1	1	–
10 Influenza	–	1	5	34	1	1	12	–	10	17	5	4	2	11	6	4	–	–
13 Cholera Nostras	–	–	–	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Erysipelas	4	–	1	61	3	–	–	–	4	14	4	–	–	2	9	1	–	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	–	–	12	–	–	–	–	2	4	2	1	–	1	1	–	1	–
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	1	–	3	41	1	–	3	–	7	7	6	2	–	4	4	–	–	–
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	–	–	–	3	–	1	–	–	–	2	–	1	–	–	1	–	1	–
28 Pulmonary Tuberculosis, Phthisis	36	5	42	1666	69	10	26	17	87	277	129	41	17	35	128	28	23	–
29 (a) Acute Phthisis	1	–	3	49	1	–	2	1	–	8	2	2	2	2	2	–	–	–
(b) Acute Miliary Tuberculosis	1	–	1	17	–	–	–	–	2	4	–	1	–	–	4	1	–	–
30 Tuberculous Meningitis	2	1	9	440	11	–	1	–	16	57	6	7	1	4	28	–	5	1
31 Abdominal Tuberculosis	–	1	4	345	16	2	3	2	14	54	4	5	–	1	38	1	6	–
32 Tuberculosis of Spine	1	–	1	43	1	–	1	3	1	13	4	3	–	1	6	–	1	–
33 Tuberculosis of Joints	–	–	1	34	3	–	–	–	2	6	3	–	1	–	4	–	–	–
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	4	1	8	190	9	2	8	2	17	48	10	5	2	6	26	–	2	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-Lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
I. General Diseases—*continued.*																	
36 Rickets, Osteomalacia	61	4	–	1	–	–	–	–	–	5	–	14	1	7	9	–	–
37 Syphilis	227	18	–	11	1	–	2	1	–	2	4	30	–	6	23	1	2
38 Other Venereal Diseases	7	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
45 (*a*) Carcinoma	3117	199	60	136	46	24	12	19	19	92	49	402	40	176	198	29	52
(*b*) Sarcoma } (39-44)	249	24	7	15	5	3	2	1	2	5	5	30	3	12	14	2	4
(*c*) Malignant Dis., other or not def. } (39-44)	2022	144	41	95	40	20	12	13	3	48	56	243	23	110	169	12	46
46 Other Tumours (Situation undefined)	51	3	1	–	2	2	–	–	–	1	1	10	1	2	1	–	–
47 Rheumatic Fever	268	16	7	12	5	–	–	3	4	11	5	25	1	11	7	2	4
48 (*a*) Chronic Rheumatism	84	6	4	3	–	–	1	–	–	3	1	9	–	3	1	–	–
(*b*) Osteo-arthritis	122	10	3	8	3	1	–	2	1	5	1	18	–	2	6	1	3
(*c*) Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
49 Scurvy	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes	525	45	5	28	7	2	4	1	3	16	11	62	9	26	21	13	7
51 Exophthalmic Goitre	63	1	–	1	–	–	–	2	1	–	1	9	1	5	2	–	–
52 Addison's Disease	29	1	–	1	–	1	–	–	–	1	1	4	–	2	1	2	–
53 (*a*) Leucocythæmia	44	3	–	3	2	–	1	–	–	–	1	6	–	1	–	–	1
(*b*) Lymphadenoma	38	5	1	2	–	–	–	–	–	1	1	4	1	1	3	–	1
54 Anæmia, Chlorosis	419	17	4	19	4	–	2	–	3	20	6	53	6	23	18	6	9
55 (*b*) Purpura	50	4	1	2	–	–	3	–	–	–	–	7	1	5	2	–	1
(*c*) Hæmophilia	9	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
(*d*) Other General Diseases (*a*)	7	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
56 Alcoholism	206	6	–	5	2	1	1	2	–	3	1	30	3	9	24	1	5
57 Chronic Lead Poisoning	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
I. General Diseases—*continued.*																		
36 Rickets, Osteomalacia	–	–	–	14	–	–	–	–	–	4	1	–	–	–	1	–	–	–
37 Syphilis	–	–	–	93	1	–	–	–	1	17	–	1	1	1	8	1	2	–
38 Other Venereal Diseases	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma (39-44)	18	4	29	973	40	5	16	14	115	161	28	30	12	10	81	15	13	–
(*b*) Sarcoma (39-44)	1	–	3	67	4	1	2	1	6	15	7	1	2	–	4	1	–	–
(*c*) Malignant Dis., other or not def. (39-44)	17	6	20	488	21	6	14	10	60	100	40	42	23	13	53	13	21	–
46 Other Tumours (Situation undefined)	–	–	–	20	–	–	–	–	1	5	–	–	–	–	–	–	1	–
47 Rheumatic Fever	3	–	–	97	6	–	2	–	9	19	3	2	2	–	5	1	5	1
48 (*a*) Chronic Rheumatism	1	–	3	21	–	–	–	–	2	9	7	1	–	3	4	–	2	–
(*b*) Osteo-arthritis	2	1	4	27	2	1	1	1	4	6	2	1	–	–	4	1	1	–
(*c*) Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes	3	2	4	150	7	2	–	2	21	37	7	5	3	2	13	2	5	–
51 Exophthalmic Goitre	1	–	–	21	–	–	–	1	3	6	1	4	–	–	3	–	–	–
52 Addison's Disease	–	–	1	8	–	–	–	–	1	1	–	1	–	–	2	1	–	–
53 (*a*) Leucocythæmia	1	–	–	15	1	–	–	–	2	4	2	–	–	–	–	–	1	–
(*b*) Lymphadenoma	–	–	–	13	1	–	–	–	1	3	–	–	–	–	–	–	–	–
54 Anæmia, Chlorosis	3	1	4	132	3	1	6	1	10	28	5	6	6	1	15	3	4	–
55 (*b*) Purpura	–	–	–	14	–	–	–	–	2	5	–	–	–	–	3	–	–	–
(*c*) Hæmophilia	–	–	–	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–
(*d*) Other General Diseases (*a*)	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–
56 Alcoholism	2	–	–	69	4	–	–	1	8	14	1	2	–	1	10	–	1	–
57 Chronic Lead Poisoning	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	55	7	2	3	1	1	–	1	–	–	–	5	1	5	3	–	2
61 (*a*) Cerebro-spinal Meningitis	60	2	–	2	–	–	–	–	1	1	–	2	–	4	1	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	1,009	38	13	80	11	3	2	2	9	44	11	69	7	60	47	4	11
62 Locomotor Ataxy	73	6	1	1	–	2	–	–	2	1	–	13	1	4	6	–	–
63 Other Diseases of Spinal Cord	380	21	3	23	5	4	2	3	2	8	4	51	9	20	22	4	13
64 Cerebral Hæmorrhage, Apoplexy	4,688	324	83	267	60	33	15	32	32	143	91	550	45	261	296	50	66
65 Softening of Brain	334	17	2	15	2	4	–	1	4	11	13	49	–	12	46	3	–
66 (*a*) Hemiplegia	609	48	12	27	6	4	9	4	4	11	15	77	3	21	61	6	14
(*c*) Paralysis, Cause or Nature unspecified (*b*)	96	6	–	9	1	1	–	–	1	1	4	11	–	3	3	–	5
67 General Paralysis of Insane	251	16	2	17	1	–	–	–	–	7	4	56	–	9	12	1	1
68 Other Insanity	175	7	3	4	5	–	–	2	3	12	4	11	3	9	15	2	4
69 Epilepsy	261	21	6	13	4	–	2	1	3	9	3	30	2	18	13	3	1
71 Convulsions (not Puerperal) (70)	784	96	4	29	10	1	1	4	2	19	10	65	10	35	25	6	8
72 Chorea	10	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
73 Neuralgia, Neuritis	53	5	1	5	1	–	–	–	1	2	–	8	–	4	1	–	1
74 (*c*) Cerebral Tumour	155	9	1	2	3	1	–	1	1	2	1	27	–	11	8	2	1
(*d*) Other Diseases of Nervous System (*a*, *b*)	128	7	1	10	4	–	–	–	2	4	3	20	–	7	5	3	4
75 Diseases of Eye and Annexa	9	–	–	2	–	–	–	1	–	–	–	2	–	–	–	–	–
76 (*a*) Mastoid Disease	35	2	–	1	1	1	–	–	–	1	–	2	–	4	2	–	–
(*b*) Diseases of Ear	117	6	2	6	3	1	–	1	–	5	1	15	1	4	5	3	1

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
II. DISEASES OF NERVOUS SYSTEM.																		
60 Encephalitis	–	–	–	20	–	–	–	–	1	2	1	–	–	–	–	–	–	–
61 (*a*) Cerebro-spinal Meningitis	–	1	–	37	1	–	–	–	2	1	–	–	1	–	4	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	3	1	3	419	25	–	2	3	17	71	10	4	4	1	21	5	9	–
62 Locomotor Ataxy	–	–	1	26	1	–	–	–	3	1	1	–	–	–	1	–	2	–
63 Other Diseases of Spinal Cord	–	–	6	111	3	–	5	2	11	19	2	6	2	4	11	4	–	–
64 Cerebral Hæmorrhage, Apoplexy	47	10	45	1,307	59	8	31	16	128	341	42	59	27	21	141	21	37	–
65 Softening of Brain	1	2	4	80	4	–	2	2	12	14	–	10	2	2	13	2	5	–
66 (*a*) Hemiplegia	6	–	5	151	5	2	1	2	10	34	25	7	9	3	18	1	8	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	2	1	1	30	1	–	1	–	–	4	4	2	1	2	1	1	–	–
67 General Paralysis of Insane	–	–	–	87	5	–	3	–	3	12	2	3	1	–	6	2	1	–
68 Other Insanity	3	2	–	52	1	1	3	1	2	11	8	–	1	3	3	–	–	–
69 Epilepsy	6	–	3	75	5	–	1	1	6	15	6	1	–	–	8	1	4	–
71 Convulsions (not Puerperal) (70)	9	–	5	334	12	1	1	–	10	39	5	4	–	1	29	3	6	–
72 Chorea	–	–	–	4	–	–	–	–	1	1	–	–	–	–	1	–	–	–
73 Neuralgia, Neuritis	–	–	–	15	–	–	–	–	1	6	1	–	–	–	1	–	–	–
74 (*c*) Cerebral Tumour	–	–	1	51	1	–	–	–	5	15	5	–	–	1	6	–	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	–	–	39	–	–	2	–	2	8	–	–	–	1	4	–	–	–
75 Diseases of Eye and Annexa	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	–	2	–	14	–	–	–	–	1	2	–	–	–	–	1	1	–	–
(*b*) Diseases of Ear	1	–	–	32	2	1	–	–	3	11	4	–	–	1	6	–	1	1

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	69	4	1	4	1	–	–	–	1	4	3	5	–	1	3	1	2
78 Acute Endocarditis	197	12	1	9	2	–	–	1	–	6	4	27	1	9	5	–	6
79 (*a*) Valvular Disease	2,748	179	63	137	25	20	5	26	16	74	55	368	23	162	204	25	53
(*b*) Fatty Degeneration of Heart	388	12	7	24	5	8	2	1	6	15	14	80	4	17	24	3	2
(*c*) Other Organic Diseases of Heart	2,971	263	74	170	62	34	14	43	19	73	44	327	39	192	167	40	53
80 Angina Pectoris	289	26	3	12	3	1	–	4	3	14	5	44	3	14	5	2	4
81 (*a*) Aneurysm	131	10	1	5	1	–	1	–	1	–	2	27	–	7	12	–	2
(*b*) Arterio-sclerosis	406	29	3	22	8	1	–	5	2	7	2	38	11	25	40	4	4
(*c*) Other Diseases of Arteries	7	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	590	31	9	35	3	3	5	5	4	7	13	92	4	43	50	3	8
(*b*) Embolism and Thrombosis, not Cerebral	86	8	1	6	4	–	–	–	–	1	2	15	3	6	2	1	–
83 Diseases of Veins	34	4	–	–	–	–	1	–	1	2	–	3	1	3	2	–	–
84 (*a*) Lymphatism, Status Lymphaticus	10	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
(*b*) Other Dis. of Lymphatic System	15	3	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1
85 Hæmorrhage, Other Diseases of Circulatory System	14	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	2
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	16	1	–	–	–	–	–	1	–	–	–	2	–	–	1	–	1
87 (*b*) Laryngitis	103	6	1	5	2	–	1	–	–	4	2	6	–	12	5	–	–
(*c*) Other Diseases of Larynx (*a*)	56	2	–	4	–	–	–	–	–	1	1	4	–	2	1	1	–
88 Diseases of Thyroid	49	5	–	1	1	–	1	–	1	1	–	9	1	1	5	–	–
90 Bronchitis (89)	4,729	292	70	276	45	20	17	25	32	123	58	449	27	230	308	27	56
91 Broncho-pneumonia	2,307	100	11	103	31	11	3	12	12	76	18	218	11	90	125	9	17
92 Pneumonia	3,396	225	40	165	53	20	13	21	13	89	44	372	28	183	166	20	61
93 Pleurisy	274	25	3	13	4	2	–	2	1	6	4	26	–	13	19	4	4
94 (*a*) Pulmonary Apoplexy	21	–	–	2	–	–	–	–	–	–	1	4	1	1	–	1	–
(*b*) Pulmonary Congestion (*c*, *d*)	416	32	5	27	5	–	1	–	3	12	8	44	7	13	20	4	5
95 Gangrene of Lung	20	1	–	2	–	–	–	1	–	–	1	4	–	1	2	–	–
96 Asthma	84	5	–	5	3	–	1	–	1	3	2	8	–	3	7	–	4
97 Pulmonary Emphysema	28	–	–	–	–	–	–	–	–	–	1	2	–	4	2	–	1
98 (*a*) Fibroid Diseases of Lung	52	2	1	6	–	–	–	–	1	–	–	14	1	6	4	–	–
(*b*) Other Diseases of Respiratory System	20	–	–	1	–	–	–	–	–	–	–	3	–	–	1	1	1

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
III. DISEASES OF CIRCULATORY SYSTEM.																		
77 Pericarditis	–	–	–	26	3	–	–	–	1	4	–	1	1	–	1	–	2	–
78 Acute Endocarditis	1	–	2	79	2	–	1	–	4	10	–	1	2	–	10	–	2	–
79 (*a*) Valvular Disease	16	4	38	718	32	3	25	5	71	165	51	28	14	16	74	17	35	1
(*b*) Fatty Degeneration of Heart	1	1	9	90	4	–	1	–	5	9	8	5	6	–	20	–	5	–
(*c*) Other Organic Diseases of Heart	21	4	25	730	43	3	16	5	103	175	35	49	12	25	75	18	18	–
80 Angina Pectoris	8	1	2	70	3	1	2	–	16	17	5	2	3	1	7	–	8	–
81 (*a*) Aneurysm	2	–	–	31	2	–	1	–	5	13	1	1	1	1	3	1	–	–
(*b*) Arterio-sclerosis	3	–	2	139	–	–	7	3	9	19	6	1	1	1	8	1	5	–
(*c*) Other Diseases of Arteries	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	6	1	13	146	3	2	4	6	16	23	10	6	7	2	19	7	4	–
(*b*) Embolism and Thrombosis, not Cerebral	–	–	–	21	5	–	–	1	1	6	–	–	–	–	–	1	2	–
83 Diseases of Veins	–	–	–	11	–	–	–	–	3	2	–	–	–	–	1	–	–	–
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	1	–	–
(*b*) Other Dis. of Lymphatic System	–	–	–	3	–	1	1	–	–	–	1	–	–	–	2	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	–	–	–	3	–	–	1	–	1	2	–	–	–	–	–	–	–	–
IV. DISEASES OF RESPIRATORY SYSTEM.																		
86 Diseases of Nose	–	–	–	8	–	–	1	–	–	–	–	–	–	–	1	–	–	–
87 (*b*) Laryngitis	–	–	1	31	8	–	–	1	2	10	1	1	1	1	2	–	–	–
(*c*) Other Diseases of Larynx (*a*)	–	–	1	27	1	–	–	–	3	3	–	–	–	–	5	–	–	–
88 Diseases of Thyroid	–	–	1	18	–	–	–	–	–	2	1	–	1	–	–	–	–	–
90 Bronchitis (89)	34	2	28	1,768	89	3	14	11	99	305	54	34	18	28	155	11	21	–
91 Broncho-pneumonia	11	1	7	1,088	43	4	6	1	31	151	22	5	5	8	59	8	10	–
92 Pneumonia	20	1	15	1,269	29	8	15	4	70	212	43	18	10	9	121	14	22	3
93 Pleurisy	2	–	3	87	5	–	3	1	8	13	5	3	4	1	11	1	1	–
94 (*a*) Pulmonary Apoplexy	–	–	–	6	1	–	–	–	–	2	–	–	–	–	1	1	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	1	4	6	151	5	–	–	–	4	30	6	8	4	1	8	–	2	–
95 Congestion of Lungs	–	–	1	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
96 Asthma	–	–	1	15	1	–	1	–	1	5	11	1	–	1	3	–	2	–
97 Pulmonary Emphysema	1	–	–	9	–	–	1	1	1	3	–	–	–	–	1	–	1	–
98 (*a*) Fibroid Diseases of Lung	–	–	–	12	–	–	–	–	–	2	–	1	1	–	1	–	–	–
(*b*) Other Diseases of Respiratory System	–	–	–	10	–	–	–	–	–	–	–	–	–	–	3	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	39	4	–	1	–	1	–	–	–	1	1	2	–	1	3	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	95	5	3	6	–	–	–	–	–	4	–	13	3	7	7	1	1
102 Gastric Ulcer	326	27	4	18	5	2	3	4	3	12	5	30	5	18	19	2	11
103 Other Diseases of Stomach. Gastritis	629	34	10	34	6	3	3	6	6	17	12	42	4	47	37	4	6
104 Diarrhœa, Enteritis (under 2 years)	2,159	128	3	124	26	3	4	14	13	61	15	161	14	88	168	9	10
105 Diarrhœa, Enteritis (over 2 years)	553	40	6	43	4	3	5	1	3	14	4	56	6	28	39	9	7
107 Intestinal Parasites (106)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis	453	31	4	39	2	4	4	2	2	14	5	35	4	32	19	5	7
109 (*a*) Hernia	186	9	5	12	–	1	–	1	–	8	2	20	1	12	12	1	3
(*b*) Intestinal Obstruction	332	22	5	18	7	4	–	2	1	15	7	37	5	15	16	2	5
110 Other Diseases of Intestine	266	10	6	18	3	2	1	3	–	8	3	37	4	15	14	1	7
111 Acute Yellow Atrophy of Liver	11	–	–	1	–	–	–	–	–	–	–	2	–	2	1	–	–
112 Hydatids of Liver	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver	279	16	4	23	8	3	1	2	2	7	2	38	4	13	17	3	1
114 Gallstones	102	6	1	7	2	2	–	–	1	1	–	19	–	4	5	1	2
115 Other Diseases of Liver	197	15	1	14	3	1	–	–	2	11	4	24	1	6	8	–	3
116 Diseases of Spleen	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified	120	12	3	8	2	1	1	1	–	6	–	14	–	4	12	2	3
118 Other Diseases of Digestive System	28	–	1	–	1	–	–	–	–	–	–	1	–	3	3	1	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
V.—DISEASES OF DIGESTIVE SYSTEM.																		
99 Diseases of Mouth, Teeth. Oral Sepsis	1	–	–	16	–	–	–	1	–	4	3	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	–	–	–	20	2	1	–	2	2	8	2	3	1	1	2	–	–	1
102 Gastric Ulcer	4	–	3	85	1	–	1	1	11	25	4	4	3	3	8	1	1	3
103 Other Dis. of Stomach. Gastritis	2	2	5	221	8	2	4	1	13	52	9	3	4	4	19	1	8	–
104 Diarrhœa, Enteritis (under 2 years)	10	2	4	1005	51	2	1	1	18	139	6	6	2	–	61	–	10	–
105 Diarrhœa, Enteritis (over 2 years)	4	1	2	188	17	1	–	2	9	32	5	4	–	2	10	2	6	–
107 Intestinal Parasites (106)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis	2	–	8	142	15	–	–	2	10	37	7	4	2	–	11	1	2	1
109 (*a*) Hernia	1	–	2	57	7	1	–	–	8	11	4	–	–	–	6	1	1	–
(*b*) Intestinal Obstruction	3	1	3	98	5	1	2	–	5	28	2	1	1	2	14	–	4	1
110 Other Diseases of Intestine	2	1	–	63	4	3	2	–	12	19	5	3	2	3	11	–	2	2
111 Acute Yellow Atrophy of Liver	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
113 Cirrhosis of Liver	2	–	2	81	2	1	2	2	3	20	3	4	1	2	10	–	–	–
114 Gallstones	1	1	3	23	–	1	1	2	2	8	1	4	–	–	4	–	–	–
115 Other Diseases of Liver	2	–	–	57	7	–	–	–	4	17	5	2	2	2	3	–	3	–
116 Diseases of Spleen	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
117 Peritonitis, cause not specified	–	–	1	29	–	–	–	1	2	11	2	–	–	1	4	–	–	–
118 Other Diseases of Digestive System	1	–	–	12	–	–	–	–	–	2	1	2	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	352	26	4	16	5	1	–	1	1	7	7	43	5	24	10	1	7
120 (*a*) Bright's Disease	1666	98	33	118	16	8	13	5	16	48	29	163	18	63	86	11	34
(*b*) Uræmia	110	9	1	10	1	–	–	–	–	–	2	13	2	4	9	1	3
122 Other Diseases of Kidney, Chyluria (121)	109	10	–	4	2	1	1	2	–	8	2	14	3	2	7	–	1
123 Urinary Calculus	27	2	1	–	1	–	–	–	1	–	–	5	–	3	2	–	–
124 Diseases of Bladder	231	15	7	19	2	1	2	8	3	5	3	22	3	7	6	2	6
125 Diseases of Urethra, Urinary Abscess	39	4	–	–	–	–	1	–	–	5	–	2	–	1	6	–	–
126 Diseases of Prostate	189	14	5	10	5	1	2	4	–	3	1	20	3	9	17	2	7
127 Diseases of Male Genital Organs (not Venereal)	9	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	13	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–
129 Uterine Tumour (non-Cancerous)	45	3	–	1	3	2	1	–	–	1	3	3	1	1	4	1	–
130 Other Diseases of Uterus	40	4	–	2	1	–	–	–	1	3	–	2	1	2	2	–	1
131 Cysts, and Other Tumours of Ovary	35	–	–	3	1	–	1	–	–	1	2	3	–	1	4	–	2
132 Other Diseases of Female Genital Organs	38	1	1	6	–	–	–	–	–	1	2	6	–	1	2	–	–
133 Non-Puerperal Diseases of Breast	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (*a*) Abortion, Miscarriage	55	5	1	–	–	–	–	–	–	2	–	5	1	3	1	1	1
(*c*) Uncontrollable Vomiting	18	2	–	3	–	–	–	–	–	1	–	–	–	2	–	–	–
(*d*) Ectopic Gestation	13	1	–	2	–	–	–	–	–	–	–	3	–	–	1	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	22	–	–	1	–	–	–	–	–	1	–	3	–	2	2	–	1
135 Puerperal Hæmorrhage	90	4	–	10	–	1	–	–	1	4	1	8	–	4	1	–	–
136 Other Accidents of Childbirth	47	5	–	4	1	–	–	–	–	1	2	3	–	3	–	–	1
137 Puerperal Sepsis	229	19	2	15	1	2	1	2	–	7	2	20	–	8	9	1	4
138 Puerperal Albuminuria, Convulsions	119	5	1	5	–	3	–	–	–	4	2	10	–	9	12	2	1
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	59	3	2	4	–	–	–	1	–	1	3	10	–	2	–	–	3
140 (*a*) Puerperal Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(*b*) Other Puerperal Diseases	91	4	–	7	2	2	–	–	2	8	1	8	–	5	6	–	1
141 Puerperal Diseases of Breast	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
VI. DISEASES OF GENITO-URINARY SYSTEM.																		
119 Acute Nephritis	2	–	–	128	5	1	1	–	15	24	7	2	1	1	6	–	–	1
120 (*a*) Bright's Disease	10	3	10	629	14	7	5	7	30	84	23	24	12	7	26	4	12	–
(*b*) Uræmia	–	–	2	27	2	–	–	–	4	8	5	1	–	–	5	–	1	–
122 Other Diseases of Kidney, Chyluria (121)	–	–	1	37	2	–	–	–	2	5	–	–	–	2	3	–	–	–
123 Urinary Calculus	–	–	–	7	–	–	–	–	–	1	–	1	1	1	1	–	–	–
124 Diseases of Bladder	3	–	4	69	1	–	1	–	7	12	2	7	1	3	5	3	2	–
125 Diseases of Urethra, Urinary Abscess	–	–	–	18	–	–	–	–	–	2	–	–	–	–	–	–	–	–
126 Diseases of Prostate	1	–	3	49	2	–	–	1	4	7	6	–	2	2	5	1	3	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	1	–	–	4	1	–	–	–	–	1	–	–	–	–	1	–	–	–
129 Uterine Tumour (non-Cancerous)	–	–	–	10	1	–	–	–	2	–	2	3	–	–	3	–	–	–
130 Other Diseases of Uterus	–	–	–	13	2	–	–	–	–	5	1	–	–	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	–	–	11	–	–	–	–	2	2	–	–	1	–	–	1	–	–
132 Other Diseases of Female Genital Organs	–	–	–	13	–	–	–	–	–	3	–	–	–	–	1	–	1	–
133 Non Puerperal Diseases of Breast	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																		
134 (*a*) Abortion, Miscarriage	–	–	–	28	–	–	–	–	–	–	2	–	–	–	3	1	1	–
(*c*) Uncontrollable Vomiting	–	–	–	6	–	–	–	–	1	2	1	–	–	–	–	–	–	–
(*d*) Ectopic Gestation	–	–	1	3	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	7	–	–	–	–	1	1	2	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage	–	–	1	34	–	–	–	–	–	8	2	–	–	1	7	1	2	–
136 Other Accidents of Childbirth	–	–	–	16	1	–	–	–	2	2	1	–	2	2	1	–	–	–
137 Puerperal Sepsis	2	–	–	103	1	–	–	1	5	11	–	1	–	–	11	1	–	–
138 Puerperal Albuminuria, Convulsions	5	–	–	37	1	1	–	1	–	10	2	3	–	–	5	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	4	–	–	12	1	1	–	–	2	5	–	2	–	1	2	–	–	–
140 (*a*) Puerperal Insanity	–	–	–	*	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases	–	–	–	22	2	–	2	–	3	11	–	–	–	1	3	–	1	–
141 Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-Lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (*a*) Senile Gangrene	240	13	1	20	4	5	2	5	2	8	5	26	2	16	13	1	4
(*b*) Noma, Cancrum Oris	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
(*d*) Other Gangrene (*c*)	37	1	–	3	–	–	–	1	1	2	–	1	–	5	1	–	–
143 Carbuncle, Boil	32	2	–	1	–	–	1	–	–	2	–	4	–	1	2	–	2
144 Phlegmon, Acute Abscess	146	10	1	10	–	–	–	–	–	8	1	20	–	11	5	–	1
145 Ulcer, Other Diseases of Skin and Cellular Tissue	105	11	3	6	1	1	–	–	–	4	1	13	–	5	12	1	2
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	104	6	1	6	–	–	–	1	1	4	1	9	1	8	6	–	2
147 Diseases of Joints	23	3	1	4	–	–	–	–	–	–	–	2	–	2	3	–	–
149 Other Dis. of Locomotor Syst. (148)	6	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
X. MALFORMATIONS.																	
150 Congenital Malformations	565	29	6	41	8	2	1	–	2	18	13	61	–	38	34	10	8
XI. DISEASES OF EARLY INFANCY.																	
151 (*a*) Premature Birth	2434	152	11	133	35	11	4	1	9	74	32	232	17	170	160	26	15
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1979	115	13	142	25	6	3	11	20	45	29	189	23	106	128	15	14
152 Other Diseases peculiar to Early Infancy	379	25	3	29	2	1	1	2	2	17	7	45	8	22	17	5	1
153 Lack of Care	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
XII. OLD AGE.																	
154 (*a*) Senile Dementia	38	6	2	3	1	2	–	–	1	2	–	5	–	7	1	–	1
(*b*) Senile Decay	3636	294	134	218	49	40	17	67	24	78	63	269	52	203	231	20	136

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																		
142 (*a*) Senile Gangrene	5	–	3	59	1	1	2	–	7	10	7	8	2	1	4	–	3	–
(*b*) Noma, Cancrum Oris	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*)	1	–	1	15	2	–	–	–	–	1	–	–	–	–	2	–	–	–
143 Carbuncle, Boil	–	–	–	10	1	–	–	–	1	4	–	1	–	–	–	–	–	–
144 Phlegmon, Acute Abscess	1	–	1	52	3	–	–	1	4	9	1	–	–	1	4	–	1	1
145 Ulcer, Other Diseases of Skin and Cellular Tissue	–	–	1	25	–	–	1	1	1	9	1	–	2	1	1	–	2	–
IX. DISEASES OF ORGANS OF LOCOMOTION.																		
146 Diseases of Bones (Mastoid excluded)	–	1	–	36	1	–	–	–	2	9	5	–	–	–	3	–	–	1
147 Diseases of Joints	–	–	–	5	–	–	–	–	1	1	–	1	–	–	–	–	–	–
149 Other Diseases of Locomotor System (148)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
X. MALFORMATIONS.																		
150 Congenital Malformations	2	1	3	197	9	–	2	2	12	34	3	9	1	–	18	–	1	–
XI. DISEASES OF EARLY INFANCY.																		
151 (*a*) Premature Birth	14	3	9	940	55	4	14	2	43	152	5	9	8	3	78	2	11	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	9	1	6	694	47	6	8	3	33	160	12	15	7	9	67	2	16	–
152 Other Diseases peculiar to Early Infancy	10	–	1	121	6	2	–	–	9	19	2	4	–	3	14	–	1	–
153 Lack of Care	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.																		
154 (*a*) Senile Dementia	–	–	1	1	1	–	–	–	–	1	1	–	–	1	2	–	1	–
(*b*) Senile Decay	50	7	30	633	36	24	56	15	116	200	187	37	20	99	120	63	48	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1914—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	261	25	3	11	4	1	–	2	1	2	3	38	–	7	32	2	6
164 Poisoning by Food	16	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–
165 Other Accidental Poisonings	65	1	1	5	1	–	1	–	1	2	3	10	–	4	3	1	1
167 Burns and Scalds (166)	423	27	3	24	6	2	3	2	1	12	4	45	3	18	20	2	7
168 Exposure to Poisonous Vapours	29	–	–	–	1	–	4	–	–	–	1	6	–	–	6	1	–
169 Drowning	491	49	21	24	5	4	–	5	4	23	4	26	8	34	25	2	13
170 Accidents with Fire Arms	30	1	–	2	1	–	1	1	–	–	–	–	1	4	4	1	2
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls	149	8	3	10	3	1	–	1	1	5	–	29	2	3	9	–	–
173 (*a*) Accidents in Coal Mines	96	–	1	6	–	–	–	–	2	3	1	11	–	15	–	2	–
(*b*) Accidents in Other Mines	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(*c*) Accidents in Quarries	7	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery	18	1	–	2	–	–	–	–	–	–	1	2	–	2	3	–	–
175 (*a*) Accidents on Railways	149	7	–	9	1	1	–	–	1	7	4	10	3	11	6	1	6
(*b*) Acc. with Horses and Vehicles	34	3	1	3	1	–	–	–	–	1	–	6	1	7	–	–	–
(*c*) Accidents with Motor Vehicles	48	7	–	1	2	–	–	–	1	2	1	6	1	2	–	1	–
(*d*) Accidents with Tramways	8	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
(*e*) Other Crushing Accidents	39	2	–	3	2	–	–	–	1	1	–	3	1	3	2	–	–
177 Hunger	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179)	49	1	4	4	1	–	1	1	–	1	1	2	2	4	2	1	6
186 (*a*) Overlaying	89	2	–	–	1	–	–	1	–	–	2	15	1	10	24	1	–
(*b*) Suffocation (otherwise)	155	11	1	5	2	–	–	1	2	2	3	20	–	7	2	2	2
(*c*) Other Accidents (176, 181, 185)	925	50	4	45	4	2	5	9	6	25	14	92	4	62	52	3	4
184 Homicide (182, 183)	14	1	–	–	–	–	–	–	–	–	1	5	–	–	1	–	–
190 Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191 War Casualties (not Sickness)	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	13	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1
188 (*a*) Syncope	237	7	6	12	–	5	1	–	2	11	5	21	2	9	19	2	10
(*b*) Sudden Death (not otherwise defined)	30	1	–	–	–	–	–	1	–	5	1	–	–	4	2	–	3
189 (*a*) Heart Failure	836	42	22	50	6	–	6	13	5	15	9	58	14	45	50	6	19
(*c*) Teething	11	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	124	6	2	9	1	–	–	2	2	3	1	6	3	7	1	–	4
(*f*) Dis. not Specified, Nat. Causes	498	29	28	18	12	4	3	14	2	16	5	15	6	13	8	8	86

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
XIII. VIOLENT CAUSES.																		
163 Suicide	1	–	3	60	4	–	1	1	10	15	8	–	2	4	10	4	1	–
164 Poisoning by Food	–	–	–	5	–	–	–	–	1	1	–	–	–	–	5	–	–	–
165 Other Accidental Poisonings	–	1	1	21	2	–	–	–	–	1	1	–	–	–	4	–	–	–
167 Burns and Scalds (166)	5	–	3	158	8	–	3	–	8	23	8	5	2	3	13	1	3	1
168 Exposure to Poisonous Vapours	–	–	–	8	1	–	1	–	–	–	–	–	–	–	–	–	–	–
169 Drowning	3	1	2	130	7	1	6	–	12	24	12	2	–	6	28	3	7	–
170 Accidents with Fire Arms	1	–	1	6	–	–	1	–	–	–	–	–	–	–	1	1	–	1
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls	1	–	1	50	–	–	2	–	4	10	–	–	–	–	2	–	4	–
173 (*a*) Accidents in Coal Mines	–	–	–	51	–	–	–	–	–	–	–	–	–	–	4	–	–	–
(*b*) Accidents in Other Mines	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
174 Accidents with Machinery	–	–	–	4	–	–	–	–	–	1	–	–	1	–	1	–	–	–
175 (*a*) Accidents on Railways	2	–	–	51	3	1	–	1	3	11	–	–	–	–	8	–	1	1
(*b*) Acc. with Horses and Vehicles	–	–	1	3	1	–	–	–	–	–	2	2	–	–	1	–	1	–
(*c*) Accidents with Motor Vehicles	3	–	1	15	1	–	–	–	2	1	–	–	–	–	1	–	–	–
(*d*) Accidents with Tramways	–	–	–	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents	1	–	–	12	–	–	–	–	2	3	1	–	–	1	1	–	–	–
177 Hunger	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
180 Weather Agencies (178, 179)	1	–	–	8	–	–	1	–	1	1	2	–	–	–	2	1	1	–
186 (*a*) Overlaying	–	–	–	25	2	–	–	–	1	1	–	–	–	–	1	–	2	–
(*b*) Suffocation (otherwise)	1	–	–	72	2	–	–	–	2	13	1	–	1	–	3	–	–	–
(*c*) Other Accidents (176, 181, 185)	8	2	4	352	17	1	1	2	15	73	11	8	6	2	31	3	5	3
184 Homicide (182, 183)	1	–	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–
190 Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191 War Casualties (not Sickness)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	21
XIV. ILL-DEFINED CAUSES.																		
187 Dropsy	–	–	–	2	–	–	–	–	–	1	2	1	–	–	1	–	–	–
188 (*a*) Syncope	5	–	–	74	–	–	1	–	4	15	2	1	2	–	20	1	–	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	11	–	–	–	–	2	–	–	–	–	–	–	–	–	–
189 (*a*) Heart Failure	3	4	8	255	8	–	10	3	26	60	32	12	5	14	25	4	6	1
(*c*) Teething	–	–	–	3	2	–	–	–	–	1	–	1	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	–	1	1	45	4	–	–	–	5	10	3	–	1	2	4	–	1	–
(*f*) Dis. not Specified, Nat. Causes	7	–	3	125	2	4	9	–	7	12	31	4	–	9	5	12	1	–

Causes of Death in SCOTLAND (Both Sexes), by Months, in 1914.

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
All Causes	73557	7645	6224	6785	6486	5965	5718	5274	5276	5669	5578	5926	7011
I. GENERAL DISEASES.													
1 Enteric Fever	225	13	13	12	15	15	18	16	24	22	28	25	24
2 Typhus Fever	6	1	–	2	1	1	–	–	–	–	–	1	–
4 Malaria	8	1	–	–	–	1	–	3		1	–	1	1
5 (*a*) Smallpox — Vaccinated	1	–	–	1	–	–	–	–	–	–	–	–	–
(*b*) Smallpox — Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Smallpox — Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	1458	266	232	268	227	176	108	74	30	12	11	26	28
7 Scarlet Fever	815	92	73	63	49	40	52	46	46	66	85	100	103
8 Whooping-cough	1342	81	67	118	111	132	124	78	100	109	75	115	232
9 (*a*) Diphtheria	859	117	92	71	55	43	34	29	54	56	107	100	101
(*c*) Croup, Membr. Laryngitis (*b*)	42	4	3	6	2	3	–	5	2	2	4	6	5
10 Influenza	230	44	24	17	31	17	17	10	4	9	15	15	27
13 Cholera Nostras	29	–	–	–	–	–	–	1	2	22	3	1	–
14 Dysentery	12	–	2	–	1	1	–	–	1	4	–	–	3
18 Erysipelas	178	17	22	15	20	10	10	10	9	10	18	18	19
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	38	2	3	3	4	3	4	–	3	2	4	5	5
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	139	10	13	8	12	8	19	13	9	11	13	14	9
(*c*) Vaccinia	1	–	1	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	1	–	–	–	–	–	–	–	–	–	–	–	1
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	20	1	2	1	3	1	2	3	1	1	2	–	3
28 Pulmonary Tuberculosis, Phthisis	4774	388	354	463	464	424	439	381	335	350	327	402	447
29 (*a*) Acute Phthisis	143	15	14	8	17	14	10	11	12	11	7	13	11
(*b*) Acute Miliary Tuberculosis	65	5	5	9	5	9	4	13	–	3	7	2	3
30 Tuberculous Meningitis	1011	86	81	107	103	106	97	94	80	58	62	61	76
31 Abdominal Tuberculosis	849	73	75	68	92	96	83	66	63	63	58	52	60
32 Tuberculosis of Spine	143	8	10	11	13	15	11	14	16	14	5	13	13
33 Tuberculosis of Joints	89	5	7	9	6	5	9	6	5	9	4	12	12
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	622	53	45	54	70	60	53	54	50	49	50	45	39
36 Rickets, Osteomalacia	61	8	6	3	3	1	11	5	8	2	3	8	3
37 Syphilis	227	21	17	20	13	17	23	22	19	16	18	24	17
38 Other Venereal Diseases	7	1	–	–	1	–	–	1	–	–	–	1	3
45 (*a*) Carcinoma — 39-44	3117	262	231	257	222	287	282	274	252	278	272	239	261
(*b*) Sarcoma — 39-44	249	18	19	24	19	19	19	23	20	18	19	29	22
(*c*) Malignant Disease, other or not defined — 39-44	2022	175	161	159	179	155	168	155	166	167	183	176	178
46 Other Tumours (Situation undefined)	51	3	5	4	5	2	1	5	2	6	8	5	5
47 Rheumatic Fever	268	22	26	15	26	29	26	18	24	17	15	20	30
48 (*a*) Chronic Rheumatism	84	5	4	6	6	9	5	5	10	8	9	5	12
(*b*) Osteo-arthritis	122	16	11	10	9	6	11	5	14	12	9	11	8
(*c*) Gout	2	–	1	–	–	–	–	–	–	–	1	–	–
49 Scurvy	3	–	–	–	–	2	–	–	–	–	–	1	–
50 Diabetes	525	50	46	42	54	53	35	43	39	33	46	39	45
51 Exophthalmic Goitre	63	7	4	6	7	5	5	3	1	7	8	7	3
52 Addison's Disease	29	1	2	1	3	4	3	2	1	5	1	4	2
53 (*a*) Leucocythæmia	44	2	–	3	4	4	10	1	4	3	3	7	3
(*b*) Lymphadenoma	38	1	1	4	3	3	3	3	5	2	5	4	4
54 Anæmia, Chlorosis	419	32	30	34	46	43	31	30	48	27	30	45	23
55 (*b*) Purpura	50	4	4	4	9	5	6	3	3	1	6	1	4
(*c*) Hæmophilia	9	1	3	1	–	–	1	–	–	1	2	–	–
(*d*) Other General Diseases (*a*)	7	1	–	1	–	–	–	1	–	1	3	–	–
56 Alcoholism	206	38	13	12	18	17	12	14	16	14	19	13	20
57 Chronic Lead Poisoning	3	–	–	–	–	–	–	–	1	–	1	–	1
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	2	–	–	1	–	–	–	–	–	–	–	–	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	55	5	5	2	7	5	6	6	6	4	4	5	-
61 (*a*) Cerebro-Spinal Meningitis	60	3	1	7	6	2	6	7	6	7	7	4	4
(*c*) Meningitis, Basal, Nature unspecified (*b*)	1009	100	89	76	79	91	81	77	72	105	66	84	89
62 Locomotor Ataxy	73	8	7	13	4	6	3	4	7	2	5	8	6
63 Other Diseases of Spinal Cord	380	37	30	40	31	24	33	39	22	36	22	32	34
64 Cerebral Hæmorrhage, Apoplexy	4688	486	390	431	381	385	356	363	322	348	372	387	467
65 Softening of Brain	334	31	35	36	16	30	19	37	22	19	31	28	30
66 (*a*) Hemiplegia	609	68	41	69	51	47	48	30	50	44	42	56	63
(*c*) Paralysis, Cause or Nature unspecified (*b*)	96	10	11	10	9	6	12	5	9	5	4	6	9
67 General Paralysis of Insane	251	27	12	27	21	22	21	12	24	17	19	30	19
68 Other Insanity	175	22	14	17	20	10	18	15	13	12	17	5	12
69 Epilepsy	261	23	21	20	22	17	23	27	19	24	16	23	26
71 Convulsions (not Puerperal) (70)	784	74	66	85	79	57	58	45	53	53	56	80	78
72 Chorea	10	1	-	1	1	1	2	-	-	2	1	-	1
73 Neuralgia, Neuritis	53	7	4	5	2	5	7	1	5	7	5	5	-
74 (*c*) Cerebral Tumour	155	12	12	10	14	14	7	13	16	14	18	11	14
(*d*) Other Diseases of Nervous System (*a*, *b*)	128	8	11	14	9	14	13	9	5	8	15	12	10
75 Diseases of Eye and Annexa	9	1	1	-	-	1	-	2	-	1	1	1	1
76 (*a*) Mastoid Disease	35	-	2	1	-	2	3	4	7	3	8	1	4
(*b*) Diseases of Ear	117	11	13	11	11	15	6	7	6	9	9	10	9
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	69	3	8	7	6	8	7	3	5	5	8	4	5
78 Acute Endocarditis	197	12	19	23	20	16	18	16	11	12	15	19	16
79 (*a*) Valvular Disease	2748	276	217	235	251	230	183	220	209	200	220	230	277
(*b*) Fatty Degeneration of Heart	388	38	34	31	42	27	28	28	26	35	20	37	42
(*c*) Other Organic Diseases of Heart	2971	342	242	288	248	253	220	231	216	203	229	216	283
80 Angina Pectoris	289	37	16	23	26	20	27	21	22	27	16	30	24
81 (*a*) Aneurysm	131	14	9	15	10	11	9	12	3	10	13	14	11
(*b*) Arterio-sclerosis	406	53	41	39	32	31	40	33	30	26	23	29	29
(*c*) Other Diseases of Arteries	7	2	-	-	-	2	1	1	1	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	590	63	43	64	69	55	44	41	34	47	39	43	48
(*b*) Embolism and Thrombosis, not Cerebral	86	12	8	9	9	5	4	6	9	6	5	4	9
83 Diseases of Veins	34	2	6	2	1	1	4	3	3	1	4	3	4
84 (*a*) Lymphatism, Status Lymphaticus	10	-	2	-	1	-	1	-	2	-	3	1	-
(*b*) Other Dis. of Lymphatic System	15	1	-	1	1	1	2	-	1	1	-	1	6
85 Hæmorrhage, Other Diseases of Circulatory System	14	4	1	1	2	1	1	1	1	-	-	2	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	16	4	3	-	1	1	-	2	-	1	2	2	-
87 (*b*) Laryngitis	103	5	6	8	11	9	4	7	3	9	17	5	19
(*c*) Other Diseases of Larynx (*a*)	56	14	5	6	10	6	3	1	-	1	3	2	5
88 Diseases of Thyroid	49	4	6	3	5	6	6	3	3	1	4	3	5
90 Bronchitis (89)	4729	769	531	545	427	340	262	192	220	207	305	380	551
91 Broncho-pneumonia	2307	352	294	236	207	172	153	83	83	95	123	184	325
92 Pneumonia	3396	402	346	318	365	298	269	203	185	179	214	264	353
93 Pleurisy	274	31	28	28	23	26	29	20	14	20	13	22	20
94 (*a*) Pulmonary Apoplexy	21	2	2	1	1	2	2	-	2	1	-	2	6
(*b*) Pulmonary Congestion (*c*, *d*)	416	60	30	49	38	24	25	25	25	23	20	36	61
95 Gangrene of Lung	20	-	3	1	3	1	-	1	5	1	3	1	1
96 Asthma	84	6	7	13	13	4	7	2	5	7	5	7	8
97 Pulmonary Emphysema	28	4	3	2	3	2	1	2	3	1	3	1	3
98 (*a*) Fibroid Diseases of Lung	52	6	2	6	6	3	3	3	7	2	4	5	5
(*b*) Other Diseases of Respiratory System	20	-	1	2	1	2	2	2	3	3	1	2	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	39	5	2	1	3	5	4	3	2	3	6	3	2
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	95	10	9	4	5	3	3	8	10	9	9	12	13
102 Gastric Ulcer – – – –	326	33	24	39	34	27	19	26	29	26	29	13	27
103 Other Dis. of Stomach. Gastritis	629	39	55	51	63	39	50	53	61	68	49	53	48
104 Diarrhœa, Enteritis (under 2 years)	2159	94	106	104	101	85	101	161	326	576	262	142	101
105 Diarrhœa, Enteritis (over 2 years)	553	34	27	28	28	29	39	48	77	94	56	47	46
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	453	41	34	36	34	37	34	52	31	47	30	39	38
109 (*a*) Hernia – – – –	186	22	16	17	22	6	14	16	10	13	19	19	12
(*b*) Intestinal Obstruction – –	332	31	25	24	32	36	32	25	34	22	23	28	20
110 Other Diseases of Intestine –	266	23	18	18	16	30	27	23	19	22	16	29	25
111 Acute Yellow Atrophy of Liver –	11	1	1	1	–	2	–	1	2	2	–	–	1
112 Hydatids of Liver – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	279	19	22	28	23	28	19	26	27	17	21	27	22
114 Gallstones – – – – –	102	10	3	10	15	10	9	7	8	10	4	5	11
115 Other Diseases of Liver – –	197	13	16	10	23	14	19	20	15	22	15	16	14
116 Diseases of Spleen – – –	5	1	–	–	–	–	–	–	1	–	1	1	1
117 Peritonitis, cause not specified –	120	9	9	8	12	10	9	8	9	10	18	11	7
118 Other Diseases of Digestive System	28	2	1	6	4	2	3	3	–	–	1	4	2
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	352	29	29	27	35	22	36	28	21	25	34	25	41
120 (*a*) Bright's Disease – – –	1666	157	134	140	144	136	134	139	123	138	145	128	148
(*b*) Uræmia – – – –	110	12	10	8	9	7	6	11	8	9	6	8	16
122 Other Dis. of Kidney, Chyluria (121)	109	14	9	9	9	7	14	9	3	7	9	7	12
123 Urinary Calculus – – –	27	4	3	2	3	1	1	2	–	2	2	4	3
124 Diseases of Bladder – – –	231	24	29	16	19	16	15	14	16	18	16	18	30
125 Dis. of Urethra, Urinary Abscess	39	3	2	3	3	7	4	3	3	3	4	3	1
126 Diseases of Prostate – – –	189	15	10	13	21	14	22	15	21	6	27	11	14
127 Diseases of Male Genital Organs (not Venereal)	9	–	–	4	–	–	–	2	1	–	–	2	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	13	–	2	–	4	1	–	2	1	1	–	–	2
129 Uterine Tumour (non-Cancerous)	45	9	2	7	6	6	2	2	4	4	1	1	1
130 Other Diseases of Uterus – –	40	1	4	3	3	5	4	5	3	1	7	3	1
131 Cysts, and Other Tumours of Ovary	35	3	4	–	5	3	2	4	4	4	3	2	1
132 Other Dis. of Female Genit. Organs	38	5	4	7	2	3	4	2	1	1	3	2	4
133 Non-Puerperal Diseases of Breast	2	–	–	–	–	1	–	–	–	1	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	55	6	4	5	3	8	5	4	3	6	4	4	3
(*c*) Uncontrollable Vomiting –	18	2	1	–	2	1	1	2	–	3	–	5	1
(*d*) Ectopic Gestation – –	13	1	–	2	–	2	–	–	3	1	1	–	3
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	22	–	1	3	1	3	3	2	1	2	2	3	1
135 Puerperal Hæmorrhage – –	90	7	3	9	10	11	5	11	5	10	5	4	10
136 Other Accidents of Childbirth –	47	4	8	7	5	2	2	3	2	3	4	3	4
137 Puerperal Sepsis – – –	229	27	19	21	17	19	23	13	17	15	20	20	18
138 Puerp. Albuminuria, Convulsions	119	9	6	13	12	13	9	12	11	4	11	6	13
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	59	5	5	3	6	4	6	7	9	1	4	2	7
140 (*a*) Puerperal Insanity – –	2	–	–	–	–	–	–	–	1	–	–	1	–
(*b*) Other Puerperal Diseases –	91	12	13	14	7	6	6	4	7	4	6	5	7
141 Puerperal Diseases of Breast –	1	–	–	1	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	240	16	20	32	19	30	18	13	16	19	19	14	24
(*b*) Noma, Cancrum Oris – –	8	–	–	2	–	–	3	–	–	2	1	–	–
(*d*) Other Gangrene (*c*) – –	37	4	–	3	4	2	3	1	–	1	3	8	8
143 Carbuncle, Boil – – – –	32	4	2	4	1	5	5	2	2	3	1	1	2
144 Phlegmon, Acute Abscess – –	146	16	20	15	8	9	9	9	8	9	12	14	17
145 Ulcer, Other Diseases of Skin and Cellular Tissue	105	11	2	14	10	7	8	7	9	10	7	11	9

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	104	11	5	10	10	8	9	4	9	10	9	8	11
147 Diseases of Joints – – –	23	3	5	–	1	4	1	–	2	1	1	2	3
149 Other Dis. of Locomotor Syst. (148)	6	–	2	1	–	–	1	–	1	1	–	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	565	52	49	54	36	52	48	51	40	38	48	47	50
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	2434	221	218	250	195	202	212	187	168	192	187	200	202
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1979	177	162	152	159	127	155	142	180	196	174	160	195
152 Other Diseases peculiar to Early Infancy	379	36	39	30	44	36	29	33	23	23	30	27	29
153 Lack of Care – – –	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	38	4	6	5	3	3	–	5	1	2	2	2	5
(*b*) Senile Decay – – –	3636	440	273	335	292	286	311	270	249	252	257	307	364
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	261	19	11	25	27	25	19	29	26	20	20	18	22
164 Poisoning by Food – – –	16	1	1	–	2	1	1	3	3	1	1	1	1
165 Other Accidental Poisonings –	65	2	8	1	6	7	4	9	2	5	11	7	3
167 Burns and Scalds (166) – –	423	50	32	43	35	28	31	20	28	24	25	39	68
168 Exposure to Poisonous Vapours –	29	2	1	4	2	1	4	2	2	1	6	2	2
169 Drowning – – – – –	491	40	19	36	45	43	45	50	52	37	27	42	55
170 Accidents with Fire Arms – –	30	–	–	2	4	4	–	2	3	4	3	6	2
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	149	16	9	9	10	7	12	9	13	17	20	12	15
173 (*a*) Accidents in Coal Mines –	96	7	8	3	8	13	11	10	3	6	9	11	7
(*b*) Accidents in Other Mines –	8	–	–	–	–	2	1	1	–	1	2	1	–
(*c*) Accidents in Quarries – –	7	–	1	–	2	–	–	2	–	1	1	–	–
174 Accidents with Machinery – –	18	2	2	4	1	3	1	–	–	1	–	2	2
175 (*a*) Accidents on Railways – –	149	13	11	14	16	10	11	9	9	12	13	12	19
(*b*) Acc. with Horses and Vehicles	34	4	1	2	2	3	5	2	6	5	1	2	1
(*c*) Accidents with Motor Vehicles	48	3	–	3	6	4	5	4	6	6	2	6	3
(*d*) Accidents with Tramways –	8	1	–	–	1	1	–	–	–	–	2	1	2
(*e*) Other Crushing Accidents –	39	4	1	4	2	4	2	4	5	9	2	–	2
177 Hunger – – – – –	1	–	1	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	49	10	7	7	2	1	1	5	–	–	1	6	9
186 (*a*) Overlaying – – – –	89	6	3	6	6	8	7	9	4	9	4	14	13
(*b*) Suffocation (otherwise) – –	155	18	10	23	17	14	14	11	12	10	12	7	7
(*c*) Other Accidents (176, 181, 185)	925	85	83	66	91	69	77	72	76	70	72	81	83
184 Homicide (182, 183) – – –	14	2	2	–	–	3	–	1	–	1	1	2	2
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
191 War Casualties (not Sickness) –	23	–	–	–	–	–	–	–	–	3	7	10	3
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – –	13	1	1	3	2	1	2	1	–	–	1	–	1
188 (*a*) Syncope – – – –	237	43	19	24	20	17	17	13	13	16	19	19	17
(*b*) Sudden Death (not otherwise defined)	30	4	2	1	1	3	4	3	4	1	4	–	3
189 (*a*) Heart Failure – – –	836	107	65	73	69	64	63	64	61	56	50	73	91
(*c*) Teething – – – –	11	–	–	2	1	1	3	–	1	–	–	1	2
(*e*) Other Ill-defined Diseases (*b*, *d*)	124	12	4	15	13	8	13	7	4	9	18	8	13
(*f*) Dis. not Specified, Nat. Causes	498	60	49	54	48	35	44	27	42	29	34	23	53

Causes of Death in GLASGOW in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	9018	8503	3913	2284	463	301	799	1111	1326	1685	2119	2128	1392	-
I. GENERAL DISEASES.														
1 Enteric Fever	42	39	2	2	6	10	18	22	15	4	-	2	-	-
2 Typhus Fever	1	1	-	-	-	-	-	2	-	-	-	-	-	-
4 Malaria	2	-	-	-	-	-	-	2	-	-	-	-	-	-
5 (a) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	266	225	120	347	21	1	1	1	-	-	-	-	-	-
7 Scarlet Fever	101	126	18	134	50	10	9	5	-	1	-	-	-	-
8 Whooping-cough	260	264	236	281	7	-	-	-	-	-	-	-	-	-
9 (a) Diphtheria	87	66	26	98	21	5	1	1	1	-	-	-	-	-
(c) Croup, Membr. Laryngitis (b)	5	4	5	3	1	-	-	-	-	-	-	-	-	-
10 Influenza	13	7	-	1	-	-	3	2	1	-	5	2	6	-
13 Cholera Nostras	13	11	17	6	-	-	-	-	-	-	1	-	-	-
14 Dysentery	1	1	2	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	17	22	6	1	-	-	2	2	4	7	12	2	3	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	5	6	6	2	2	-	1	-	-	-	-	-	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	16	8	3	3	1	2	1	3	2	3	1	5	-	-
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	1	-	-	-	-	-	-	1	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	731	602	3	31	38	45	262	335	295	180	111	30	3	-
29 (a) Acute Phthisis	17	24	-	1	2	2	10	8	8	8	2	-	-	-
(b) Acute Miliary Tuberculosis	7	4	3	-	-	1	3	3	-	1	-	-	-	-
30 Tuberculous Meningitis	186	132	98	144	38	17	9	7	4	-	-	1	-	-
31 Abdominal Tuberculosis	127	97	41	90	30	20	19	10	6	5	3	-	-	-
32 Tuberculosis of Spine	14	13	-	2	3	5	6	6	3	2	-	-	-	-
33 Tuberculosis of Joints	18	5	-	2	3	5	5	3	3	1	1	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	81	52	13	26	17	12	22	14	7	9	9	3	1	-
36 Rickets, Osteomalacia	9	3	3	9	-	-	-	-	-	-	-	-	-	-
37 Syphilis	34	41	57	5	-	-	1	2	3	5	1	1	-	-
38 Other Venereal Diseases	3	-	1	-	-	-	-	-	1	-	1	-	-	-
45 (a) Carcinoma } 39-44	302	387	-	-	-	1	-	15	82	155	225	152	59	-
(b) Sarcoma } 39-44	27	25	-	1	2	-	5	4	8	13	8	8	3	-
(c) Malignant Disease, other or not defined } 39-44	155	210	-	-	-	-	-	9	41	70	107	101	37	-
46 Other Tumours (Situation undefined)	8	8	-	-	-	-	-	1	6	4	2	2	1	-
47 Rheumatic Fever	26	39	-	1	7	11	15	10	10	4	5	1	1	-
48 (a) Chronic Rheumatism	7	7	-	-	-	1	-	-	1	1	1	5	5	-
(b) Osteo-arthritis	6	13	-	-	-	-	-	-	2	1	7	5	4	-
(c) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	2	-	1	1	-	-	-	-	-	-	-	-	-	-
50 Diabetes	49	53	-	-	-	2	7	20	10	11	22	25	5	-
51 Exophthalmic Goitre	-	15	-	-	-	-	1	4	5	1	2	1	1	-
52 Addison's Disease	2	4	-	-	-	-	-	2	2	2	-	-	-	-
53 (a) Leucocythæmia	6	4	-	2	1	1	-	3	-	2	-	1	-	-
(b) Lymphadenoma	9	3	1	-	-	-	3	4	1	-	2	1	-	-
54 Anæmia, Chlorosis	34	49	3	2	-	-	7	5	13	18	19	14	2	-
55 (b) Purpura	6	4	3	-	-	-	1	1	-	4	-	-	1	-
(c) Hæmophilia	1	1	2	-	-	-	-	-	-	-	-	-	-	-
(d) Other General Diseases (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	25	24	-	-	-	-	-	6	19	17	4	3	-	-
57 Chronic Lead Poisoning	2	-	-	-	-	-	-	-	1	1	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	6	6	1	4	2	-	2	-	1	1	-	1	-	-
61 (*a*) Cerebro-Spinal Meningitis	12	19	7	11	5	3	3	-	1	1	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	128	125	90	91	18	10	10	10	13	7	2	2	-	-
62 Locomotor Ataxy	18	4	-	-	-	-	-	1	4	4	5	7	1	-
63 Other Diseases of Spinal Cord	47	27	2	3	-	-	3	5	8	17	19	13	4	-
64 Cerebral Hæmorrhage, Apoplexy	418	535	1	2	-	3	7	13	50	128	264	303	182	-
65 Softening of Brain	27	30	-	-	-	-	-	1	-	7	14	26	9	-
66 (*a*) Hemiplegia	56	68	1	-	-	-	1	4	3	11	30	48	26	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	11	1	-	-	-	2	1	2	2	3	6	2	4	-
67 General Paralysis of Insane	57	15	-	-	-	-	-	13	29	23	6	-	1	-
68 Other Insanity	20	24	-	-	1	1	3	2	4	15	8	8	2	-
69 Epilepsy	30	22	1	1	2	5	10	8	8	4	4	8	1	-
71 Convulsions (not Puerperal) (70)	150	109	204	50	3	-	1	-	-	1	-	-	-	-
72 Chorea	-	4	-	-	-	1	-	-	-	2	-	1	-	-
73 Neuralgia, Neuritis	7	4	-	-	-	-	1	2	3	3	2	-	-	-
74 (*c*) Cerebral Tumour	17	22	1	2	4	3	5	1	4	10	7	2	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	14	15	5	3	1	-	3	1	1	7	1	5	2	-
75 Diseases of Eye and Annexa	3	1	2	-	-	-	-	-	-	-	-	2	-	-
76 (*a*) Mastoid Disease	7	3	2	3	-	1	1	1	1	1	-	-	-	-
(*b*) Diseases of Ear	13	12	6	7	3	2	3	3	-	-	-	1	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	9	8	-	-	1	3	2	3	2	4	2	-	-	-
78 Acute Endocarditis	32	34	-	-	5	3	8	7	14	13	15	1	-	-
79 (*a*) Valvular Disease	234	290	3	1	8	9	41	38	60	71	135	103	55	-
(*b*) Fatty Degeneration of Heart	25	38	-	1	-	-	1	2	4	7	25	16	7	-
(*c*) Other Organic Diseases of Heart	225	261	2	1	1	7	12	19	37	82	109	137	79	-
80 Angina Pectoris	29	17	-	-	-	-	-	2	4	2	13	20	5	-
81 (*a*) Aneurysm	21	6	-	-	-	-	-	-	5	12	6	2	2	-
(*b*) Arterio-sclerosis	63	43	-	-	-	-	-	-	2	5	18	35	46	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	1	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	42	67	-	1	1	1	1	3	3	13	16	34	36	-
(*b*) Embolism and Thrombosis, not Cerebral	6	10	1	-	-	-	-	1	2	4	3	3	2	-
83 Diseases of Veins	2	6	-	-	-	-	1	2	1	-	1	3	-	-
84 (*a*) Lymphatism, Status Lymphaticus	4	-	1	1	2	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	1	-	-	1	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	1	1	-	-	-	-	-	-	-	-	1	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	5	2	2	-	1	-	-	-	1	-	-	1	2	-
87 (*b*) Laryngitis	7	7	4	6	1	-	-	-	-	-	3	-	-	-
(*c*) Other Diseases of Larynx (*a*)	15	6	7	11	1	-	-	-	-	1	-	1	-	-
88 Diseases of Thyroid	-	12	-	-	-	-	-	-	1	2	3	4	2	-
90 Bronchitis (89)	653	646	266	101	8	3	14	18	59	117	225	314	174	-
91 Broncho-pneumonia	365	399	319	291	11	-	8	10	11	16	27	46	25	-
92 Pneumonia	576	367	137	151	26	13	49	93	93	123	113	100	45	-
93 Pleurisy	36	31	5	10	-	2	6	10	6	8	11	7	2	-
94 (*a*) Pulmonary Apoplexy	3	3	-	-	1	-	-	1	1	1	1	1	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	45	71	47	24	2	-	1	-	1	7	9	12	13	-
95 Gangrene of Lung	4	2	-	1	-	-	-	1	2	1	1	-	-	-
96 Asthma	6	5	-	-	-	-	2	2	2	1	3	1	-	-
97 Pulmonary Emphysema	1	3	1	-	-	-	-	-	-	1	1	1	-	-
98 (*a*) Fibroid Diseases of Lung	4	4	-	-	-	-	1	2	1	-	1	2	1	-
(*b*) Other Diseases of Respiratory System	2	1	-	-	-	-	-	-	1	2	-	-	-	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	3	8	3	1	-	1	-	2	-	1	1	1	1	-
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	6	6	2	6	1	-	2	1	-	-	-	-	-	-
102 Gastric Ulcer - - - -	30	33	-	-	-	-	5	7	15	15	14	7	-	-
103 Other Dis. of Stomach. Gastritis	76	71	70	15	1	2	-	5	6	12	8	17	11	-
104 Diarrhœa, Enteritis (under 2 years)	362	322	575	109	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	51	65	-	30	9	5	6	2	5	13	16	14	16	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	52	46	-	4	19	20	15	13	12	5	5	5	-	-
109 (*a*) Hernia - - - -	24	18	4	-	2	1	1	1	5	6	7	13	2	-
(*b*) Intestinal Obstruction - -	44	31	25	7	2	1	6	8	3	2	11	8	2	-
110 Other Diseases of Intestine - -	27	15	5	3	1	-	3	5	5	5	6	5	4	-
111 Acute Yellow Atrophy of Liver -	-	4	-	-	-	-	-	1	1	2	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	38	19	-	-	1	1	1	2	5	17	16	11	3	-
114 Gallstones - - - - -	5	10	-	-	-	-	-	-	-	4	5	4	2	-
115 Other Diseases of Liver - -	8	29	4	2	-	-	2	2	2	2	8	11	4	-
116 Diseases of Spleen - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	-
117 Peritonitis, cause not specified -	10	10	4	3	4	-	1	1	3	1	2	1	-	-
118 Other Diseases of Digestive System	5	6	-	1	-	-	2	1	1	3	2	1	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	50	39	5	11	8	3	8	14	4	8	15	11	2	-
120 (*a*) Bright's Disease - - -	268	237	-	-	1	6	13	41	53	110	132	99	50	-
(*b*) Uræmia - - - -	9	14	-	-	-	-	-	-	4	9	3	4	3	-
122 Other Dis. of Kidney, Chyluria (121)	12	18	3	-	-	-	2	4	1	7	8	4	1	-
123 Urinary Calculus - - -	3	2	-	-	-	-	-	-	1	2	-	-	2	-
124 Diseases of Bladder - - -	36	18	2	-	-	-	-	4	4	6	11	9	18	-
125 Dis. of Urethra, Urinary Abscess	12	2	-	-	-	-	2	1	4	1	1	4	1	-
126 Diseases of Prostate - - -	32	-	-	-	-	-	-	-	-	1	6	14	11	-
127 Diseases of Male Genital Organs (not Venereal)	4	-	-	-	-	-	-	-	2	1	1	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	3	-	-	-	-	1	-	1	-	1	-	-	-
129 Uterine Tumour (non-Cancerous)	-	10	-	-	-	-	-	1	2	2	2	2	1	-
130 Other Diseases of Uterus - -	-	8	-	-	-	-	1	2	2	1	-	2	-	-
131 Cysts, and Other Tumours of Ovary	-	10	-	-	-	-	-	-	1	5	1	2	1	-
132 Other Dis. of Female Genit. Organs	-	11	-	1	-	-	1	4	4	-	1	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	16	-	-	-	-	3	9	4	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	3	-	-	-	-	-	2	1	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	6	-	-	-	-	1	2	3	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	17	-	-	-	-	-	6	11	-	-	-	-	-
136 Other Accidents of Childbirth	-	10	-	-	-	-	2	6	2	-	-	-	-	-
137 Puerperal Sepsis - - -	-	81	-	-	-	-	21	46	14	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	23	-	-	-	-	10	9	3	1	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	8	-	-	-	-	1	5	2	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	10	-	-	-	-	3	3	4	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	16	22	-	-	-	-	-	-	-	-	-	17	21	-
(*b*) Noma, Cancrum Oris - -	1	3	1	3	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	7	6	-	1	-	-	-	1	-	2	9	-	-	-
143 Carbuncle, Boil - - - -	3	4	-	1	-	-	-	-	-	-	2	1	3	-
144 Phlegmon, Acute Abscess - -	20	20	11	4	1	1	1	1	4	6	5	4	2	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	10	9	7	1	-	1	-	-	1	2	-	3	4	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	15	9	1	3	5	4	3	4	-	2	1	1	-	-
147 Diseases of Joints - - -	2	2	-	-	1	1	-	1	-	-	1	-	-	-
149 Other Dis. of Locomotor Syst. (148)	1	-	-	-	-	-	-	-	-	1	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	75	45	101	14	2	2	1	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	372	288	660	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	263	187	450	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	49	32	81	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Senile Decay - - -	122	282	-	-	-	-	-	-	-	-	-	109	295	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	38	5	-	-	-	-	4	7	8	13	7	4	-	-
164 Poisoning by Food - - -	3	1	1	-	-	1	-	-	-	-	1	1	-	-
165 Other Accidental Poisonings -	17	1	-	2	1	-	1	3	5	3	3	-	-	-
167 Burns and Scalds (166) - -	52	52	4	42	10	4	6	9	5	9	5	3	7	-
168 Exposure to Poisonous Vapours -	6	-	-	1	-	-	2	-	1	1	1	-	-	-
169 Drowning - - - - -	74	11	-	-	8	2	13	17	17	18	8	2	-	-
170 Accidents with Fire Arms - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	38	7	-	2	1	-	2	4	11	12	4	5	4	-
173 (*a*) Accidents in Coal Mines -	2	-	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	3	-	-	-	-	-	-	1	1	-	1	-	-	-
175 (*a*) Accidents on Railways - -	21	-	-	-	1	-	6	5	2	5	2	-	-	-
(*b*) Acc. with Horses and Vehicles	3	-	-	-	-	1	-	1	-	-	1	-	-	-
(*c*) Accidents with Motor Vehicles	9	1	-	-	3	-	1	2	1	1	-	1	1	-
(*d*) Accidents with Tramways -	1	2	-	-	1	-	-	-	-	1	1	-	-	-
(*e*) Other Crushing Accidents -	9	-	-	1	1	1	-	1	-	3	1	-	1	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	3	2	-	-	-	-	1	2	1	-	-	1	-	-
186 (*a*) Overlaying - - - -	11	6	17	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	34	24	39	-	-	3	2	3	2	3	6	-	-	-
(*c*) Other Accidents (176, 181, 185)	182	87	1	14	20	12	20	29	38	43	41	32	19	-
184 Homicide (182, 183) - - -	-	2	1		-	-	1	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-
188 (*a*) Syncope - - - -	24	29	7	-	-	-	2	4	6	10	8	11	5	-
(*b*) Sudden Death (not otherwise defined)	2	1	-	-	-	-	1	-	-	-	1	1	-	-
189 (*a*) Heart Failure - - -	113	76	8	3	1	2	3	7	22	27	50	34	32	-
(*c*) Teething - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	19	10	1	15	-	2	-	-	-	1	8	2	-	-
(*f*) Dis. not Specified, Nat. Causes	46	38	31	9	-	1	1	4	9	11	8	8	2	-

Causes of Death in EDINBURGH in 1914.

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	2438	2587	709	429	116	58	178	276	381	508	729	888	753	-
I. GENERAL DISEASES.														
1 Enteric Fever	3	8	-	-	1	-	2	2	4	-	1	1	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	53	56	23	81	3	-	2	-	-	-	-	-	-	-
7 Scarlet Fever	23	20	2	24	10	2	2	1	-	2	-	-	-	-
8 Whooping-cough	7	6	8	4	-	-	-	-	-	1	-	-	-	-
9 (*a*) Diphtheria	40	57	5	52	35	4	1	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	5	4	-	-	-	-	1	1	1	-	1	4	1	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	8	4	2	-	-	-	1	1	-	4	3	-	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	-	-	-	-	-	-	-	-	1	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	3	3	1	1	1	-	-	-	-	2	1	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	206	165	-	2	3	10	65	87	89	59	38	14	4	-
29 (*a*) Acute Phthisis	7	1	-	1	-	-	1	2	2	1	1	-	-	-
(*b*) Acute Miliary Tuberculosis	5	3	2	1	1	-	1	1	1	1	-	-	-	-
30 Tuberculous Meningitis	28	31	15	31	7	4	1	-	-	1	-	-	-	-
31 Abdominal Tuberculosis	24	26	6	22	4	4	6	2	4	1	1	-	-	-
32 Tuberculosis of Spine	4	5	-	-	1	1	2	1	2	-	2	-	-	-
33 Tuberculosis of Joints	3	3	1	-	-	-	4	-	1	-	-	-	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	25	33	5	18	5	3	4	6	4	7	3	3	-	-
36 Rickets, Osteomalacia	7	6	8	4	1	-	-	-	-	-	-	-	-	-
37 Syphilis	7	15	11	2	-	-	-	2	2	1	3	1	-	-
38 Other Venereal Diseases	1	-	1	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	100	161	-	-	-	-	1	4	24	45	69	83	35	-
(*b*) Sarcoma } 39-44	8	9	-	2	-	1	-	1	1	2	7	2	1	-
(*c*) Malignant Disease, other or not defined } 39-44	64	107	-	-	-	-	-	3	8	34	60	43	23	-
46 Other Tumours (Situation undefined)	1	3	-	-	-	-	-	-	-	-	1	3	-	-
47 Rheumatic Fever	3	9	-	-	2	1	4	1	2	1	-	1	-	-
48 (*a*) Chronic Rheumatism	-	6	-	-	-	-	-	-	-	1	1	2	2	-
(*b*) Osteo-arthritis	2	12	-	-	-	-	-	-	-	1	3	5	5	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	17	22	-	1	-	-	3	5	3	6	5	10	6	-
51 Exophthalmic Goitre	-	6	-	-	-	-	-	-	1	3	2	-	-	-
52 Addison's Disease	1	1	-	-	-	-	-	1	-	1	-	-	-	-
53 (*a*) Leucocythæmia	-	2	-	-	-	-	1	1	-	-	-	-	-	-
(*b*) Lymphadenoma	3	1	-	-	-	-	1	-	1	2	-	-	-	-
54 Anæmia, Chlorosis	18	19	-	-	-	1	2	3	1	8	8	11	3	-
55 (*b*) Purpura	4	-	-	1	-	2	-	-	-	-	-	-	1	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	11	6	-	-	-	-	-	4	5	3	2	3	-	-
57 Chronic Lead Poisoning	1	-	-	-	-	-	-	-	-	1	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	1	-	-	-	-	-	-	-	1	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	2	1	2	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	1	1	2	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	16	22	16	11	3	1	1	-	4	2	-	-	-	-
62 Locomotor Ataxy	9	1	-	-	-	-	-	-	1	4	4	-	1	-
63 Other Diseases of Spinal Cord	23	12	-	-	1	-	1	4	5	7	5	11	1	-
64 Cerebral Hæmorrhage, Apoplexy	153	186	-	-	-	-	2	2	11	36	79	120	89	-
65 Softening of Brain	17	20	-	-	-	-	-	1	1	-	6	12	17	-
66 (*a*) Hemiplegia	26	26	-	-	-	-	1	-	1	5	7	21	17	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	6	3	-	1	-	-	-	-	-	1	2	3	2	-
67 General Paralysis of Insane	33	6	-	-	-	-	1	4	12	15	5	2	-	-
68 Other Insanity	1	6	-	-	-	-	1	-	1	-	1	2	2	-
69 Epilepsy	9	9	2	2	1	-	1	3	3	3	2	-	1	-
71 Convulsions (not Puerperal) (70)	28	15	34	9	-	-	-	-	-	-	-	-	-	-
72 Chorea	1	-	-	-	-	-	-	-	-	-	-	-	1	-
73 Neuralgia, Neuritis	-	4	-	-	-	-	-	1	-	-	1	1	1	-
74 (*c*) Cerebral Tumour	7	12	-	1	-	-	1	1	4	8	3	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	6	6	2	-	-	-	1	-	1	-	2	4	2	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	1	-	-	-	-	-	-	-	-	-	1	-	-
(*b*) Diseases of Ear	7	6	2	2	1	2	1	1	1	3	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	4	1	-	2	1	-	-	-	1	-	1	-	-	-
78 Acute Endocarditis	14	5	-	1	-	1	1	5	7	3	1	-	-	-
79 (*a*) Valvular Disease	111	129	-	-	1	2	10	16	28	41	51	58	33	-
(*b*) Fatty Degeneration of Heart	22	38	-	-	-	-	-	1	2	13	14	21	9	-
(*c*) Other Organic Diseases of Heart	108	118	1	-	-	-	4	5	1	17	58	81	59	-
80 Angina Pectoris	18	15	-	-	-	-	-	-	1	5	12	13	2	-
81 (*a*) Aneurysm	11	7	-	-	-	-	-	1	2	2	8	3	2	-
(*b*) Arterio-sclerosis	14	16	-	-	-	-	-	-	-	1	2	10	17	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	21	50	-	-	-	-	-	2	4	3	13	25	24	-
(*b*) Embolism and Thrombosis, not Cerebral	5	5	-	-	-	-	-	-	-	-	8	1	1	-
83 Diseases of Veins	2	-	-	-	-	-	-	-	-	-	1	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	1	-	-	-	-	-	-	-	-	-	1	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	2	-	-	-	-	-	-	-	-	1	-	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	2	-	-	1	-	-	-	-	-	-	-	-	1	-
87 (*b*) Laryngitis	1	1	1	1	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	1	1	1	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	4	1	-	-	-	-	-	-	1	1	1	-	-
90 Bronchitis (89)	127	150	50	9	-	-	-	4	8	22	37	69	78	-
91 Broncho-pneumonia	82	61	50	55	5	2	-	3	3	4	7	6	8	-
92 Pneumonia	147	109	13	31	4	3	12	20	24	31	37	47	34	-
93 Pleurisy	12	5	-	5	-	-	-	-	-	3	3	3	3	-
94 (*a*) Pulmonary Apoplexy	1	2	-	-	-	-	1	-	1	-	-	-	1	-
(*b*) Pulmonary Congestion (*c*, *d*)	14	11	5	2	-	1	1	1	3	-	4	3	5	-
95 Gangrene of Lung	3	-	-	-	1	-	-	1	-	1	-	-	-	-
96 Asthma	3	1	-	-	-	-	-	1	-	-	2	1	-	-
97 Pulmonary Emphysema	2	-	-	-	-	-	-	-	-	-	-	-	2	-
98 (*a*) Fibroid Diseases of Lung	10	-	-	-	-	-	-	-	1	2	7	-	-	-
(*b*) Other Diseases of Respiratory System	-	1	-	-	-	-	-	-	1	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	1	–	–	–	–	–	1	–	–	1	–	–	–
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	6	2	–	1	1	–	1	1	–	–	–	2	2	–
102 Gastric Ulcer – – – –	8	12	–	–	–	–	1	–	5	4	5	4	1	–
103 Other Dis. of Stomach. Gastritis	7	15	5	–	–	–	–	2	–	–	4	6	5	–
104 Diarrhœa, Enteritis (under 2 years)	52	42	84	10	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	13	19	–	2	–	3	–	1	3	5	7	5	6	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	8	16	–	–	1	2	3	4	6	–	3	2	3	–
109 (*a*) Hernia – – – –	5	9	–	1	–	–	–	1	1	2	3	4	2	–
(*b*) Intestinal Obstruction – –	14	11	2	2	–	2	1	3	–	1	5	3	6	–
110 Other Diseases of Intestine –	15	13	1	–	–	–	3	1	6	3	7	2	5	–
111 Acute Yellow Atrophy of Liver –	–	2	–	1	–	1	–	–	–	–	1	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	13	10	–	–	–	1	–	1	–	5	6	8	2	–
114 Gallstones – – – – –	8	8	–	–	–	–	–	1	1	1	3	5	5	–
115 Other Diseases of Liver – –	5	12	–	–	1	–	–	–	–	2	4	8	2	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	3	5	2	–	2	–	–	–	2	–	1	–	1	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – –	18	15	1	3	1	–	2	4	4	6	10	2	–	–
120 (*a*) Bright's Disease – – –	60	56	–	–	–	–	2	8	11	22	33	26	14	–
(*b*) Uræmia – – – –	2	6	–	–	–	–	–	1	2	–	–	2	3	–
122 Other Dis. of Kidney, Chyluria (121)	6	7	4	1	1	1	2	1	1	2	–	–	–	–
123 Urinary Calculus – – –	2	1	–	–	–	–	–	–	–	–	–	2	1	–
124 Diseases of Bladder – – –	11	7	–	–	–	–	–	1	–	1	4	7	5	–
125 Dis. of Urethra, Urinary Abscess	2	–	–	–	–	–	–	–	1	1	–	–	–	–
126 Diseases of Prostate – – –	16	–	–	–	–	–	–	–	–	–	1	9	6	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	3	–	–	–	–	–	–	–	1	–	1	1	–
130 Other Diseases of Uterus – –	–	1	–	–	–	–	–	–	1	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	2	–	–	–	–	–	–	–	2	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	3	–	–	–	–	–	2	1	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	5	–	–	–	–	–	4	1	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – –	–	2	–	–	–	–	–	2	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	–	–	–	–	–	1	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	5	–	–	–	–	1	1	3	–	–	–	–	–
136 Other Accidents of Childbirth –	–	1	–	–	–	–	–	1	–	–	–	–	–	–
137 Puerperal Sepsis – – –	–	13	–	–	–	–	4	7	2	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	5	–	–	–	–	1	1	3	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	6	–	–	–	–	1	4	1	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	4	–	–	–	–	–	3	1	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	8	14	–	–	–	–	–	–	–	–	2	11	9	–
(*b*) Noma, Cancrum Oris – –	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143 Carbuncle, Boil – – – –	1	–	–	–	–	–	–	–	–	–	1	–	–	–
144 Phlegmon, Acute Abscess – –	5	4	3	1	–	–	1	–	–	–	2	2	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	3	7	3	–	–	–	–	–	–	–	2	2	3	–

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	3	3	1	-	1	1	2	-	-	1	-	-	-	-
147 Diseases of Joints - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	21	13	33	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	73	55	128	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	62	49	111	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	22	14	36	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	1	4	-	-	-	-	-	-	-	-	-	-	5	-
(*b*) Senile Decay - - -	50	124	-	-	-	-	-	-	-	-	-	38	136	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	21	6	-	-	-	-	2	6	5	9	2	3	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	2	3	-	-	-	-	-	1	1	3	-	-	-	-
167 Burns and Scalds (166) - -	9	21	1	11	2	1	3	3	2	2	2	1	2	-
168 Exposure to Poisonous Vapours -	4	1	-	-	-	-	-	-	1	1	1	1	1	-
169 Drowning - - - - -	6	1	1	-	2	-	-	-	2	1	1	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	11	6	1	2	1	-	-	1	6	2	1	1	2	-
173 (*a*) Accidents in Coal Mines -	2	-	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
175 (*a*) Accidents on Railways - -	6	-	-	-	-	-	1	-	2	3	-	-	-	-
(*b*) Acc. with Horses and Vehicles	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
186 (*a*) Overlaying - - - -	5	1	6	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	9	7	10	1	1	-	-	-	2	-	2	-	-	-
(*c*) Other Accidents (176, 181, 185)	36	21	-	5	10	1	1	2	10	3	6	9	10	-
184 Homicide (182, 183) - - -	1	2	2	-	-	-	-	1	-	-	-	-	-	-
190 Execution - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	7	10	2	-	-	-	-	-	1	-	4	7	3	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	13	16	-	-	-	-	-	-	-	2	3	7	17	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	1	3	-	2	-	-	-	-	-	-	2	-	-	-
(*f*) Dis. not Specified, Nat. Causes	1	1	-	-	-	-	-	-	1	-	1	-	-	-

Causes of Death in DUNDEE in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	1365	1614	603	288	67	41	130	164	233	307	354	427	365	-
I. GENERAL DISEASES.														
1 Enteric Fever	3	3	-	-	-	3	2	-	1	-	-	-	-	-
2 Typhus Fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	32	37	22	46	1	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	16	13	2	12	11	-	3	-	1	-	-	-	-	-
8 Whooping-cough	14	15	14	15	-	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	9	20	8	18	3	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	1	-	-	1	-	-	-	-	-	-	-	-	-
10 Influenza	2	-	-	-	-	-	-	1	-	-	-	1	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	2	-	-	-	-	-	-	1	-	1	-	-	-	-
18 Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	1	-	1	-	-	-	-	-	1	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	3	2	1	1	-	-	1	2	-	-	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	111	138	1	2	4	6	53	62	55	30	29	7	-	-
29 (*a*) Acute Phthisis	3	3	1	-	-	-	4	1	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	2	3	-	1	1	-	1	1	-	1	-	-	-	-
30 Tuberculous Meningitis	22	20	10	17	7	2	4	-	1	1	-	-	-	-
31 Abdominal Tuberculosis	21	17	12	14	3	4	4	-	-	1	-	-	-	-
32 Tuberculosis of Spine	5	3	-	1	-	-	3	2	2	-	-	-	-	-
33 Tuberculosis of Joints	2	1	-	-	-	-	2	-	-	-	-	-	1	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	14	10	5	6	2	-	2	4	1	4	-	-	-	-
36 Rickets, Osteomalacia	9	-	7	2	-	-	-	-	-	-	-	-	-	-
37 Syphilis	18	5	18	-	-	-	1	-	1	3	-	-	-	-
38 Other Venereal Diseases	-	-	-	-		-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma	33	85	-	-	-	-	-	2	12	28	39	26	11	-
(*b*) Sarcoma	3	2	-	1	-	-	1	-	1	1	-	-	1	-
(*c*) Malignant Disease, other or not defined	27	81	-	-	-	-	-	-	7	29	29	22	21	-
39-44														
46 Other Tumours (Situation undefined)	1	-	-	-	-	-	-	-	-	1	-	-	-	-
47 Rheumatic Fever	4	2	-	-	-	2	-	-	2	1	1	-	-	-
48 (*a*) Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Osteo-arthritis	-	3	-	-	-	-	-	-	-	-	1	1	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	8	9	-	-	-	-	1	2	3	1	5	3	2	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	1	-	-	-	-	-	-	-	1	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	1	2	-	-	-	-	-	1	2	-	-	-	-	-
54 Anæmia, Chlorosis	2	6	-	-	-	-	-	-	1	3	1	3	-	-
55 (*b*) Purpura	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	11	6	-	-	-	-	-	-	3	6	4	4	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	-	2	-	1	-	-	1	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	19	12	4	8	2	5	2	2	4	3	1	-	-	-
62 Locomotor Ataxy	6	-	-	-	-	-	-	-	2	2	1	1	-	-
63 Other Diseases of Spinal Cord	6	8	-	1	-	-	-	2	5	3	1	-	2	-
64 Cerebral Hæmorrhage, Apoplexy	63	95	-	-	-	-	-	4	4	20	28	65	37	-
65 Softening of Brain	10	29	-	-	-	-	1	-	1	4	7	16	10	-
66 (*a*) Hemiplegia	25	28	-	-	-	-	-	-	2	5	11	19	15	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	-	1	-	-	-	-	-	1	-	-	-	1	-	-
67 General Paralysis of Insane	11	-	-	-	-	-	-	2	5	2	1	1	-	-
68 Other Insanity	2	7	-	-	-	-	1	3	1	1	-	2	2	-
69 Epilepsy	2	6	-	1	-	-	-	-	2	2	1	-	1	-
71 Convulsions (not Puerperal) (70)	13	8	14	7	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
74 (*c*) Cerebral Tumour	4	2	-	-	-	-	-	-	1	4	1	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	2	-	1	-	1	-	-	-	1	-	1	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	1	-	1	-	1	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	2	1	1	-	-	-	1	-	-	1	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	2	-	-	-	1	-	-	-	1	-	-	-	-
78 Acute Endocarditis	-	3	-	-	-	-	1	-	2	-	-	-	-	-
79 (*a*) Valvular Disease	73	73	-	1	1	1	6	15	24	31	26	24	17	-
(*b*) Fatty Degeneration of Heart	4	5	-	-	-	-	-	-	1	-	1	5	2	-
(*c*) Other Organic Diseases of Heart	40	59	-	-	-	-	1	3	2	19	17	31	26	-
80 Angina Pectoris	3	1	-	-	-	-	-	-	-	-	3	1	-	-
81 (*a*) Aneurysm	5	3	-	-	-	-	-	-	-	3	4	1	-	-
(*b*) Arterio-sclerosis	12	18	-	-	-	-	-	-	-	1	3	13	13	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	10	12	-	-	-	-	2	-	-	3	3	10	4	-
(*b*) Embolism and Thrombosis, not Cerebral	-	1	-	-	-	-	-	-	-	-	1	-	-	-
83 Diseases of Veins	-	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	1	-	-	-	-	-	-	-	-	-	-	1	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	1	2	1	2	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	-	-	1	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	4	1	-	-	-	-	-	1	-	1	1	-	-
90 Bronchitis (89)	70	139	21	12	1	-	3	-	10	26	26	53	57	-
91 Broncho-pneumonia	48	53	35	41	1	-	-	1	3	2	4	7	7	-
92 Pneumonia	48	66	6	16	5	2	1	13	16	10	11	20	14	-
93 Pleurisy	10	8	1	-	1	-	3	4	2	1	4	1	1	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	7	1	-	2	-	-	1	-	1	-	2	-	2	-
95 Gangrene of Lung	1	1	-	-	-	-	-	-	-	1	1	-	-	-
96 Asthma	1	1	-	-	-	-	-	-	-	-	-	1	1	-
97 Pulmonary Emphysema	1	1	-	-	-	-	-	-	-	1	-	-	1	-
98 (*a*) Fibroid Diseases of Lung	2	-	-	-	-	-	-	-	-	1	-	1	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	1	-	-	-	-	-	-	-	-	-	1	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	4	1	2	2	-	-	-	1	-	-	-	-	-	-
102 Gastric Ulcer - - - - -	5	7	-	-	-	-	1	1	2	2	3	2	1	-
103 Other Dis. of Stomach. Gastritis	13	4	11	1	-	-	-	-	-	1	2	1	1	-
104 Diarrhœa, Enteritis (under 2 years	77	69	125	21	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	12	19	-	9	3	-	-	-	-	2	6	6	5	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	5	5	-	1	5	2	-	-	-	-	1	1	-	-
109 (*a*) Hernia - - - - -	4	2	3	-	-	-	-	-	-	1	1	-	1	-
(*b*) Intestinal Obstruction - -	7	3	4	-	-	-	1	-	1	-	1	-	3	-
110 Other Diseases of Intestine -	6	4	1	-	1	-	1	3	-	-	3	1	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	6	5	-	-	-	1	-	1	1	3	2	2	1	-
114 Gallstones - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	-
115 Other Diseases of Liver - -	-	3	1	-	-	-	-	-	1	1	-	-	-	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	2	5	-	3	2	-	1	-	1	-	-	-	-	-
118 Other Diseases of Digestive System	1	2	-	-	-	-	-	-	1	-	1	-	1	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	5	4	-	-	1	1	1	-	2	1	1	1	1	-
120 (*a*) Bright's Disease - - -	36	23	-	-	1	1	2	2	6	7	16	13	11	-
(*b*) Uræmia - - - - -	3	5	-	-	-	-	-	-	2	-	-	5	1	-
122 Other Dis. of Kidney, Chyluria (121)	2	3	-	-	1	-	-	1	-	1	1	1	-	-
123 Urinary Calculus - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-
124 Diseases of Bladder - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	-
125 Dis. of Urethra, Urinary Abscess	4	1	-	-	-	-	-	1	-	3	1	-	-	-
126 Diseases of Prostate - - -	12	-	-	-	-	-	-	-	-	-	1	5	6	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	1	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)		2	-	-	-	-	-	-	1	-	-	-	1	-
130 Other Diseases of Uterus - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	2	-	-	-	-	-	-	-	1	-	1	-	-
132 Other Dis. of Female Genit. Organs	-	1	-	-	1	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	1	1	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	1	-	-	-	-	-	-	1	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis - - -	-	8	-	-	-	-	3	2	3	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	9	-	-	-	-	2	4	3	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	6	-	-	-	-	1	3	2	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	-
(*b*) Noma, Cancrum Oris - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
143 Carbuncle, Boil - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	-
144 Phlegmon, Acute Abscess - -	2	1	-	1	-	-	-	-	-	1	1	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	3	7	1	-	-	-	-	2	1	1	2	2	1	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	5	1	-	-	2	4	-	-	-	-	-	-	-	-
147 Diseases of Joints - - -	2	1	-	-	1	1	-	-	-	1	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	10	15	24	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	69	56	125	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	37	47	84	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	5	3	8	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	27	54	-	-	-	-	-	-	-	-	-	18	63	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	15	3	-	-	-	-	1	2	8	3	3	-	1	-
164 Poisoning by Food - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	2	1	-	1	-	-	-	-	-	-	2	-	-	-
167 Burns and Scalds (166) - -	8	8	-	11	1	1	1	-	-	-	1	1	-	-
168 Exposure to Poisonous Vapours -	1	3	-	-	-	-	-	-	1	-	3	-	-	-
169 Drowning - - - - -	14	3	-	1	1	-	3	3	-	2	6	-	1	-
170 Accidents with Fire Arms - -	2	-	-	-	-	1	-	1	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	3	1	-	-	-	-	1	-	1	-	-	1	1	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	3	-	-	-	-	-	1	1	-	-	1	-	-	-
175 (*a*) Accidents on Railways - -	3	-	-	-	-	-	-	-	-	-	2	1	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	2	-	-	-	-	-	1	1	-	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
186 (*a*) Overlaying - - - -	9	14	23	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	24	13	-	2	2	1	2	4	3	6	8	3	6	-
184 Homicide (182, 183) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	7	8	-	-	-	-	-	-	2	2	4	7	-	-
(*b*) Sudden Death (not otherwise defined)	1	1	-	1	-	-	-	-	-	-	-	1	-	-
189 (*a*) Heart Failure - - -	12	12	1	-	-	-	-	-	2	3	7	7	4	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	2	4	-	-	-	-	-	-	-	2	3	1	-	-

Causes of Death in ABERDEEN in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	1344	1405	485	259	124	71	145	134	182	220	322	376	431	-
I. GENERAL DISEASES.														
1 Enteric Fever	2	1	-	-	-	1	-	-	-	2	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	1	-	-	-	-	-	-	-	1	-	-	-	-	-
5 (*a*) Vaccinated	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	5	2	2	5	-	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	38	45	4	26	33	8	5	4	2	1	-	-	-	-
8 Whooping-cough	5	7	8	4	-	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	66	67	5	71	42	9	4	1	1	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	4	8	-	-	-	1	-	-	-	-	2	4	5	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	1	-	-	-	-	-	-	-	1	-	-	-	-	-
18 Erysipelas	9	4	1	-	-	-	4	1	-	2	2	1	2	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	2	1	1	1	-	-	-	-	-	1	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	3	1	-	-	-	-	-	1	1	2	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	1	-	-	-	-	-	-	-	1	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	92	77	1	2	1	7	40	35	36	25	15	4	3	-
29 (*a*) Acute Phthisis	-	2	-	1	-	-	-	-	1	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	-	4	-	1	-	1	1	-	1	-	-	-	-	-
30 Tuberculous Meningitis	22	14	7	12	7	3	3	1	2	1	-	-	-	-
31 Abdominal Tuberculosis	6	10	2	8	1	2	2	1	-	-	-	-	-	-
32 Tuberculosis of Spine	4	3	-	1	2	1	-	1	-	1	1	-	-	-
33 Tuberculosis of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	12	7	3	3	1	2	3	3	-	1	1	1	1	-
36 Rickets, Osteomalacia	2	2	2	2	-	-	-	-	-	-	-	-	-	-
37 Syphilis	9	9	15	1	-	-	-	-	-	1	1	-	-	-
38 Other Venereal Diseases	1	-	-	-	-	-	-	-	-	-	-	1	-	-
45 (*a*) Carcinoma } 39-44	37	76	-	-	-	-	1	1	10	24	27	31	19	-
(*b*) Sarcoma } 39-44	6	6	-	-	-	1	-	2	1	2	3	1	2	-
(*c*) Malignant Disease, other or not defined } 39-44	24	36	-	-	-	-	-	-	6	7	13	20	14	-
46 Other Tumours (Situation undefined)	2	-	-	-	-	-	1	-	1	-	-	-	-	-
47 Rheumatic Fever	3	10	-	-	2	2	3	-	2	1	1	1	1	-
48 (*a*) Chronic Rheumatism	-	2	-	-	-	-	-	-	-	-	1	1	-	-
(*b*) Osteo-arthritis	1	5	-	-	-	-	-	-	-	-	3	2	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	9	7	-	-	-	1	-	1	3	1	5	3	2	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	-	2	-	-	-	-	1	-	-	1	-	-	-	-
(*b*) Lymphadenoma	4	-	-	-	1	-	-	-	1	-	2	-	-	-
54 Anæmia, Chlorosis	2	7	-	-	-	-	-	-	-	3	3	3	-	-
55 (*b*) Purpura	-	2	-	-	1	1	-	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	3	-	-	-	-	-	-	2	1	-	-	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	3	3	-	-	-	1	1	1	2	-	-	1	-	-
61 (*a*) Cerebro-spinal Meningitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	14	6	5	3	3	1	3	1	1	3	-	-	-	-
62 Locomotor Ataxy	3	1	-	-	-	-	-	-	1	1	1	1	-	-
63 Other Diseases of Spinal Cord	5	4	-	-		-	-	1	-	2	1	1	4	-
64 Cerebral Hæmorrhage, Apoplexy	83	102	-	-	-	-	1	1	4	19	53	53	54	-
65 Softening of Brain	1	7	-	-	-	-	-	-	-	1	3	4	-	-
66 (*a*) Hemiplegia	7	15	-	1	-	-	-	1	1	1	4	9	5	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	3	-	1	-	-	-	-	-	1	2	-	-	-
67 General Paralysis of Insane	6	3	-	-	-	-	-	2	4	2	1	-	-	-
68 Other Insanity	2	3	-	-	-	-	-	1	-	2	2	-	-	-
69 Epilepsy	2	9	-	2	1	1	-	5	-	2	-	-	-	-
71 Convulsions (not Puerperal) (70)	31	24	37	17	-	-	1	-	-	-	-	-	-	-
72 Chorea	-	1	-	-	-	1	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	3	-	-	-	-	-	-	-	-	-	2	1	-
74 (*c*) Cerebral Tumour	2	5	-	-	1	3	-	-	-	-	2	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	1	-	-	-	-	1	-	1	-	-	-	1	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	1	-	1	-	1	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	4	1	-	2	-	1	1	-	-	-	1	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	2	2	-	-	-	1	3	-	-	-	-	-	-	-
78 Acute Endocarditis	4	4	-	-	-	1	2	1	1	-	2	1	-	-
79 (*a*) Valvular Disease	42	52	-	-	3	1	5	5	4	14	12	24	26	-
(*b*) Fatty Degeneration of Heart	2	4	-	-	-	-	-	-	-	-	2	2	2	-
(*c*) Other Organic Diseases of Heart	70	89	1	1	2	1	2	3	7	15	38	51	38	-
80 Angina Pectoris	9	8	-	-	-	-	-	-	2	4	3	4	4	-
81 (*a*) Aneurysm	5	2	-	-	-	-	-	-	-	5	1	1	-	-
(*b*) Arterio-sclerosis	9	15	-	-	-	-	-	-	-	1	3	6	14	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	7	12	-	-	-	-	-	2	3	-	6	1	7	-
(*b*) Embolism and Thrombosis, not Cerebral	1	2	-	-	-	-	-	-	-	-	2	-	1	-
83 Diseases of Veins	-	2	-	-	-	-	-	-	1	-	-	-	1	-
84 (*a*) Lymphatism, Status Lymphaticus	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	3	1	1	-	-	1	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	1	-	1	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	1	2	-	-	-	-	-	-	1	1	-	-	-
88 Diseases of Thyroid	-	3	1	-	-	-	-	2	8	7	19	36	43	-
90 Bronchitis (89)	82	77	37	7	-	-	-	2	2	3	5	3	6	-
91 Broncho-pneumonia	34	36	29	18	-	-	2	11	14	11	22	20	19	-
92 Pneumonia	96	51	15	14	5	3	13	-	1	-	1	-	1	-
93 Pleurisy	3	3	-	2	-	-	1	-	-	-	-	-	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	1	2	1	-	2	7	-
(*b*) Pulmonary Congestion (*c*, *d*)	5	10	1	-	1	-	-	-	-	-	-	-	-	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	1	1	-	1	-	-
96 Asthma	1	2	-	-	-	-	-	-	-	-	1	-	-	-
97 Pulmonary Emphysema	-	1	-	-	-	-	-	-	-	-	-	1	-	-
98 (*a*) Fibroid Diseases of Lung	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	-	-	-	-	-	-	-	-	1	-	-	-	-
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102 Gastric Ulcer - - - ..	12	8	-	-	-	..	2	4	3	4	4	2	1	-
103 Other Dis; of Stomach. Gastritis	10	6	7	3	1	-	-	-	1	-	2	2	-	-
104 Diarrhœa, Enteritis (under 2 years)	49	38	74	13	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis, (over 2 years)	7	13	-	7	.	1	2	-	1	1	1	4	3	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	9	10	-	1	4	3	6	2	2	-	-	1	-	-
109 (*a*) Hernia - - - -	3	2	2	-	-	-	-	-	-	-	1	-	2	-
(*b*) Intestinal Obstruction - -	3	12	4	1	-	-	1	1	-	-	1	4	3	-
110 Other Diseases of Intestine -	3	3	-	-	-	1	-	-	1	-	3	-	1	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	.	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	8	5	-	-	-	-	1	1	1	3	4	3	-	-
114 Gallstones - - - - -	2	2	-	-	-	-	-	1	1	-	1	-	1	-
115 Other Diseases of Liver - -	3	4	-	-	-	-	1	1	-	-	-	2	3	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	3	5	1	2	1	1	1	1	-	-	-	-	1	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	11	8	-	7	2	1	1	2	-	4	2	-	-	-
120 (*a*) Bright's Disease - - -	25	28	-	-	-	-	2	1	11	8	15	13	3	-
(*b*) Uræmia - - - -	3	3	-	-	-	-	-	-	1	1	2	2	-	-
122 Other Dis. of Kidney, Chyluria (121)	5	-	-	-	-	-	3	-	-	1	-	1	-	-
123 Urinary Calculus - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	-
124 Diseases of Bladder - - -	3	2	-	-	-	-	-	-	-	1	1	1	2	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	1	-	-	-	-
126 Diseases of Prostate - - -	9	-	-	-	-	-	-	-	-	-	1	3	5	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	2	-	-	-	-
130 Other Diseases of Uterus - -	-	2	-	-	-	-	-	-	1	1	-	-	-	-
131 Cysts, and other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	1	-	-	-	-	-	1	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	1	1	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	5	-	-	-	-	1	-	3	1	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	2	-	-	-	-	-	2	-	-	-	-	-	-
(*d*) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	2	-	-	-	-	1	-	1	-	-	-	-	-
136 Other Accidents of Childbirth -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
137 Puerperal Sepsis - - -	-	18	-	-	-	-	6	9	3	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	2	-	-	-	-	1	1	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	3	-	-	-	-	-	-	3	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	2	-	-	-	-	1	-	1	-	-	-	-	-
141 Puerperal Diseases of Breast -	..	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	2	2	-	-	-	-	-	-	-	-	-	4	-	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143 Carbunkle, Boil - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - -	1	6	3	-	-	-	1	-	2	-	1	-	-	-
145 Ulcer, other Diseases of Skin and Cellular Tissue	2	2	3	-	-	-	-	1	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	2	1	–	2	–	1	–	–	–	–	–	–	–	–
147 Diseases of Joints – – –	–	1	1	–	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	1	–	–	–	–	–	–	–	–	–	–	–	1	–
X. MALFORMATIONS.														
150 Congenital Malformations – –	9	8	13	3	1	–	–	–	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth – – –	52	44	96	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	30	28	58	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	15	9	24	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.														
154 (*a*) Senile Dementia – – –	3	1	–	–	–	–	–	–	–	–	–	1	3	–
(*b*) Senile Decay – – –	45	78	–	–	–	–	–	–	–	–	–	21	102	–
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) – – –	8	3	–	–	–	–	–	1	4	4	1	1	–	–
164 Poisoning by Food – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings	1	–	–	–	–	–	–	1	–	–	–	–	–	–
167 Burns and Scalds (166) – –	7	7	1	4	2	–	–	–	–	–	2	2	3	–
168 Exposure to Poisonous Vapours –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning – – – – –	23	6	–	1	2	2	4	4	5	5	4	2	–	–
170 Accidents with Fire Arms – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	4	1	–	–	–	3	–	1	–	1	–		–	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175 (*a*) Accidents on Railways – –	3	–	–	–	–	–	–	1	–	1	1	–	–	–
(*b*) Acc. with Horses and Vehicles	1	–		1	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents with Motor Vehicles	3	–	–	–	1	–	1	–	–	–	–	1	–	–
(*d*) Accidents with Tramways –	–	–	–	–	–	–	–	–	–	–		–	–	–
(*e*) Other Crushing Accidents –	2	–	–	–	–	1	–	–	1	–	–	–	–	–
177 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	1	–	–	–	–	–	–	–	–	–	–	–	1	–
186 (*a*) Overlaying – – – –	1	–	1	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	3	4	6	–	–	–	1	–	–	–	–	–	–	–
(*c*) Other Accidents (176, 181, 185)	23	8	–	3	3	1	2	2	3	2	5	7	3	–
184 Homicide (182, 183) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191 War Casualties (not Sickness) –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIX. ILL-DEFINED CAUSES.														
187 Dropsy – – – – – –	–	1	1	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope – – – – –	1	2	–	–	–	–	–	1	–	–	–	–	2	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (*a*) Heart Failure – – –	6	6	2	–	–	–	–	1	1	–	3	4	1	–
(*c*) Teething – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	1	1	1	1	–	–	–	–	–	1	–	–	2	–
(*f*) Dis. not Specified, Nat. Causes	4	3	3	1	–	–	–	–	–					

Causes of Death in PAISLEY in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	675	693	318	147	34	21	58	79	92	126	168	168	157	-
I. GENERAL DISEASES.														
1 Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	21	22	12	30	1	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	8	10	-	11	1	4	2	-	-	-	-	-	-	-
8 Whooping-cough	18	12	15	14	1	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	5	3	-	6	2	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	2	4	2	-	-	-	-	-	-	-	-	4	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	3	3	2	-	-	-	-	1	-	1	1	-	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	2	1	1	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	1	1	-	-	1	-	-	-	-	-	1	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	44	38	-	2	3	-	18	23	12	13	9	2	-	-
29 (*a*) Acute Phthisis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	2	-	-	1	-	-	1	-	-	-	-	-	-	-
30 Tuberculous Meningitis	6	5	1	7	1	1	-	1	-	-	-	-	-	-
31 Abdominal Tuberculosis	7	7	2	4	3	-	3	1	1	-	-	-	-	-
32 Tuberculosis of Spine	1	-	-	-	-	-	1	-	-	-	-	-	-	-
33 Tuberculosis of Joints	2	-	-	1	-	-	-	1	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	8	7	2	6	-	-	1	2	3	-	1	-	-	-
36 Rickets, Osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	2	4	6	-	-	-	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	22	34	-	-	-	-	-	-	8	17	12	11	8	-
(*b*) Sarcoma } 39-44	1	2	-	-	-	-	-	-	1	1	1	-	-	-
(*c*) Malignant Disease, other or not defined } 39-44	10	14	-	-	-	-	1	1	2	3	7	4	6	-
46 Other Tumours (Situation undefined)	-	2	-	-	-	-	-	-	1	1	-	-	-	-
47 Rheumatic Fever	1	7	-	-	1	3	2	-	-	2	-	-	-	-
48 (*a*) Chronic Rheumatism	1	3	-	-	-	-	-	-	-	1	1	2	-	-
(*b*) Osteo-arthritis	1	1	-	-	-	-	-	1	-	-	-	-	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	7	8	-	1	-	-	4	4	-	1	1	4	-	-
51 Exophthalmic Goitre	-	3	-	-	-	-	1	-	-	1	1	-	-	-
52 Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	1	1	1	-	-	1	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	5	2	1	-	-	-	-	1	1	1	2	1	-	-
55 (*b*) Purpura	1	1	1	-	-	-	1	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	1	-	-	-	-	-	-	-	-	1	-	-	-
56 Alcoholism	1	1	-	-	-	-	-	-	-	1	-	1	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	10	7	5	6	3	2	-	1	-	-	-	-	-	-
62 Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Other Diseases of Spinal Cord	3	3	-	-	-	-	-	1	2	-	1	2	-	-
64 Cerebral Hæmorrhage, Apoplexy	49	71	1	-	-	-	1	1	2	15	32	36	32	-
65 Softening of Brain	1	-	-	-	-	-	-	-	-	1	-	-	-	-
66 (*a*) Hemiplegia	4	3	-	-	-	-	-	-	-	-	2	3	2	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67 General Paralysis of Insane	5	1	-	-	-	-	-	1	1	2	2	-	-	-
68 Other Insanity	2	5	-	-	-	-	-	-	2	2	1	-	2	-
69 Epilepsy	3	3	-	-	-	-	2	-	-	2	1	1	-	-
71 Convulsions (not Puerperal) (70)	4	5	7	1	-	-	-	1	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	3	1	-	-	-	-	-	-	-	1	2	1	-	-
74 (*c*) Cerebral Tumour	3	4	-	1	1	-	-	1	3	1	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	-	-	-	-	-	-	-	-	-	-	1	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	4	-	1	2	-	-	-	-	1	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-	-	-
78 Acute Endocarditis	4	5	-	-	1	1	3	2	-	2	-	-	-	-
79 (*a*) Valvular Disease	13	21	-	-	-	-	-	-	4	7	11	6	6	-
(*b*) Fatty Degeneration of Heart	-	3	-	-	-	-	-	1	-	-	2	-	-	-
(*c*) Other Organic Diseases of Heart	27	35	-	-	1	1	3	4	6	2	15	17	13	-
80 Angina Pectoris	1	3	-	-	-	-	-	1	-	-	1	1	1	-
81 (*a*) Aneurysm	5	1	-	-	-	-	-	-	3	3	-	-	-	-
(*b*) Arterio-sclerosis	5	3	-	-	-	-	-	-	-	-	3	1	4	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	-	3	-	-	-	-	-	-	1	-	2	-	-	-
(*b*) Embolism and Thrombosis, not Cerebral	1	1	-	-	-	-	1	-	-	1	-	-	-	-
83 Diseases of Veins	-	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	1	-	1	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	-	1	-	-	-	-	-	-	-	1	1	-	-
88 Diseases of Thyroid	1	1	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	51	50	27	11	-	1	-	1	6	6	13	19	17	-
91 Broncho-pneumonia	21	19	22	9	-	-	-	1	1	2	2	3	-	-
92 Pneumonia	28	22	8	6	1	1	4	5	3	8	5	7	2	-
93 Pleurisy	1	-	-	-	-	-	-	1	-	-	-	-	-	-
94 (*a*) Pulmonary Apoplexy	1	-	-	-	-	-	-	-	-	-	-	1	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	4	6	2	4	1	-	-	-	-	-	-	1	2	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	2	-	-	-	-	-	-	-	-	2	-	-	-
97 Pulmonary Emphysema	-	1	-	-	-	-	-	-	-	1	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	–	–	1	–	–	–	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	–	2	1	–	–	–	–	1	–	–	–	–	–	–
102 Gastric Ulcer – – – –	2	4	–	–	–	1	1	2	–	1	–	–	1	–
103 Other Dis. of Stomach. Gastritis	6	9	9	–	–	–	–	–	–	2	2	2	–	–
104 Diarrhœa, Enteritis (under 2 years)	22	21	38	5	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	5	5	–	3	1	–	–	–	1	1	2	–	2	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	4	4	–	–	–	1	1	2	2	1	1	–	–	–
109 (*a*) Hernia – – – –	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(*b*) Intestinal Obstruction – –	7	4	4	2	1	1	–	–	1	–	–	2	–	–
110 Other Diseases of Intestine –	3	1	–	–	–	–	1	1	–	2	–	–	–	–
111 Acute Yellow Atrophy of Liver –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	2	7	–	–	–	–	–	–	3	1	3	1	1	–
114 Gallstones – – – –	–	1	–	–	–	–	–	–	–	–	–	1	–	–
115 Other Diseases of Liver – –	–	3	–	–	–	–	–	–	–	–	–	1	2	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	1	2	1	–	1	–	–	–	–	1	–	–	–	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – –	4	3	–	–	–	2	2	–	1	–	–	2	–	–
120 (*a*) Bright's Disease – – –	14	13	1	–	1	–	1	2	2	7	5	7	1	–
(*b*) Uræmia – – – –	1	1	–	–	–	–	–	–	–	1	1	–	–	–
122 Other Dis. of Kidney, Chyluria (121)	1	1	–	–	–	–	–	–	1	–	1	–	–	–
123 Urinary Calculus – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 Diseases of Bladder – – –	4	–	–	–	–	–	–	–	–	–	2	1	1	–
125 Dis. of Urethra, Urinary Abscess	1	–	–	–	–	–	–	–	–	–	1	–	–	–
126 Diseases of Prostate – – –	4	–	–	–	–	–	–	–	–	–	1	2	1	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130 Other Diseases of Uterus – –	–	1	–	–	–	–	–	–	–	–	–	–	–	–
131 Cysts. and Other Tumours of Ovary	–	–	–	–	–	–	–	–	–	–	1	–	–	–
132 Other Dis. of Female Genit. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(*d*) Ectopic Gestation – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	4	–	–	–	–	–	1	2	1	–	–	–	–
136 Other Accidents of Childbirth –	–	1	–	–	–	–	–	1	–	–	–	–	–	–
137 Puerperal Sepsis – – –	–	3	–	–	–	–	–	1	2	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	1	–	–	–	–	–	1	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	5	–	–	–	–	–	2	3	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143 Carbuncle, Boil – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144 Phlegmon, Acute Abscess – –	2	–	–	1	–	–	–	–	–	–	1	–	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	2	1	–	–	–	–	–	1	–	–	–	1	–

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	2	-	-	-	-	-	1	-	1	-	-	-	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	11	3	11	2	1	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	36	25	61	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	29	23	52	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	6	5	11	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	25	33	-	-	-	-	-	-	-	-	-	13	45	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	5	2	-	-	-	-	2	3	1	1	-	-	-	-
164 Poisoning by Food - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
167 Burns and Scalds (166) - -	9	3	-	7	2	-	-	1	-	1	1	-	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - - -	3	1	-	-	1	-	-	1	2	-	-	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	2	4	-	-	1	-	-	-	-	3	1	1	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
175 (*a*) Accidents on Railways - -	3	1	-	-	1	-	-	-	2	-	1	-	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) -	1	1	2	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	4	3	-	-	1	-	-	-	1	3	-	1	1	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (a) Heart Failure - - -	9	7	3	-	-	1	-	-	1	1	5	2	3	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	-	1	-	-	-	-	-	-	-	-	1	-	-	-

Causes of Death in LEITH in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	633	601	215	133	38	29	50	62	95	155	143	176	138	-
I. GENERAL DISEASES.														
1 Enteric Fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	10	19	4	23	-	-	1	1	-	-	-	-	-	-
7 Scarlet Fever	7	9	-	10	4	1	-	1	-	-	-	-	-	-
8 Whooping-cough	1	1	-	2	-	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	5	5	-	8	1	-	-	1	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	-	1	-	1	-	-	-	-	-	-	-	-	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	2	-	-	-	-	-	-	-	2	-	-	-	-	-
18 Erysipelas	4	2	1	-	1	-	-	-	-	2	1	-	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	-	2	-	-	-	-	-	1	1	-	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	45	41	-	5	2	6	18	18	16	15	5	1	1	-
29 (*a*) Acute Phthisis	2	-	-	2	-	-	-	-	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	1	1	-	2	-	-	-	-	-	-	-	-	-	-
30 Tuberculous Meningitis	14	13	11	12	3	1	-	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	7	7	4	4	1	1	-	-	1	2	-	1	-	-
32 Tuberculosis of Spine	1	-	-	-	-	-	-	-	-	-	1	-	-	-
33 Tuberculosis of Joints	1	-	-	-	-	1	-	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	6	9	1	7	1	1	2	1	1	1	-	-	-	-
36 Rickets, Osteomalacia	-	1	1	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	2	2	4	-	-	-	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	26	36	-	-	-	-	-	1	5	11	16	20	9	-
(*b*) Sarcoma } 39-44	1	6	-	-	-	-	-	-	1	2	2	1	1	-
(*c*) Malignant Disease, other or not defined } 39-44	8	19	-	-	-	-	-	-	4	7	9	6	1	-
46 Other Tumours (Situation undefined)	2	1	-	-	-	-	-	-	-	-	3	-	-	-
47 Rheumatic Fever	5	2	-	-	2	1	1	2	-	1	-	-	-	-
48 (*a*) Chronic Rheumatism	2	-	-	-	-	-	-	-	-	-	-	-	2	-
(*b*) Osteo-arthritis	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	5	8	-	-	1	1	1	2	2	2	1	2	1	-
51 Exophthalmic Goitre	-	1	-	-	-	-	-	-	1	-	-	-	-	-
52 Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	2	-	-	1	1	-	-	-	-	-	-	-	-	-
(*c*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	1	3	-	-	-	-	-	-	1	-	2	1	-	-
55 (*b*) Purpura	1	1	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	7	1	-	-	-	-	1	1	3	2	-	1	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	9	3	4	5	-	-	-	-	1	-	1	1	-	-
62 Locomotor Ataxy	1	1	-	-	-	-	-	-	-	-	2	-	-	-
63 Other Diseases of Spinal Cord	5	4	1	-	-	1	-	1	-	1	2	3	-	-
64 Cerebral Hæmorrhage, Apoplexy	50	52	1	-	1	-	1	1	3	21	24	31	19	-
65 Softening of Brain	3	4	-	-	-	-	-	-	-	3	1	-	3	-
66 (*a*) Hemiplegia	3	8	-	-	-	-	-	-	1	1	4	2	3	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	-	1	-	-	-	-	-	-	-	-	-	-	1	-
67 General Paralysis of Insane	7	2	-	-	-	-	1	-	6	2	-	-	-	-
68 Other Insanity	-	2	-	-	-	-	-	-	-	2	-	-	-	-
69 Epilepsy	1	1	-	-	-	-	-	-	1	-	-	1	-	-
71 Convulsions (not Puerperal) (70)	5	2	7	-	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	1	1	-	-	-	-	-	-	1	1	-	-	-	-
74 (*c*) Cerebral Tumour	2	1	-	-	-	1	-	-	1	1	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	2	1	-	-	-	-	-	1	1	-	-	1	-
75 Diseases of Eye and Annexa	1	-	-	1	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	1	-	-	-	1	-	-	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78 Acute Endocarditis	1	3	-	-	1	-	-	-	1	2	-	-	-	-
79 (*a*) Valvular Disease	34	25	1	-	-	3	3	2	5	6	9	22	8	-
(*b*) Fatty Degeneration of Heart	4	8	-	-	-	-	1	-	-	2	3	4	2	-
(*c*) Other Organic Diseases of Heart	26	25	-	-	2	-	3	3	2	10	10	11	10	-
80 Angina Pectoris	1	4	-	-	-	-	-	-	-	1	3	1	-	-
81 (*a*) Aneurysm	4	2	-	-	-	-	-	-	2	3	1	-	-	-
(*b*) Arterio-sclerosis	2	1	-	-	-	-	-	-	-	-	-	2	1	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	4	2	-	-	-	-	-	-	1	1	2	2	-	-
(*b*) Embolism and Thrombosis, not Cerebral	1	1	-	-	-	-	-	1	-	1	-	-	-	-
83 Diseases of Veins	-	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	1	-	-	-	-	-	-	-	1	-	-	-	-
90 Bronchitis (89)	33	43	11	6	-	-	1	-	2	5	14	22	15	-
91 Broncho-pneumonia	14	24	14	14	2	-	1	-	-	2	1	3	1	-
92 Pneumonia	39	18	10	9	2	1	3	5	4	10	4	5	4	-
93 Pleurisy	2	2	-	-	-	1	1	-	-	1	-	1	-	-
94 (*a*) Pulmonary Apoplexy	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	7	3	2	1	-	-	-	-	-	-	2	1	4	-
95 Gangrene of Lung	1	-	-	-	1	-	-	-	-	-	-	-	-	-
96 Asthma	1	2	-	-	-	-	1	-	-	1	-	-	1	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(*b*) Other Diseases of Respiratory System	1	-	-	-	-	-	-	-	1	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
102 Gastric Ulcer	1	2	-	-	-	1	-	-	1	-	-	1	-	-
103 Other Dis. of Stomach. Gastritis	5	1	4	1	-	-	-	-	-	-	-	1	-	-
104 Diarrhœa, Enteritis (under 2 years)	18	14	29	3	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	4	4	-	1	1	1	-	1	-	1	-	1	2	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	4	4	-	-	2	4	1	-	-	-	1	-	-	-
109 (*a*) Hernia	1	2	1	-	-	-	-	-	-	2	-	-	-	-
(*b*) Intestinal Obstruction	4	-	-	1	-	-	-	-	-	-	1	1	1	-
110 Other Diseases of Intestine	5	1	2	-	-	-	-	-	-	2	1	-	1	-
111 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	4	3	-	1	-	-	-	-	2	1	2	-	1	-
114 Gallstones	-	1	-	-	-	-	-	-	-	-	1	-	-	-
115 Other Diseases of Liver	3	-	-	1	-	-	-	1	-	-	-	-	1	-
116 Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified	1	1	-	-	-	-	-	-	1	-	1	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis	2	3	-	-	1	1	1	-	2	-	-	-	-	-
120 (*a*) Bright's Disease	14	9	-	-	-	-	-	1	4	5	5	6	2	-
(*b*) Uræmia	3	1	1	-	-	-	-	-	-	2	1	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123 Urinary Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder	1	-	-	-	-	-	-	-	-	-	-	1	-	-
125 Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 Diseases of Prostate	1	-	-	-	-	-	-	-	-	-	-	1	-	-
127 Diseases of Male Genital Organs (not Venereal)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	1	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage	-	1	-	-	-	-	-	-	1	-	-	-	-	-
136 Other Accidents of Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis	-	3	-	-	-	-	1	2	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	1	-	-	-	-	-	1	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	-	2	-	-	-	-	-
140 (*a*) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases	-	3	-	-	-	-	-	3	-	-	-	-	-	-
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*)	-	-	-	-	-	-	-	-	-	-	-	-	1	-
143 Carbuncle, Boil	1	2	-	-	-	-	-	1	-	-	-	1	1	-
144 Phlegmon, Acute Abscess	4	3	2	-	1	-	-	1	1	1	-	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	1	-	-	-	-	-	-	-	-	-	1	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147 Diseases of Joints - - -	–	1	–	1	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.														
150 Congenital Malformations - -	6	6	11	1	–	–	–	–	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	19	21	40	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	16	11	27	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	4	1	5	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Senile Decay - - -	13	19	–	–	–	–	–	–	–	–	–	5	27	–
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	3	1	–	–	–	–	–	–	–	3	–	1	–	–
164 Poisoning by Food - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings -	1	3	–	1	–	–	–	–	1	2	–	–	–	–
167 Burns and Scalds (166) - -	4	3	–	4	1	–	–	–	–	1	–	–	1	–
168 Exposure to Poisonous Vapours -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning - - - - -	11	–	–	–	1	–	1	2	1	6	–	–	–	–
170 Accidents with Fire Arms - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls - - -	6	5	–	–	1	–	1	1	1	1	3	1	2	–
173 (*a*) Accidents in Coal Mines -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery - -	1	–	–	–	–	–	1	–	–	–	–	–	–	–
175 (*a*) Accidents on Railways - -	1	–	–	–	–	–	–	–	1	–	–	–	–	–
(*b*) Acc. with Horses and Vehicles	3	2	–	2	1	–	1	1	–	–	–	–	–	–
(*c*) Accidents with Motor Vehicles	2	–	–	1	–	1	–	–	–	–	–	–	–	–
(*d*) Accidents with Tramways -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents -	3	–	–	–	1	–	–	2	–	–	–	–	–	–
177 Hunger - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178-179) -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 (*a*) Overlaying - - - -	3	6	9	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) - -	–	3	1	–	–	–	–	–	–	–	2	–	–	–
(*c*) Other Accidents (176, 181, 185)	7	5	–	1	–	1	–	–	2	3	1	2	2	–
184 Homicide (182, 183) - - -	1	1	1	–	–	–	1	–	–	–	–	–	–	–
190 Execution - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191 War Casualties (not Sickness) -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (*a*) Heart Failure - - -	10	4	–	–	–	–	1	–	2	–	1	4	6	–
(*c*) Teething - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*f*) Dis. not Specified, Nat. Causes	1	2	1	–	–	–	–	–	–	–	–	2	–	–

Causes of Death in GREENOCK in 1914.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	736	659	276	169	36	20	64	85	94	149	179	194	135	-
I. GENERAL DISEASES.														
1 Enteric Fever	2	1	-	-	1	1	-	1	-	-	-	-	-	-
2 Typhus Fever	-	1	-	-	-	-	-	-	1	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	14	15	8	21	-	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	1	4	-	1	1	-	1	1	1	-	-	-	-	-
8 Whooping-cough	11	15	13	13	-	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	5	3	1	6	1	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	1	-	1	-	-	-	-	-	-	-	-	-	-
10 Influenza	3	4	1	-	-	-	-	-	-	-	4	1	1	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	4	1	-	-	-	-	-	1	-	2	-	1	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	-	1	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	1	-	1	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	47	24	-	2	1	-	12	23	10	19	3	1	-	-
29 (*a*) Acute Phthisis	5	2	1	-	-	-	3	-	2	1	-	-	-	-
(*b*) Acute Miliary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Tuberculous Meningitis	13	18	8	16	6	-	-	1	-	-	-	-	-	-
31 Abdominal Tuberculosis	10	12	4	11	3	-	2	-	1	-	-	1	-	-
32 Tuberculosis of Spine	3	2	-	1	1	-	3	-	-	-	-	-	-	-
33 Tuberculosis of Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	9	5	3	3	1	2	3	1	1	-	-	-	-	-
36 Rickets, Osteomalacia	-	2	-	2	-	-	-	-	-	-	-	-	-	-
37 Syphilis	5	-	2	1	-	-	-	-	-	2	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma 39-44	19	22	-	-	-	-	1	1	7	8	15	7	2	-
(*b*) Sarcoma 39-44	1	1	-	-	-	-	-	-	-	1	-	1	-	-
(*c*) Malignant Disease, other or not defined 39-44	15	22	-	-	-	-	-	1	4	8	10	9	5	-
46 Other Tumours (Situation undefined)	2	-	-	-	-	-	-	-	-	-	2	-	-	-
47 Rheumatic Fever	2	3	-	-	1	-	-	1	1	1	1	-	-	-
48 (*a*) Chronic Rheumatism	-	3	-	-	-	-	-	-	-	-	-	2	1	-
(*b*) Osteo-arthritis	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	3	5	-	-	-	-	-	-	1	-	6	1	-	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	-	1	-	-	-	-	-	-	-	-	1	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	1	-	-	-	-	-	1	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	6	4	1	-	-	-	-	-	3	3	3	-	-	-
55 (*b*) Purpura	-	1	-	-	-	1	-	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	1	-	-	-	-	-	-	-	-	1	-	-	-	-
56 Alcoholism	2	2	-	-	-	-	-	1	-	1	1	1	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	-	-	-	-	-	-	-	-	1	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	11	13	6	9	1	-	4	2	1	1	-	-	-	-
62 Locomotor Ataxy	1	-	-	-	-	-	-	-	-	-	1	-	-	-
63 Other Diseases of Spinal Cord	3	3	-	1	-	-	-	-	-	-	2	2	1	-
64 Cerebral Hæmorrhage, Apoplexy	44	50	-	-	-	-	-	1	2	10	29	32	20	-
65 Softening of Brain	2	1	-	-	-	-	-	-	-	-	-	1	2	-
66 (*a*) Hemiplegia	9	2	-	-	-	-	-	-	1	1	4	4	1	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	3	-	-	-	-	-	1	-	2	-	1	-	-
67 General Paralysis of Insane	3	-	-	-	-	-	-	-	1	1	1	-	-	-
68 Other Insanity	1	1	-	-	-	-	-	-	1	-	-	1	-	-
69 Epilepsy	4	1	-	-	1	-	-	2	-	2	-	-	-	-
71 Convulsions (not Puerperal) (70)	9	4	10	2	1	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	1	-	-	-	-	-	-	-	-	-	-	1	-
74 (*c*) Cerebral Tumour	2	1	-	-	-	-	-	-	1	1	-	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	2	-	-	-	-	-	-	-	2	-	-	1	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	3	1	2	1	-	-	-	1	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	1	-	-	-	1	-	-	-	-	-	-	-	-
78 Acute Endocarditis	1	-	-	-	-	-	-	1	-	-	-	-	-	-
79 (*a*) Valvular Disease	20	35	-	-	1	-	1	2	5	11	15	15	5	-
(*b*) Fatty Degeneration of Heart	1	1	-	-	-	-	-	-	-	-	1	1	-	-
(*c*) Other Organic Diseases of Heart	17	37	-	-	1	1	1	1	1	4	15	17	13	-
80 Angina Pectoris	4	1	-	-	-	-	-	-	-	-	2	2	1	-
81 (*a*) Aneurysm	2	1	-	-	-	-	-	-	1	2	-	-	-	-
(*b*) Arterio-sclerosis	2	2	-	-	-	-	-	-	-	-	1	3	-	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	2	4	-	-	-	-	1	-	-	-	3	1	1	-
(*b*) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83 Diseases of Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	2	-	-	2	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	49	39	10	17	2	-	-	2	2	10	15	15	15	-
91 Broncho-pneumonia	35	24	21	25	1	1	1	-	2	1	-	2	5	-
92 Pneumonia	55	32	7	9	1	1	10	5	8	10	17	13	6	-
93 Pleurisy	1	4	-	-	-	-	1	1	1	1	1	-	-	-
94 (*a*) Pulmonary Apoplexy	-	1	-	-	-	-	-	-	-	-	1	3	1	-
(*b*) Pulmonary Congestion (*c*, *d*)	5	3	2	1	-	-	-	-	-	-	-	-	-	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	2	-	-	-	-
96 Asthma	-	2	-	-	-	-	-	-	-	-	-	-	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	1	-
98 (*a*) Fibroid Diseases of Lung	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	2	1	1	-	-	-	1	-	-	-	-	1	-	-
102 Gastric Ulcer - - - -	5	1	-	-	-	-	-	-	2	1	2	1	-	-
103 Other Dis. of Stomach. Gastritis	7	6	6	-	-	1	-	-	-	1	1	2	2	-
104 Diarrhœa, Enteritis (under 2 years)	25	27	40	12	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	7	5	-	1	-	-	-	-	2	3	3	2	1	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	9	6	1	-	3	6	1	1	1	1	-	1	-	-
109 (*a*) Hernia - - - -	3	2	1	-	1	-	-	1	-	-	1	1	-	-
(*b*) Intestinal Obstruction - -	2	2	2	1	-	-	-	-	-	-	1	-	-	-
110 Other Diseases of Intestine -	1	2	1	-	-	-	-	1	-	1	-	-	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	-	5	-	-	-	-	-	1	-	4	-	-	-	-
114 Gallstones - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	-
115 Other Diseases of Liver - -	2	1	-	-	-	-	1	1	-	1	-	-	-	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	4	1	1	-	1	-	-	1	-	1	1	-	-	-
118 Other Diseases of Digestive System	-	1	-	-	-	-	-	-	-	1	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	6	2	1	4	1	-	-	1	1	-	-	-	-	-
120 (*a*) Bright's Disease - - -	8	10	-	-	-	-	-	1	5	6	2	4	-	-
(*b*) Uræmia - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123 Urinary Calculus - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
124 Diseases of Bladder - - -	2	1	-	-	-	-	-	-	1	1	-	1	-	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	1	-	-	-	-	-
126 Diseases of Prostate - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	-	1	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	2	-	-	-	-	-	-	-	1	1	-	-	-
131 Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	-	-	1	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	2	-	-	-	-	-	1	-	1	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-
136 Other Accidents of Childbirth -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
137 Puerperal Sepsis - - -	-	4	-	-	-	-	1	3	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	1	-	-	-	-	1	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	1	1	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	4	-	-	-	-	1	3	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
143 Carbuncle, Boil - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	-
144 Phlegmon, Acute Abscess - -	2	2	1	-	1	-	-	-	2	-	-	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	2	-	-	-	-	-	-	-	-	-	3	1	-

	Sexes.		Age											Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded) -	3	3	1	-	-	4	-	-	-	1	-	-	-	-
147 Diseases of Joints - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	4	1	5	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	23	8	31	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c, d, e*)	41	30	71	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	-	1	1	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Senile Decay - - -	19	37	-	-	-	-	-	-	-	-	-	18	38	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167 Burns and Scalds (166) - -	2	1	-	-	1	1	-	-	-	-	1	-	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - - -	8	1	-	-	-	-	3	-	5	-	1	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	3	1	-	-	-	-	-	1	1	-	-	2	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	4	-	-	-	-	-	-	2	-	1	1	-	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	5	2	5	-	-	-	-	1	-	1	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	32	6	-	1	3	-	9	6	8	5	3	2	1	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	6	3	1	-	-	-	-	1	-	-	2	4	1	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	5	10	1	-	-	-	-	-	1	2	-	9	2	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b, d*)	-	4	-	4	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	3	5	4	-	-	-	-	1	1	1	-	-	1	-

Causes of Death in LANARK—MIDDLE WARD, in 1914.

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	1636	1490	901	492	112	67	132	137	188	237	298	345	217	-
I. GENERAL DISEASES.														
1 Enteric Fever	4	4	-	-	2	2	3	1	-	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	1	-	-	-	-	-	-	-	-	1	-	-	-	-
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	73	63	38	93	4	-	-	-	-	1	-	-	-	-
7 Scarlet Fever	25	17	3	20	15	1	2	1	-	-	-	-	-	-
8 Whooping-cough	57	70	67	53	7	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	17	18	1	25	9	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	2	-	2	-	-	-	-	-	-	-	-	-	-
10 Influenza	5	4	-	1	-	-	1	-	1	-	2	4	-	-
13 Cholera Nostras	2	2	3	1	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	5	5	2	-	-	-	-	-	2	2	2	-	2	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	-	1	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	4	-	1	-	1	-	1	-	-	-	1	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	1	-	-	-	-	1	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	63	73	2	7	5	13	40	26	22	11	7	1	2	-
29 (*a*) Acute Phthisis	-	2	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	1	1	-	-	-	2	-	-	-	-	-	-	-	-
30 Tuberculous Meningitis	30	30	15	26	11	2	3	1	1	1	-	-	-	-
31 Abdominal Tuberculosis	34	30	18	26	10	3	4	1	-	1	-	1	-	-
32 Tuberculosis of Spine	3	2	-	2	-	1	1	-	1	-	-	-	-	-
33 Tuberculosis of Joints	3	-	-	-	-	-	1	-	1	1	-	-	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	15	6	3	3	2	2	3	4	3	1	-	-	-	-
36 Rickets, Osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	3	1	3	-	-	-	-	1	-	-	-	-	-	-
38 Other Venereal Diseases	-	1	1	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	35	63	-	-	-	-	1	1	17	21	24	25	10	-
(*b*) Sarcoma } 39-44	4	1	-	-	-	2	1	-	1	-	1	-	-	-
(*c*) Malignant Disease, other or not defined } 39-44	23	21	-	-	-	-	-	1	4	12	12	10	5	-
46 Other Tumours (Situation undefined)	2	-	-	-	-	-	1	-	-	1	-	-	-	-
47 Rheumatic Fever	4	7	-	2	3	-	2	3	-	1	-	-	-	-
48 (*a*) Chronic Rheumatism	2	2	-	-	-	-	-	-	1	-	-	1	2	-
(*b*) Osteo-arthritis	-	4	-	-	-	-	-	-	-	1	2	1	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	6	14	-	-	-	-	1	1	1	5	5	5	3	-
51 Exophthalmic Goitre	-	3	-	-	-	-	1	-	2	-	-	-	-	-
52 Addison's Disease	-	1	-	-	-	-	-	-	1	-	-	-	-	-
53 (*a*) Leucocythæmia	1	2	-	-	-	-	2	-	-	1	-	-	-	-
(*b*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	10	15	1	1	1	-	1	2	5	4	4	6	-	-
55 (*b*) Purpura	3	1	1	2	-	-	-	-	-	1	-	1	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	1	-	1	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	3	5	-	-	-	-	-	2	2	2	1	1	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	1	1	1	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-Spinal Meningitis	2	1	1	-	-	1	-	1	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	32	31	29	17	8	2	5	1	-	1	-	-	-	-
62 Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Other Diseases of Spinal Cord	8	10	1	-	1	-	1	-	5	3	3	3	1	-
64 Cerebral Hæmorrhage, Apoplexy	57	94	-	-	-	-	-	1	2	27	34	59	28	-
65 Softening of Brain	4	2	-	-	-	-	-	-	-	1	-	3	2	-
66 (*a*) Hemiplegia	3	5	-	1	-	-	-	-	-	1	1	3	2	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	4	1	-	-	-	-	-	-	2	-	2	-	1	-
67 General Paralysis of Insane	4	-	-	-	-	-	-	1	1	-	2	-	-	-
68 Other Insanity	-	1	-	-	-	-	-	-	-	-	1	-	-	-
69 Epilepsy	4	6	2	-	-	1	1	3	1	-	-	-	2	-
71 Convulsions (not Puerperal) (70)	22	10	23	7	-	2	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	1	1	-	-	-	-	-	-	2	-	-	-	-	-
74 (*c*) Cerebral Tumour	2	-	-	-	-	-	-	-	-	-	1	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	5	3	-	-	-	-	1	-	-	-	4	3	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	-	-	-	-	-	1	-	-	-	-	-	-
(*b*) Diseases of Ear	2	2	2	-	-	1	-	1	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	1	2	-	-	-	-	1	1	-	-	1	-	-	-
78 Acute Endocarditis	4	3	-	-	-	1	2	1	-	3	-	-	-	-
79 (*a*) Valvular Disease	43	36	-	1	-	3	4	3	16	16	14	17	5	-
(*b*) Fatty Degeneration of Heart	4	8	-	-	-	-	-	-	2	1	4	4	1	-
(*c*) Other Organic Diseases of Heart	49	50	-	-	-	1	5	1	3	11	18	37	23	-
80 Angina Pectoris	10	4	-	-	-	-	-	-	-	2	8	3	1	-
81 (*a*) Aneurysm	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(*b*) Arterio-sclerosis	7	6	-	-	-	-	-	-	-	1	1	3	8	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	3	18	-	-	1	-	1	1	2	2	8	5	1	-
(*b*) Embolism and Thrombosis, not Cerebral	2	-	-	-	-	-	-	1	-	-	1	-	-	-
83 Diseases of Veins	1	1	-	-	-	-	-	-	1	1	-	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	1	-	-	-	-	-	-	-	1	-	-	-	-
87 (*b*) Laryngitis	5	7	1	9	1	-	-	-	-	1	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	1	1	-	1	-	-	-	-	-	-	1	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	135	72	55	20	-	1	-	2	11	17	38	38	25	-
91 Broncho-pneumonia	90	81	88	63	8	1	-	-	1	1	4	2	3	-
92 Pneumonia	82	55	35	23	2	5	4	12	7	13	18	15	3	-
93 Pleurisy	5	4	-	2	-	-	-	-	-	1	3	3	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	9	11	7	4	-	-	-	-	2	1	1	3	2	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
97 Pulmonary Emphysema	1	2	-	-	-	-	-	-	-	2	1	-	-	-
98 (*a*) Fibroid Diseases of Lung	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	2	2	1	-	-	-	-	1	-	1	-	1	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	2	–	2	–	–	–	–	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	4	1	1	3	–	–	–	1	–	–	–	–	–	–
102 Gastric Ulcer – – – –	4	3	–	–	–	–	–	4	2	1	–	–	–	–
103 Other Dis. of Stomach. Gastritis	19	19	20	5	–	–	2	1	1	2	3	–	4	–
104 Diarrhœa, Enteritis (under 2 years)	95	76	144	27	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	18	18	–	6	4	–	–	–	–	2	8	12	4	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	15	6	–	1	4	6	3	1	2	2	2	–	–	–
109 (*a*) Hernia – – – –	4	2	3	–	–	1	–	–	–	1	–	–	1	–
(*b*) Intestinal Obstruction – –	2	1	2	–	–	–	–	–	–	–	1	–	–	–
110 Other Diseases of Intestine –	6	4	2	2	–	–	1	–	–	2	3	–	–	–
111 Acute Yellow Atrophy of Liver –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	8	4	–	–	–	–	–	2	1	3	5	1	–	–
114 Gallstones – – – – –	–	2	–	–	–	–	–	–	–	1	–	1	–	–
115 Other Diseases of Liver – –	4	2	–	1	–	–	1	–	–	2	–	1	1	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	2	2	–	1	–	–	1	–	–	–	–	2	–	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – – –	3	14	2	2	1	1	3	4	2	2	–	–	–	–
120 (*a*) Bright's Disease – – –	27	31	–	–	–	–	2	4	8	12	18	11	3	–
(*b*) Uræmia – – – –	1	1	1	–	–	–	–	1	–	–	–	–	–	–
122 Other Dis. of Kidney, Chyluria (121)	1	–	–	–	–	–	–	–	1	–	–	–	–	–
123 Urinary Calculus – – –	–	1	–	–	–	–	–	–	–	1	–	–	–	–
124 Diseases of Bladder – – –	7	–	–	–	–	–	1	1	–	–	2	2	1	–
125 Dis. of Urethra, Urinary Abscess	2	–	–	–	–	–	1	–	–	1	–	–	–	–
126 Diseases of Prostate – – –	6	–	–	–	–	–	–	–	–	–	2	4	–	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	1	–	–	–	–	–	1	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130 Other Diseases of Uterus – –	–	3	–	–	–	–	1	–	1	1	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	1	–	–	–	–	–	–	–	1	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	1	–	–	–	–	–	1	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	6	–	–	–	–	1	3	2	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	3	–	–	–	–	2	–	1	–	–	–	–	–
(*d*) Ectopic Gestation – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	–	–	–	1	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	4	–	–	–	–	1	2	1	–	–	–	–	–
136 Other Accidents of Childbirth –	–	3	–	–	–	–	–	3	–	–	–	–	–	–
137 Puerperal Sepsis – – –	–	11	–	–	–	–	1	5	5	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	6	–	–	–	–	1	–	5	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	1	–	–	–	–	–	1	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	4	–	–	–	–	1	1	2	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	7	5	–	–	–	–	–	–	–	–	–	5	7	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	–	1	1	–	–	–	–	–	–	–	–	–	–	–
143 Carbuncle, Boil – – – –	–	1	–	–	–	–	–	–	–	1	–	–	–	–
144 Phlegmon, Acute Abscess – –	4	3	4	–	–	–	1	–	–	1	–	–	1	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	3	1	1	2	–	–	–	–	1	–	–	–	–	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	6	3	1	2	3	2	1	-	-	-	-	-	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	15	27	40	2	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	80	46	126	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	62	50	112	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	12	10	22	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	26	47	-	-	-	-	-	-	-	-	-	25	48	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	4	1	-	-	-	-	-	-	1	1	2	1	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167 Burns and Scalds (166) - -	10	13	-	13	2	-	1	2	2	-	2	-	1	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - - -	15	3	-	3	2	3	1	4	2	1	1	-	1	-
170 Accidents with Fire Arms - -	3	-	-	-	-	-	1	1	-	1	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	2	1	-	-	-	-	-	1	-	1	-	1	-	-
173 (*a*) Accidents in Coal Mines -	25	-	-	-	-	2	5	4	8	2	3	1	-	-
(*b*) Accidents in Other Mines -	2	-	-	-	-	-	-	2	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	10	1	-	-	-	-	3	2	1	3	1	1	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	3	-	-	-	1	1	-	-	1	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(*e*) Other Crushing Accidents -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-
180 Weather Agencies (178, 179) -	2	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	3	1	4	-	-	-	-	-	-	2	-	-	-	-
(*b*) Suffocation (otherwise) - -	2	1	1	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	21	5	-	1	2	3	-	5	6	3	2	3	1	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	7	3	1	-	-	-	-	1	2	1	1	3	1	-
(*b*) Sudden Death (not otherwise defined)	1	2	-	1	1	-	-	-	-	1	-	-	-	-
189 (*a*) Heart Failure - - -	17	14	-	-	-	-	-	1	1	6	4	10	9	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	2	6	1	4	-	-	-	-	-	-	3	-	-	-
(*f*) Dis. not Specified, Nat. Causes	13	9	5	1	1	-	-	1	3	3	4	3	1	-

YEAR 1914.

COUNTIES—**Aberdeen and Kincardine.**

PUBLIC HEALTH DISTRICT—**Aberdeen** (Burgh).

Population—Census 1901, - - 153,503.
Do. Do. 1911, - - 163,891.
Do. estimated to middle of 1914, 163,044.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4041	88	51	4004	2064	1940
Illegitimate Births -	411	61	27	377	208	169
Marriages -	1536	-	-	-	-	-
Deaths - - -	2712	215	252	2749	1344	1405

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·8	24·6	-
Marriage-rate - - - - - -	9·4	-	-
Death-rate—All Causes - - -	16·6	16·9	17·1
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	1	-	-	-	1	-	-	-	2	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
*Measles - - - - - - -	5	2	2	5	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	38	45	4	26	33	8	5	4	2	1	-	-	-
*Whooping-cough - - - - -	5	7	8	4	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	66	67	5	71	42	9	4	1	1	-	-	-	-
Influenza - - - - - - -	4	8	-	-	-	1	-	-	-	-	2	4	5
Erysipelas - - - - - -	9	4	1	-	-	-	4	1	-	2	2	1	2
Phthisis, Pulmonary Tuberculosis -	92	79	1	3	1	7	40	35	37	25	15	4	3
Tuberculous Meningitis - - -	22	14	7	12	7	3	3	1	2	1	-	-	-
Abdominal Tuberculosis - - -	6	10	2	8	1	2	2	1	-	-	-	-	-
Other Tuberculous Diseases - -	16	14	3	5	3	4	4	4	1	2	2	1	1
Cancer, Malignant Disease - -	67	118	-	-	-	1	1	3	17	33	43	52	35
Rheumatic Fever - - - - -	3	10	-	-	2	2	3	-	2	1	1	1	1
Meningitis - - - - - -	14	6	5	3	3	1	3	1	1	3	-	-	-
Organic Heart Disease - - -	129	159	1	1	5	4	12	9	14	33	57	82	70
Bronchitis - - - - - -	82	77	37	7	-	-	-	2	8	7	19	36	43
Pneumonia (all forms) - - -	130	87	44	32	5	3	15	13	16	14	27	23	25
Other Diseases of Respiratory Organs	11	22	5	3	1	-	1	1	4	3	3	4	8
*Diarrhœa and Enteritis (under 2 years)	49	38	74	13	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	9	10	-	1	4	3	6	2	2	-	-	1	-
All Liver Diseases (not Malignant) -	13	11	-	-	-	-	2	3	2	3	5	5	4
Other Diseases of Digestive System (under 2 years)	11	7	14	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	39	39	-	7	2	1	3	3	12	13	19	15	3
Puerperal Sepsis - - - -	-	18	-	-	-	-	6	9	3	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	17	-	-	-	-	4	3	9	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	91	80	167	3	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	72	26	8	9	8	7	8	9	9	9	12	12	7
Suicide - - - - - - -	8	3	-	-	-	-	-	1	4	4	1	1	-
Other Defined Diseases - - -	338	413	90	40	6	14	19	26	35	61	111	130	219
Diseases Ill-defined or Unknown -	12	13	7	2	-	-	-	2	1	1	3	4	5
Total - - - -	1344	1405	485	259	124	71	145	134	182	220	322	376	431

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Ballater** (Burgh).

Population—Census 1901, - - 1,247.
Do. Do. 1911, - - 1,240.
Do. estimated to middle of 1914, 1,179.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	2	0	24	13	11
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	14	-	-	-	-	-
Deaths - -	13	2	0	11	3	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·1	20·4	-
Marriage-rate - - - - -	11·9	-	-
Death-rate—All Causes - - - -	11·0	9·3	8·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	2
Other Defined Diseases - - -	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	3	8	1	-	-	-	-	-	-	-	3	5	2

YEAR 1914.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

Population—Census 1901, - - - - 1,527.
Do. Do. 1911, - - - 1,307.
Do. estimated to middle of 1914, 1,177.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	3	2	21	12	9
Illegitimate Births -	4	3	2	3	1	2
Marriages - -	42	-	-	-	-	-
Deaths - - -	21	2	1	20	9	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·7	17·8	-
Marriage-rate - - - - -	35·7	-	-
Death-rate—All Causes - - - -	17·8	17·0	14·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	2	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	7	-	-	-	-	-	-	-	1	2	1	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	11	1	1	-	-	-	-	-	4	3	1	10

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

Population—Census 1901, - - - 9,109.
Do. Do. 1911, - - - 10,574.
Do. estimated to middle of 1914, 10,523.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	343	7	6	342	166	176
Illegitimate Births -	44	3	4	45	24	21
Marriages - -	76	-	-	-	-	-
Deaths - - -	133	2	14	165	90	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·6	32·5	-
Marriage-rate - - - - -	7·2	-	-
Death-rate—All Causes - - - -	14·5	15·7	16·3
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	1	-	-	1	1	1	-	1	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	8	12	10	10	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	1	-	-	1	2	1	-	-	-
Tuberculous Meningitis - - -	4	-	1	1	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	1	4	-	-	-	-	-	-	-	1	2	2	-
Rheumatic Fever - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - - -	4	2	3	1	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	5	7	-	-	1	-	-	-	-	2	-	4	5
Bronchitis - - - - - -	5	7	3	1	-	-	-	-	1	1	-	2	4
Pneumonia (all forms) - - -	7	4	3	6	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	4	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	1	-	2	1	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	7	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	1	-	1	-	1	2	1	-	2	1	1	-
Suicide - - - - - -	3	-	-	-	-	-	-	-	3	-	-	-	-
Other Defined Diseases - - -	22	19	11	5	1	-	3	2	1	2	3	6	7
Diseases Ill-defined or Unknown -	1	2	1	-	-	-	-	-	1	-	-	1	-
Total - - - -	90	75	49	27	7	2	7	6	11	13	8	18	17

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Huntly** (Burgh).

Population—Census 1901, - - - 4,136.
Do. Do. 1911, - - - 4,229.
Do. estimated to middle of 1914, 4,056.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	8	3	91	52	39
Illegitimate Births -	26	6	1	21	12	9
Marriages - -	48	-	-	-	-	-
Deaths - - -	53	1	5	57	24	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·7	22·4	-
Marriage-rate - - - - -	11·8	-	-
Death-rate—All Causes - - - -	13·1	14·1	12·0
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	1	5	-	-	-	-	-	-	1	1	3	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	2	-	-	-	-	-	-	-	2	1	4	1
Bronchitis - - - - - -	3	2	-	-	-	-	-	-	-	-	-	2	3
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	3	1	-	-	-	-	-	-	-	-	2	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	10	-	1	-	-	-	2	-	-	-	4	7
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	-	1	2	1
Total - - - -	24	33	9	3	-	-	-	2	1	7	6	15	14

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Inverurie** (Burgh).

Population—Census 1901, - - - 3,058.
Do. Do. 1911, - - - 3,960.
Do. estimated to middle of 1914, 4,052.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	1	7	101	55	46
Illegitimate Births -	16	1	3	18	11	7
Marriages - -	49	–	–	–	–	–
Deaths - - -	53	2	7	58	23	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·4	24·9	–
Marriage-rate - - - - -	12·1	–	–
Death-rate—All Causes - - - -	13·1	14·3	12·8
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	2	2	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	1	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	1	4	–	–	–	–	–	–	–	1	1	–	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	2	–	–	–	–	–	–	1	1	2	2	2
Bronchitis - - - - -	1	2	–	–	–	–	–	–	–	–	2	–	1
Pneumonia (all forms) - - -	–	5	1	3	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	1
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	1	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	2	–	1	5	1	12
Other Defined Diseases - - -	7	15	1	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	23	35	10	4	–	–	–	3	2	3	12	4	20

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Kintore** (Burgh).

Population—Census 1901, - - - 789.
Do. Do. 1911, - - - 818.
Do. estimated to middle of 1914, 789.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	0	0	13	7	6
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	5	–	–	–	–	–
Deaths - - -	8	0	2	10	6	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	16·5	–
Marriage-rate - - - - -	6·3	–	–
Death-rate—All Causes - - - -	10·1	12·7	10·5
Do. —Phthisis - - - -	–	2·5	–
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	1	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	–	–	–	–	1	1
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	4	–	1	–	–	1	–	1	–	1	2	4

YEAR 1914.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Old Meldrum** (Burgh).

Population—Census 1901, - - - 1,197.
Do. Do. 1911, - - - 1,110.
Do. estimated to middle of 1914, 1,031.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	2	1	32	14	18
Illegitimate Births -	10	1	1	10	6	4
Marriages - -	10	-	-	-	-	-
Deaths - - -	20	1	3	22	7	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·0	31·0	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - - -	19·4	21·2	15·5
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—31·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	1	-	-	-	1
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	1	-	-	-	3	3
Other Defined Diseases - - -	3	6	1	1	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	15	4	2	-	-	-	1	1	1	2	6	5

YEAR 1914.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Peterhead** (Burgh).

Population—Census 1901, - - - 11,794.
Do. Do. 1911, - - - 13,613.
Do. estimated to middle of 1914, 13,526.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	395	13	9	391	203	188
Illegitimate Births -	36	4	2	34	17	17
Marriages - -	90	–	–	–	–	–
Deaths - - -	184	7	28	205	113	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·2	28·9	–
Marriage-rate - - - - -	6·7	–	–
Death-rate—All Causes - - -	13·6	15·2	15·1
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	1	–	–	–	–	–	2	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	4	3	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	1	–	–	1	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Erysipelas - - - - - -	1	1	–	1	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	10	4	1	–	1	–	3	4	2	1	1	1	–
Tuberculous Meningitis - - -	–	2	1	–	–	–	–	–	–	1	–	–	–
Abdominal Tuberculosis - - -	4	3	1	3	–	1	–	–	1	–	1	–	–
Other Tuberculous Diseases - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	9	4	–	–	–	–	–	2	2	2	–	2	5
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	10	–	–	–	–	2	–	1	1	4	5	3
Bronchitis - - - - - -	8	8	8	–	1	–	–	–	–	3	–	2	2
Pneumonia (all forms) - - -	7	3	1	3	1	–	1	1	–	–	–	3	–
Other Diseases of Respiratory Organs	2	–	–	1	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	8	3	10	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	2	–	–	–	–	–	–	1	2	2	1	2
Puerperal Sepsis - - - -	–	3	–	–	–	–	1	2	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	1	–	1	1	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	6	15	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	1	–	1	–	–	–	3	1	1	1	–	1
Suicide - - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	23	28	4	1	–	–	–	2	7	8	3	11	15
Diseases Ill-defined or Unknown -	3	1	1	1	–	–	1	–	–	–	–	–	1
Total - - - -	113	92	48	19	3	2	10	17	16	21	14	25	30

YEAR 1914.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Rosehearty** (Burgh).

Population—Census 1901, . . . 1,185.
Do. Do. 1911, . . . 1,308.
Do. estimated to middle of 1914, 1,284.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	40	0	1	41	17	24
Illegitimate Births	3	0	0	3	2	1
Marriages	9	–	–	–	–	–
Deaths	20	0	0	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	31·2	31·9	–
Marriage-rate	7·0	–	–
Death-rate—All Causes	15·6	15·6	13·1
Do. —Phthisis	–	1·6	–
Do. —All Tuberculosis	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	2	–	–	–	–	2	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	1	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	–	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis	–	3	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms)	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	1	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	1
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	1	2
Other Defined Diseases	1	5	3	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	–	–
Total	8	12	4	1	–	–	2	–	–	1	1	5	6

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

Population—Census 1901, - - - 2,273.
Do. Do. 1911, - - - 2,346.
Do. estimated to middle of 1914, 2,257.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	0	1	64	39	25
Illegitimate Births -	13	0	1	14	8	6
Marriages - -	31	–	–	–	–	–
Deaths - - -	35	2	3	36	11	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·9	28·4	–
Marriage-rate - - - - - -	13·7	–	–
Death-rate—All Causes - - - -	15·5	16·0	12·3
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	1	–	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	3	6	–	–	–	–	–	–	–	1	2	3	3
Bronchitis - - - - - -	–	3	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	1	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	7	–	–	–	–	1	–	–	–	–	2	9
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	11	25	2	–	–	1	2	2	1	3	3	7	15

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

Population—Census 1901, - - - 21,716.
Do. Do. 1911, - - - 22,876.
Do. estimated to middle of 1914, 22,146.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	447	32	21	436	222	214
Illegitimate Births -	73	23	13	63	27	36
Marriages - -	70	–	–	–	–	–
Deaths - - -	499	238	32	293	149	144

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	19·7	–
Marriage-rate - - - - -	3·3	–	–
Death-rate—All Causes - - - -	22·5	13·2	11·6
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	3	–	–	3	–	–	3	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	4	1	1	1	2	–	1	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas - - - - -	3	–	1	–	–	–	–	–	–	1	1	–	–
Phthisis, Pulmonary Tuberculosis -	8	6	–	–	–	2	4	4	1	–	–	2	1
Tuberculous Meningitis - - -	1	1	1	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	1		–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	15	27	–	–	–	–	–	1	2	7	10	10	12
Rheumatic Fever - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	19	10	–	1	–	1	2	–	–	2	3	13	7
Bronchitis - - - - -	8	12	3	–	1	–	–	–	–	–	4	4	8
Pneumonia (all forms) - - -	17	7	5	1	–	–	1	3	1	2	1	3	7
Other Diseases of Respiratory Organs	4	–	–	–	–	–	–	–	–	–	–	2	2
*Diarrhœa and Enteritis (under 2 years)	1	5	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	6	1	–	1	–	–	–	1	1	2	4	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	2	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	3	1	1	1	1	–	1	1	–	2	–	1
Suicide - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	46	43	6	1	2	–	3	2	–	7	5	19	44
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	1	1	–
Total - - - - -	149	144	40	9	11	6	12	17	6	23	29	58	82

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Alford** (County District).

Population—Census 1901, - - 10,280.
Do. Do. 1911, - - - 9,495.
Do. estimated to middle of 1914, 8,799.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	227	8	10	229	120	109
Illegitimate Births -	42	2	5	45	22	23
Marriages - -	39	-	-	-	-	-
Deaths - - -	119	1	6	124	58	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·8	26·0	-
Marriage-rate - - - - - -	4·4	-	-
Death-rate—All Causes - - - -	13·5	14·1	12·3
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	1	1	1	-	-	1	-	1
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	3	-	-	1	1	1	-	-	-	-	-	1
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	1	-	1	1	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	2	7	-	-	-	-	-	-	-	1	2	2	4
Bronchitis - - - - - -	4	8	2	-	-	-	-	-	-	1	-	3	6
Pneumonia (all forms) - - -	2	2	-	-	-	1	-	-	-	-	1	-	2
Other Diseases of Respiratory Organs	4	3	1	-	-	-	1	-	-	-	1	2	2
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	1	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	1	1	1
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	2	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	3	1	1	-	-	-	-	1	1	-	-	3
Suicide - - - - - - -	1	3	-	-	-	-	-	1	-	-	3	-	-
Other Defined Diseases - - -	13	20	1	2	-	-	-	1	1	1	4	7	16
Diseases Ill-defined or Unknown -	9	1	-	-	-	1	2	-	-	1	2	2	2
Total - - - - -	58	66	16	4	3	4	7	4	2	6	17	22	39

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deer** (County District).

Population—Census 1901, - - - 29,847.
Do. Do. 1911, - - - 28,439.
Do. estimated to middle of 1914, 26,650.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	718	13	17	722	358	364
Illegitimate Births -	109	4	11	116	61	55
Marriages - -	111	-	-	-	-	-
Deaths - - -	362	11	28	379	205	174

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·9	27·1	-
Marriage-rate - - - - -	4·2	-	-
Death-rate—All Causes - - - -	13·6	14·2	12·1
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	1	-	-	-	2	-	1	-	-	-	-	-
*Whooping-cough - - - - -	3	3	4	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	6	3	-	2	3	2	2	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1
Phthisis, Pulmonary Tuberculosis -	7	6	-	-	-	-	3	4	4	-	2	-	-
Tuberculous Meningitis - - -	1	1	1	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	3	1	-	1	-	-	1	2	-	-	-	-	-
Cancer, Malignant Disease - -	14	16	-	-	-	-	-	1	3	4	5	11	6
Rheumatic Fever - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - - -	3	1	1	1	-	1	-	-	-	-	1	-	-
Organic Heart Disease - - -	24	17	1	-	-	-	1	2	-	2	11	15	9
Bronchitis - - - - - -	13	16	5	-	-	-	-	-	-	-	1	10	13
Pneumonia (all forms) - - -	14	8	4	4	-	-	-	-	2	3	-	6	3
Other Diseases of Respiratory Organs	2	4	1	2	-	-	-	-	-	-	1	-	2
*Diarrhœa and Enteritis (under 2 years)	1	3	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	4	-	-	-	-	-	-	3	-	1	2	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	1	1	1	2	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	18	11	29	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	4	-	2	1	-	2	1	1	2	1	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	60	58	8	4	2	1	2	3	6	5	12	21	54
Diseases Ill-defined or Unknown -	12	6	1	1	-	-	-	1	-	1	1	4	9
Total - - - - -	205	174	60	20	8	7	14	17	21	19	40	72	101

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deeside** (County District).

Population—Census 1901, - - - 12,683.
Do. Do. 1911, - - - 12,218.
Do. estimated to middle of 1914, 11,492.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	234	8	14	240	131	109
Illegitimate Births -	33	5	9	37	19	18
Marriages - -	46	-	-	-	-	-
Deaths - - -	156	8	18	166	75	91

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·4	20·9	-
Marriage-rate - - - - - -	4·0	-	-
Death-rate—All Causes - - - -	13·6	14·4	12·2
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	3	-	2	3	1	2	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	1	2	2	-	-	1	-
Tuberculous Meningitis - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	5	14	-	-	-	-	-	1	-	2	5	6	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	14	-	-	1	-	-	-	1	1	7	5	6
Bronchitis - - - - - -	1	7	-	-	-	-	-	-	-	-	-	2	6
Pneumonia (all forms) - - -	5	7	1	1	1	-	-	1	-	-	1	2	5
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	1	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	-	-	-	-	-	2	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	1	-	-	1	-	-	1	-	-	-	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	1	-	1	1	-	-	1	-	2	-	4	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	28	34	1	-	-	2	1	2	4	6	5	9	32
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	75	91	6	5	7	4	4	9	10	12	19	31	59

YEAR 1914.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Ellon** (County District).

Population—Census 1901, - - - 14,915.
Do. Do. 1911, - - - 13,917.
Do. estimated to middle of 1914, 13,946.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	352	9	13	356	175	181
Illegitimate Births -	61	5	9	65	34	31
Marriages - -	42	–	–	–	–	–
Deaths - - -	145	1	22	166	86	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·2	27·5	–
Marriage-rate - - - - - -	3·2	–	–
Death-rate—All Causes - - - -	11·2	12·8	11·2
Do. —Phthisis - - - - -	–	0·5	-
Do. —All Tuberculosis - -	–	0·8	–
Do- —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
*Whooping-cough - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	–	1	1	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	1	1	–	–	–	–	–	–	1	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	1	1	3	1	–	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	1	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	–	1	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	5	9	–	–	–	–	–	1	–	1	6	4	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	5	–	–	–	1	–	–	–	1	2	4	3
Bronchitis - - - - - -	3	4	1	1	–	–	–	–	–	–	–	4	1
Pneumonia (all forms) - - -	3	2	2	–	1	–	1	–	–	–	–	–	1
Other Diseases of Respiratory Organs	2	4	–	–	–	–	–	–	–	2	–	1	3
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	3	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	3	1	2	–	–	2	3	1	1	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	36	37	7	2	1	1	–	2	2	5	9	21	23
Diseases Ill-defined or Unknown -	4	1	2	–	1	–	–	–	–	1	–	–	1
Total - - - - -	86	80	25	7	4	4	6	12	7	11	19	35	36

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Garioch** (County District).

Population—Census 1901, - - - 14,710.
Do. Do. 1911, - - - 13,980.
Do. estimated to middle of 1914, 13,089.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	280	6	14	288	147	141
Illegitimate Births -	37	2	11	46	23	23
Marriages - -	50	-	-	-	-	-
Deaths - - -	155	3	14	166	77	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·4	22·0	-
Marriage-rate - - - - - -	3·8	-	-
Death-rate—All Causes - - - -	11·8	12·7	11·1
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	-	2	-	-	-	-	-	1	-	-	-
Influenza - - - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	3	7	-	-	-	-	4	3.	2	-	-	-	1
Tuberculous Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	2	2	-	-	2	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	7	10	-	-	-	-	-	-	1	3	4	4	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	10	-	-	-	-	-	-	-	1	5	9	5
Bronchitis - - - - - -	7	7	1	1	-	-	1	-	-	2	-	3	6
Pneumonia (all forms) - - -	5	6	2	1	-	2	-	-	-	1	1	-	4
Other Diseases of Respiratory Organs	3	2	-	-	-	-	-	-	-	-	-	2	3
*Diarrhœa and Enteritis (under 2 years)	2	3	3	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	-	2	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	2	-	1	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	4	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	1	-	-	-	-	2	1	-	-	1	-
Suicide - - - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-
Other Defined Diseases - - -	20	23	2	1	-	-	1	3	2	5	4	9	16
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	77	89	19	10	-	5	11	8	7	14	18	31	43

YEAR 1914.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Huntly** (County District).

Population—Census 1901, - - - 7,618.
Do. Do. 1911, - - - 6,953.
Do. estimated to middle of 1914, 6,415.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	148	4	7	151	71	80
Illegitimate Births -	31	1	7	37	17	20
Marriages - -	14	-	-	-	-	-
Deaths - - -	81	3	3	81	44	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·1	23·5	-
Marriage-rate - - - - -	2·2	-	-
Death-rate—All Causes - - - -	12·6	12·6	10·7
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—24·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	3	-	-	-	-	-	-	-	1	-	5	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	4	-	-	-	-	-	-	1	-	2	3	3
Bronchitis - - - - -	4	4	2	-	-	-	-	-	-	-	1	2	3
Pneumonia (all forms) - - -	3	-	1	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	1	-	-	-	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	1	-	-	-	-	-	1	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	18	3	1	-	-	1	-	-	2	2	6	17
Diseases Ill-defined or Unknown -	3	1	1	-	-	-	-	-	1	-	2	-	-
Total - - - -	44	37	15	2	1	1	1	1	4	4	7	17	28

YEAR 1914.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Turriff** (County District).

Population—Census 1901, - - - 12,238.
Do. Do. 1911, - - - 11,331.
Do. estimated to middle of 1914, 10,511.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	277	4	6	279	154	125
Illegitimate Births -	44	3	4	45	22	23
Marriages - -	41	-	-	-	-	-
Deaths - - -	136	1	12	147	76	71

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·4	26·5	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - - -	12·9	14·0	12·1
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	1	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	3	1	-	-	-	4	-	1	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	-	-	1	-	-	-	1	1	-	-	1
Cancer, Malignant Disease - -	3	5	-	-	-	-	-	1	1	1	3	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	1	-	-	1	-	-	-	-	1	-
Organic Heart Disease - - -	8	9	-	-	-	-	-	-	-	1	2	9	5
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	4	1	-	2	-	-	-	1	-	-	1	-	1
Other Diseases of Respiratory Organs	5	-	-	1	-	-	-	-	-	-	-	-	4
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	1	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	1	-	-	-	-	2	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	3	13	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	1	-	-	-	-	-	-	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	37	-	1	1	1	1	1	5	1	4	10	35
Diseases Ill-defined or Unknown -	3	4	1	1	-	-	-	-	1	1	-	2	1
Total - - - -	76	71	19	12	4	2	6	3	9	6	12	26	48

YEAR 1914.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Campbeltown** (Burgh).

Population Census 1901, - - - 8,286.
Do. Do. 1911, - - - 7,625.
Do. estimated to middle of 1914, 7,057.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	176	8	5	173	89	84
Illegitimate Births -	32	4	3	31	17	14
Marriages - -	57	–	–	–	–	–
Deaths - - -	119	8	4	115	49	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·9	24·5	–
Marriage-rate - - - - -	8·1	–	–
Death-rate—All Causes - - - -	16·9	16·3	15·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	3	1	2	2	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	–	–	–	–	2	2	2	1	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	1	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	8	–	–	–	–	–	–	2	–	2	2	4
Rheumatic Fever - - - -	1	1	–	–	–	1	–	–	–	–	1	–	–
Meningitis - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	8	–	–	–	–	–	–	–	2	2	8	4
Bronchitis - - - - -	3	3	1	–	–	–	–	–	–	–	–	3	2
Pneumonia (all forms) - - -	3	7	1	–	–	–	–	–	2	1	2	3	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	2	–	–	–	–	–	1	1	1	–	–	3
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	1	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	1	–	–	–	–	1	–	2	–	1	2	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	20	–	–	–	–	1	–	–	2	5	7	12
Diseases Ill-defined or Unknown -	2	2	–	–	–	–	–	–	2	–	1	1	–
Total - - - -	49	66	10	3	3	3	5	3	12	7	14	28	27

YEAR 1914.

COUNTY—**Argyll.**

PUBLIC HEALTH DISTRICT—**Dunoon** (Burgh).

Population—Census 1901, - - - 6,779.
Do. Do. 1911, - - - 6,859.
Do. estimated to middle of 1914, 6,557.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	10	7	112	60	52
Illegitimate Births -	12	2	4	14	12	2
Marriages - -	47	–	–	–	–	–
Deaths - - -	126	20	9	115	46	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·5	17·1	–
Marriage-rate - - - - -	7·2	–	–
Death-rate—All Causes - - - -	19·2	17·5	14·4
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	3	1	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	2	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	3	5	–	1	–	1	–	3	2	1	–	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	–	–	–	–	–	–	1	4	1	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	4	–	–	–	–	–	–	2	–	2	5	4
Bronchitis - - - - -	4	5	–	–	–	–	–	1	–	1	–	2	5
Pneumonia (all forms) - - -	4	1	1	–	–	–	–	–	–	–	1	–	3
Other Diseases of Respiratory Organs	1	2	–	1	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	–	–	–	1	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	4	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	6	24	–	–	–	1	–	1	1	2	3	5	17
Diseases Ill-defined or Unknown -	4	6	–	–	–	–	–	–	1	1	2	3	3
Total - - - -	46	69	13	7	1	2	1	6	6	6	13	20	40

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Inveraray** (Burgh).

Population—Census 1901, - - - 678.
Do. Do. 1911, - - - 533.
Do. estimated to middle of 1914, 462.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	0	2	9	5	4
Illegitimate Births	0	0	0	0	0	0
Marriages -	1	–	–	–	–	–
Deaths - - -	9	0	3	12	7	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·2	19·5	–
Marriage-rate - - - - -	2·2	–	–
Death-rate—All Causes - - -	19·5	26·0	18·4
Do. —Phthisis - - - -	–	2·2	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	–	–	1	3	–
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	1
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	2	–	–	1
Other Defined Diseases - - -	3	–	–	–	–	–	–	–	–	–	–	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	7	5	–	–	–	–	1	–	1	2	2	4	2

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Lochgilphead** (Burgh).

Population—Census 1901, - - - 1,313.
Do. Do. 1911, - - - 921.
Do. estimated to middle of 1914, 755.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	1	1	17	10	7
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	6	–	–	–	–	–
Deaths - - -	15	0	1	16	3	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·5	22·5	–
Marriage-rate - - - - - -	7·9	–	–
Death-rate—All Causes - - -	19·9	21·2	15·8
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	4	–	–	–	–	–	–	1	1	2	–	2
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	4	–	–	–	–	–	–	1	–	–	1	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	3	13	1	–	–	–	–	–	2	2	3	3	5

YEAR 1914.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Oban** (Burgh).

Population—Census 1901, - - - - 5,427.
Do. Do. 1911, - - - 5,557.
Do. estimated to middle of 1914, 5,333.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	5	2	108	53	55
Illegitimate Births -	13	1	1	13	4	9
Marriages - -	60	–	–	–	–	–
Deaths - - -	120	22	8	106	40	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·3	–
Marriage-rate - - - - -	11·3	–	–
Death-rate—All Causes - - -	22·5	19·9	19·2
Do. —Phthisis - - - -	–	2·8	–
Do. —All Tuberculosis - -	–	4·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	7	–	–	–	–	4	5	1	4	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	3	–	–	–	1	3	1	–	1	–	–	–
Cancer, Malignant Disease - -	2	11	–	–	–	–	–	–	1	4	5	3	–
Rheumatic Fever - - - -	1	1	–	–	–	–	–	1	–	1	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	–	–	2	–	3
Bronchitis - - - - -	3	6	–	1	–	–	–	–	–	–	1	3	4
Pneumonia (all forms) - - -	4	3	2	–	–	–	1	–	2	–	2	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	–	–	1	1	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	2	1	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	22	2	1	–	–	2	–	2	1	6	6	13
Diseases Ill-defined or Unknown -	1	3	–	–	–	–	–	–	–	1	1	1	1
Total - - - -	40	66	6	3	1	1	12	8	6	14	18	15	22

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Tobermory** (Burgh).

Population—Census 1901, - - - 1,175.
Do. Do. 1911, - - - 988.
Do. estimated to middle of 1914, 883.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	0	0	9	6	3
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	20	0	3	23	14	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	10·2	10·2	-
Marriage-rate - - - - -	5·7	-	-
Death-rate—All Causes - -	22·7	26·0	19·4
Do. —Phthisis - - - -	-	2·3	-
Do. —All Tuberculosis - -	-	3·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	6	-	-	-	-	1	-	-	1	1	1	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	14	9	-	1	-	-	4	-	-	2	6	2	8

YEAR 1914.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Ardnamurchan** (County District).

Population—Census 1901, - - - 3,231.
Do. Do. 1911, - - - 2,822.
Do. estimated to middle of 1914, 2,561.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	0	1	42	27	15
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	3	–	–	–	–	–
Deaths - - -	47	2	6	51	24	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·0	16·4	–
Marriage-rate - - - - - -	1·2	–	–
Death-rate—All Causes - - -	18·4	19·9	14·5
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	2	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	1	–	–	–	–	–	–	–	–	–	3	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	1	–	–	–	1	–	–	–	–	–	1	2
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	3	–	–	–	–	–	–	1	1	1	–	–
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	–	–	2
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	14	1	–	–	–	–	–	–	2	1	4	19
Diseases Ill-defined or Unknown -	2	2	–	–	1	–	–	1	–	–	–	–	2
Total - - - -	24	27	4	–	1	1	2	1	1	3	2	9	27

YEAR 1914.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Cowal** (County District).

Population—Census 1901, - - - 7,730.
Do. Do. 1911, . - - †8,194.
Do. estimated to middle of 1914, 6,900.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	114	6	12	120	64	56
Illegitimate Births -	3	1	4	6	4	2
Marriages - -	21	–	–	–	–	–
Deaths - - -	89	8	12	93	47	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	17·4	–
Marriage-rate - - - - -	3·0	–	–
Death-rate—All Causes - - -	12·9	13·5	11·4
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	2	–	–	–	–	–	1	3	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	–	1	–	–	1	1	–	–	–
Cancer, Malignant Disease - -	7	7	–	1	–	–	–	–	–	1	2	4	6
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	7	–	–	–	–	–	2	2	–	1	6	3
Bronchitis - - - - -	3	4	1	–	–	–	–	–	–	–	1	3	2
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	3	–	–	–	–	–	1	–	1	1	1	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	1	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	16	–	1	–	1	–	1	1	2	2	5	17
Diseases Ill-defined or Unknown -	2	2	1	–	–	–	–	1	1	–	–	–	1
Total - - - -	47	46	3	4	1	3	2	6	8	5	8	19	34

† Including 830 men of Royal Navy.

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Islay** (County District).

Population—Census 1901, - - - 7,805.
Do. Do. 1911, - - - 7,130.
Do. estimated to middle of 1914, 6,581.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	0	4	98	57	41
Illegitimate Births -	9	0	3	12	7	5
Marriages - -	25	–	–	–	–	–
Deaths - - -	115	2	7	120	65	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·3	14·9	–
Marriage-rate - - - - -	3·8	–	–
Death-rate—All Causes - - -	17·5	18·2	14·5
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	–	–	4	1	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	–	–	1	–	–	–	–	2	3	3
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	12	–	–	–	1	–	1	2	1	7	3	4
Bronchitis - - - - -	3	2	–	1	–	–	–	–	–	1	–	1	2
Pneumonia (all forms) - - -	4	3	1	–	–	–	–	1	1	–	1	1	2
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	–	1	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	*4	–	–	–	–	–	–	1	1	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	25	23	2	1	–	1	1	–	2	1	–	10	30
Diseases Ill-defined or Unknown -	6	2	1	1	–	–	–	–	–	2	2	1	1
Total - - - -	*65	55	6	5	1	3	1	7	7	9	15	22	43

* Including 1 of unstated age.

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Kintyre** (County District).

Population—Census 1901, - - - 7,136.
Do. Do. 1911, - - - 6,660.
Do. estimated to middle of 1914, 6,195.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	139	2	3	140	72	68
Illegitimate Births -	17	1	1	17	6	11
Marriages - -	16	–	–	–	–	–
Deaths - - -	75	3	12	84	46	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·4	22·6	–
Marriage-rate - - - - -	2·6	–	–
Death-rate—All Causes - - -	12·1	13·6	12·1
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	2	–	–	–	–	1	2	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	–	–	–	1	–	1	1	–	–	–
Cancer, Malignant Disease - -	2	4	–	–	–	–	–	–	–	1	3	–	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	6	–	–	–	–	–	–	–	1	4	2	7
Bronchitis - - - - -	6	3	2	–	–	–	–	–	–	–	1	–	6
Pneumonia (all forms) - - -	2	2	–	–	–	–	–	1	–	–	–	3	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	1	–	–	–	2	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	11	–	–	1	–	2	1	2	1	2	7	9
Diseases Ill-defined or Unknown -	2	2	–	–	–	–	–	–	1	1	1	1	–
Total - - - -	46	38	7	1	1	–	5	4	8	5	14	13	26

YEAR 1914.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Lorn** (County District).

Population—Census 1901, - - - 10,220.
Do. Do. 1911, - - - †11,087.
Do. estimated to middle of 1914, 9,553.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	177	2	12	187	98	89
Illegitimate Births -	11	0	4	15	8	7
Marriages -	32	–	–	–	–	–
Deaths - - -	136	3	17	150	76	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·5	19·6	–
Marriage-rate - - - - ..	3·3	–	–
Death-rate—All Causes - - -	14·2	15·7	13·2
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	..	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	3	–	–	1	2	–	–	–	–	–	–	–
Influenza - - - - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	9	4	–	–	–	1	1	4	5	1	–	1	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	6	12	–	–	–	–	–	–	–	4	4	7	3
Rheumatic Fever - - - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Meningitis - - - - -	–	3	–	2	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	6	–	–	–	–	–	–	–	2	2	6	3
Bronchitis - - - - -	3	4	–	–	–	–	–	–	1	–	2	2	2
Pneumonia (all forms) - - -	2	5	–	1	–	–	1	–	–	2	2	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	1	1	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	1	3	–	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	–	1	–	1	–	–	1	1
Suicide - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	28	24	–	1	–	–	1	–	–	2	5	10	33
Diseases Ill-defined or Unknown -	7	4	–	–	–	–	–	1	1	–	4	2	3
Total - - - -	76	74	4	4	3	3	7	9	10	11	20	31	48

† Including 1009 men of Royal Navy.

YEAR 1914.

COUNTY—**Argyll.**

PUBLIC HEALTH DISTRICT—**Mid-Argyll** (County District).

Population—Census 1901, - - - 7,698
Do. Do. 1911, - - - 7,127.
Do. estimated to middle of 1914, 6,612.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	1	0	95	44	51
Illegitimate Births -	5	0	0	5	3	2
Marriages - -	22	–	–	–	–	–
Deaths - - -	120	28	5	97	58	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·5	14·4	–
Marriage-rate - - - - - -	3·3	–	–
Death-rate—All Causes - - -	18·1	14·7	11·9
Do. —Phthisis - - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	4	–	1	–	1	1	–	3	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	6	3	–	–	–	–	–	–	1	1	3	4	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	11	10	–	–	–	–	–	–	–	–	7	11	3
Bronchitis - - - - - -	4	3	–	–	–	–	–	–	–	–	–	1	6
Pneumonia (all forms) - - -	3	–	–	1	–	–	–	–	–	–	–	1	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	1	–	–	–	–	–	–	1	1	–	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	*5	–	–	–	–	–	1	–	–	1	1	1	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	14	15	2	–	–	–	–	1	1	3	2	8	12
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	1	–	1
Total - - - - -	*58	39	2	4	–	1	4	2	7	8	15	28	25

* Including 1 of unstated age.

YEAR 1914.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Mull** (County District).

Population—Census 1901, - - - 6,164.
Do. Do. 1911, - - - 5,399.
Do. estimated to middle of 1914, 4,905.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	77	1	3	79	33	46
Illegitimate Births -	5	0	0	5	4	1
Marriages - -	9	-	-	-	-	-
Deaths - - -	104	0	4	108	58	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·7	16·1	-
Marriage-rate - - - - - -	1·8	-	-
Death-rate—All Causes - - -	21·2	22·0	15·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	1	-	-	-	-	-	1	2	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	9	5	-	-	-	-	-	-	1	2	3	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-
Organic Heart Disease - - -	9	11	-	-	-	-	-	2	2	-	1	7	8
Bronchitis - - - - - -	4	3	1	-	-	-	-	-	-	-	3	1	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-		-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	1	-	1	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	-	-	-	-	-	1	2	-	1	1	-	2
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	22	-	-	-	-	-	1	4	3	3	2	26
Diseases Ill-defined or Unknown -	2	4	-	-	1	-	-	1	-	-	-	-	4
Total - - - -	58	50	4	1	1	-	1	8	9	9	12	17	46

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Ardrossan** (Burgh).

Population—Census 1901, - - - 6,077.
Do. Do. 1911, - - - 5,760.
Do. estimated to middle of 1914, 5,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	6	4	164	82	82
Illegitimate Births -	9	3	3	9	4	5
Marriages - -	30	-	-	-	-	-
Deaths - - -	69	3	4	70	33	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·8	30·4	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - -	12·8	13·0	13·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	2	2	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	2	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	1	-	4	-
Bronchitis - - - - -	3	2	-	-	-	-	-	-	-	-	2	2	1
Pneumonia (all forms) - - -	3	4	2	3	-	-	1	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	8	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	-	-	-	1	-	-	1	1	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	13	2	-	-	-	-	-	3	3	-	4	9
Diseases Ill-defined or Unknown -	2	-	-	1	-	-	-	-	-	-	-	-	1
Total - - - -	33	37	18	5	-	1	4	2	4	8	5	10	13

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Ayr** (Burgh).

Population—Census 1901, - - - 28,697.
Do. Do 1911, - - - 32,986.
Do. estimated to middle of 1914, 33,471.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	865	24	19	860	439	421
Illegitimate Births -	67	10	7	64	37	27
Marriages - -	282	–	–	–	–	–
Deaths - - -	655	102	18	571	258	313

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·8	25·7	–
Marriage-rate - - - - - -	8·4	–	–
Death-rate—All Causes - - -	19·6	17·1	17·3
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—135.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	15	11	7	17	1	–	1	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	1	–	–	–	1	–	1	–	–	–	–	–
*Whooping-cough - - - - -	4	2	1	5	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	20	22	–	2	–	1	9	12	5	6	7	–	–
Tuberculous Meningitis - - -	7	3	3	5	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	2	1	4	1	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	2	1	1	–	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	10	30	–	–	–	–	–	1	3	8	10	9	9
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	3	7	2	6	1	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	18	36	2	1	–	1	1	4	6	5	9	12	13
Bronchitis - - - - - -	16	15	4	3	–	–	–	–	2	4	2	2	14
Pneumonia (all forms) - - -	24	15	12	7	1	–	1	4	4	3	3	1	3
Other Diseases of Respiratory Organs	4	6	–	1	–	–	–	–	1	2	1	2	3
*Diarrhœa and Enteritis (under 2 years)	8	10	15	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	6	–	–	2	2	1	1	–	2	1	–	–
All Liver Diseases (not Malignant) -	3	3	1	–	–	–	–	–	–	1	2	–	2
Other Diseases of Digestive System (under 2 years)	1	1	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	9	13	1	3	–	–	1	2	2	3	2	3	5
Puerperal Sepsis - - - -	–	4	–	–	–	–	1	2	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	1	2	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	33	22	55	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	14	6	–	5	–	1	2	1	1	4	5	1	–
Suicide - - - - - - -	1	1	–	–	–	–	–	–	1	–	–	1	–
Other Defined Diseases - - -	52	76	8	3	1	–	2	4	7	10	16	36	41
Diseases Ill-defined or Unknown -	4	9	2	1	–	–	–	1	1	–	1	3	4
Total - - - -	258	313	116	71	9	8	22	35	37	49	59	70	95

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Cumnock and Holmhead** (Burgh).

Population—Census 1901, - - - 3,088.
Do. Do. 1911, - - - 3,417.
Do. estimated to middle of 1914, 3,356.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	4	3	108	52	56
Illegitimate Births -	11	1	0	10	4	6
Marriages - -	32	–	–	–	–	–
Deaths - - -	42	3	8	47	25	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·5	32·2	–
Marriage-rate - - - - -	9·5	–	–
Death-rate—All Causes - - -	12·5	14·0	12·9
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—148.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	–	–	–	2	3
Bronchitis - - - - -	–	4	2	1	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	4	–	–	–	–	–	–	–	–	–	–	2	2
Other Diseases of Respiratory Organs	1	1	1	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	2	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	4	2	–	–	–	–	–	1	2	2	4	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	25	22	16	2	–	–	–	–	3	2	4	9	11

YEAR 1914.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Darvel** (Burgh).

Population—Census 1901, - - - 3,070.
Do. Do. 1911, - - - 3,590.
Do. estimated to middle of 1914, - 3,580.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	5	1	76	43	33
Illegitimate Births -	6	2	0	4	1	3
Marriages - -	24	-	-	-	-	-
Deaths - - -	51	2	9	58	27	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·3	21·2	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - -	14·2	16·2	*18·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	3	2	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	-	2	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	1	1	1	-	-
Rheumatic Fever - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	1	-	-	-	-	-	-	-	-	-	3	1
Bronchitis - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	2	1	3	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	2	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	10	1	-	1	1	1	-	-	1	3	5	5
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	1	1	1	-
Total - - - -	27	31	10	7	1	3	3	2	5	6	5	10	6

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Galston** (Burgh).

Population—Census 1901, - - - 4,876.
Do. Do. 1911, - - - 5,296.
Do. estimated to middle of 1914, 5,173.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	150	5	1	146	64	82
Illegitimate Births -	4	0	0	4	3	1
Marriages - -	35	–	–	–	–	–
Deaths - - -	71	0	7	78	37	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·0	28·2	–
Marriage-rate - - - - -	6·8	–	–
Death-rate—All Causes - - -	13·7	15·1	16·6
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	1	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	1	1	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	–	–	1	2	2	–	–	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	1	–	–	–	–	1	–	–	–	1	1	1
Rheumatic Fever - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	2	–	3	–	–	–
Bronchitis - - - - -	4	5	2	–	–	–	–	1	–	1	1	4	–
Pneumonia (all forms) - - -	5	3	2	4	–	–	–	1	1	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	3	–	–	2	–	2	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	16	2	2	–	–	–	–	2	2	2	6	8
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	37	41	15	10	3	–	4	7	6	6	4	12	11

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

Population—Census 1901, - - - 4,024.
Do. Do. 1911, - - - 4,473.
Do. estimated to middle of 1914, 4,399.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	3	1	66	24	42
Illegitimate Births -	6	0	0	6	3	3
Marriages - -	20	-	-	-	-	-
Deaths - - -	82	8	7	81	33	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·5	15·0	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - -	18·6	18·4	16·0
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -		1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—152.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	1	-	1	-	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	7	-	-	-	-	-	-	-	1	-	6	1
Bronchitis - - - - -	3	5	2	1	-	-	-	-	-	1	-	1	3
Pneumonia (all forms) - - -	2	2	1	-	-	-	-	2	-	-	-	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	1	-	-	-	1	-	-	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	10	17	-	-	-	-	1	1	-	5	5	8	7
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	-	-	-	4
Total - - - -	33	48	10	7	2	-	3	5	2	11	6	18	17

YEAR 1914.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Irvine** (Burgh).

Population—Census 1901, - - 9,618.
Do. Do. 1911, - - - 10,179.
Do. estimated to middle of 1914, 9,868.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	327	5	10	332	178	154
Illegitimate Births -	25	2	2	25	18	7
Marriages - -	77	-	-	-	-	-
Deaths - - -	156	2	18	172	86	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	33·1	33·6	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - -	15·8	17·4	17·6
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	9	-	-	-	1	2	3	1	5	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	2	-	1	1	1	2	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	5	-	-	1	-	1	2	-	1	-	-	1
Cancer, Malignant Disease - -	3	8	-	-	-	-	1	-	1	-	6	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	-	2	2	-	1	-	1	-	-	-	-	-
Organic Heart Disease - - -	7	5	-	1	1	-	-	-	1	-	3	3	3
Bronchitis - - - - -	2	3	2	-	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - -	5	6	4	-	-	-	-	-	-	3	2	1	1
Other Diseases of Respiratory Organs	-	3	1	1	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	3	5	6	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	1	-	-	-	2	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	7	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	3	-	2	-	-	-	-	2	3	1	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	26	19	4	1	-	-	2	1	2	3	7	15	10
Diseases Ill-defined or Unknown -	4	3	1	2	-	-	-	-	-	-	1	2	1
Total - - - -	86	86	38	18	3	3	8	9	8	15	23	27	20

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilmarnock** (Burgh).

Population—Census 1901, - - - 34,165.
Do. Do. 1911, - - - 34,728.
Do. estimated to middle of 1914, 35,980.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	889	13	18	894	457	437
Illegitimate Births -	65	3	8	70	32	38
Marriages - -	305	–	–	–	–	–
Deaths - - -	540	59	43	524	245	279

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·7	24·8	–
Marriage-rate - - - - -	8·5	–	–
Death-rate—All Causes - - -	15·0	14·6	15·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	2	–	–	–	–	1	2	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox. - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	1	1	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	3	–	4	2	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	4	3	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	1	3	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Phthisis, Pulmonary Tuberculosis -	19	20	–	2	1	2	11	8	7	3	3	2	–
Tuberculous Meningitis - - -	2	4	–	4	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	3	1	2	1	–	1	–	1	–	1	–	–
Other Tuberculous Diseases - -	4	4	1	2	2	–	1	1	1	–	–	–	–
Cancer, Malignant Disease - -	18	22	–	–	–	–	1	3	2	8	9	12	5
Rheumatic Fever - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	4	5	3	2	–	3	–	1	–	–	–	–	–
Organic Heart Disease - - -	9	21	–	–	1	2	1	1	2	3	9	7	4
Bronchitis - - - - -	29	21	9	3	1	–	1	–	1	4	8	9	14
Pneumonia (all forms) - - -	19	18	14	3	1	–	3	–	1	2	7	4	2
Other Diseases of Respiratory Organs	5	2	–	–	–	–	–	–	–	4	1	1	1
*Diarrhœa and Enteritis (under 2 years)	8	9	14	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	2	–	–	–	–	1	1	–	1	–	–	–
All Liver Diseases (not Malignant) -	3	–	–	–	–	–	–	1	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	12	7	–	–	–	–	–	1	5	2	3	4	4
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	–	2	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	18	17	35	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	7	1	2	1	1	1	2	2	–	2	1	–
Suicide - - - - - - -	2	–	–	–	–	–	–	–	2	–	–	–	–
Other Defined Diseases - - -	64	93	5	2	3	2	2	6	13	20	29	28	47
Diseases Ill-defined or Unknown -	3	4	1	–	1	1	–	–	1	1	–	1	1
Total - - - -	245	279	93	35	16	12	25	29	42	48	73	70	81

YEAR 1914.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

Population—Census 1901, - - - 4,566.
Do. Do. 1911, - - - 4,945.
Do. estimated to middle of 1914, 4,827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	179	1	4	182	93	89
Illegitimate Births -	7	0	1	8	4	4
Marriages - -	43	-	-	-	-	-
Deaths - - -	91	1	10	100	52	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	37·1	37·7	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - -	18·9	20·7	21·5
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	1	-	1	-	-	-	2	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	1	3	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	-	5	2	-	2	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-	-	-	1	2	3	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	3	1	-	2	1	1
Bronchitis - - - - -	3	1	3	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	4	-	-	-	1	1	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	3	-	2	-	1	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	6	2	5	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	2	-	2	1	-	-	1	1	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	10	1	3	-	-	-	1	-	1	6	4	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	52	48	24	16	4	2	7	9	3	8	14	9	4

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Largs** (Burgh).

Population—Census 1901, - - - 3,344.
Do. Do. 1911, - - - 3,724.
Do. estimated to middle of 1914, 3,664.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	1	1	51	31	20
Illegitimate Births -	3	1	0	2	0	2
Marriages - -	16	-	-	-	-	-
Deaths - - -	51	4	6	53	22	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·9	13·9	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - -	13·9	14·5	12·5
Do. —Phthisis - - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	1	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	1	-	2	1	2
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	2	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	16	-	-	-	-	-	1	-	-	7	9	11
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	22	31	2	1	-	-	-	1	6	4	13	12	14

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Maybole** (Burgh).

Population—Census 1901, - - - 5,892.
Do. Do. 1911, - - - 4,889.
Do. estimated to middle of 1914, 4,346.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	104	2	2	104	59	45
Illegitimate Births -	9	0	1	10	7	3
Marriages - -	32	-	-	-	-	-
Deaths - - -	87	6	7	88	40	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	23·9	-
Marriage-rate - - - - -	7·4	-	-
Death-rate—All Causes - - -	20·0	20·2	19·6
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	3·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—135.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	4	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	1	1	4	1	1	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	2	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	6	-	-	-	-	1	-	-	1	1	2	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	3	4	-	-	1	-	-	1	1	-	2	-	2
Bronchitis - - - - -	4	1	2	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	1	4	1	-	-	-	-	-	1	-	1	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	1	2	-	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	1	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	11	-	-	1	-	-	1	-	2	5	7	7
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	40	48	14	6	4	3	2	7	4	7	14	13	14

YEAR 1914.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Newmilns and Greenholm** (Burgh).

Population—Census 1901, - - - 4,467.
Do. Do. 1911, - - - 4,806.
Do. estimated to middle of 1914, 4,682.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	0	2	82	33	49
Illegitimate Births -	4	0	0	4	1	3
Marriages - -	21	–	–	–	–	–
Deaths - - -	57	0	9	66	22	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·1	17·5	–
Marriage-rate - - - - - -	4·5	–	–
Death-rate—All Causes - - -	12·2	14·1	14·9
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	1	–	–	–	–	–	1	1	–	1	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	1	–	–	–	–	1	2	–	2	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	2	–	–	–	–	–	–	–	2	–	–	–
Rheumatic Fever - - - - -	1	1	–	–	1	–	1	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	–	–	2	1	–
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	3	3	1	1	–	–	–	–	1	1	1	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	4	–	–	–	–	–	1	1	2	–	–	1
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	1	1	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	3	–	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	1	–	–	–	1	1	–	–	–	–
Suicide - - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	6	13	–	2	1	–	1	1	–	1	1	6	6
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	22	44	7	5	2	–	3	7	8	7	9	8	10

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Prestwick** (Burgh).

Population—Census 1901, - - - 3,211.
Do. Do. 1911, - - - 4,879.
Do. estimated to middle of 1914, - 5,163.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	87	2	5	90	45	45
Illegitimate Births -	8	1	5	12	6	6
Marriages - -	14	-	-	-	-	-
Deaths - - -	59	10	10	59	27	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·9	17·4	-
Marriage-rate - - - - - -	2·7	-	-
Death-rate—All Causes - - -	11·4	11·4	10·8
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	1	2	-	-	1	-	-
Tuberculous Meningitis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	7	-	-	-	-	-	-	1	1	6	1	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	1	1	2	-
Bronchitis - - - - - -	1	3	1	1	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	-	2	-	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	1	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	11	1	-	-	-	-	1	2	-	-	6	9
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	27	32	4	4	-	-	3	5	5	2	10	11	15

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Saltcoats** (Burgh).

Population—Census 1901, - - - 8,120.
Do. Do. 1911, - - - 8,585.
Do. estimated to middle of 1914, 8,321.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	254	6	9	257	125	132
Illegitimate Births -	13	2	4	15	7	8
Marriages - -	63	–	–	–	–	–
Deaths - - -	139	6	19	152	75	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·5	30·9	–
Marriage-rate - - - - -	7·6	–	–
Death-rate—All Causes - - -	16·7	18·3	18·0
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	1	3	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	5	–	–	–	1	3	2	4	1	1	–	–
Tuberculous Meningitis - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	–	–	1	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–		–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	8	–	–	–	–	–	1	1	1	3	3	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	2	3	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	15	9	–	–	–	–	–	1	3	2	5	7	6
Bronchitis - - - - -	5	1	3	1	–	–	–	–	–	1	–	–	1
Pneumonia (all forms) - - -	6	5	4	1	1	–	–	3	–	–	1	1	–
Other Diseases of Respiratory Organs	2	1	1	1	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	–	–	1	–	–	–	1	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	1	–	1	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	5	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	–	–	–	–	1	1	1	2	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	12	30	2	–	2	–	–	1	2	4	2	16	13
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	–	2	–
Total - - - -	75	77	28	10	4	2	5	11	12	10	13	33	24

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Stewarton** (Burgh).

Population—Census 1901, - - - 2,919.
Do. Do. 1911, - - - 2,841.
Do. estimated to middle of 1914, 2,682.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	3	0	58	29	29
Illegitimate Births -	4	0	0	4	3	1
Marriages - -	17	-	-	-	-	-
Deaths - - -	38	0	8	46	18	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·7	21·6	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - -	14·2	17·2	16·4
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	3	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	1	1	2	1	2
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	2	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	8	-	1	1	-	1	1	-	1	2	1	5
Diseases Ill-defined or Unknown -	2	3	-	-	-	-	-	-	1	-	1	1	2
Total - - - -	18	28	4	5	1	-	4	1	4	3	7	8	9

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Troon** (Burgh).

Population—Census 1901, - - - 4,764.
Do. Do. 1911, - - - 6,628.
Do. estimated to middle of 1914, 6,890.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	148	2	8	154	81	73
Illegitimate Births -	5	1	2	6	1	5
Marriages - -	38	-	-	-	-	-
Deaths - - -	53	5	15	63	31	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·5	22·4	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - -	7·7	9·1	9·9
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	1	1	-	-	1	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	1	-	1	3	1	1	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	-	1	2	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	2	1	2	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	5	-	-	-	-	-	1	-	1	4	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	9	2	1	-	-	-	1	3	-	-	3	5
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	-	1	1	2
Total - - - -	31	32	8	5	2	2	4	3	6	6	10	7	10

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Ayr** (County District).

Population—Census 1901, - - - 39,260.
Do. Do. 1911, - - - 42,233.
Do. estimated to middle of 1914, - 41,143.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1380	22	26	1384	665	719
Illegitimate Births -	117	3	13	127	50	77
Deaths - - -	266	–	–	–	–	–
Marriages - -	603	65	61	599	314	285

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·5	33·6	–
Marriage-rate - - - - - -	6·5	–	–
Death-rate—All Causes - - -	14·7	14·6	15·1
Do. —Phthisis - - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected— 109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	1	–	–	–	1	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	3	1	3	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	5	–	6	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	8	3	6	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	6	5	1	6	4	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis. Pulmonary Tuberculosis -	9	17	–	–	1	3	8	4	7	1	1	1	–
Tuberculous Meningitis - - -	3	2	2	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	2	–	3	1	1	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	5	1	–	1	–	1	–	2	1	1	–	–	–
Cancer, Malignant Disease - -	11	11	–	–	–	–	–	–	3	4	6	7	2
Rheumatic Fever - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	12	3	8	3	–	–	1	2	–	–	–	–	1
Organic Heart Disease - - -	29	35	1	–	–	–	–	2	7	5	12	23	14
Bronchitis - - - - - -	29	17	11	–	–	–	1	–	1	1	10	16	6
Pneumonia (all forms) - - -	27	18	9	11	2	1	3	6	5	4	2	1	1
Other Diseases of Respiratory Organs	2	3	2	–	–	–	–	–	–	–	1	1	1
*Diarrhœa and Enteritis (under 2 years)	11	9	19	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	3	–	–	–	3	1	–	1	–	–	1	–
All Liver Diseases (not Malignant) -	2	4	1	–	–	–	–	1	–	2	1	1	–
Other Diseases of Digestive System (under 2 years)	3	2	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	15	13	–	1	–	1	1	1	6	3	5	5	5
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	8	–	–	–	–	–	4	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	36	39	73	2	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	19	3	1	5	1	1	–	3	3	1	4	2	1
Suicide - - - - - - -	2	–	–	–	–	–	–	–	1	1	–	–	–
Other Defined Diseases - - - -	71	67	13	4	4	2	5	3	16	13	19	28	31
Diseases Ill-defined or Unknown -	9	5	1	1	–	1	–	–	–	2	3	5	1
Total - - - - -	314	285	151	56	14	15	22	30	55	38	64	91	63

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Carrick** (County District).

Population—Census 1901, - - - 12,570.
Do. Do. 1911, - - - 12,996.
Do. estimated to middle of 1914, 12,510.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	319	8	12	323	169	154
Illegitimate Births -	38	5	4	37	22	15
Marriages - -	78	-	-	-	-	-
Deaths - - -	153	6	24	171	78	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·5	25·8	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	12·2	13·7	13·1
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·0	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	5	-	-	-	-	-	2	3	1	-	-	1
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	4	-	3	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-	-	-	1	2	-	4	2
Rheumatic Fever - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - - -	4	3	3	3	-	-	-	-		1	-	-	-
Organic Heart Disease - - -	10	8	-	-	-	-	-	-	1	2	3	6	6
Bronchitis - - - - - -	5	8	-	-	1	-	-	-	-	-	1	2	9
Pneumonia (all forms) - - -	8	4	2	1	1	-	1	-	2	-	1	2	2
Other Diseases of Respiratory Organs	1	5	1	3	-	-	-	1	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	4	2	-	-	1	1	1	-	2	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	3	5	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	4	-	-	-	-	-	-	1	-	3	1	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	5	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	1	-	-	-	-	1	-	1	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	25	1	2	1	-	2	1	2	2	6	8	18
Diseases Ill-defined or Unknown -	3	2	-	-	-	-	-	-	-	-	-	2	3
Total - - - -	78	93	21	18	8	1	6	6	14	10	15	27	45

YEAR 1914.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

Population—Census 1901, - - - 24,397.
Do. Do. 1911, - - - 23,979.
Do. estimated to middle of 1914, 22,709.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	647	8	15	654	352	302
Illegitimate Births -	46	1	4	49	33	16
Marriages - -	153	-	-	-	-	-
Deaths - - -	342	26	43	359	180	179

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·5	28·8	-
Marriage-rate - - - - - -	6·7	-	-
Death-rate—All Causes - - -	15·1	15·8	16·2
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	2	-	-	-	-	-	3	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	3	-	2	3	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	6	-	2	4	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	2	-	3	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	16	-	1	2	-	8	5	3	4	2	-	-
Tuberculous Meningitis - - -	2	1	1	-	-	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	2	2	1	-	-	1	-	1	1	-	-	-	-
Cancer, Malignant Disease - -	5	13	-	1	-	-	-	-	1	5	3	6	2
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-
Meningitis - - - - - -	1	4	-	1	1	-	1	-	-	2	-	-	-
Organic Heart Disease - - -	13	10	-	-	-	1	1	-	1	2	5	7	6
Bronchitis - - - - - -	21	14	4	2	-	-	-	-	-	1	3	12	13
Pneumonia (all forms) - - -	10	10	4	4	1	-	1	-	-	3	4	2	1
Other Diseases of Respiratory Organs	-	3	-	-	-	-	-	-	1	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	5	8	13	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	-	-	-	1	-	-	1
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	4	1	1	-	-	-	1	1	1	2	3	2
Puerperal Sepsis - - - -	-	5	-	-	-	-	-	5	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	17	13	30	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	5	1	1	1	1	1	2	5	1	4	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	54	54	12	-	2	1	-	6	4	5	13	23	42
Diseases Ill-defined or Unknown -	3	5	2	-	-	-	-	-	-	-	1	5	-
Total - - - -	180	179	71	20	10	5	13	28	19	26	38	59	70

YEAR 1914.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Northern Ayr** (County District).

Population—Census 1901, - - - 47,343.
Do. Do. 1911, - - - 47,403.
Do. estimated to middle of 1914, 45,165.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1199	17	19	1201	663	538
Illegitimate Births -	75	5	6	76	47	29
Marriages - -	299	-	-	-	-	-
Deaths - - -	642	54	64	652	330	322

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·5	26·6	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - -	14·2	14·4	14·5
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	8	3	2	9	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	6	15	11	10	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	5	2	1	5	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	20	25	-	-	1	2	10	12	11	6	3	-	-
Tuberculous Meningitis - - -	3	3	1	4	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	4	-	2	1	1	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	3	4	-	-	3	-	1	1	1	-	1	-	-
Cancer, Malignant Disease - -	18	21	-	-	-	-	-	-	6	4	11	12	6
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Meningitis - - - - - -	6	5	2	2	2	-	1	1	3	-	-	-	-
Organic Heart Disease - - -	38	29	-	-	-	1	1	2	2	8	17	22	14
Bronchitis - - - - - -	15	24	8	2	-	-	-	-	2	2	7	8	10
Pneumonia (all forms) - - -	31	13	10	9	-	-	1	3	4	1	7	7	2
Other Diseases of Respiratory Organs	12	4	3	-	-	-	-	1	2	1	3	4	2
*Diarrhœa and Enteritis (under 2 years)	15	11	22	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	3	-	-	-	-	2	1	1	1	-	-	-
All Liver Diseases (not Malignant) -	2	5	-	-	-	1	-	-	3	-	2	-	1
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	11	-	-	-	-	-	5	4	1	6	1	1
Puerperal Sepsis - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	1	6	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	21	17	37	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	19	2	1	2	1	-	3	7	4	-	-	1	2
Suicide - - - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-
Other Defined Diseases - - -	84	102	12	2	3	2	3	2	8	15	26	42	71
Diseases Ill-defined or Unknown -	8	2	2	-	-	-	1	-	2	1	1	3	-
Total - - - - -	330	322	115	52	14	7	25	44	58	40	85	102	110

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

Population—Census 1901, - - - 1,141.
Do. Do. 1911, - - - 1,048.
Do. estimated to middle of 1914, 970.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	1	1	30	10	20
Illegitimate Births -	10	0	1	11	3	8
Marriages - -	5	-	-	-	-	-
Deaths - - -	20	0	1	21	8	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·9	30·9	-
Marriage-rate - - - - - -	5·2	-	-
Death-rate—All Causes - - -	20·6	21·6	16·6
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—36·7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	4	-	-	-	-	-	-	-	-	-	2	2	-
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	-	2	1	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	1	-	-	-	-	1	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	4	-	-	-	-	-	-	-	2	-	-	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	8	13	4	-	-	1	1	-	-	4	3	4	4

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

Population—Census 1901, - - - 3,732.
Do. Do. 1911, - - - 3,821.
Do. estimated to middle of 1914, 3,667.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	105	8	4	101	48	53
Illegitimate Births -	10	2	1	9	4	5
Marriages - -	51	-	-	-	-	-
Deaths - - -	89	*25	5	69	30	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·6	27·5	-
Marriage-rate - - - - -	13·9	-	-
Death-rate—All Causes - - -	24·3	18·8	16·3
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	7	-	-	-	-	-	-	-	5	-	2	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	1	-	-	-	-	5	3
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - -	2	5	1	2	2	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	1	-	-	-	-	1	-	1	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	11	12	2	-	-	-	2	1	1	1	2	4	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	30	39	11	6	2	-	4	3	2	9	2	12	18

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

Population—Census 1901, - - - 7,483.
Do. Do. 1911, - - - 8,897.
Do. estimated to middle of 1914, 8,911.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	0	8	289	155	134
Illegitimate Births -	30	0	1	31	18	13
Marriages - -	37	-	-	-	-	-
Deaths - - -	126	0	11	137	78	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·5	32·4	-
Marriage-rate - - - - -	4·2	-	-
Death-rate—All Causes - - -	14·1	15·4	15·2
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—190.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	6	5	8	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	1	-	-	-	-	-	2	1	3	-	-	-
Tuberculous Meningitis - - -	1	3	2	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	1	1	-	2	4
Rheumatic Fever - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	-	-	-	-	1	-	-	1	-	5	-
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - -	11	10	12	2	-	-	1	1	-	1	1	1	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	10	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	2	-	-	-	2	1	1	1	-	1
Suicide - - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-
Other Defined Diseases - - -	9	17	5	1	-	-	-	-	1	2	2	4	11
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	1	-	-
Total - - - -	78	59	55	12	1	1	3	9	4	9	8	14	21

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour** (Burgh).

Population—Census 1901, - - - 1,176.
Do. Do. 1911, - - - 1,272.
Do. estimated to middle of 1914, 1,241.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	1	12	8	4
Illegitimate Births -	4	0	0	4	1	3
Marriages -	5	-	-	-	-	-
Deaths - - -	20	1	1	20	9	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	9·7	9·7	-
Marriage-rate - - - - - -	4·0	-	-
Death-rate—All Causes - - -	16·1	16·1	17·4
Do. —Phthisis - - - -	-	2·4	-
Do. —All Tuberculosis - -	-	4·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—167.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—33·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	2	-	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Bronchitis - - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	2	-	-	-	-	-	-	-	2	-	-	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	11	2	2	-	5	2	-	1	2	-	2	4

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

Population—Census 1901, - - - 1,936.
Do. Do. 1911, - - - 1,992.
Do. estimated to middle of 1914, 1,914.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	1	2	51	23	28
Illegitimate Births -	5	0	0	5	2	3
Marriages - -	5	-	-	-	-	-
Deaths - - -	30	0	3	33	11	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·1	26·6	-
Marriage-rate - - - - -	2·6	-	-
Death-rate—All Causes - - -	15·7	17·2	14·5
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	1	1	-	1	-	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	3	-	-	-	-	-	-	1	-	2	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	-	2	-	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	1	-	1	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	7	-	-	-	-	-	-	-	-	-	1	9
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	11	22	4	1	-	1	1	2	2	2	3	3	14

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

Population—Census 1901, - - - 1,823.
Do. Do. 1911, - - - 1,626.
Do. estimated to middle of 1914, 1,488.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	28	3	1	26	10	16
Illegitimate Births -	8	3	1	6	2	4
Marriages - -	15	-	-	-	-	-
Deaths - - -	31	1	1	31	10	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·8	17·5	-
Marriage-rate - - - - -	10·1	-	-
Death-rate—All Causes - - -	20·8	20·8	15·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—192.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	1	-	1	1	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	-	-	1	4
Bronchitis - - - - - -	1	2	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	6	-	1	1	1	-	-	1	-	-	1	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	10	21	5	1	2	1	1	-	3	1	1	4	12

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

Population—Census 1901, - - - 4,753.
Do. Do. 1911, - - - 4,499.
Do. estimated to middle of 1914, 4,207.

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	5	3	87	39	48
Illegitimate Births -	14	2	1	13	5	8
Marriages - -	47	-	-	-	-	-
Deaths - - -	72	4	7	75	33	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·3	20·7	-
Marriage-rate - - - - -	11·2	-	-
Death-rate—All Causes - - -	17·1	17·8	15·1
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	4	3	-	-	-	1	1	1	-	1	3	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	2	2	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	6	-	-	-	-	-	1	-	1	2	1	5
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	1	-	5
Pneumonia (all forms) - - -	3	2	2	2	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	4	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	1	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	14	-	-	-	-	-	-	2	-	1	6	13
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	33	42	12	4	1	3	2	2	2	5	9	9	26

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

Population—Census 1901, - - - 3,429.
Do. Do. 1911, - - - 3,411.
Do. estimated to middle of 1914, 3,244.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	104	4	10	110	57	53
Illegitimate Births -	16	1	2	17	6	11
Marriages - -	9	-	-	-	-	-
Deaths - - -	53	0	12	65	28	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·1	33·9	-
Marriage-rate - - - - -	2·8	-	-
Death-rate—All Causes - - -	16·3	20·0	16·1
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—145.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	1	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - -	2	4	-	-	-	-	-	-	-	-	2	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	-	-	1	1	5
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	-	2	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	1	2	-	-	-	-	1	-	-	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	1	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	12	2	-	-	-	-	-	2	-	4	5	6
Diseases Ill-defined or Unknown -	2	3	2	-	-	-	-	-	-	2	-	1	-
Total - - - -	28	37	16	2	1	-	2	1	4	4	10	12	13

YEAR 1914.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Portknockie** (Burgh).

Population—Census 1901, - - - 1,596.
Do. Do. 1911, - - - 1,746.
Do. estimated to middle of 1914, 1,710.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	1	1	54	30	24
Illegitimate Births -	1	0	1	2	2	0
Marriages - -	4	–	–	–	–	–
Deaths - - -	24	0	4	28	14	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·6	31·6	–
Marriage-rate - - - - - -	2·3	–	–
Death-rate—All Causes - - -	14·0	16·4	17·2
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	–	–	1	–	–	–	1
Tuberculous Meningitis - - -	–	2	–	–	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	2	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	4	2	–	–	–	–	–	–	–	1	–	5
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - -	14	14	7	2	2	1	1	–	3	–	2	3	7

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

Population—Census 1901, - - - 1,878.
Do. Do. 1911, - - - 1,951.
Do. estimated to middle of 1914, 1,881.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	3	0	46	20	26
Illegitimate Births -	9	1	0	8	4	4
Marriages - -	12	–	–	–	–	–
Deaths - - -	37	6	5	36	21	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·0	24·5	–
Marriage-rate - - - - -	6·4	–	–
Death-rate—All Causes - - -	19·7	19·1	15·3
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—196.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	1	4	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	2	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	3	–	–	–	–	–	–	–	–	1	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	–	1	2	1	1
Bronchitis - - - - -	2	1	–	–	–	–	–	–	–	–	1	–	2
Pneumonia (all forms) - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	–	–	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	–	–	2	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	4	–	1	–	–	–	–	1	–	1	–	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	21	15	9	2	–	–	–	2	3	1	6	4	9

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (County District).

Population—Census 1901, - - - 18,796.
Do. Do. 1911, - - - 18,686.
Do. estimated to middle of 1914, 17,761.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	502	7	11	506	278	228
Illegitimate Births -	56	3	8	61	33	28
Marriages - -	61	–	–	–	–	–
Deaths - - -	254	13	18	259	140	119

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·3	28·5	–
Marriage-rate - - - - - -	3·4	–	–
Death-rate—All Causes - - -	14·3	14·6	13·2
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	2	–	1	1	–	–	–	–	–	1	–	–
*Whooping-cough - - - -	3	4	6	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	6	2	–	2	6	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	6	–	–	–	2	3	1	2	–	1	–	–
Tuberculous Meningitis - - -	–	2	–	1	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	2	–	–	–	2	1	1	1	–	–	–	–
Other Tuberculous Diseases - -	–	3	–	–	–	1	–	1	–	1	–	–	–
Cancer, Malignant Disease - -	12	12	–	–	–	–	–	–	1	3	7	10	3
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	19	10	1	–	–	–	2	–	1	1	3	7	14
Bronchitis - - - - - -	8	5	3	1	–	–	–	–	–	–	3	3	3
Pneumonia (all forms) - - -	18	11	6	4	–	–	2	1	–	–	4	5	7
Other Diseases of Respiratory Organs	2	2	–	1	–	–	–	1	–	–	–	–	2
*Diarrhœa and Enteritis (under 2 years)	2	4	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	1	3	–	–	–	–	–	1	2	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	2	–	–	–	1	1	–	1	–	–	3	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	15	6	20	–	–	1	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	1	1	–	–	–	–	1	–	1	3	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	30	34	2	1	–	1	2	3	2	4	2	12	35
Diseases Ill-defined or Unknown -	5	3	1	1	–	–	–	1	–	1	–	1	3
Total - - - -	140	119	46	15	7	10	11	12	12	11	24	42	69

YEAR 1914.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1901, - - - 13,745.
Do. Do. 1911, - - - 12,453.
Do. estimated to middle of 1914, 11,459.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	233	3	6	236	119	117
Illegitimate Births -	25	2	5	28	13	15
Marriages - -	51	–	–	–	–	–
Deaths - - -	134	5	12	141	68	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·3	20·6	–
Marriage-rate - - - - -	4·5	–	–
Death-rate—All Causes - - -	11·7	12·3	10·3
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15	25-	35	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	3	2	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	6	–	–	–	1	1	4	2	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	10	8	–	–	–	–	1	–	–	1	1	7	8
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	11	–	–	–	1	–	–	–	1	4	3	8
Bronchitis - - - - -	2	2	–	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) - - -	5	4	4	1	–	–	–	1	1	–	–	1	1
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	–	2	–
*Diarrhœa and Enteritis (under 2 years)	4	3	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	–	–	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	–	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	1	–	–	1	–	–	1	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	22	25	2	–	–	2	–	2	1	6	5	12	17
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	–	1	1	–	1
Total - - - - -	68	73	19	5	2	5	5	10	5	11	11	31	37

YEAR 1914.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

Population—Census 1901, - - - 1,482.
Do. Do. 1911, - - - 1,375.
Do. estimated to middle of 1914, 1,276.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	0	1	22	10	12
Illegitimate Births -	2	0	1	3	1	2
Marriages - -	8	-	-	-	-	-
Deaths - - -	17	0	4	21	10	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	17·2	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - -	13·3	16·5	13·4
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—136.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	1	2	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	1	1	-	1
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	1	2	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	4	-	-	-	-	-	-	1	-	2	1	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	12	3	-	1	-	-	-	2	4	5	1	5

YEAR 1914.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**Duns** (Burgh).

Population—Census 1901, - - - 2,206.
Do. Do. 1911, - - - 2,069.
Do. estimated to middle of 1914, 1,929.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	2	1	32	18	14
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	13	–	–	–	–	–
Deaths - - -	38	4	2	36	17	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·1	16·6	–
Marriage-rate - - - - - -	6·7	–	–
Death-rate—All Causes - - -	19·7	18·7	15·2
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	1	–	–	–	1	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	3	–	–	–	–	–	–	–	1	–	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	3	–	–	–	–	–	–	–	1	–	2	1
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	6	1	–	–	–	–	–	–	2	2	6	6
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	1	–	–	–	–	–
Total - - - -	17	19	2	–	–	1	3	1	1	4	3	9	12

YEAR 1914.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Eyemouth** (Burgh).

Population—Census 1901, - - 2,389.
Do. Do. 1911, - - - 2,453.
Do. estimated to middle of 1914, 2,356.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	1	1	53	26	27
Illegitimate Births -	5	0	0	5	4	1
Marriages - -	13	–	–	–	–	–
Deaths - - -	34	0	1	35	20	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·5	22·5	–
Marriage-rate - - - - -	5·5	–	–
Death-rate—All Causes - - -	14·4	14·9	14·6
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	1	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	2	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	1	1	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	5	–	–	–	–	–	–	1	1	2	3	–
Bronchitis - - - - -	2	–	1	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms) - - -	2	1	1	1	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	1	–	–	–	1	–	1	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	2	–	–	–	–	–	–	–	–	1	1	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - -	20	15	4	3	2	1	1	2	3	5	4	7	3

YEAR 1914.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Lauder** (Burgh).

Population—Census 1901, - - - 724.
Do. Do. 1911, - - - 659.
Do. estimated to middle of 1914, 607.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	9	7
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	1	-	-	-	-	-
Deaths - - -	9	0	0	9	4	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·4	26·4	-
Marriage-rate - - - - -	1·6	-	-
Death-rate—All Causes - - -	14·8	14·8	11·8
Do. —Phthisis - - - -	-	1·6	
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	4	5	2	-	-	-	-	-	-	-	1	5	1

YEAR 1914.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**East Berwick** (County District).

Population—Census 1901, - - - 9,364.
Do. Do. 1911, - - - 9,017.
Do. estimated to middle of 1914, 8,480.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	2	4	147	77	70
Illegitimate Births -	12	0	2	14	7	7
Marriages - -	52	–	–	–	–	–
Deaths - - -	110	2	17	125	53	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·1	17·3	–
Marriage-rate - - - - -	6·1	–	–
Death-rate—All Causes - - -	13·0	14·7	12·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	2	–	–	–	1	–	4	1	2	1	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	4	10	–	–	–	–	–	–	1	3	2	8	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	11	–	–	–	–	–	–	2	4	3	5	2
Bronchitis - - - - -	2	5	1	–	–	–	–	–	–	1	–	1	4
Pneumonia (all forms) - - -	5	5	1	1	–	–	–	1	–	3	–	3	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	–	1	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	1	1	–	1	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	2	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	–	–	–	–	–	1	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	16	27	1	–	–	–	1	3	4	4	3	6	21
Diseases Ill-defined or Unknown -	4	1	–	–	–	–	–	1	–	–	2	–	2
Total - - - -	53	72	10	3	–	2	4	10	9	20	13	24	30

YEAR 1914.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Population—Census 1901, - - - 8,648.
Do. Do. 1911, - - - 8,365.
Do. estimated to middle of 1914, 7,879.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	140	1	4	143	83	60
Illegitimate Births -	19	0	4	23	16	7
Marriages - -	38	-	-	-	-	-
Deaths - - -	92	2	9	99	49	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·8	18·1	-
Marriage-rate - - - - - -	4·8	-	-
Death-rate—All Causes - - -	11·7	12·6	11·3
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	·1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	3	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	10	-	-	-	-	-	-	-	5	4	3	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	9	-	-	-	-	-	-	2	2	4	4	3
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	4	1	-	-	-	-	-	1	1	1	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	16	-	-	-	-	1	2	-	1	4	8	23
Diseases Ill-defined or Unknown -	2	-	1	-	-	-	-	-	-	-	-	1	-
Total - - - - -	49	50	9	1	-	-	3	4	6	10	15	18	33

YEAR 1914.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

Population—Census 1901, - - - 6,011.
Do. Do. 1911, - - - 5,705.
Do. estimated to middle of 1914, 5,338.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	5	3	106	47	59
Illegitimate Births -	11	0	1	12	6	6
Marriages - -	31	-	-	-	-	-
Deaths - - -	79	3	6	82	38	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	19·9	-
Marriage-rate - - - - -	5·8	-	-
Death-rate—All Causes - - -	14·8	15·4	14·0
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age.										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	1	-	-	-	1	-	-	-	1	2	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	10	-	-	-	-	-	-	-	-	4	6	7
Bronchitis - - - - -	4	3	1	1	-	-	-	-	-	1	-	3	1
Pneumonia (all forms) - - -	3	3	-	-	1	-	-	1	-	-	1	3	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	-	1	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	2	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	-	-	-	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	16	-	-	-	-	1	1	1	2	3	5	12
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	38	44	7	2	1	1	4	5	1	5	12	20	24

YEAR 1914.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Millport** (Burgh).

Population—Census 1901, - - - 1,670.
Do. Do. 1911, - - - 1,614.
Do. estimated to middle of 1914, 1,520.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	1	2	22	12	10
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	3	-	-	-	-	-
Deaths - - -	29	5	6	30	19	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·8	14·5	-
Marriage-rate - - - - -	2·0	-	-
Death-rate—All Causes - - -	19·1	19·7	16·2
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	1	1	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	-	1	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	-	-	-	2	-	-	-	1	1	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	3	1	-	-	-	-	-	-	-	-	5	3
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	19	11	1	1	-	2	1	-	1	3	3	12	6

YEAR 1914.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Rothesay** (Burgh).

Population—Census 1901, - - - 9,378.
Do. Do. 1911, - - - 9,299.
Do. estimated to middle of 1914, 8,832.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	171	11	10	170	81	89
Illegitimate Births -	15	4	9	20	12	8
Marriages - -	55	-	-	-	-	-
Deaths - - -	158	24	11	145	60	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·4	19·2	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	17·9	16·4	14·7
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	8	-	-	2	2	4	1	1	1	-	-	-
Tuberculous Meningitis - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	9	-	-	-	-	-	-	1	1	3	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - -	5	7	-	-	-	-	-	1	-	-	2	4	5
Bronchitis - - - - - -	4	7	2	-	-	-	-	-	-	-	2	2	5
Pneumonia (all forms) - - -	7	5	3	1	-	-	1	1	-	1	1	1	3
Other Diseases of Respiratory Organs	-	3	-	-	-	-	-	-	-	1	1	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	2	-	-	-	1	1	-	-	2	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	-	1	1	1	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	4	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	1	-	-	-	-	-	1	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	29	2	2	-	-	-	1	2	4	5	15	16
Diseases Ill-defined or Unknown -	4	2	-	-	-	-	-	-	1	-	1	1	3
Total - - - -	60	85	19	7	3	4	6	4	7	12	16	30	37

YEAR 1914.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Arran** (County District).

Population—Census 1901, - - - - 4,837.
Do. Do. 1911, - - - - 4,628.
Do. estimated to middle of 1914, 4,343.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	0	4	50	22	28
Illegitimate Births -	0	0	4	4	1	3
Marriages - -	7	-	-	-	-	-
Deaths - - -	64	5	4	63	38	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·6	11·5	-
Marriage-rate - - - - -	1·6	-	-
Death-rate—All Causes - - -	14·7	14·5	11·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	-	1	1	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	5	1	-	-	-	-	-	-	-	1	2	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	2	-	-	-	-	-	-	1	-	1	2	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	-	2	1	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	3	-	-	-	-	2	-	1	1	-	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	13	1	1	-	1	1	-	3	1	3	6	8
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	1	1	-	-	1
Total - - - -	38	25	3	1	2	1	3	2	8	5	9	11	18

YEAR 1914.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Bute** (County District).

Population—Census 1901, - - 2,803.
Do. Do. 1911, - - - 2,552.
Do. estimated to middle of 1914, 2,353.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	3	2	39	25	14
Illegitimate Births -	3	0	1	4	3	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	26	5	6	27	12	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·0	16·6	-
Marriage-rate - - - - -	2·1	-	-
Death-rate—All Causes - - -	11 0	11·5	10 0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	1	-	-	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	7	-	-	-	-	-	-	1	2	-	1	8
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	12	15	3	1	-	-	-	-	2	3	1	7	10

YEAR 1914.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Cumbrae** (County District).

Population—Census 1901, - - - 99.
Do. Do. 1911, - - - 93.
Do. estimated to middle of 1914, 87.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	0	2	0	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	0	-	-	-	-	-
Deaths - - -	1	0	0	1	0	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	-	-	-
Marriage-rate - - - - -	-	-	-
Death-rate—All Causes - - -	-	-	-
Do. —Phthisis - - - -	-	-	-
Do. —All Tuberculosis - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-

† The Population of this District is too small for the calculation of significant rates.

YEAR 1914.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Thurso** (Burgh).

Population—Census 1901, - - - 3,723.
Do. Do. 1911, - - - 3,335.
Do. estimated to middle of 1914, 3,056.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	2	5	76	38	38
Illegitimate Births -	10	0	3	13	7	6
Marriages - -	28	–	–	–	–	–
Deaths - - -	60	1	3	62	29	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	24·9	–
Marriage-rate - - - - -	9·2	–	–
Death-rate—All Causes - - -	19·6	20·3	16·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	2	–	–	–	–	2	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	–	1	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	–	–	2	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	2	8	–	–	–	–	–	–	–	–	1	5	4
Bronchitis - - - - -	3	5	3	–	–	–	–	–	–	–	–	2	3
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	1	1	–	–	–	1	–	–	–	–	1	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	7	1	–	–	–	–	–	–	1	3	3	8
Diseases Ill-defined or Unknown -	2	4	–	–	–	–	–	–	–	–	4	1	1
Total - - - -	29	33	9	1	1	–	5	2	–	3	10	13	18

YEAR 1914.
COUNTY—**Caithness**.
PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

Population—Census 1901, - - 8,199.
Do. Do. 1911, - - 9,086.
Do. estimated to middle of 1914, 8,928.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	223	4	3	222	126	96
Illegitimate Births -	15	0	1	16	8	8
Marriages - -	56	-	-	-	-	-
Deaths - - -	135	2	5	138	55	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·0	24·9	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - -	15·1	15·5	14·2
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	3	-	1	2	-	-	-	1	-	-	-	-
Influenza - - - - - - -	2	-	-	-	1	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	1	1	2	4	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	3	-	-	1	-	-	-	1	1	-	-	-
Cancer, Malignant Disease - -	-	4	-	-	-	-	-	-	-	-	1	2	1
Rheumatic Fever - - - - -	-	3	-	-	1	-	-	-	-	2	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	14	1	-	-	-	-	1	1	6	2	9	6
Bronchitis - - - - - -	2	-	1	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	3	13	3	5	-	-	-	-	-	2	-	3	3
Other Diseases of Respiratory Organs	-	1	-	-	-	-	1	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	6	10	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	1	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	2	-	-	-	1	-	2	3	1	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	22	3	-	-	1	-	1	1	5	2	10	13
Diseases Ill-defined or Unknown -	3	3	-	-	-	-	1	-	1	-	2	2	-
Total - - - -	55	83	21	7	7	4	4	9	9	18	8	26	25

YEAR 1914.
COUNTY—**Caithness.**
PUBLIC HEALTH DISTRICT—**Caithness** (County District).

Population—Census 1901, - - - 21,948.
Do. Do. 1911, - - - 19,589.
Do. estimated to middle of 1914, 17,926.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	376	5	10	381	203	178
Illegitimate Births -	46	1	5	50	26	24
Marriages - -	60	-	-	-	-	-
Deaths - - -	313	7	11	317	142	175

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·0	21·3	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - -	17·5	17·7	12·5
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	4	3	4	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	14	-	1	-	-	4	6	3	5	3	2	-
Tuberculous Meningitis - - -	2	3	2	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	2	-	1	-	1	1	2	-	-	-	-	-
Cancer, Malignant Disease - -	16	9	-	-	-	-	-	-	1	3	6	5	10
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - -	18	21	-	-	-	-	1	-	2	-	6	11	19
Bronchitis - - - - -	4	11	3	-	-	-	-	1	-	-	-	3	8
Pneumonia (all forms) - - -	8	8	6	-	-	-	1	1	-	-	1	4	3
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	-	-	1
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	-	1	-	2	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	4	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	1	1	-	-	1	1	-	1	1	3	1	-
Suicide - - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-
Other Defined Diseases - - -	47	75	5	-	2	-	1	4	-	4	11	20	75
Diseases Ill-defined or Unknown -	6	12	2	2	-	-	-	-	-	-	2	7	5
Total - - - -	142	175	34	12	4	3	10	16	8	15	38	55	122

YEAR 1914.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

Population—Census 1901, - - - 11,555.
Do. Do. 1911, - - - 11,893.
Do. estimated to middle of 1914, 11,431.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	310	4	6	312	161	151
Illegitimate Births -	20	1	2	21	13	8
Marriages - -	82	-	-	-	-	-
Deaths - - -	136	5	12	143	67	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·1	27·3	-
Marriage-rate - - - - - -	7·2	-	-
Death-rate—All Causes - - -	11·9	12·6	13·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	2	8	-	-	-	-	5	3	1	-	1	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	5	-	-	-	-	-	-	-	2	6	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	1	1	-	2	4	1	-
Bronchitis - - - - - -	6	5	5	-	-	-	-	-	-	1	-	-	5
Pneumonia (all forms) - - -	4	8	4	4	-	-	1	-	2	-	1	-	-
Other Diseases of Respiratory Organs	3	-	-	1	-	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	3	-	-	-	-	-	1	2	1	1	1	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	6	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	3	-	1	-	-	3	-	1	2	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	22	2	1	-	-	1	1	2	3	9	10	14
Diseases Ill-defined or Unknown -	3	3	-	2	-	-	-	-	-	2	-	2	-
Total - - - -	67	76	26	12	1	-	11	8	9	14	23	18	21

YEAR 1914.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Alva** (Burgh).

Population—Census 1901, - - - 4,624.
Do. Do. 1911, - - - 4,332.
Do. estimated to middle of 1914, 4,035.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	2	3	79	37	42
Illegitimate Births -	7	1	0	6	2	4
Marriages - -	26	-	-	-	-	-
Deaths - - -	63	2	11	72	43	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·3	19·6	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	15·6	17·8	16·5
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—165.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	3	3	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	5	-	-	-	1	-	-	-	-	-	2	3
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - -	5	1	2	-	1	-	1	-	-	-	1	-	1
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	1	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	2	-	-	2	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	10	-	-	-	-	-	-	1	2	2	10	9
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	43	29	13	4	3	2	4	-	3	3	8	18	14

YEAR 1914.
COUNTY—**Clackmannan**.
PUBLIC HEALTH DISTRICT—**Dollar** (Burgh).

Population—Census 1901, - - - 1,619.
Do. Do. 1911, - - - 1,497.
Do. estimated to middle of 1914, 1,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	2	24	13	11
Illegitimate Births -	2	0	1	3	0	3
Marriages - -	8	-	-	-	-	-
Deaths - - -	15	0	3	18	6	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·9	17·3	-
Marriage-rate - - - - -	5·8	-	-
Death-rate—All Causes - - -	10·8	13·0	11·4
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	1	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	1	-	-	-	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	1	-	-	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	6	12	1	1	-	1	1	-	2	2	1	5	4

YEAR 1914.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

Population—Census 1901, - - - 3,338.
Do. Do. 1911, - - - 3,105.
Do. estimated to middle of 1914, 2,885.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	69	5	1	65	31	34
Illegitimate Births -	8	1	1	8	4	4
Marriages - -	24	-	-	-	-	-
Deaths - - -	45	1	10	54	23	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	22·5	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - -	15·6	18·7	16·8
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	1	1	1	1	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	6	-	-	-	-	-	-	-	1	2	5	6
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	-	-	-	-	-	-	-	1	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	10	-	-	-	-	-	1	-	2	1	4	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	23	31	2	3	1	1	7	2	1	5	6	12	14

YEAR 1914.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

Population—Census 1901, - - - 10,893.
Do. Do. 1911, - - - 10,294.
Do. estimated to middle of 1914, 9,618.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	275	7	3	271	150	121
Illegitimate Births -	16	3	1	14	5	9
Marriages - -	55	-	-	-	-	-
Deaths - - -	142	9	9	142	72	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·6	28·2	-
Marriage-rate - - - - - -	5·7	-	-
Death-rate—All Causes - - -	14·8	14·8	14·9
Do. —Phthisis - - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	7	-	-	1	-	3	2	1	1	1	-	-
Tuberculous Meningitis - - -	2	-	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	-	2	1	3	1
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	4	-	1	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	9	-	-	-	-	-	1	1	1	5	3	2
Bronchitis - - - - - -	6	8	3	1	-	-	-	-	-	-	1	4	5
Pneumonia (all forms) - - -	2	3	2	-	1	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs	2	1	1	-	-	-	-	-	-	1	1	-	-
*Diarrhœa and Enteritis (under 2 years)	5	1	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	1	-	-	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	4	15	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	1	-	1	-	1	-	1	-	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	20	22	4	-	1	1	3	3	-	4	6	6	14
Diseases Ill-defined or Unknown -	2	1	-	-	1	-	-	-	-	-	-	1	1
Total - - - -	72	70	32	10	7	2	9	8	3	10	18	19	24

YEAR 1914.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Clydebank** (Burgh).

Population—Census 1901, - - - 20,898.
Do. Do. 1911, - - - 37,548.
Do. estimated to middle of 1914, 43,538.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,352	5	28	1,375	714	661
Illegitimate Births -	49	2	8	55	25	30
Marriages - -	243	–	–	–	–	–
Deaths - - -	492	11	142	623	330	293

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·1	31·6	–
Marriage-rate - - - - -	5·6	–	–
Death-rate—All Causes - - -	11·3	14·3	16·5
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	9	5	2	10	1	–	–	1	–	–	–	–	–
*Scarlet Fever - - - - -	4	3	1	2	3	–	–	1	–	–	–	–	–
*Whooping-cough - - - -	6	5	5	6	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	10	1	9	2	–	–	–	–	1	–	–	–
Influenza - - - - - -	1	2	–	–	–	–	–	1	1	–	–	1	–
Erysipelas - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	19	21	1	1	–	2	6	12	9	7	1	1	–
Tuberculous Meningitis - - -	9	5	5	9	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	6	8	2	5	5	–	–	–	1	1	–	–	–
Other Tuberculous Diseases - -	3	3	–	1	2	–	1	–	–	1	–	1	–
Cancer, Malignant Disease - -	15	25	–	–	–	–	–	1	5	9	12	10	3
Rheumatic Fever - - - -	2	–	–	–	–	1	–	–	–	1	–	–	–
Meningitis - - - - -	9	4	7	5	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	24	20	–	–	–	3	2	6	1	8	9	10	5
Bronchitis - - - - -	19	17	12	4	1	1	–	1	3	3	7	3	1
Pneumonia (all forms) - - -	40	22	18	13	4	–	3	3	8	6	1	3	3
Other Diseases of Respiratory Organs	3	2	2	–	–	1	–	–	1	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	7	12	12	7	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	–	–	–	1	1	1	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	3	2	–	–	–	–	–	1	1	2	–	1	–
Other Diseases of Digestive System (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	11	8	1	1	–	–	1	–	5	5	3	2	1
Puerperal Sepsis - - - -	–	6	–	–	–	–	1	5	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	7	–	–	–	–	–	5	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	25	25	50	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	24	5	1	3	3	1	3	4	6	5	2	1	–
Suicide - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	72	62	19	8	2	4	2	7	15	16	23	19	19
Diseases Ill-defined or Unknown -	10	11	8	1	2	1	1	–	3	–	2	2	1
Total - - - -	330	293	150	85	27	15	21	49	63	65	60	54	34

YEAR 1914.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan** (Burgh).

Population—Census 1901, - - - 942.
Do. Do. 1911, - - - 861.
Do. estimated to middle of 1914, 795.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	2	14	9	5
Illegitimate Births -	0	0	2	2	2	0
Marriages - -	8	-	-	-	-	-
Deaths - - -	6	0	1	7	4	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·1	17·6	-
Marriage-rate - - - - -	10·1	-	-
Death-rate—All Causes - - -	7·5	8·8	7·1
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	1	-	1	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	1	-	-	-	-	-	-	-	-	-	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	4	3	-	-	-	-	-	-	-	1	1	3	2

YEAR 1914.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Dumbarton** (Burgh).

Population—Census 1901, - - - 19,985.
Do. Do. 1911, - - - 21,989.
Do. estimated to middle of 1914, 21,562.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	670	13	12	669	349	320
Illegitimate Births -	33	8	6	31	14	17
Marriages - -	123	–	–	–	–	–
Deaths - - -	339	25	30	344	193	151

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·1	31·0	–
Marriage-rate - - - - -	5·7	–	–
Death-rate—All Causes - - -	15·7	15·9	17·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	..

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	1	1	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	5	5	4	6	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	2	–	2	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	4	5	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	2	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	12	9	–	1	–	–	8	4	4	3	1	–	–
Tuberculous Meningitis - - -	2	3	3	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	3	–	4	1	1	2	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	1	–	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	11	17	–	–	–	–	1	1	–	5	9	9	3
Rheumatic Fever - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	4	1	3	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	18	13	–	–	–	–	1	3	2	4	5	8	8
Bronchitis - - - - -	3	5	2	–	–	–	–	–	1	–	2	–	4
Pneumonia (all forms) - - -	19	12	12	9	2	–	–	1	1	2	1	2	1
Other Diseases of Respiratory Organs	5	1	2	2	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	5	3	8	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	–	–	–	–	–	–	1
All Liver Diseases (not Malignant) -	2	2	–	–	–	–	–	–	–	3	1	–	–
Other Diseases of Digestive System (under 2 years)	3	–	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	4	–	–	–	–	1	1	–	2	3	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	15	15	30	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	10	3	–	1	1	–	2	1	–	3	2	1	2
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	56	39	6	2	1	1	3	8	7	5	14	26	22
Diseases Ill-defined or Unknown -	3	2	–	1	–	–	–	–	–	1	1	2	–
Total - - - -	193	151	78	34	9	4	21	21	16	28	39	51	43

YEAR 1914.

COUNTY—**Dumbarton**.

PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

Population—Census 1901, - - - 8,554.
Do. Do. 1911, - - - 8,529.
Do. estimated to middle of 1914, 8,114.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	161	7	4	158	80	78
Illegitimate Births -	9	1	2	10	3	7
Marriages - -	54	-	-	-	-	-
Deaths - - -	127	8	16	135	48	87

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·8	19·5	-
Marriage-rate - - - - - -	6·7	-	-
Death-rate—All Causes - - -	16·7	17·6	16·3
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	4	4	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	1	-	-	2	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	1	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	8	-	-	-	-	-	-	-	1	4	1	4
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	15	-	-	-	-	1	1	1	2	2	8	5
Bronchitis - - - - - -	-	6	-	-	-	-	-	1	-	1	3	1	-
Pneumonia (all forms) - - -	3	7	-	2	2	-	-	1	1	-	2	2	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	3	1	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	-	2	4	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	3	-	-	-	-	-	-	-	-	1	-	2
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	24	24	4	1	-	-	-	2	2	2	10	12	15
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	-	-	-	2	1
Total - - - -	48	87	14	6	6	1	1	8	6	10	27	27	29

YEAR 1914.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Kirkintilloch** (Burgh).

Population—Census 1901, - - - 10,502.
Do. Do. 1911, - - - 11,932.
Do. estimated to middle of 1914, 11,807.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	359	2	8	365	192	173
Illegitimate Births -	10	0	3	13	6	7
Marriages - -	80	-	-	-	-	-
Deaths - - -	202	38	24	188	83	105

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·4	30·9	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	17·1	15·9	16·4
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	6	8	7	6	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	2	2	-	-	1	-	-
Tuberculous Meningitis - - -	6	4	2	7	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	4	5	3	5	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	8	-	-	-	-	-	-	2	1	3	5	1
Rheumatic Fever - - - - -	1	2	-	-	1	-	-	-	-	1	-	1	-
Meningitis - - - - - -	3	5	5	2	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	1	1	-	2	5	4	1
Bronchitis - - - - - -	9	7	5	2	-	1	-	-	1	1	3	2	1
Pneumonia (all forms) - - -	7	3	2	3	1	-	-	1	1	1	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	6	11	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	5	1	1	-	-	1	2	1	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	12	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	1	-	-	-	1	2	1	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	9	28	1	-	1	-	3	1	1	3	3	11	13
Diseases Ill-defined or Unknown -	2	2	1	-	-	-	-	-	1	-	2	-	-
Total - - - -	83	105	51	28	6	3	9	9	11	10	19	24	18

YEAR 1914.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Milngavie** (Burgh).

Population—Census 1901, - - - 3,683.
Do. Do. 1911, - - - 4,530.
Do. estimated to middle of 1914, 4,576.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	0	2	88	42	46
Illegitimate Births -	3	0	1	4	3	1
Marriages - -	31	-	-	-	-	-
Deaths - - -	48	1	11	58	32	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·8	19·2	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	10·5	12·7	13·4
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	-	2	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	4	2	-	1	-	-	-	-	-	-	1	4	-
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	2	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	10	1	-	-	1	-	2	1	3	3	2	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	32	26	7	4	-	2	1	5	9	7	6	6	11

YEAR 1914.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

Population—Census 1901, - - - 19,923.
Do. Do. 1911, - - - 22,751.
Do. estimated to middle of 1914, 22,543.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	598	7	15	606	309	297
Illegitimate Births -	33	2	5	36	15	21
Marriages - -	115	-	-	-	-	-
Deaths - - -	420	147	53	326	171	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·5	26·9	-
Marriage-rate - - - -	5·1	-	-
Death-rate—All Causes - - -	18·6	14·5	15·0
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	1	-	-	-	-	-	3	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	2	1	3	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	-	-	5	2	2	-	-	-
Tuberculous Meningitis - - -	3	1	-	2	-	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	5	6	6	1	2	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	2	1	-	-	-	1	1	-	-	1	-	1
Cancer, Malignant Disease - -	13	10	-	-	-	-	-	-	1	1	5	9	7
Rheumatic Fever - - - -	-	2	-	-	1	-	-	1	-	-	-	-	-
Meningitis - - - - -	3	3	4	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	21	11	-	-	1	-	-	3	2	2	10	12	2
Bronchitis - - - - -	16	16	7	2	-	2	-	-	-	3	3	10	5
Pneumonia (all forms) - - -	11	14	8	5	-	-	1	1	1	-	3	2	4
Other Diseases of Respiratory Organs	1	4	-	1	-	-	-	-	1	1	1	-	1
*Diarrhœa and Enteritis (under 2 years)	4	7	9	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	1	2	-	2	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	9	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	16	3	-	1	1	2	2	4	2	3	3	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	41	47	5	-	-	1	1	3	8	10	12	20	28
Diseases Ill-defined or Unknown -	3	3	-	1	-	-	-	-	-	1	1	3	-
Total - - - -	171	155	65	22	6	7	9	25	20	23	41	58	50

YEAR 1914.
COUNTY—**Dumbarton**.
PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

Population—Census 1901, - - - 26,952
Do. Do. 1911, - - - 28,093.
Do. estimated to middle of 1914, 27,111.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	719	5	17	731	365	366
Illegitimate Births -	40	2	10	48	31	17
Marriages - -	217	–	–	–	–	–
Deaths - - -	350	7	52	395	204	191

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·5	27·0	–
Marriage-rate - - - - - -	8·0	–	–
Death-rate—All Causes - - -	12·9	14·6	15·4
Do. —Phthisis - - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	4	2	2	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	3	2	–	3	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - - -	6	3	6	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	15	14	–	1	–	2	5	5	10	6	–	–	–
Tuberculous Meningitis - - -	4	3	2	3	–	2	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	3	1	3	1	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	4	–	–	2	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	14	15	–	–	–	–	1	–	7	8	9	3	1
Rheumatic Fever - - - - -	1	1	–	–	–	1	–	1	–	–	–	–	–
Meningitis - - - - - -	3	6	4	3	1	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	25	16	–	–	–	1	–	2	1	5	9	14	9
Bronchitis - - - - - -	6	12	4	2	–	–	–	–	–	–	2	5	5
Pneumonia (all forms) - - -	13	12	8	5	–	–	–	–	1	3	2	1	5
Other Diseases of Respiratory Organs	4	4	1	2	–	–	–	–	–	2	1	–	2
*Diarrhœa and Enteritis (under 2 years)	4	4	8	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	4	–	–	–	3	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	3	–	–	–	–	–	–	1	1	1	1	1
Other Diseases of Digestive System (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	5	–	–	1	–	–	1	–	2	2	2	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	11	20	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	12	2	–	1	3	–	1	1	3	2	2	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	60	56	8	2	1	3	5	4	4	11	15	33	30
Diseases Ill-defined or Unknown -	5	6	3	1	–	–	–	–	1	–	2	2	2
Total - - - -	204	191	69	36	8	16	15	16	31	40	46	63	55

YEAR 1914.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Annan** (Burgh).

Population—Census 1901, - - - 4,309.
Do. Do. 1911, - - - 4,219.
Do. estimated to middle of 1914, 3,991.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	77	1	3	79	50	29
Illegitimate Births -	8	0	0	8	4	4
Marriages - -	35	–	–	–	–	–
Deaths - - -	54	0	11	65	35	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·3	19·8	–
Marriage-rate - - - - -	8·8	–	–
Death-rate—All Causes - - -	13·5	16·3	15·7
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	2	2	3	–	1	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	3	–	–	1	–	2	–	–	–	3	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	3	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	3	–	–	–	–	–	–	–	1	1	3	3
Bronchitis - - - - -	2	1	1	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	2	3	–	–	–	–	1	–	–	1	2	–	1
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	1	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	2	–	–	–	–	–	1	–	2	3	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	7	–	–	–	–	–	–	1	3	3	2	4
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	2	–	–
Total - - - -	35	30	8	8	1	1	3	1	2	8	16	7	10

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Dumfries** (Burgh).

Population—Census 1901, - - - 15,516.
Do. Do. 1911, - - - 16,011.
Do. estimated to middle of 1914, 15,402.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	374	0	5	379	189	190
Illegitimate Births -	39	0	5	44	18	26
Marriages - -	170	–	–	–	–	–
Deaths - - -	347	57	5	295	139	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·3	24·6	–
Marriage-rate - - - - - -	11·0	–	–
Death-rate—All Causes - - -	22·5	19·2	19·8
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—127.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	2	1	1	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	..	–	–	..	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	9	12	–	–	–	–	5	7	4	2	3	–	–
Tuberculous Meningitis - - -	2	3	3	1	–	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	1	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	3	–	–	–	2	2	–	–	1	1	–	–
Cancer, Malignant Disease - -	9	21	–	–	–	–	–	–	1	2	7	12	8
Rheumatic Fever - - - - -	–	2	–	1	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	2	–	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	15	11	–	–	–	1	–	–	1	3	5	9	7
Bronchitis - - - - - -	12	13	4	2	1	–	–	–	1	3	1	7	6
Pneumonia (all forms) - - -	11	6	2	2	–	1	–	1	1	4	2	3	1
Other Diseases of Respiratory Organs	3	1	–	–	–	–	–	–	1	1	–	1	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	1	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	8	6	–	–	–	–	–	1	5	3	2	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	14	29	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	3	2	2	–	–	–	1	1	1	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	34	48	5	–	2	–	3	3	4	9	15	21	20
Diseases Ill-defined or Unknown -	2	3	–	1	–	–	–	–	1	–	1	2	–
Total - - - -	139	156	52	12	6	4	13	16	20	31	38	58	45

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Langholm** (Burgh).

Population—Census 1901, - - - 3,142
Do. Do. 1911, - - - 2,930.
Do. estimated to middle of 1914, 2,725.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	4	0	40	13	27
Illegitimate Births -	7	0	0	7	2	5
Marriages - -	9	-	-	-	-	-
Deaths - - -	40	3	3	40	19	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	14·7	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - -	14·7	14·7	12·8
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	1	-	-	-	-	-	1	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	3	-
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	2	1	3
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	10	2	-	-	-	-	-	-	1	3	3	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	19	21	4	-	-	-	1	3	1	6	6	7	12

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lochmaben** (Burgh).

Population—Census 1901, - - - 1,051.
Do. Do. 1911, - - - 1,056.
Do. estimated to middle of 1914, 1,008.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	27	3	1	25	13	12
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	8	-	-	-	-	-
Deaths - - -	11	0	2	13	5	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·8	24·8	-
Marriage-rate - - - - - -	7·9	-	-
Death-rate—All Causes - - -	10·9	12·9	10·4
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	1	-	-	-	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	4	-	1	-	-	-	-	-	3	1	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	5	8	3	1	1	-	-	-	1	3	1	-	3

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lockerbie** (Burgh).

Population—Census 1901, - - - 2,358.
Do. Do. 1911, - - - 2,455.
Do. estimated to middle of 1914, 2,368.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	0	2	61	33	28
Illegitimate Births -	5	0	1	6	4	2
Marriages - -	8	-	-	-	-	-
Deaths - - -	32	0	6	38	13	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·9	25·8	-
Marriage-rate - - - - -	3·4	-	-
Death-rate—All Causes - - -	13·5	16·0	14·2
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	4	-	-	-	-	-	1	-	2	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	6	-	-	-	-	-	-	-	-	1	3	3
Bronchitis - - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	8	-	-	-	-	-	-	1	-	2	5	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	13	25	-	1	-	2	1	2	1	2	8	11	10

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

Population—Census 1901, - - - 2,153.
Do. Do. 1911, - - - 2,079.
Do. estimated to middle of 1914, 1,957.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	3	1	23	13	10
Illegitimate Births -	1	1	1	1	1	0
Marriages - -	12	-	-	-	-	-
Deaths - - -	34	3	2	33	18	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·8	11·8	-
Marriage-rate - - - - - -	6·1	-	-
Death-rate—All Causes - - -	17·4	16·9	14·3
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	1	-	1	-	-	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	2	2
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	6	-	-	-	1	-	-	1	1	2	4	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	18	15	2	-	-	1	3	-	2	1	3	6	15

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Sanquhar** (Burgh).

Population—Census 1901, - - - 1,375.
Do. Do. 1911, - - - 1,508.
Do. estimated to middle of 1914, 1,477.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	1	2	49	23	26
Illegitimate Births -	4	0	0	4	1	3
Marriages - -	9	-	-	-	-	-
Deaths - - -	16	0	3	19	9	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·5	33·2	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - -	10·8	12·9	12·6
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	1	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	2	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	1	-	-	-	-	-	-	-	2	-	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	10	3	3	-	2	1	-	1	2	2	4	1

YEAR 1914.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Annan** (County District).

Population—Census 1901, - - - 10,318.
Do. Do. 1911, - - - 10,515.
Do. estimated to middle of 1914, 9,920.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	210	5	3	208	100	108
Illegitimate Births -	31	0	0	31	17	14
Marriages - -	60	–	–	–	–	–
Deaths - - -	133	4	7	136	72	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·2	21·0	–
Marriage-rate - - - - -	6·0	–	–
Death-rate—All Causes - - -	13·4	13·7	12·5
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	2	–	1	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	3	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	6	–	–	1	–	–	7	1	2	1	2	–
Tuberculous Meningitis - - -	2	–	–	–	–	2	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	7	–	–	–	–	–	–	–	1	4	3	5
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	11	8	–	–	–	–	1	–	–	3	4	6	5
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	4	3	2	1	–	–	–	–	–	–	1	1	2
Other Diseases of Respiratory Organs	3	1	–	–	–	–	–	–	–	–	1	1	2
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	1	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	4	10	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	–	–	–	1	2	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	23	4	1	–	–	–	–	4	–	3	16	15
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	72	64	21	7	2	3	3	10	5	6	15	32	32

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

Population—Census 1901, - - - 8,258.
Do. Do. 1911, - - - 8,555.
Do. estimated to middle of 1914, 8,239.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	203	9	5	199	106	93
Illegitimate Births -	25	1	2	26	16	10
Marriages - -	30	–	–	–	–	–
Deaths - - -	143	39	13	117	59	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·6	24·2	–
Marriage-rate - - - - -	3·6	–	–
Death-rate—All Causes - - -	17·4	14·2	11·9
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	1	–	–	–	1	1	3	–	1	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	5	–	–	–	–	–	–	1	–	3	2	4
Rheumatic Fever - - - -	–	2	–	–	–	–	2	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	6	–	–	–	–	1	–	2	–	–	2	8
Bronchitis - - - - -	5	–	4	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms) - - -	4	1	1	1	1	–	–	–	1	–	–	1	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	3	–	1	–	–	–	–	–	1	–	2	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	1	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	2	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	4	2	–	–	–	–	2	–	2	–	–	1
Suicide - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	17	20	2	–	1	–	–	3	1	2	9	6	13
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	–	1	–	1	1
Total - - - -	59	58	21	4	3	–	6	10	9	6	15	14	29

YEAR 1914.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1901, - - - 3,434.
Do. Do. 1911, - - - 3,242.
Do. estimated to middle of 1914, 3,028.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	0	3	61	37	24
Illegitimate Births -	5	0	1	6	4	2
Marriages - -	25	–	–	–	–	–
Deaths - - -	37	1	3	39	20	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	20·1	–
Marriage-rate - - - - -	8·3	–	–
Death-rate—All Causes - - -	12·2	12·9	11·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	1	–	–	–	–	1	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	3	–	–	–	–	–	–	1	1	1	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Organic Heart Disease - - -	3	2	–	–	–	–	–	–	–	1	–	3	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	1	2	1	1	1	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years).	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	1	1	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	8	–	1	–	–	–	–	–	1	2	2	7
Diseases Ill-defined or Unknown -	3	1	2	–	–	–	1	–	–	–	–	–	1
Total - - - -	20	19	4	2	1	–	3	2	1	4	4	8	10

YEAR 1914.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

Population—Census 1901, - - - 8,892.
Do. Do. 1911, - - - 8,545.
Do. estimated to middle of 1914, 8,031.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	177	9	4	172	96	76
Illegitimate Births -	29	1	2	30	15	15
Marriages - -	51	-	-	-	-	-
Deaths - - -	116	8	3	111	60	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·0	21·4	-
Marriage-rate - - - - - -	6·4	-	-
Death-rate—All Causes - - -	14·4	13·8	12·5
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	2	-	1	-	-	3	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	4	11	-	-	-	-	-	-	1	2	2	4	6
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	5	-	-	-	1	-	-	-	1	1	4	6
Bronchitis - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	-	-	-	1	2
*Diarrhœa and Enteritis (under 2 years)	3	2	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	1	1	-	1	-	-	-	-	1	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	19	3	-	-	1	1	2	-	3	5	8	15
Diseases Ill-defined or Unknown -	2	-	-	1	-	-	-	-	-	1	-	-	-
Total - - - -	60	51	19	8	1	4	5	4	3	7	10	13	32

YEAR 1914.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Thornhill** (County District).

Population—Census 1901, - - - 11,265.
Do. Do. 1911, - - - 11,710.
Do. estimated to middle of 1914, 11,291.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	274	4	13	283	137	146
Illegitimate Births -	27	1	7	33	17	16
Marriages - -	69	-	-	-	-	-
Deaths - - -	167	4	19	182	80	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·3	25·1	-
Marriage-rate - - - - - -	6·3	-	-
Death-rate—All Causes - - -	14·8	16·1	14·6
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	-	1	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	3	-	-	-	-	2	1	4	2	-	-	-
Tuberculous Meningitis - - -	2	-	-	-	-	-	1	1	-	-	-	-	-
Abdominal Tuberculosis - - -	2	2	1	1	1	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	16	-	-	-	-	-	-	1	3	4	4	7
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - - -	2	1	1	-	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	8	15	-	-	-	-	-	1	1	1	3	8	9
Bronchitis - - - - - -	5	4	-	1	-	-	-	-	-	-	3	2	3
Pneumonia (all forms) - - -	11	8	2	6	-	1	-	4	1	1	1	2	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	2	2	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	4	-	-	-	-	-	-	-	3	-	1	1
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	3	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	-	1	-	-	1	1	4	-	1	-
Suicide - - - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-
Other Defined Diseases - - -	13	35	3	-	-	1	2	2	-	5	9	8	18
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	80	102	24	13	5	2	6	12	9	20	22	29	40

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Bonnyrigg** (Burgh).

Population—Census 1901, - - - 2,924.
Do. Do. 1911, - - - 2,955.
Do. estimated to middle of 1914, 2,973.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	1	2	86	37	49
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	12	–	–	–	–	–
Deaths - - -	39	2	10	47	16	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·6	28·9	–
Marriage-rate - - - - -	4·0	–	–
Death-rate—All Causes - - -	13·1	15·8	15·6
Do. —Phthisis - - - -	–	1·7	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	4	1	1	2	–	–	2	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	3	–	–	–	–	2	2	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	1	–	2	–	1
Bronchitis - - - - -	–	2	1	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	4	1	1	–	–	–	–	–	–	–	3	–
Other Diseases of Respiratory Organs	2	1	–	1	–	–	–	–	1	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	11	2	–	–	–	1	2	1	–	2	6	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	16	31	6	3	2	–	4	7	3	1	6	10	5

YEAR 1914.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Dalkeith** (Burgh).

Population—Census 1901, - - - 6,797.
Do. Do. 1911, - - - 7,019.
Do. estimated to middle of 1914, 6,752.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	202	6	8	204	93	111
Illegitimate Births -	18	2	0	16	10	6
Marriages - -	55	-	-	-	-	-
Deaths - - -	95	8	15	102	40	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·9	30·2	-
Marriage-rate - - - - - -	8·1	-	-
Death-rate—All Causes - - -	14·1	15·1	14·5
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	1	-	-	2	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	1	-	-	-	-	3	2	-	1	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	-	-	-	2	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	6	-	-	-	1	-	-	1	-	4	4	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	4	-	-	-	-	-	-	1	2	1	3	3
Bronchitis - - - - - -	1	9	1	1	-	-	-	1	1	-	3	3	-
Pneumonia (all forms) - - -	1	2	-	1	1	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	3	4	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	3	-	-	-	-	-	-	1	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	8	11	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	1	-	-	1	1	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	16	-	1	2	-	1	-	-	1	4	4	11
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	-	-	2	-	-
Total - - - -	40	62	17	7	6	1	8	5	5	6	15	16	16

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Edinburgh** (Burgh).

Population—Census 1901, - - - 317,459.
Do. Do. 1911, - - - 320,318.
Do. estimated to middle of 1914, 324,618.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6708	317	77	6468	3303	3165
Illegitimate Births -	633	164	33	502	267	235
Marriages - -	3165	-	-	-	-	-
Deaths - - -	5319	709	415	5025	2438	2587

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	19·9	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - -	16·4	15·5	16·1
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	8	-	-	1	-	2	2	4	-	1	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	53	56	23	81	3	-	2	-	-	-	-	-	-
*Scarlet Fever - - - - -	23	20	2	24	10	2	2	1	-	2	-	-	-
*Whooping-cough - - - -	7	6	8	4	-	-	-	-	-	1	-	-	-
*Diphtheria and Croup - - -	40	57	5	52	35	4	1	-	-	-	-	-	-
Influenza - - - - - -	5	4	-	-	-	-	1	1	1	-	1	4	1
Erysipelas - - - - - -	8	4	2	-	-	-	1	1	-	4	3	-	1
Phthisis, Pulmonary Tuberculosis -	213	166	-	3	3	10	66	89	91	60	39	14	4
Tuberculous Meningitis - - -	28	31	15	31	7	4	1	-	-	1	-	-	-
Abdominal Tuberculosis - - -	24	26	6	22	4	4	6	2	4	1	1	-	-
Other Tuberculous Diseases - -	37	44	8	19	7	4	11	8	8	8	5	3	-
Cancer, Malignant Disease - -	172	277	-	2	-	1	1	8	33	81	136	128	59
Rheumatic Fever - - - -	3	9	-	-	2	1	4	1	2	1	-	1	-
Meningitis - - - - -	16	22	16	11	3	1	1	-	4	2	-	-	-
Organic Heart Disease - - -	277	306	1	3	2	3	15	27	40	79	137	173	103
Bronchitis - - - - -	127	150	50	9	-	-	-	4	8	22	37	69	78
Pneumonia (all forms) - - -	229	170	63	86	9	5	12	23	27	35	44	53	42
Other Diseases of Respiratory Organs	49	26	8	10	1	1	2	3	6	7	17	8	12
*Diarrhœa and Enteritis (under 2 years)	52	42	84	10	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	8	16	-	-	1	2	3	4	6	-	3	2	3
All Liver Diseases (not Malignant) -	26	32	-	1	1	1	-	2	1	8	14	21	9
Other Diseases of Digestive System (under 2 years)	7	6	10	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	80	77	1	3	1	-	4	13	17	28	43	30	17
Puerperal Sepsis - - - -	-	13	-	-	-	-	4	7	2	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	29	-	-	-	-	3	16	10	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	156	117	272	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	95	63	21	20	16	2	6	8	29	15	14	12	15
Suicide - - - - - - -	21	6	-	-	-	-	2	6	5	9	2	3	-
Other Defined Diseases - - -	657	774	112	32	10	13	28	50	81	142	222	352	389
Diseases Ill-defined or Unknown -	22	30	2	2	-	-	-	-	2	2	10	14	20
Total - - - -	2438	2587	709	429	116	58	178	276	381	508	729	888	753

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade** (Burgh).

Population—Census 1901, - - - 869.
Do. Do. 1911, - - - 880.
Do. estimated to middle of 1914, 841.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	1	0	24	15	9
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	8	-	-	-	-	-
Deaths - - -	11	1	1	11	5	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·7	28·5	-
Marriage-rate - - - - - -	9·5	-	-
Death-rate—All Causes - - -	13·1	13·1	13·4
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	-	1	-	1	1
Bronchitis - - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	2	-	-	-	-	1	-	-	-	2	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	5	6	3	-	-	-	1	-	-	1	2	2	2

YEAR 1914.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Leith** (Burgh).

Population—Census 1901, - - - 77,439.
Do. Do. 1911, - - - 80,488.
Do. estimated to middle of 1914, 80,241.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2093	20	88	2161	1106	1055
Illegitimate Births -	100	6	28	122	58	64
Marriages - -	500	-	-	-	-	-
Deaths - - -	1108	28	154	1234	633	601

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·1	26·9	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	13·8	15·4	16·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	10	19	4	23	-	-	1	1	-	-	-	-	-
*Scarlet Fever - - - - - -	7	9	-	10	4	1	-	1	-	-	-	-	-
*Whooping-cough - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	5	-	8	1	-	-	1	-	-	-	-	-
Influenza - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	4	2	1	-	1	-	-	-	-	2	1	-	1
Phthisis, Pulmonary Tuberculosis -	47	41	-	7	2	6	18	18	16	15	5	1	-
Tuberculous Meningitis - - -	14	13	11	12	3	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	7	7	4	4	1	1	-	-	1	2	-	1	-
Other Tuberculous Diseases - -	9	10	1	9	1	2	2	1	1	1	1	-	-
Cancer, Malignant Disease - -	35	61	-	-	-	-	-	1	10	20	27	27	11
Rheumatic Fever - - - -	5	2	-	-	2	1	1	2	-	1	-	-	-
Meningitis - - - - - -	9	3	4	5	-	-	-	-	1	-	1	1	-
Organic Heart Disease - - -	66	65	1	-	3	3	7	5	8	21	25	38	20
Bronchitis - - - - - -	33	43	11	6	-	-	1	-	2	5	14	22	15
Pneumonia (all forms) - - -	53	42	24	23	4	1	4	5	4	12	5	8	5
Other Diseases of Respiratory Organs	14	9	2	1	2	1	2	1	1	4	2	2	5
*Diarrhœa and Enteritis (under 2 years)	18	14	29	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	4	4	-	-	2	4	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	7	4	-	2	-	-	-	1	2	1	3	-	2
Other Diseases of Digestive System (under 2 years)	9	-	8	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	19	13	1	-	1	1	1	1	6	7	6	6	2
Puerperal Sepsis - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	-	4	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	41	38	78	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	43	28	11	9	5	2	5	6	6	13	6	3	5
Suicide - - - - - - -	3	1	-	-	-	-	-	-	-	3	-	1	-
Other Defined Diseases - - -	156	149	24	5	6	5	5	11	31	48	45	59	66
Diseases Ill-defined or Unknown -	13	6	1	1	-	-	1	-	2	-	1	7	6
Total - - - -	633	601	215	133	38	29	50	62	95	155	143	176	138

YEAR 1914.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Loanhead** (Burgh).

Population—Census 1901, - - - 3,011.
Do. Do. 1911, - - - 3,483.
Do. estimated to middle of 1914, 3,464.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	3	0	124	70	54
Illegitimate Births -	2	0	0	2	2	0
Marriages - -	29	-	-	-	-	-
Deaths - - -	47	0	7	54	29	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	36·7	35·8	-
Marriage-rate - - - - - -	8·4	-	-
Death-rate—All Causes - - -	13·6	15·6	16·7
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—137.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	1	-	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	1	-	-	1	-	-
Bronchitis - - - - - -	2	3	3	-	-	-	-	-	-	1	-	1	-
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	1	1	2	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	9	7	2	1	-	-	-	1	1	2	1	2	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	29	25	17	4	3	-	1	4	5	6	4	3	7

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Musselburgh** (Burgh).

Population—Census 1901, - - - 11,868.
Do. Do. 1911, - - - 15,938.
Do. estimated to middle of 1914, 16,439.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	507	2	14	519	263	256
Illegitimate Births -	21	1	7	27	13	14
Marriages - -	138	-	-	-	-	-
Deaths - - -	224	5	29	248	126	122

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·8	31·6	-
Marriage-rate - - - - -	8·4	-	-
Death-rate—All Causes - - -	13·6	15·1	16·0
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	6	5	2	8	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	5	1	1	4	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	6	-	-	-	-	4	3	4	2	1	-	-
Tuberculous Meningitis - - -	1	5	2	-	2	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	-	-	1	-	-	-	-	-	1	-
Other Tuberculous Diseases - -	2	2	-	2	-	-	-	2	-	-	-	-	-
Cancer, Malignant Disease - -	9	15	-	-	-	-	1	2	1	5	3	9	3
Rheumatic Fever - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	15	-	-	-	-	-	1	2	4	3	8	5
Bronchitis - - - - -	5	9	7	-	-	-	-	-	-	2	2	2	1
Pneumonia (all forms) - - -	8	4	4	1	1	-	-	2	1	-	1	1	1
Other Diseases of Respiratory Organs	3	1	1	1	-	-	1	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	6	4	9	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	2	3	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	22	11	33	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	-	1	1	1	1	2	2	-	-	-
Suicide - - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
Other Defined Diseases - - -	22	25	3	1	-	1	1	2	4	6	9	11	9
Diseases Ill-defined or Unknown -	3	5	1	-	-	-	-	-	-	2	1	1	3
Total - - - -	126	122	65	21	6	5	10	19	17	24	23	35	23

YEAR 1914.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Penicuik** (Burgh).

Population—Census 1901, - - - 2,803.
Do. Do. 1911, - - - 2,736.
Do. estimated to middle of 1914, 2,585.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	2	0	73	30	43
Illegitimate Births -	4	0	0	4	2	2
Marriages - -	26	-	-	-	-	-
Deaths - - -	27	0	3	30	15	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·0	28·2	-
Marriage-rate - - - - - -	10·1	-	-
Death-rate—All Causes - - -	10·4	11·6	11·5
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	1	-	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	-	4	-	-	-	-	-	-	-	-	1	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	1	-	-	1	-	-
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	2	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	1	-	-	-	-	2	-	-	1
Violent Deaths, excluding Suicide -	2	2	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	1	-	1	3	6	3
Other Defined Diseases - - -	7	8	1	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	15	15	2	-	1	-	-	1	-	3	7	11	5

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Calder** (County District).

Population—Census 1901, - - - 19,639.
Do. Do. 1911, - - - 19,071.
Do. estimated to middle of 1914, 17,988.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	521	10	12	523	264	259
Illegitimate Births -	20	2	8	26	13	13
Marriages - -	122	-	-	-	-	-
Deaths - - -	179	3	45	221	113	108

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·0	29·1	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	10·0	12·3	12·8
Do. —Phthisis - - -	-	0·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	-	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	1	1	1	1	-	1	-	-
Tuberculous Meningitis - - -	3	4	2	5	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	3	1	3	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	3	-	-	2	1	2	1	-	-	1	-	-
Cancer, Malignant Disease - -	11	8	-	-	-	-	-	2	2	1	5	6	3
Rheumatic Fever - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-
Meningitis - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	9	-	-	-	-	1	2	3	2	3	2	3
Bronchitis - - - - - -	12	7	4	1	-	-	-	-	1	3	3	3	4
Pneumonia (all forms) - - -	12	8	5	2	-	-	1	-	-	5	1	3	3
Other Diseases of Respiratory Organs	3	-	2	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	4	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	-	-	2	2	-
Other Diseases of Digestive System (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	6	-	-	1	1	1	-	1	1	2	3	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	6	11	-	-	-	-	-	-	-	-	-	-
*Violent Deaths, excluding Suicide -	4	1	1	-	-	-	-	2	-	-	1	1	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	32	33	5	2	2	3	4	1	5	3	10	17	13
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	113	108	42	15	8	8	13	9	15	16	29	39	27

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

Population—Census 1901, - - - 7,100.
Do. Do. 1911, - - - 6,917.
Do. estimated to middle of 1914, 6,531.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	157	4	6	159	74	85
Illegitimate Births -	16	2	4	18	9	9
Marriages - -	52	–	–	–	–	–
Deaths - - -	94	1	16	109	59	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·0	24·3	–
Marriage-rate - - - - - -	8·0	–	–
Death-rate—All Causes - - -	14·4	16·7	15·9
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	1	–	1	–	–	2	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	–	–	–	–	1	–	2	1	1	1	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	4	8	–	–	–	–	–	–	–	–	6	4	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	3	–	–	–	–	–	–	3	1	1	4	1
Bronchitis - - - - - -	7	2	3	–	–	–	–	–	–	–	1	1	4
Pneumonia (all forms) - - -	2	1	–	–	–	–	1	–	–	–	1	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	7	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	–	1	–	1	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	20	2	1	–	–	1	–	1	2	9	11	13
Diseases Ill-defined or Unknown -	–	3	–	–	–	–	–	–	1	–	1	–	1
Total - - - -	59	50	17	2	–	2	5	4	8	5	21	23	22

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade** (County District).

Population—Census 1901, - - - 19,749.
Do. Do. 1911, - - - 24,047.
Do. estimated to middle of 1914, 24,083.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	732	12	15	735	374	361
Illegitimate Births -	34	4	3	33	18	15
Marriages - -	90	–	–	–	–	–
Deaths - - -	361	47	29	343	178	165

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·4	30·5	–
Marriage-rate - - - - -	3·7	–	–
Death-rate—All Causes - - -	15·0	14·2	14·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	3	1	1	3	–	1	1	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	1	–	1	3	–	1	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	2	–	–	–	–	–	–	–	1	–	1	–
Phthisis, Pulmonary Tuberculosis -	12	11	–	–	–	2	10	7	2	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	2	1	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	3	3	1	–	–	–	1	2	1	–	–	–	1
Cancer, Malignant Disease - -	9	10	–	–	–	–	–	–	–	6	4	7	2
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	6	3	7	–	–	1	–	–	1	–	–	–	–
Organic Heart Disease - - -	12	20	–	–	1	–	–	–	1	5	10	9	6
Bronchitis - - - - -	12	9	6	1	1	–	1	–	–	1	4	7	–
Pneumonia (all forms) - - -	17	13	15	6	–	–	1	–	3	–	–	4	1
Other Diseases of Respiratory Organs	4	2	–	–	–	–	–	1	1	–	–	3	1
*Diarrhœa and Enteritis (under 2 years)	6	2	8	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	3	1	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	1	1	1	1	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	21	18	39	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	15	4	–	2	2	1	2	3	2	2	3	1	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	36	51	6	1	–	–	4	3	10	4	15	18	26
Diseases Ill-defined or Unknown -	5	3	2	2	–	–	–	–	–	–	1	3	–
Total - - - -	178	165	92	16	10	5	23	19	24	22	39	54	39

YEAR 1914.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Suburban** (County District).

Population—Census 1901, - - - 19,138.
Do. Do. 1911, - - - 23,814.
Do. estimated to middle of 1914, 24,128.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	534	40	20	514	267	247
Illegitimate Births -	41	25	8	24	13	11
Marriages - -	114	–	–	–	–	–
Deaths - - -	502	248	59	313	140	173

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	21·3	–
Marriage-rate - - - - -	4·7	–	–
Death-rate—All Causes - - -	20·8	13·0	12·8
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	5	2	6	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	8	9	–	–	1	1	6	1	3	2	1	1	1
Tuberculous Meningitis - - -	2	2	–	3	–	–	–	–	–	1	–	–	–
Abdominal Tuberculosis - - -	–	2	–	–	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	15	22	–	–	–	–	–	2	4	4	12	8	7
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	3	–	–	–	1	–	–	–	–	1	1	–
Organic Heart Disease - - -	17	19	–	–	–	1	3	1	5	3	9	6	8
Bronchitis - - - - - -	7	6	2	–	–	–	–	–	1	1	1	2	6
Pneumonia (all forms) - - -	10	10	2	6	1	–	1	–	–	1	3	2	4
Other Diseases of Respiratory Organs	4	5	4	–	–	–	–	–	1	2	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	1	1	–	–	–	–	–	–	1	–	–	1
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	3	–	–	–	1	–	–	–	1	2	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	3	–	1	1	1	1	3	2	2	–	1	–
Suicide - - - - - - -	2	–	–	–	–	–	–	–	–	1	1	–	–
Other Defined Diseases - - -	40	60	9	5	1	1	5	4	9	9	8	27	22
Diseases Ill-defined or Unknown -	5	4	–	1	–	–	–	1	–	2	–	5	–
Total - - - -	140	173	39	27	7	6	18	14	26	30	38	56	52

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Burghead** (Burgh).

Population—Census 1901, - - - 1,595.
Do. Do. 1911, - - - 1,595.
Do. estimated to middle of 1914, 1,519.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	1	1	45	28	17
Illegitimate Births -	5	0	1	6	4	2
Marriages - -	5	-	-	-	-	-
Deaths - - -	17	0	2	19	6	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·6	29·6	-
Marriage-rate - - - - - -	3·3	-	-
Death-rate—All Causes - - -	11·2	12·5	11·4
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	-	2	1	1	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	7	1	-	-	-	-	-	1	-	-	3	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	6	13	3	-	-	-	-	1	4	1	3	3	4

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (Burgh).

Population—Census 1901, - - - 8,407.
Do. Do. 1911, - - - 8,656.
Do. estimated to middle of 1914, 8,321.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	171	10	5	166	86	80
Illegitimate Births -	31	2	3	32	19	13
Marriages - -	107	-	-	-	-	-
Deaths - - -	175	13	14	176	85	91

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·6	19·9	-
Marriage-rate - - - - -	12·9	-	-
Death-rate—All Causes - - -	21·0	21·2	18·5
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—181.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	5	-	-	-	-	2	1	4	2	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	13	10	-	-	-	-	-	-	1	9	4	7	2
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	13	-	-	-	-	-	-	-	3	2	9	4
Bronchitis - - - - -	3	4	2	-	-	-	-	-	1	1	-	1	2
Pneumonia (all forms) - - -	8	6	1	3	-	-	1	1	2	1	3	-	2
Other Diseases of Respiratory Organs	2	3	1	1	-	-	-	-	-	1	-	1	1
*Diarrhœa and Enteritis (under 2 years)	5	1	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	-	-	-	1	-	-	-	-	1	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	4	-	-	-	-	-	-	1	1	-	1	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	4	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	3	1	-	1	-	-	1	1	1	-	1	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	31	3	2	-	-	-	4	1	3	4	7	23
Diseases Ill-defined or Unknown -	2	-	-	2	-	-	-	-	-	-	-	-	-
Total - - - -	85	91	30	10	3	-	4	7	11	24	17	28	42

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Forres** (Burgh).

Population—Census 1901, - - - 4,663.
Do. Do. 1911, - - 4,421.
Do. estimated to middle of 1914, 4,135.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	100	1	3	102	57	45
Illegitimate Births -	14	1	2	15	7	8
Marriages - -	40	-	-	-	-	-
Deaths - -	73	3	3	73	35	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·2	24·7	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - -	17·7	17·7	14·8
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	4	-	-	-	-	-	-	-	2	-	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	7	-	-	-	-	-	-	-	2	1	3	3
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	2	-	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	-	-	1	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	16	1	2	-	-	-	1	-	2	2	7	14
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	-	-	1	3
Total - - - -	35	38	12	6	-	-	1	3	-	7	5	17	22

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Grantown-on-Spey** (Burgh).

Population—Census 1901, - - - 1,568.
Do. Do. 1911, - - - 1,451.
Do. estimated to middle of 1914, 1,346.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	5	3	41	26	15
Illegitimate Births -	11	4	2	9	5	4
Marriages - -	12	-	-	-	-	-
Deaths - - -	21	3	2	20	13	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·9	30·5	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - -	15·6	14·9	13·6
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	2	2
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	1
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	2	1	-	-	-	1	-	-	-	-	1	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	7	4	-	-	-	1	-	2	1	-	3	9

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Lossiemouth** (Burgh).

Population—Census 1901, - - - 3,904.
Do. Do. 1911, - - - 4,207
Do. estimated to middle of 1914, 4,101.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	110	2	2	110	52	58
Illegitimate Births -	9	0	2	11	5	6
Marriages - -	16	-	-	-	-	-
Deaths - - -	46	5	3	44	19	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·8	26·8	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - -	11·2	10·7	10·3
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	1	-	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	1	-	-	-	-	-	-	2	1
Bronchitis - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	15	-	-	-	-	1	3	-	-	3	7	6
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	19	25	8	3	2	-	1	4	1	-	6	12	7

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Rothes** (Burgh).

Population—Census 1901, - - - 1,621.
Do. Do. 1911, - - - 1,350.
Do. estimated to middle of 1914, 1,201.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	27	1	4	30	19	11
Illegitimate Births -	7	1	4	10	6	4
Marriages - -	11	-	-	-	-	-
Deaths - - -	13	0	2	15	7	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·5	25·0	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - -	10·8	12·5	9·9
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—33·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	-	-	1	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	1	-	-	1
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	5	-	-	-	-	-	-	-	-	3	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	8	1	-	-	-	1	-	-	1	4	3	5

YEAR 1914.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (County District).

Population—Census 1901, - - - 23,042.
Do. Do. 1911, - - - 21,747.
Do. estimated to middle of 1914, 20,311.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	503	17	16	502	244	258
Illegitimate Births -	72	6	9	75	35	40
Marriages - -	91	–	–	–	–	–
Deaths - - -	326	23	12	315	163	152

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·8	24·7	–
Marriage-rate - - - - -	4·5	–	–
Death-rate—All Causes - - -	16·0	15·5	13·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	4	3	3	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	2	3	–	–	–	–	–	1	–	–	–	–	4
Erysipelas - - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	10	–	–	1	–	5	7	4	1	1	1	–
Tuberculous Meningitis - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	–	1	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	1	3	–	–	–	1	1	1	–	1	–	–	–
Cancer, Malignant Disease - -	11	15	–	–	–	–	1	1	4	2	7	3	8
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	2	–	1	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	18	16	–	–	–	–	1	1	–	2	5	9	16
Bronchitis - - - - - -	8	7	2	1	–	–	–	–	–	–	–	3	9
Pneumonia (all forms) - - -	8	13	2	2	1	–	–	1	4	–	3	2	6
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	–	–	–	–	2
*Diarrhœa and Enteritis (under 2 years)	3	2	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	2	–	–	–	–	–	–	–	–	3	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	5	1	–	1	–	–	–	–	1	2	3	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	6	15	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	5	–	1	2	–	3	1	–	1	3	1	2
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	58	45	11	3	–	–	1	5	4	4	10	24	41
Diseases Ill-defined or Unknown -	8	9	3	–	1	–	1	–	–	1	4	4	3
Total - - - - -	163	152	45	14	8	2	14	18	18	14	38	51	93

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1901, - - - 1,190.
Do. Do. 1911, - - - 1,147.
Do. estimated to middle of 1914, 1,079.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	2	0	17	11	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	9	–	–	–	–	–
Deaths - - -	13	0	1	14	8	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·6	15·8	–
Marriage-rate - - - - -	8·3	–	–
Death-rate—All Causes - - -	12·0	13·0	12·2
Do. —Phthisis - - - -	–	1·9	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	1	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	1	1	–	1
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	4
Other Defined Diseases - - -	1	3	–	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	8	6	–	–	–	–	1	–	1	1	3	1	7

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Wester** (Burgh).

Population—Census 1901, - - - 501.
Do. Do. 1911, - - - 552.
Do. estimated to middle of 1914, 541.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	1	1	16	6	10
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	2	–	–	–	–	–
Deaths - - -	5	0	0	5	2	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·6	29·6	–
Marriage-rate - - - - -	3·7	–	–
Death-rate—All Causes - - -	9·2	9·2	7·7
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	2	3	1	–	–	–	–	1	–	–	–	2	1

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

Population—Census 1901, - - - 1,382.
Do. Do. 1911, - - - 1,396.
Do. estimated to middle of 1914, 1,333.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	1	23	14	9
Illegitimate Births -	2	0	0	2	2	0
Marriages - -	9	-	-	-	-	-
Deaths - - -	30	4	6	32	16	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	17·3	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	22·5	24·0	17·1
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—217.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	2	1	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	3	2
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	2	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	5	-	-	-	-	-	-	-	-	2	2	9
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	16	16	5	-	-	-	1	-	2	1	4	7	12

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Buckhaven, Methil, & Innerleven** (Burgh).

Population—Census 1901, - - - 8,621.
Do. Do. 1911, - - - 15,149.
Do. estimated to middle of 1914, 16,447.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	566	7	16	575	299	276
Illegitimate Births -	28	1	3	30	14	16
Marriages - -	90	-	-	-	-	-
Deaths - - -	200	15	26	211	113	98

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	34·4	35·0	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - -	12·2	12·8	14·2
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—127.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	8	10	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	2	-	-	-	-	3	1	2	1	2	-	-
Tuberculous Meningitis - - -	2	-	-	1	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	1	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	11	-	-	-	-	-	-	3	3	5	4	1
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	4	2	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	8	2	1	1	-	-	1	3	2	2	1	2
Bronchitis - - - - -	6	3	4	-	-	-	-	-	-	1	2	1	1
Pneumonia (all forms) - - -	9	4	4	5	-	-	-	-	2	1	1	-	-
Other Diseases of Respiratory Organs	4	2	1	1	1	-	-	-	1	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	5	2	7	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	1	4	-	-	-	-	-	-	-	1	-	1
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	12	31	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	4	3	2	1	-	-	3	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	30	25	5	4	1	2	2	2	7	1	8	8	15
Diseases Ill-defined or Unknown -	3	2	-	1	-	-	-	-	2	1	-	1	-
Total - - - -	113	98	73	22	5	3	7	9	22	10	23	17	20

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

Population—Census 1901, - - - 5,001.
Do. Do. 1911, - - - 4,921.
Do. estimated to middle of 1914, 4,662.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	0	3	84	40	44
Illegitimate Births -	6	0	1	7	4	3
Marriages - -	26	-	-	-	-	-
Deaths - - -	53	3	8	58	32	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·4	18·0	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - -	11·4	12·4	12·3
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	-	-	-	1	-
Tuberculous Meningitis - - -	2	-	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	1	5	-	-	-	-	-	-	-	2	1	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	4	-	-	-	-	-	-	-	2	2	2	3
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	1	-	-	-	-	1	-	1	-	-	1	-
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	1	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	-	-	2	-	-	1	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	9	-	1	-	-	-	2	1	3	2	5	6
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	32	26	2	4	1	-	4	4	2	8	9	15	9

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cowdenbeath** (Burgh).

Population—Census 1901, - - - 8,329.
Do. Do. 1911, - - - 14,029.
Do. estimated to middle of 1914, 15,124.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	461	5	11	467	237	230
Illegitimate Births -	16	0	3	19	8	11
Marriages - -	122	–	–	–	–	–
Deaths - - -	132	0	35	167	89	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·5	30·9	–
Marriage-rate - - - - -	8·1	–	–
Death-rate—All Causes - - -	8·7	11·0	12·3
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	–	1	–	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	5	2	6	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	1	–	1	1	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	9	2	–	8	2	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	5	–	–	–	–	3	3	–	1	1	1	–
Tuberculous Meningitis - - -	3	3	3	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	3	–	3	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	2	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	5	–	–	–	–	1	–	2	2	2	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	–	1	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	4	–	–	1	1	1	–	4	1	2	2	–
Bronchitis - - - - -	1	2	1	–	–	–	–	–	–	–	1	1	–
Pneumonia (all forms) - - -	9	10	11	5	–	1	–	1	–	–	–	–	1
Other Diseases of Respiratory Organs	1	1	–	–	2	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	3	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	4	–	1	–	–	–	1	–	1	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	–	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	5	13	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	2	1	2	1	–	2	–	2	–	1	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	19	15	2	1	–	1	1	–	3	6	3	12	5
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	1	1	–	–
Total - - - -	89	78	42	31	8	5	11	6	15	13	12	17	7

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Crail** (Burgh).

Population—Census 1901, - - - 1,077.
Do. Do. 1911, - - - 1,060.
Do. estimated to middle of 1914, 1,005.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	0	21	5	16
Illegitimate Births -	2	1	0	1	1	0
Marriages - -	9	–	–	–	–	–
Deaths - - -	17	1	2	18	9	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·9	20·9	–
Marriage-rate - - - - - -	9·0	–	–
Death-rate—All Causes - - -	16·9	17·9	14·3
Do. —Phthisis - - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - - -	2	–	–	–	–	–	–	–	–	–	–	2	–
Pneumonia (all forms) - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Respiratory Organs	–	1	–	–	1	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	4	–	–	–	–	–	–	–	–	1	3	3
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	9	9	1	–	1	–	1	1	–	–	2	6	6

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Culross** (Burgh).

Population—Census 1901, - - - 348.
Do. Do. 1911, - - - 456.
Do. estimated to middle of 1914, 468.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	4	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	4	–	–	–	–	–
Deaths - - -	7	0	3	10	4	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·4	21·4	–
Marriage-rate - - - - -	8·5	–	–
Death-rate—All Causes - - -	15·0	21·4	14·7
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—400.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	3	–	–	–	–	–	–	–	1	1	–	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	4	6	4	–	–	–	–	–	–	1	2	–	3

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cupar** (Burgh).

Population—Census 1901, - - - 4,511.
Do. Do. 1911, - - - 4,380.
Do. estimated to middle of 1914, 4,132.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	3	2	73	39	34
Illegitimate Births -	5	0	1	6	5	1
Marriages - -	53	-	-	-	-	-
Deaths - - -	62	1	6	67	35	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	17·7	-
Marriage-rate - - - - -	12·8	-	-
Death-rate—All Causes - - -	15·0	16·2	12·8
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	-	3	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-	-	-	-	1	2	1	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	4	-	-	-	-	1	-	-	2	1	3	3
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	2	1	-	-	-	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	1	-	-	-	2	1	-	2	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	15	-	-	1	-	-	-	1	1	1	7	14
Diseases Ill-defined or Unknown -	2	-	1	-	-	-	-	-	-	-	-	-	1
Total - - - -	35	32	4	-	1	-	5	5	3	6	4	12	27

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (Burgh).

Population—Census 1901, - - - 26,072.
Do. Do. 1911, - - - 29,213.
Do. estimated to middle of 1914, 28,794.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	725	10	11	726	361	365
Illegitimate Births -	35	5	4	34	15	19
Marriages - -	266	-	-	-	-	-
Deaths - - -	527	101	22	448	238	210

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·2	25·2	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - -	18·3	15·6	16·0
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	4	1	4	2	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	2	-	-	1	-	-	-	1	-	1	1	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	16	-	-	-	-	7	14	5	3	3	1	-
Tuberculous Meningitis - - -	1	5	-	5	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	1	3	2	1	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	4	2	-	-	-	-	2	1	1	2	-	-	-
Cancer, Malignant Disease - -	9	25	-	-	-	-	-	-	3	7	9	7	8
Rheumatic Fever - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	-	4	1	2	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	25	26	-	-	-	1	3	3	3	8	10	15	8
Bronchitis - - - - -	15	8	3	1	-	-	-	-	2	2	1	7	7
Pneumonia (all forms) - - -	22	13	6	2	-	1	1	4	4	6	4	3	4
Other Diseases of Respiratory Organs	3	3	1	1	-	-	-	-	1	2	-	1	-
*Diarrhœa and Enteritis (under 2 years)	3	3	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	3	-	-	1	2	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	3	-	-	-	1	2	1	-	4	1	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	2	2	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	20	18	36	-	2	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	20	6	-	2	2	-	5	2	3	5	4	1	2
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	67	53	7	6	1	5	2	1	8	13	13	29	35
Diseases Ill-defined or Unknown -	6	2	-	-	-	-	1	-	2	2	2	1	-
Total - - - -	238	210	67	29	11	10	27	28	36	56	49	69	66

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

Population—Census 1901, - - - 3,562.
Do. Do. 1911, - - - 4,197.
Do. estimated to middle of 1914, 4,194.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	112	1	1	112	55	57
Illegitimate Births -	9	1	0	8	2	6
Marriages - -	44	-	-	-	-	-
Deaths - - -	55	1	7	61	30	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·7	26·7	-
Marriage-rate - - - - - -	10·5	-	-
Death-rate—All Causes - - -	13·1	14·5	14·2
Do. —Phthisis - - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	13	-	-	-	1	-	2	3	2	5	3	3
Bronchitis - - - - - -	3	2	3	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	4	1	1	2	-	-	1	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	4	1	-	-	-	-	-	-	1	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	1	-	1	-	-	-	-	-	1	1	5	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	30	31	13	7	2	1	3	3	3	4	8	11	6

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Earlsferry** (Burgh).

Population—Census 1901, - - - 317.
Do. Do. 1911, - - - 322
Do. estimated to middle of 1914, 309.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3	0	1	4	3	1
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	1	–	–	–	–	–
Deaths - - -	5	2	0	3	2	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	9·7	12·9	–
Marriage-rate - - - - -	3·2	–	–
Death-rate—All Causes - - -	16·2	9·7	8·3
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - -	2	1	–	–	–	–	–	–	–	–	1	1	1

YEAR 1914.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh** (Burgh)

Population—Census 1901, - - - 687.
Do. Do. 1911, - - - 692.
Do. estimated to middle of 1914, 661.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	0	0	9	5	4
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	1	–	–	–	–	–
Deaths - - -	9	1	0	8	3	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·6	13·6	–
Marriage-rate - - - - - -	1·5	–	–
Death-rate—All Causes - -	13·6	12·1	9·9
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	1	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	1	–	3
Other Defined Diseases - - -	1	3	–	–	–	–	–	–	–	–	–	1	–
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	3	5	–	–	–	–	–	–	–	–	2	2	4

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Falkland** (Burgh).

Population—Census 1901, - - - 809.
Do. Do. 1911, - - - 830.
Do. estimated to middle of 1914, 797.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	3	0	15	6	9
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	6	-	-	-	-	
Deaths - - -	14	1	3	16	10	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Tr ansfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·6	18·8	-
Marriage-rate - - - - - -	7·5	-	-
Death-rate—All Causes - - -	17·6	20·1	15·2
Do. —Phthisis - - - -	-	2·5	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	1	-	-	-	-	-	-	-	-	-	1	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	10	6	2	1	-	-	2	-	-	-	1	4	6

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Inverkeithing** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 3,291.
Do. estimated to middle of 1914, 3,545.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	114	2	0	112	62	50
Illegitimate Births -	5	0	0	5	1	4
Marriages - -	29	-	-	-	-	-
Deaths - - -	47	3	11	55	38	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·2	31·6	-
Marriage-rate - - - - - -	8·2	-	-
Death-rate—All Causes - - -	13·3	15·5	15·6
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	2	-	-	-	-	1	1	1	1	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	2	-	-	-	-	-	-	-	2	-	1	3
Bronchitis - - - - - -	4	1	1	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	4	3	2	2	-	-	-	-	-	1	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	-	-	1	1	-	2	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	6	5	3	-	-	-	-	1	-	1	2	2	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	38	17	16	3	-	-	2	3	2	8	4	9	8

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

Population—Census 1901, - - - 2,542.
Do. Do. 1911, - - - 2,557.
Do. estimated to middle of 1914, 2,440.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	1	2	52	27	25
Illegitimate Births -	4	0	0	4	2	2
Marriages - -	16	-	-	-	-	-
Deaths - - -	24	0	4	28	13	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·9	21·3	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - -	9·8	11·5	10·5
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	1	1	1	2	1	2
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	5	-	-	-	-	-	-	-	2	-	5	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	13	15	1	1	-	2	-	2	1	3	3	10	5

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

Population—Census 1901, - - - 1,550.
Do. Do. 1911, - - - 1,549.
Do. estimated to middle of 1914, 1,475.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	0	42	20	22
Illegitimate Births -	4	1	0	3	1	2
Marriages - -	13	-	-	-	-	-
Deaths - - -	31	2	3	32	16	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·2	28·5	-
Marriage-rate - - - - -	8·8	-	-
Death-rate—All Causes - - -	21·0	21·7	20·8
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	-	-	-	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	1	2	1
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	6	-	-	-	-	-	-	1	1	1	4	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	16	16	5	3	-	-	-	-	1	1	3	11	8

YEAR 1914.
COUNTY —**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

Population—Census 1901, - - - 34,079.
Do. Do. 1911, - - - 39,601.
Do. estimated to middle of 1914, 40,658.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1010	16	22	1016	511	505
Illegitimate Births -	71	5	10	76	40	36
Marriages - -	259	-	-	-	-	-
Deaths - - -	527	9	85	603	295	308

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·8	25·0	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	13·0	14·8	15·1
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	4	5	1	2	5	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	2	4	3	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	5	7	-	10	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	4	-	-	-	-	-	-	-	-	1	2	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	20	18	-	-	1	1	6	15	9	5	1	-	-
Tuberculous Meningitis - - -	5	7	4	5	1	-	1	-	1	-	-	-	-
Abdominal Tuberculosis - - -	2	4	1	2	1	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - -	5	2	-	4	1	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	20	28	-	-	-	-	1	1	6	8	13	16	3
Rheumatic Fever - - - -	3	-	-	-	1	-	1	-	-	-	1	-	-
Meningitis - - - - -	6	-	1	4	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	31	34	-	1	1	1	1	6	5	9	11	20	10
Bronchitis - - - - -	28	22	21	4	-	-	1	-	2	-	7	9	6
Pneumonia (all forms) - - -	20	20	6	11	2	1	2	1	5	5	2	5	-
Other Diseases of Respiratory Organs	5	4	-	3	-	1	-	-	3	2	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	4	7	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	-	-	1	1	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	4	1	3	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	7	-	-	-	-	-	1	3	2	1	7	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	24	43	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	16	9	3	4	2	1	3	5	2	1	2	1	1
Suicide - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	75	90	10	10	1	4	5	6	17	17	22	29	44
Diseases Ill-defined or Unknown -	7	11	4	2	-	-	1	-	-	1	2	5	3
Total - - - -	295	308	108	70	18	9	27	38	54	50	65	94	70

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Ladybank and Monkston** (Burgh).

Population—Census 1901, - - - 1,340.
Do. Do. 1911, - - - 1,266.
Do. estimated to middle of 1914, 1,183.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	23	0	0	23	14	9
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	8	-	-	-	-	-
Deaths - - -	14	0	5	19	11	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·4	19·4	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	11·8	16·1	13·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—261.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	1	1	1
Cancer, Malignant Disease - -	3	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	1
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	4
Other Defined Diseases - - -	3	3	1	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	11	8	6	1	-	-	-	-	-	2	1	3	6

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leslie** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,142.
Do. estimated to middle of 1914, 2,064.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	2	0	59	31	28
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	26	-	-	-	-	-
Deaths - - -	31	0	1	32	14	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·6	28·6	-
Marriage-rate - - - - -	12·6	-	-
Death-rate—All Causes - - -	15·0	15·5	13·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	3	-	-
Rheumatic Fever - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	1	-	-	-	1	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	-	2	-	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	2	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	4	2	-	-	-	-	-	-	-	2	3	4
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	14	18	5	2	1	-	3	2	-	-	6	5	8

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

Population—Census 1901, - - - 5,577.
Do. Do. 1911, - .. - 6,559.
Do. estimated to middle of 1914, 6,552.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	192	5	6	193	90	103
Illegitimate Births -	5	0	1	6	3	3
Marriages - -	49	-	-	-	-	-
Deaths - - -	84	4	14	94	36	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·3	29·5	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - - -	12·8	14·3	15·2
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	2	-	-	-	2	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	4	7	-	-	-	-	-	1	-	2	2	4	2
Rheumatic Fever - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-
Meningitis - - - - -	-	3	-	1	-	1	-	-	1	-	-	-	-
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	1	1	2	2	-
Bronchitis - - - - -	3	3	4	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	1	4	2	2	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	3	-	-	2	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	3	-	-	-	-	-	-	-	-	-	4	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	-	-	-	1	-	-	1	2	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	18	2	-	-	-	2	1	2	1	5	10	5
Diseases Ill-defined or Unknown -	-	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - -	36	58	21	5	3	3	3	5	7	6	11	22	8

YEAR 1914.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Lochgelly** (Burgh).

Population—Census 1901, - - - 5,522.
Do. Do. 1911, - - - 9,922.
Do. estimated to middle of 1914, 10,811.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	397	3	4	398	210	188
Illegitimate Births -	14	1	1	14	12	2
Marriages - -	78	-	-	-	-	-
Deaths - - -	128	1	26	153	86	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	36·7	36·8	-
Marriage-rate - - - - -	7·2	-	-
Death-rate—All Causes - - -	11·8	14·2	15·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	5	4	2	6	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	3	-	3	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	2	1	5	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	1	-	-	-	1	1	1	1	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	2	1	2	2	-
Rheumatic Fever - - - -	-	1	-	-	-	1	-	-	-	-	1	-	-
Meningitis - - - - -	4	1	2	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	1	-	-	-	-	-	-	1	1	1	-	1
Bronchitis - - - - -	5	5	1	-	-	-	-	-	-	1	4	2	2
Pneumonia (all forms) - - -	9	7	4	8	-	-	-	-	1	3	-	-	-
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	9	4	11	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	11	20	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	1	1	-	4	-	1	-	-	-	-
Suicide - - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
Other Defined Diseases - - -	13	9	3	2	-	1	1	2	-	5	3	2	3
Diseases Ill-defined or Unknown -	5	3	-	4	-	-	-	-	-	-	1	-	3
Total - - - -	86	67	45	40	5	1	7	4	6	15	14	7	9

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

Population—Census 1901, - - - 1,499.
Do. Do. 1911, - - - 1,641.
Do. estimated to middle of 1914, 1,608.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	0	0	37	20	17
Illegitimate Births -	2	0	0	2	2	0
Marriages - -	26	-	-	-	..	-
Deaths - - -	14	0	6	20	10	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·0	23·0	-
Marriage-rate - - - - -	16·2	-	-
Death-rate—All Causes - - -	8·7	12·4	10·7
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	2	1	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	1	-	2	-	-	1	1
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	1	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	1	-	1	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	1	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	2
Other Defined Diseases - - -	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	10	10	2	1	1	-	1	-	3	3	2	4	3

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

Population—Census 1901, - - - 1,904.
Do. Do. 1911, - - - 1,977
Do. estimated to middle of 1914, 1,906.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29	1	0	28	14	14
Illegitimate Births -	2	0	0	2	0	2
Marriages - -	10	-	-	-	-	
Deaths - - -	27	0	4	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·2	14·7	-
Marriage-rate - - - - -	5·2	-	-
Death-rate—All Causes - - -	14·2	16·3	12·4
Do. —Phthisis - - - -	-	2·1	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	-	1	1	-	1	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	4	-	-	-	-	-	-	2	-	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	2	-	-	-	-	1	-	2	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	-	1	3	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	1	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	5	-	-	-	-	-	-	-	-	-	1	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	17	1	1	-	-	1	2	5	1	6	7	7

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newport** (Burgh).

Population—Census 1901, - - - 3,856.
Do. Do. 1911, - - - 3,643.
Do. estimated to middle of 1914, 3,404.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	0	5	49	26	23
Illegitimate Births -	2	0	2	4	3	1
Marriages - -	14	–	–	–	–	–
Deaths - - -	38	1	2	39	23	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·9	14·4	–
Marriage-rate - - - - - -	4·1	–	–
Death-rate—All Causes - - -	11·2	11·5	9·8
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—20.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	1	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	2	–	–	–	–	–	–	1	–	–	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	3	–	–	–	–	1	–	–	–	2	4	3
Bronchitis - - - - - -	2	1	–	–	–	–	–	–	–	–	–	–	3
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	–	–	–	–	3
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	5	–	1	–	–	–	–	1	1	–	5	6
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - - -	23	16	1	1	2	–	3	–	3	1	2	9	17

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

Population—Census 1901, - - - 1,863.
Do. Do. 1911, - - - 1,888.
Do. estimated to middle of 1914, 1,807.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	6	4	42	21	21
Illegitimate Births -	1	0	1	2	2	0
Marriages - -	8	-	-	-	-	-
Deaths - - -	24	1	0	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·3	23·2	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - -	13·3	12·7	11·4
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected –24.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	2	2
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	5	-	-	1	-	-	-	-	-	2	2	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	11	12	1	-	1	-	4	-	-	-	3	4	10

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (Burgh).

Population—Census 1901, - - - 7,621.
Do. Do. 1911, - - - 7,851.
Do. estimated to middle of 1914, 7,588.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	139	6	6	139	80	59
Illegitimate Births -	6	0	2	8	6	2
Marriages - -	30	-	-	-	-	-
Deaths - - -	80	8	8	80	33	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	18·3	-
Marriage-rate - - - - -	4·0	-	-
Death-rate—All Causes - - -	10·5	10·5	10·6
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	-	-	1	4	2	-	-	1	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	7	-	-	-	-	-	-	-	1	4	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	6	-	-	-	-	1	-	-	1	2	1	6
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - -	-	3	1	-	1	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	1	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	20	1	1	1	-	2	-	1	2	4	7	13
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	33	47	6	3	2	-	5	5	5	4	11	15	24

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

Population—Census 1901, - - - 3,325.
Do. Do. 1911, - - - 3,272.
Do. estimated to middle of 1914, 3,100.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	1	1	61	34	27
Illegitimate Births -	4	0	1	5	2	3
Marriages - -	19	-	-	-	-	-
Deaths - - -	54	2	4	56	29	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	19·7	-
Marriage-rate - - - - - -	6·1	-	-
Death-rate—All Causes - - -	17·4	18·1	15·7
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—197.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	-	1	1	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	5	-	-	-	-	-	-	1	-	2	3	2
Bronchitis - - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	1	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	1	1	-	-	1
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	5	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	9	3	-	-	-	-	-	-	1	6	1	10
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	-	-	1
Total - - - -	29	27	12	2	-	-	1	1	3	3	12	6	16

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cupar** (County District).

Population—Census 1901, - - - 15,004.
Do. Do. 1911, - - - 15,523.
Do. estimated to middle of 1914, 14,945.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	274	6	17	285	153	132
Illegitimate Births -	19	0	8	27	16	11
Marriages - -	60	–	–	–	–	–
Deaths - - -	265	80	27	212	80	132

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	19·1	–
Marriage-rate - - - - -	4·0	–	–
Death-rate—All Causes - - -	17·7	14·2	11·5
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	6	-	-	-	-	3	5	2	-	1	-	-
Tuberculous Meningitis - - -	2	1	1	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	3	-	-	-	1	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	7	12	-	-	-	-	-	-	-	2	1	6	10
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	15	-	-	-	-	1	-	2	2	2	7	8
Bronchitis - - - - -	4	6	-	1	-	-	1	-	-	-	-	1	7
Pneumonia (all forms) - - -	4	4	2	-	-	1	-	-	-	1	-	3	1
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	-	-	2	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	1	-	-	-	1	1	-	1	-	1	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	1	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	3	-	-	-	-	-	1	1	-	-	1	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	7	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	2	-	1	-	-	1	1	1	1	-	1	2
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	28	61	1	-	1	-	2	4	8	6	13	12	42
Diseases Ill-defined or Unknown -	2	3	-	-	-	-	-	-	1	-	2	2	-
Total - - - -	80	132	14	5	3	5	12	15	17	12	21	36	72

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (County District).

Population—Census 1901, - - - 23,866.
Do. Do. 1911, - - - 30,293.
Do. estimated to middle of 1914, 30,841.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	971	7	18	982	488	494
Illegitimate Births -	46	1	6	51	34	17
Marriages - -	195	–	–	–	–	–
Deaths - - -	447	19	85	513	289	224

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·5	31·8	–
Marriage-rate - - - - - -	6·3	–	–
Death-rate—All Causes - - -	14·5	16·6	17·3
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	1	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	13	11	3	19	2	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	4	–	6	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	2	2	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	8	8	–	12	4	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	1	–	–	–	–	–	–	–	1	–	–	1
Phthisis, Pulmonary Tuberculosis -	19	7	1	2	–	1	3	7	3	4	2	2	1
Tuberculous Meningitis - - -	5	8	3	7	2	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	3	–	3	1	1	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	3	5	–	3	1	1	1	–	1	1	–	–	–
Cancer, Malignant Disease - -	13	18	–	–	–	–	–	1	5	7	8	1	9
Rheumatic Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	6	2	5	2	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	17	16	–	–	–	2	1	1	1	3	10	10	5
Bronchitis - - - - - -	22	12	6	3	–	–	–	–	1	2	9	8	5
Pneumonia (all forms) - - -	30	16	15	3	2	–	2	3	3	2	8	3	5
Other Diseases of Respiratory Organs	5	4	1	–	–	–	–	1	–	1	2	2	2
*Diarrhœa and Enteritis (under 2 years)	6	10	14	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	2	–	–	1	–	3	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	1	–	–	–	–	–	–	–	1	2	–	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	9	6	1	1	–	–	–	1	3	2	4	3	–
Puerperal Sepsis - - - -	–	2	–	–	–	–	1	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	23	17	40	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	27	9	1	6	1	–	5	4	2	8	5	3	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	63	51	17	5	2	1	1	7	13	6	17	18	27
Diseases Ill-defined or Unknown -	3	2	–	–	–	–	–	–	1	–	–	3	1
Total - - - -	289	224	111	77	17	6	20	31	36	38	67	53	57

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

Population—Census 1901, - - - 28,117.
Do. Do. 1911, - - - 41,041.
Do. estimated to middle of 1914, 43,088.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1470	23	31	1478	735	743
Illegitimate Births -	73	7	5	71	30	41
Marriages - -	236	–	–	–	–	–
Deaths - - -	598	96	60	562	287	275

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	34·1	34·3	–
Marriage-rate - - - - -	5·5	–	–
Death-rate—All Causes - - -	13·9	13·0	13·5
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·2	
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	11	3	4	9	–	1	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	4	5	1	4	1	–	1	1	–	1	–	–	–
*Whooping-cough - - - - -	6	4	5	5	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	7	2	2	7	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	1	–	–	–	–	1	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	14	12	–	1	1	1	6	6	6	4	–	1	–
Tuberculous Meningitis - - -	7	3	3	6	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	4	1	1	5	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	4	2	2	1	–	–	1	–	–	1	1	–	–
Cancer, Malignant Disease - -	8	27	–	3	–	–	–	2	2	7	7	8	6
Rheumatic Fever - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Meningitis - - - - - -	10	8	9	3	2	–	1	2	1	–	–	–	–
Organic Heart Disease - - -	13	31	1	–	2	1	–	3	3	4	12	8	10
Bronchitis - - - - - -	13	23	11	6	–	1	1	–	1	3	4	4	5
Pneumonia (all forms) - - -	25	15	14	8	1	–	1	3	2	2	3	2	4
Other Diseases of Respiratory Organs	5	3	2	1	–	–	–	–	–	–	2	3	–
*Diarrhœa and Enteritis (under 2 years)	10	11	17	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	2	–	–	–	3	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	–	1	–	–	2	–
Other Diseases of Digestive System (under 2 years)	3	4	6	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	2	–	3	–	–	–	–	3	1	1	1	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	41	23	64	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	24	5	4	5	–	1	2	4	6	2	3	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	59	74	13	5	1	5	3	5	3	9	19	26	44
Diseases Ill-defined or Unknown -	8	3	1	1	–	–	–	–	–	2	5	1	1
Total - - - -	287	275	160	74	14	14	17	29	31	36	57	59	71

YEAR 1914.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (County District).

Population—Census 1901, - - - 14,739.
Do. Do. 1911, - - - 15,379.
Do. estimated to middle of 1914, 14,806.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	255	12	13	256	143	113
Illegitimate Births -	17	0	8	25	19	6
Marriages - -	58	-	-	-	-	-
Deaths - - -	187	16	34	205	102	103

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·2	17·3	-
Marriage-rate - - - - - -	3·9	-	-
Death-rate—All Causes - - -	12·6	13·8	13·0
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	4	8	-	-	-	-	5	2	4	1	-	-	-
Tuberculous Meningitis - - - -	1	3	2	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	1	2	-	1	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	11	-	-	1	-	-	-	1	3	5	8	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	4	3	1	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - - -	18	14	-	-	-	-	1	1	-	2	7	6	15
Bronchitis - - - - - -	6	6	-	1	-	-	-	-	-	-	1	3	7
Pneumonia (all forms) - - - -	8	1	2	1	-	-	1	-	-	1	2	2	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	1	1	-	-	-	2	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	6	-	-	-	-	-	-	1	1	4	1	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	1	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	4	2	-	1	-	1	1	-	1	2	3	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	33	32	2	-	-	-	1	1	5	3	8	17	28
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	1	1	-	1	1
Total - - - - -	102	103	19	8	5	2	13	7	12	14	30	42	53

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

Population—Census 1901, - - - 22,398.
Do. Do. 1911, - - - 20,647.
Do. estimated to middle of 1914, 19,122.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	429	7	4	426	221	205
Illegitimate Births -	34	2	1	33	21	12
Marriages - -	144	-	-	-	-	-
Deaths - - -	398	26	18	390	194	196

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·4	22·3	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - - -	20·8	20·4	18·6
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	7	8	-	11	4	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	11	14	-	-	-	-	13	5	2	3	1	1	-
Tuberculous Meningitis - - -	5	3	2	5	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	2	1	3	2	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	16	15	-	-	1	-	1	-	2	4	9	7	7
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	3	3	3	1	-	-	-	1	-	-	-	1	-
Organic Heart Disease - - -	17	15	-	-	-	-	1	-	4	1	5	14	7
Bronchitis - - - - - -	21	22	7	2	-	-	2	-	-	3	5	11	13
Pneumonia (all forms) - - -	15	7	3	2	1	2	-	4	2	-	6	2	-
Other Diseases of Respiratory Organs	2	3	-	-	-	-	-	-	-	-	1	2	2
*Diarrhœa and Enteritis (under 2 years)	4	4	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	1	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	4	-	-	-	-	-	-	3	1	1	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	8	20	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	5	-	-	1	-	-	-	2	1	1	1	2
Suicide - - - - - - -	4	-	-	-	-	-	-	1	1	1	1	-	-
Other Defined Diseases - - -	53	73	6	2	1	-	4	1	6	8	11	48	39
Diseases Ill-defined or Unknown -	3	2	1	-	-	-	-	-	1	-	-	2	1
Total - - - -	194	196	53	31	13	2	23	13	24	23	44	90	74

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

Population—Census 1901, - - - 8,941.
Do. Do. 1911, - - - 8,439.
Do. estimated to middle of 1914, 7,882.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	141	6	2	137	73	54
Illegitimate Births -	22	3	1	20	10	10
Marriages - -	56	-	-	-	-	-
Deaths - - -	126	9	6	123	56	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	17·4	-
Marriage-rate - - - - -	7·1	-	-
Death-rate—All Causes - - -	16·0	15·6	13·9
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	1	-	-	-	-	1	2	-	1	-	1	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	3	-	1	-	-	-	-	1	-	1	-	-
Cancer, Malignant Disease - -	4	14	-	-	-	-	-	-	2	3	5	7	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	3	7	-	-	-	-	-	-	-	1	6	3	-
Bronchitis - - - - -	7	5	-	-	-	-	-	-	-	3	-	2	7
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs	3	2	-	1	-	-	-	-	-	-	1	1	2
*Diarrhœa and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	1	4	-	1	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	3	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	4	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	-	-	1	-	-	-	1	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	18	3	1	-	-	-	-	1	2	3	8	16
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	-	-	1	1	1
Total - - - -	56	67	15	5	3	2	3	9	5	12	18	23	28

YEAR 1914.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

Population—Census 1901, - - - 5,204.
Do. Do. 1911, - - - 5,358.
Do. estimated to middle of 1914, 5,151.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	0	0	76	42	34
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	24	-	-	-	-	-
Deaths - - -	80	6	5	79	38	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·8	14·8	-
Marriage-rate - - - - - -	4·7	-	-
Death-rate—All Causes - - -	15·5	15·3	13·1
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—158.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	3	-	-	1	-	1	-
Tuberculous Meningitis - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	6	-	1	-	-	-	-	-	3	6	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	2	1	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	-	2	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	1	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	22	2	1	-	1	-	1	-	1	2	7	24
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	2	-	-
Total - - - -	38	41	12	3	-	1	3	1	-	8	12	13	26

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Dundee** (Burgh).

Population—Census 1901, - - - 162,982.
Do. Do. 1911, - - - 165,004.
Do. estimated to middle of 1914, 176,584.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4490	78	39	4451	2203	2248
Illegitimate Births -	427	36	16	407	195	212
Marriages - -	1462	-	-	-	-	-
Deaths - - -	2971	87	95	2970	1365	1614

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·4	25·2	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - -	16·8	16·9	17·4
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—135.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	3	-	-	-	3	2	-	1	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	32	37	22	46	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	16	13	2	12	11	-	3	-	1	-	-	-	-
*Whooping-cough - - - -	14	15	14	15	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	9	21	8	18	4	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis. Pulmonary Tuberculosis -	114	141	2	2	4	6	57	63	55	30	29	7	-
Tuberculous Meningitis - - -	22	20	10	17	7	2	4	-	1	1	-	-	-
Abdominal Tuberculosis - - -	21	17	12	14	3	4	4	-	-	1	-	-	-
Other Tuberculous Diseases - -	23	17	5	8	3	-	8	7	3	5	-	-	1
Cancer, Malignant Disease - -	63	168	-	1	-	-	1	2	20	58	68	48	33
Rheumatic Fever - - - -	4	2	-	-	-	2	-	-	2	1	1	-	-
Meningitis - - - - - -	19	12	4	8	2	5	2	2	4	3	1	-	-
Organic Heart Disease - - -	120	143	-	1	1	2	8	18	29	51	47	61	45
Bronchitis - - - - - -	70	139	21	12	1	-	3	-	10	26	26	53	57
Pneumonia (all forms) - - -	96	119	41	57	6	2	1	14	19	12	15	27	21
Other Diseases of Respiratory Organs	24	18	3	5	1	-	4	4	4	4	8	4	5
*Diarrhœa and Enteritis (under 2 years)	77	69	125	21	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	5	5	-	1	5	2	-	-	-	-	1	1	-
All Liver Diseases (not Malignant) -	6	10	1	-	-	1	-	1	2	5	3	2	1
Other Diseases of Digestive System (under 2 years)	16	6	21	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	44	32	-	-	2	2	3	2	10	8	17	19	13
Puerperal Sepsis - - - -	-	8	-	-	-	-	3	2	3	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	18	-	-	-	-	3	8	7	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	116	118	233	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	73	45	25	15	5	3	9	10	6	8	23	6	8
Suicide - - - - - - -	15	3	-	-	-	-	1	2	8	3	3	-	1
Other Defined Diseases - - -	337	390	53	32	11	7	14	28	43	83	98	182	176
Diseases Ill-defined or Unknown -	22	25	1	1	-	-	-	-	4	7	14	16	4
Total - - - -	1365	1614	603	288	67	41	130	164	233	307	354	427	365

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Population—Census 1901, - - - 11,397.
Do. Do. 1911, - - - 10,849.
Do. estimated to middle of 1914, 10,163.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	214	10	2	206	102	104
Illegitimate Births -	23	4	0	19	6	13
Marriages - -	80	-	-	-	-	-
Deaths - - -	148	6	7	149	66	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	20·8	-
Marriage-rate - - - - - -	7·9	-	-
Death-rate—All Causes - - -	14·6	14·7	13·7
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	1	3	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	2	1	2	1	-	-	-
Tuberculous Meningitis - - -	2	-	1	-	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	3	7	-	-	-	-	-	-	-	1	2	4	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	-	1	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	12	13	-	-	-	1	1	1	1	1	7	6	7
Bronchitis - - - - - -	4	4	-	-	1	-	-	-	-	-	1	3	3
Pneumonia (all forms) - - -	4	7	2	2	-	-	-	-	-	1	2	2	2
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	1	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	-	-	1	3	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	5	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	2	1	-	-	-	-	-	2	-	-	-	1	-
Other Defined Diseases - - -	15	26	-	-	-	-	2	-	2	4	7	5	21
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	66	83	20	10	3	2	8	4	7	11	23	23	38

YEAR 1914.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

Population—Census 1901, - - - 4,096.
Do. Do. 1911, - - - 3,776.
Do. estimated to middle of 1914, 3,497.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	2	2	58	30	28
Illegitimate Births -	9	0	1	10	7	3
Marriages - -	32	–	–	–	–	–
Deaths - - -	48	1	6	53	20	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·6	16·6	–
Marriage-rate - - - - - -	9·2	–	–
Death-rate—All Causes - - -	13·7	15·2	12·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	2	–	1	–	–	1	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	7	–	–	–	–	–	–	1	2	2	1	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	5	–	–	–	–	–	–	1	–	–	4	2
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	8	12	–	–	–	1	–	–	1	–	1	7	10
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	–	–	–	1	2
Total - - - -	20	33	3	2	–	1	1	1	6	2	3	17	17

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Monifieth** (Burgh).

Population—Census 1901, - - - - 2,134.
Do. Do. 1911, - - - 3,098.
Do. estimated to middle of 1914, 3,249.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	1	1	74	37	37
Illegitimate Births -	4	1	1	4	1	3
Marriages - -	11	-	-	-	-	-
Deaths - - -	38	1	5	32	15	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·8	22·8	-
Marriage-rate - - - - - -	3·4	-	-
Death-rate—All Causes - - -	8·6	9·8	9·2
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	2	-	2	-	3	7	2
Other Defined Diseases - - -	9	7	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	15	17	6	1	-	-	3	-	4	2	3	8	5

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

Population—Census 1901, - - - 12,427.
Do. Do. 1911, - - - 10,974.
Do. estimated to middle of 1914, 10,002.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	198	4	7	201	93	108
Illegitimate Births -	12	0	2	14	2	12
Marriages - -	85	–	–	–	–	–
Deaths - - -	191	12	9	188	96	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·8	20·1	–
Marriage-rate - - - - -	8·5	–	–
Death-rate—All Causes - - -	19·1	18·8	15·7
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—149.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	3	2	1	–	–	1	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	4	–	–	–	–	4	–	1	3	1	1	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	1	1	–	1	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	1	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	7	7	–	–	–	–	–	2	–	2	5	3	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	15	–	–	–	1	1	–	3	1	4	7	7
Bronchitis - - - - - -	8	3	3	1	–	–	–	1	–	–	–	3	3
Pneumonia (all forms) - - -	5	3	2	1	–	–	1	–	–	1	2	–	1
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	–	–	1	–
All Liver Diseases (not Malignant) -	2	1	–	–	–	–	–	–	–	–	1	1	1
Other Diseases of Digestive System (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	–	–	2	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	5	14	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	2	1	–	1	–	2	–	–	2	1	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	29	42	1	–	–	–	–	–	3	3	12	18	34
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	96	92	30	6	4	1	10	5	7	14	28	35	48

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

Population—Census 1901, - - - 8,929.
Do. Do. 1911, - - - 8,434.
Do. estimated to middle of 1914, 7,879.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	2	3	167	89	78
Illegitimate Births -	17	0	1	18	8	10
Marriages - -	55	–	–	–	–	–
Deaths - - -	81	5	21	97	62	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·2	–
Marriage-rate - - - - -	7·0	–	–
Death-rate—All Causes - - -	10·3	12·3	10·9
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	–	–	–	–	–	3	–	1	1	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	1	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	6	4	–	–	–	–	–	1	–	1	2	1	5
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	6	–	1	–	–	–	–	–	–	3	2	6
Bronchitis - - - - -	2	2	2	–	–	–	–	1	–	–	–	1	–
Pneumonia (all forms) - - -	3	1	–	2	–	–	1	–	–	1	–	–	–
Other Diseases of Respiratory Organs	1	3	1	–	–	–	–	–	–	–	–	1	2
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	–	4	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	–	–	–	–	–	1	1	1	1	1	–	1
Suicide - - - - - -	3	–	–	–	–	–	–	–	3	–	–	–	–
Other Defined Diseases - - -	17	12	1	–	–	–	–	–	–	–	5	7	16
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	1	–	1	1	–
Total - - - -	62	35	10	6	2	3	5	5	7	4	12	13	30

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Brechin** (County District).

Population—Census 1901, - - - 13,356.
Do. Do. 1911, - - - 12,821.
Do. estimated to middle of 1914, 12,045.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	251	3	10	258	130	128
Illegitimate Births -	21	0	6	27	11	16
Marriages - -	67	-	-	-	-	-
Deaths - - -	165	52	17	130	54	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	21·4	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - -	13·7	10·8	9·5
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	5	2	4	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	10	-	-	-	1	3	2	4	1	-	-	-
Tuberculous Meningitis - - -	2	2	3	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	5	-	-	-	-	-	-	-	1	2	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	-	1	3	3	-
Bronchitis - - - - - -	3	2	-	-	-	-	-	-	-	-	1	-	4
Pneumonia (all forms) - - -	4	4	-	1	-	1	1	-	2	1	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	1	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	1	-	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	-	-	-	-	1	-	1	-	1	2
Suicide - - - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-
Other Defined Diseases - - -	17	24	1	1	1	-	2	3	-	3	5	9	16
Diseases Ill-defined or Unknown -	1	6	-	-	-	-	-	-	-	-	1	2	4
Total - - - -	54	76	13	9	3	3	10	9	7	8	15	23	30

YEAR 1914.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (County District).

Population—Census 1901, - - - 9,912.
Do. Do. 1911, - - - 9,807.
Do. estimated to middle of 1914, 9,283.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	220	3	8	225	113	112
Illegitimate Births -	13	2	3	14	6	8
Marriages - -	33	–	–	–	–	–
Deaths - - -	165	76	20	109	59	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·7	24·1	–
Marriage-rate - - - - -	3·6	–	–
Death-rate—All Causes - - -	17·8	11·7	10·8
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	3	–	–	–	–	1	2	2	1	1	–	–
Tuberculous Meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	1	–	2	–	–	1	–	–	–	–	1	–
Cancer, Malignant Disease - -	7	4	–	–	–	–	–	–	–	2	4	2	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	5	–	–	–	–	–	–	–	–	3	2	4
Bronchitis - - - - -	1	3	1	–	–	–	–	–	–	–	2	–	1
Pneumonia (all forms) - - -	3	2	–	1	–	–	–	–	–	–	1	3	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	1	–	1
*Diarrhœa and Enteritis (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	1	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	1	–	–	1	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	1	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	2	–	1	–	–	1	–	–	–	–	1	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	23	–	–	–	–	1	1	3	1	2	10	19
Diseases Ill-defined or Unknown -	3	1	–	–	–	–	–	–	–	–	1	1	2
Total - - - -	59	50	15	4	3	–	5	4	6	5	15	21	31

YEAR 1914.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Forfar** (County District).

Population—Census 1901, - - - 11,822.
Do. Do. 1911, - - - 11,152.
Do. estimated to middle of 1914, 10,414.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	220	4	5	221	105	116
Illegitimate Births -	18	2	2	18	8	10
Marriages - -	40	–	–	–	–	–
Deaths - - -	135	3	20	152	75	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	21·2	–
Marriage-rate - - - - -	3·8	–	–
Death-rate—All Causes - - -	13·0	14·6	12·0
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—41.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	1	–	1	2	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	–	–	2	1	1	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	–	–	–	1	2	2	–	2	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	–	–	1	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	11	10	–	–	–	–	–	–	1	6	6	1	7
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	2	–	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	8	–	–	–	–	–	1	–	–	1	4	8
Bronchitis - - - - - -	3	5	1	–	–	–	–	–	1	–	1	3	2
Pneumonia (all forms) - - -	7	6	1	–	–	–	–	–	1	–	–	6	5
Other Diseases of Respiratory Organs	2	2	–	1	–	–	–	1	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	–	1	–	–	1	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	1	–	1	1	–	–	–	2	–	–	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	19	30	1	–	–	–	–	1	1	3	6	6	31
Diseases Ill-defined or Unknown -	3	2	–	–	–	–	–	–	–	1	1	–	3
Total - - - -	75	77	9	7	5	4	2	7	6	12	19	22	59

YEAR 1914.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton** (Burgh).

Population—Census 1901, - - - 1,687.
Do. Do. 1911, - - - 2,400.
Do. estimated to middle of 1914, 2,507.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	0	2	83	44	39
Illegitimate Births -	2	0	1	3	1	2
Marriages - -	11	-	-	-	-	-
Deaths - - -	19	0	6	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	33·1	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - -	7·6	10·0	9·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	3	-	1	-	1	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	2	1	-
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	1	1	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	3	1	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	15	10	7	3	1	2	-	-	-	2	7	2	1

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Dunbar** (Burgh).

Population—Census 1901, - - - 3,581.
Do. Do. 1911, - - - 3,346.
Do. estimated to middle of 1914, 3,113.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	4	2	79	42	37
Illegitimate Births -	11	0	1	12	7	5
Marriages - -	30	–	–	–	–	–
Deaths - - -	51	1	11	61	35	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·0	25·4	–
Marriage-rate - - - - -	9·6	–	–
Death-rate—All Causes - - -	16·4	19·6	18·5
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—139.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	5	–	–	–	–	–	1	1	3	1	4	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	4	–	–	–	–	–	–	–	1	3	3	2
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	–	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	9	–	1	1	–	–	–	2	1	3	4	5
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	1	–	1
Total - - - -	35	26	11	2	1	–	3	1	4	5	11	13	10

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**East Linton** (Burgh).

Population—Census 1901, - - - 912.
Do. Do. 1911, - - - 877.
Do. estimated to middle of 1914, 824.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	0	11	8	3
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	18	8	1	11	8	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·6	13·3	-
Marriage-rate - - - - -	2·4	-	-
Death-rate—All Causes - - -	21·8	13·3	10·0
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	3	-	-	-	-	-	-	-	4	-	2	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	8	3	-	-	1	-	1	-	-	5	1	2	1

YEAR 1914.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Haddington** (Burgh).

Population—Census 1901, - - - 3,993.
Do. Do. 1911, - - - 4,140.
Do. estimated to middle of 1914, 3,989.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	3	3	73	39	34
Illegitimate Births -	6	1	1	6	2	4
Marriages - -	21	-	-	-	-	-
Deaths - - -	72	19	7	60	36	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	18·3	-
Marriage-rate - - - - -	5·3	-	-
Death-rate—All Causes - - -	18·0	15·0	13·9
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	-	-	-	3	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	1	1	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	6	-	-	-	-	-	-	1	4	1	6	1
Bronchitis - - - - -	4	2	1	1	-	-	-	-	-	-	-	3	1
Pneumonia (all forms) - - -	1	2	-	1	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	1	1	-	1	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	2	-	-	-	-	-	-	-	-	1	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	7	-	-	-	1	-	-	2	3	3	6	5
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	2	-	-
Total - - - -	36	24	5	3	-	1	1	-	4	12	7	19	8

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**North Berwick** (Burgh).

Population—Census 1901, – – – 2,902.
Do. Do. 1911, – – – 3,246.
Do. estimated to middle of 1914, 3,198.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births – – –	64	2	6	68	32	36
Illegitimate Births –	1	0	2	3	2	1
Marriages – –	15	–	–	–	–	–
Deaths – – –	26	2	5	29	11	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	20·0	21·3	–
Marriage-rate – – – – –	4·7	–	–
Death-rate—All Causes – – –	8·1	9·1	9·4
Do. —Phthisis – – – –	–	0·3	–
Do. —All Tuberculosis – –	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below).	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas – – – – –	–	–	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis –	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis – – –	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases – –	–	–	–	–	–	–	–	–	–	–	1	2	–
Cancer, Malignant Disease – –	1	3	–	–	–	–	–	–	1	–	–	–	–
Rheumatic Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – –	–	1	1	–	–	–	–	–	–	–	–	2	–
Organic Heart Disease – – –	–	2	–	–	–	–	–	–	–	–	–	–	1
Bronchitis – – – – –	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) – – –	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	–	–	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) –	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephritis and Bright's Disease – –	–	1	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis – – – –	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases – – –	5	7	1	–	1	–	–	–	1	1	3	3	2
Diseases Ill-defined or Unknown –	–	–	–	–	–	–	–	–	–	–	–	–	–
Total – – – –	11	18	5	–	1	–	1	1	4	1	6	7	3

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Prestonpans** (Burgh).

Population—Census 1901, - - - 1,721.
Do. Do. 1911, - - - 1,923
Do. estimated to middle of 1914, 1,895

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	1	1	56	24	32
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	15	-	-	-	-	-
Deaths - - -	24	2	6	28	14	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·6	29·6	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - -	12·7	14·8	14·3
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	-	-	1	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	5	5	3	1	-	-	1	1	-	-	1	2	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	14	6	5	2	-	2	1	1	-	3	2	6

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1901, - - - 2,766.
Do. Do. 1911, - - - 4,369.
Do. estimated to middle of 1914, 4,657.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	164	3	5	166	95	71
Illegitimate Births -	8	1	2	9	6	3
Marriages - -	36	-	-	-	-	-
Deaths - - -	44	0	15	59	32	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	35·2	35·6	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - - -	9·4	12·7	13·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	1	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	2	-	-	-	1	2	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	1	3	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	1	2	1	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	1	1	-	1	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	11	1	1	-	-	-	-	2	1	1	5	7
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	32	27	13	7	-	1	2	1	5	3	4	12	11

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

Population—Census 1901, - - - 6,459.
Do. Do. 1911, - - - 6,189.
Do. estimated to middle of 1914, 5,811.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	4	4	109	53	56
Illegitimate Births -	10	0	2	12	5	7
Marriages - -	41	–	–	–	–	–
Deaths - - -	71	1	8	78	39	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·8	18·8	–
Marriage-rate - - - - -	7·1	–	–
Death-rate—All Causes - - -	12·2	13·4	13·1
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	–	–	2	2	1	2	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	5	–	–	–	–	–	–	2	2	4	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	1	–	1	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	6	6	–	–	–	–	–	–	2	1	3	2	4
Bronchitis - - - - -	1	2	1	–	–	–	–	–	–	1	–	1	–
Pneumonia (all forms) - - -	3	1	–	–	–	–	–	–	2	–	1	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	–	–	–	–	–	–	2	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	3	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	†4	–	–	–	–	–	–	–	1	2	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	14	–	–	–	–	–	–	–	2	4	5	9
Diseases Ill-defined or Unknown -	4	1	2	1	–	–	–	–	–	–	–	1	1
Total - - - -	†39	39	9	2	–	–	–	3	10	10	14	13	16

† Including 1 of unstated age.

YEAR 1914.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

Population—Census 1901, - - - 14,644.
Do. Do. 1911, - - - 16,764.
Do. estimated to middle of 1914, 16,622.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	446	5	11	452	213	239
Illegitimate Births -	29	2	5	32	18	14
Marriages - -	73	-	-	-	-	-
Deaths - - -	160	4	37	193	91	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·8	27·2	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - -	9·6	11·6	12·0
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	4	-	-	-	1	1	4	3	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	-	-	-	2	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	1	-	1	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	2	7	-	-	-	-	-	-	1	1	4	3	-
Rheumatic Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	13	-	-	-	-	-	-	3	2	3	7	10
Bronchitis - - - - -	5	6	3	-	-	-	-	-	-	1	-	3	4
Pneumonia (all forms) - - -	7	5	2	2	-	-	-	2	1	1	1	1	2
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	2	-	-	1	-	-	-	-	2	1	2	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	8	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	2	-	-	-	-	1	1	3	-	2	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	24	37	3	2	1	-	1	5	3	7	6	16	17
Diseases Ill-defined or Unknown -	3	2	-	1	-	-	-	-	-	-	2	1	1
Total - - - -	91	102	36	10	4	2	5	14	18	15	20	34	35

YEAR—1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Fort-William** (Burgh).

Population—Census 1901, - - - 2,087.
Do. Do. 1911, - - - 2,002.
Do. estimated to middle of 1914, 1,880.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	1	43	23	20
Illegitimate Births -	3	0	1	4	2	2
Marriages - -	13	-	-	-	-	-
Deaths - - -	24	5	1	20	13	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·9	22·9	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - -	12·8	10·6	9·7
Do. —Phthisis - - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	1	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	3	-	-	-	-	1	-	-	2	1	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	7	4	1	-	1	4	-	-	2	1	3	4

YEAR—1914.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Inverness** (Burgh).

Population—Census 1901, - - - 23,075.
Do. Do. 1911, - - - 22,216.
Do. estimated to middle of 1914, 20,893.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	465	19	10	456	246	210
Illegitimate Births -	54	9	5	50	28	22
Marriages - -	228	–	–	–	–	–
Deaths - - -	386	29	10	367	188	179

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·3	21·8	–
Marriage-rate - - - - -	10·9	–	–
Death-rate—All Causes - - -	18·5	17·6	16·3
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	3	3	2	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	7	4	–	5	3	3	–	–	–	–	1	1	2
Influenza - - - - - -	1	3	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	25	13	–	–	1	1	9	11	7	4	3	2	–
Tuberculous Meningitis - - -	2	1	2	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	–	–	3	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	1	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	15	20	–	–	–	–	–	–	2	8	10	11	4
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	3	4	2	3	1	–	–	–	–	–	–	–	1
Organic Heart Disease - - -	18	26	–	–	–	–	2	–	1	3	7	12	19
Bronchitis - - - - -	15	9	8	1	–	–	–	1	–	1	3	6	4
Pneumonia (all forms) - - -	19	9	5	4	2	1	1	–	3	4	2	4	2
Other Diseases of Respiratory Organs	1	2	–	–	–	–	–	–	–	–	1	1	1
*Diarrhœa and Enteritis (under 2 years)	2	1	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	12	–	–	–	1	–	1	2	4	4	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	2	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	9	20	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	2	–	1	1	1	–	–	–	1	1	1	–
Suicide - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	42	46	4	3	1	2	4	1	8	6	12	18	29
Diseases Ill-defined or Unknown -	5	6	1	–	–	–	–	1	1	2	–	3	3
Total - - - -	188	179	51	23	11	10	22	17	25	34	45	60	69

YEAR 1914.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Kingussie** (Burgh).

Population—Census 1901, - - - 989.
Do. Do. 1911, - - - 1,171.
Do. estimated to middle of 1914, 1,172.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	23	2	0	21	11	10
Illegitimate Births -	3	1	0	2	2	0
Marriages - -	2	–	–	–	–	–
Deaths - - -	8	1	2	9	6	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·6	17·9	–
Marriage-rate - - - - - -	1·7	–	–
Death-rate—All Causes - - -	6·8	7·7	7·6
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	2	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	1	–	–	–	–	–	–	–	–	1	–	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	3	–	–	–	–	–	1	–	2	2	1	3

YEAR 1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Aird** (County District).

Population—Census 1901, - - - 8,893.
Do. Do. 1911, - - - 8,758.
Do. estimated to middle of 1914, 8,299.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	147	2	9	154	81	73
Illegitimate Births -	8	0	5	13	8	5
Marriages - -	16	–	–	–	–	–
Deaths - - -	133	3	17	147	68	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·7	18·6	–
Marriage-rate - - - - -	1·9	–	–
Death-rate—All Causes - - -	16·0	17·7	13·8
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	2	–	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	–	–	1	2	1	1	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	7	7	–	–	–	–	–	–	1	1	1	7	4
Rheumatic Fever - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	6	–	–	–	–	–	–	–	2	2	5	5
Bronchitis - - - - - -	2	4	–	–	–	–	–	–	1	2	–	–	3
Pneumonia (all forms) - - -	6	6	1	–	–	–	1	–	1	1	1	2	5
Other Diseases of Respiratory Organs	1	2	–	–	–	–	–	–	–	–	–	–	3
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	3	–	–	–	1	–	–	2	1	1	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	4	–	–	–	–	2	1	–	–	–	1	2
Suicide - - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	21	28	–	1	1	1	–	–	1	2	5	14	24
Diseases Ill-defined or Unknown -	7	3	–	–	1	–	–	–	–	1	2	3	3
Total - - - -	68	79	6	5	4	4	4	5	7	13	12	36	51

YEAR 1914.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

Population—Census 1901, - - - 6,511.
Do. Do. 1911, - - - 6,496.
Do. estimated to middle of 1914, 6,182.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	115	6	5	114	55	59
Illegitimate Births -	15	3	3	15	9	6
Marriages - -	14	–	–	–	–	–
Deaths - - -	81	10	12	83	40	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·6	18·4	–
Marriage-rate - - - - - -	2·3	–	–
Death-rate—All Causes - - -	13·1	13·4	10·7
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	–	–	–	1	1	3	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	4	–	–	–	–	–	–	–	1	1	1	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	5	1	–	–	–	–	–	–	1	1	3	4
Bronchitis - - - - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	5	2	–	1	–	–	–	–	–	–	1	2	3
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	3	–	–	–	–	–	–	2	–	2	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	13	1	–	–	–	1	2	–	2	8	1	12
Diseases Ill-defined or Unknown -	6	8	3	1	1	–	–	–	–	–	1	2	6
Total - - - -	40	43	8	3	1	–	2	3	5	4	17	11	29

YEAR 1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Harris** (County District).

Population—Census 1901, - - - 5,271.
Do. Do. 1911, - - - 5,449.
Do. estimated to middle of 1914, 5,244.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	119	2	0	117	64	53
Illegitimate Births -	8	0	0	8	2	6
Marriages - -	13	-	-	-	-	-
Deaths - - -	67	0	1	68	30	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·7	22·3	-
Marriage-rate - - - - -	2·5	-	-
Death-rate—All Causes - - -	12·8	13·0	10·2
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	1	-	-	-	-	2	3	-	-	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	1	-	-	3	-
Rheumatic Fever - - - -	2	-	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	17	1	-	-	-	-	-	2	-	1	2	21
Diseases Ill-defined or Unknown -	5	12	3	1	-	-	2	1	1	2	1	2	4
Total - - - - -	30	38	8	1	1	-	7	4	5	2	5	9	26

YEAR 1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Inverness** (County District).

Population—Census 1901, - - - 9,269.
Do. Do. 1911, - - - 9,142.
Do. estimated to middle of 1914, 8,668.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	142	3	5	144	72	72
Illegitimate Births -	9	0	2	11	9	2
Marriages - -	15	–	–	–	–	–
Deaths - - -	142	58	7	91	45	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·6	–
Marriage-rate - - - - -	1·7	–	–
Death-rate—All Causes - - -	16·4	10·5	9·2
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	–	–	–	2	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	–	–	–	–	1	3	2	1	1	–	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	5	–	–	–	–	–	–	1	1	2	4	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	5	–	–	–	1	–	–	–	–	2	6	3
Bronchitis - - - - -	1	2	–	–	–	–	–	–	1	–	–	–	2
Pneumonia (all forms) - - -	5	8	3	2	–	–	–	–	1	2	–	1	4
Other Diseases of Respiratory Organs	1	2	1	–	–	–	1	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	1	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	–	–	–	–	–	–	–	–	1	3	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	1	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	10	11	2	–	–	–	1	1	–	1	2	3	11
Diseases Ill-defined or Unknown -	2	2	1	–	–	–	–	–	1	–	1	–	1
Total - - - -	45	46	11	2	–	2	5	5	6	7	13	17	23

YEAR 1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

Population—Census 1901, - - - 7,438.
Do. Do. 1911, - - - 7,039.
Do. estimated to middle of 1914, 6,580.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	9	100	45	55
Illegitimate Births -	7	1	3	9	5	4
Marriages - -	13	-	-	-	-	-
Deaths - - -	83	1	14	96	48	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·0	15·2	-
Marriage-rate - - - - - -	2·0	-	-
Death-rate—All Causes - - -	12·6	14·6	11·8
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—30.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	4	-	-	-	-	3	2	2	1	1	-	1
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis .- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	1	-	-	-	-	-	-	1
Cancer, Malignant Disease - -	5	7	-	-	-	-	-	-	-	3	-	6	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	-	1	1	4
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	2	2	-	-	-	-	-	-	-	-	2	1	1
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	-	1	2	-	1
Puerperal Sepsis - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	†5	1	-	-	-	-	2	-	-	2	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	17	-	-	-	-	1	-	-	2	1	6	22
Diseases Ill-defined or Unknown -	5	4	1	-	-	-	-	-	2	-	2	-	4
Total - - - -	†48	48	3	2	-	2	6	3	6	9	9	15	40

† Including 1 of unstated age.

YEAR 1914.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**North Uist** (County District).

Population—Census 1901, - - - 3,891.
Do. Do. 1911, - - - 3,677.
Do. estimated to middle of 1914, 3,438.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	1	1	56	26	30
Illegitimate Births -	3	0	1	4	4	0
Marriages -	9	–	–	–	–	–
Deaths - - -	47	3	4	48	18	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·3	16·3	–
Marriage-rate - - - - - -	2·6	–	–
Death-rate—All Causes - - -	13·7	14·0	10·2
Do. —Phthisis - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	2	–	–	–	–	–	–	–	–	–	–	3
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	3	–	–	–	–	2	1	3	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	1	–	–	1	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	1	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	11	–	–	1	–	–	1	2	–	1	–	12
Diseases Ill-defined or Unknown -	1	3	1	–	–	–	–	–	–	–	–	1	2
Total - - - -	18	30	4	–	1	1	3	4	9	–	1	4	21

YEAR 1914.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**South Uist** (County District).

Population—Census 1901, - - - 8,061.
Do. Do. 1911, - - - 8,003.
Do. estimated to middle of 1914, 7,605.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	3	4	146	69	77
Illegitimate Births -	15	1	1	15	4	11
Marriages - -	31	–	–	–	–	–
Deaths - - -	111	0	4	115	55	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·1	19·2	–
Marriage-rate - - - - -	4·1	–	–
Death-rate—All Causes - - -	14·6	15·1	12·0
Do. —Phthisis - - - -	–	2·8	–
Do. —All Tuberculosis - -	–	3·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	11	–	–	–	1	11	6	2	1	–	–	–
Tuberculous Meningitis - - -	1	1	–	–	1	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	6	3	–	–	–	–	–	1	2	–	–	4	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	7	–	–	–	–	–	–	–	2	3	1	2
Bronchitis - - - - -	3	3	1	–	1	–	–	–	–	–	1	2	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	2	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	3	1	–	–	–	2	1	–	1	–	1	1
Suicide - - - - - -	2	–	–	–	–	–	–	1	–	–	1	–	–
Other Defined Diseases - - -	17	18	1	–	–	–	–	2	1	–	–	17	14
Diseases Ill-defined or Unknown -	4	7	1	–	–	–	–	1	1	1	2	2	3
Total - - - -	55	60	7	1	3	2	14	14	6	6	9	30	23

YEAR 1914.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Skye** (County District).

Population—Census 1901, - - - 14,619.
Do. Do. 1911, - - 13,319.
Do. estimated to middle of 1914, 12,282.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	246	6	6	246	143	103
Illegitimate Births -	13	2	1	12	6	6
Marriages - -	47	-	-	-	-	-
Deaths - - -	213	1	11	223	111	112

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·0	20·0	-
Marriage-rate - - - - - -	3·8	-	-
Death-rate—All Causes - - -	17·3	18·2	12·8
Do. —Phthisis - - - -	-	2·0	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	1	-	-	-	-	1	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	3	1	-	-	-	-	-	-	-	-	-	2	2
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	15	9	-	-	-	-	6	7	2	2	3	3	1
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	5	-	-	-	-	-	-	1	-	1	3	3
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	8	13	-	-	-	-	2	-	-	1	3	4	11
Bronchitis - - - - - -	5	5	-	-	-	-	-	-	-	1	-	2	7
Pneumonia (all forms) - - -	7	4	2	-	1	1	-	3	-	-	-	1	3
Other Diseases of Respiratory Organs	2	1	-	-	-	1	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	1	-	1	-	-	-	-	-	1	1	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	-	-	-	1	-	1	2	-	1	2
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	32	41	2	2	1	-	1	1	3	7	4	12	40
Diseases Ill-defined or Unknown -	18	25	8	2	2	3	1	-	-	2	2	4	19
Total - - - -	111	112	16	8	5	7	13	11	7	16	16	33	91

YEAR 1914.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

Population—Census 1901, - - - 1,475.
Do. Do. 1911, - - - 1,633.
Do. estimated to middle of 1914, 1,604.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	2	0	25	14	11
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	11	-	-	-	-	-
Deaths - - -	19	0	4	23	13	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·8	15·6	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - -	11·8	14·3	12·9
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	2	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	2	-	-	-	-	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	6	3	-	-	-	-	-	-	1	3	1	1	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	10	3	-	-	1	2	1	3	3	1	4	5

YEAR 1914.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Inverbervie** (Burgh).

Population—Census 1901, - - 1,207.
Do. Do. 1911, - - - 1,173.
Do. estimated to middle of 1914, 1,107.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	0	1	22	11	11
Illegitimate Births -	4	0	1	5	1	4
Marriages - -	12	–	–	–	–	–
Deaths - - -	16	0	2	18	8	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·0	19·9	–
Marriage-rate - - - - -	10·8	–	–
Death-rate—All Causes - - -	14·5	16·3	14·3
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	–	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	1	1	–	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	6	–	–	–	–	–	–	–	1	–	2	5
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	8	10	1	1	–	–	–	1	–	3	2	3	7

YEAR 1914.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

Population—Census 1901, - - - 1,512.
Do. Do. 1911, - - - 1,438.
Do. estimated to middle of 1914, 1,347.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	1	21	11	10
Illegitimate Births -	5	0	1	6	4	2
Marriages - -	10	–	–	–	–	–
Deaths - - -	34	1	2	35	18	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·8	15·6	–
Marriage-rate - - - - -	7·4	–	–
Death-rate—All Causes - - -	25·2	26·0	17·2
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—28·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	1	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	1	1	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	1	1	–	1	–	2
Organic Heart Disease - - -	4	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	1	1	2	1
Pneumonia (all forms) - - -	2	3	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	3	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	1	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	10	–	–	–	–	–	–	1	1	2	3	10
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	18	17	3	–	1	1	–	1	2	3	5	6	13

YEAR 1914.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

Population—Census 1901, - - - 4,577.
Do. Do. 1911, . - - 4,266.
Do. estimated to middle of 1914, 3,967.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	2	1	75	37	38
Illegitimate Births -	10	0	0	10	4	6
Marriages - -	41	–	–	–	–	–
Deaths - - -	77	19	4	62	29	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	18·9	–
Marriage-rate - - - - -	10·3	–	–
Death-rate—All Causes - - -	19·4	15·6	11·6
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —27.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	1	–	–	–	–	1	–	2	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	–	–	1	–	1	–	–	–
Cancer, Malignant Disease - -	4	3	–	–	–	–	–	–	–	1	2	3	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	–	–	–	–	2	–
Bronchitis - - - - -	2	2	–	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	1	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	12	22	–	1	–	–	–	1	2	2	3	11	14
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	–	–	–	3	–
Total - - - -	29	33	2	1	–	–	3	2	4	5	6	22	17

YEAR 1914.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

Population—Census 1901, - - - 4,907.
Do. Do. 1911, - - - 4,668.
Do. estimated to middle of 1914, 4,372.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	0	3	114	64	60
Illegitimate Births -	12	0	3	15	5	10
Marriages - -	16	–	–	–	–	–
Deaths - - -	55	2	8	61	30	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·4	26·1	–
Marriage-rate - - - - -	3·7	–	–
Death-rate—All Causes - - -	12·6	14·0	11·9
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	3	–	–	–	–	1	2	1	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	3	–	–	–	–	–	–	–	–	1	3	2
Rheumatic Fever - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	–	3	–	–	–	–	–	–	1	–	1	–	1
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	1	–	1	–
Pneumonia (all forms) - - -	–	3	–	–	–	–	–	1	–	–	–	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	–	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	2	–	1	–	–	–	–	–	1	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	7	2	–	–	–	–	–	3	–	1	3	12
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	1	1	–
Total - - - -	30	31	7	3	1	–	3	3	8	3	5	12	16

YEAR 1914.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Lower Deeside** (County District).

Population—Census 1901, - - - 4,205.
Do. Do. 1911, - - . 3,934.
Do. estimated to middle of 1914, 3,663.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	77	2	2	77	32	45
Illegitimate Births -	12	2	2	12	7	5
Marriages - -	21	-	-	-	-	-
Deaths - - -	53	6	8	55	31	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·0	21·0	-
Marriage-rate - - - - -	5·7	-	-
Death-rate—All Causes - - -	14·5	15·0	14·1
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	-	1	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	1	1	-	2	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	-	-	-	-	-	-	-	-	-	1	1	3
Bronchitis - - - - -	2	2	1	1	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	2	2	1	2	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	1	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	11	1	-	-	-	-	-	2	1	1	9	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	31	24	5	4	-	1	2	1	5	3	6	10	18

YEAR 1914.
COUNTY—**Kincardine**.
PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

Population—Census 1901, - - - 5,036.
Do. Do. 1911, - - - 4,761.
Do. estimated to middle of 1914, - 4,449.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	122	2	3	123	58	65
Illegitimate Births -	14	0	1	15	5	10
Marriages - -	33	–	–	–	–	–
Deaths - - -	55	2	12	65	34	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·4	27·6	–
Marriage-rate - - - - -	7·4	–	–
Death-rate—All Causes - - -	12·4	14·6	12·6
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	1	–	–	2	2	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	1	–	–	–	–	2	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	3	–	–	–	–	–	–	–	–	2	3	3
Bronchitis - - - - -	1	4	2	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	1	–	–	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	1	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	3	–	–	–	–	–	–	1	–	1	1	2
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	9	1	1	–	1	–	1	1	–	4	4	7
Diseases Ill-defined or Unknown -	1	1	2	–	–	–	–	–	–	–	–	–	–
Total - - - -	34	31	11	1	4	3	3	4	3	–	8	13	15

YEAR 1914.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

Population—Census 1901, - - - 5,134.
Do. Do. 1911, - - - 4,564.
Do. estimated to middle of 1914, - 4,171.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	2	93	53	40
Illegitimate Births -	10	1	2	11	7	4
Marriages - -	15	-	-	-	-	-
Deaths - - -	50	7	3	46	27	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·1	22·3	-
Marriage-rate - - - - -	3·6	-	-
Death-rate—All Causes - - -	12·0	11·0	9·6
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	4	-	-	-	-	-	-	2	-	1	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	-	1	1	3
Bronchitis - - - - -	2	1	2	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	1	-	1	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	2	1	-	-	-	-	-	1	1	-	2	6
Diseases Ill-defined or Unknown -	2	3	1	-	-	-	-	-	2	-	-	1	1
Total - - - -	27	19	9	2	2	-	1	3	6	1	4	7	11

YEAR 1914.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

Population—Census 1901, - - - 3,484.
Do. Do. 1911, - - - 3,143.
Do. estimated to middle of 1914, 2,888.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	5	4	57	28	29
Illegitimate Births -	10	4	3	9	5	4
Marriages - -	10	-	-	-	-	-
Deaths - - -	40	6	4	38	22	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·1	19·7	-
Marriage-rate - - - - - -	3·5	-	-
Death-rate—All Causes - - -	13·9	13·2	11·5
Do. —Phthisis - - - -	-	2·4	-
Do. —All Tuberculosis - -	-	2·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	5	2	-	-	-	-	3	3	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	-	-	-	1	-	1	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	3	1
Meningitis - - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	1	-	-	1	-	1
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	1	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	2	-	-	1
Other Diseases of Digestive System (under 2 years)	2	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	2	-	2	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	1	1	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	3	3
Suicide - - - - - - -	2	5	-	1	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	-	2	-	-	-	-	1	-	-	-	-	-	-
Diseases Ill-defined or Unknown -													
Total - - - -	22	16	4	3	-	-	4	6	2	3	1	9	6

YEAR 1914.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (Burgh).

Population—Census 1901. - - - 2,177.
Do. Do. 1911, - - - 2,618.
Do. estimated to middle of 1914, 2,630.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	1	0	57	32	25
Illegitimate Births -	2	1	0	1	0	1
Marriages - -	24	–	–	–	–	–
Deaths - - -	28	0	3	31	17	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	21·7	–
Marriage-rate - - - - - -	9·1	–	–
Death-rate—All Causes - - -	10·6	11·8	10·4
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	–	2	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	–	3	–	–	–	–	–	–	–	1	–	1	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	1	–	2
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	1	2	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	1	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	6	–	–	–	–	–	2	–	1	–	3	4
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	17	14	7	–	1	–	–	4	1	2	3	4	9

YEAR 1914.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (County District).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,909.
Do. estimated to middle of 1914, 4,709.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	1	6	98	54	44
Illegitimate Births -	4	0	1	5	2	3
Marriages - -	24	-	-	-	-	-
Deaths - - -	77	10	5	72	39	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	20·8	-
Marriage-rate - - - - - -	5·1	-	-
Death-rate—All Causes - - -	16·4	15·3	13·1
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	1	-	3	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	-	1	3	2	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	3	1	2	1	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	1	-	2	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	1	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	12	-	3	-	2	1	1	1	2	1	5	11
Diseases Ill-defined or Unknown -	2	2	-	1	-	-	-	-	-	-	2	-	1
Total - - - -	39	33	8	6	1	3	4	5	2	6	10	10	17

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Castle-Douglas** (Burgh).

Population—Census 1901, - - - 3,018.
Do. Do. 1911, - - - 3,016.
Do. estimated to middle of 1914, 2,872.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	4	3	48	23	25
Illegitimate Births -	5	0	3	8	4	4
Marriages - -	24	-	-	-	-	-
Deaths - - -	38	6	0	32	14	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·1	16·7	-
Marriage-rate - - - - -	8·4	-	-
Death-rate—All Causes - - -	13·2	11·1	10·1
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	6	-	-	-	1	-	-	1	-	1	3	1
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	2	-	-	1	-	-	-	-	1	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	5	-	-	-	-	-	-	-	-	4	1	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	18	2	2	1	2	-	-	2	2	6	5	10

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Dalbeattie** (Burgh).

Population—Census 1901, - - - 3,469.
Do. Do. 1911, - - 3,357.
Do. estimated to middle of 1914, 3,162.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	3	3	56	23	33
Illegitimate Births -	7	2	1	6	0	6
Marriages - -	23	–	–	–	–	–
Deaths - - -	46	1	3	48	20	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·7	17·7	–
Marriage-rate - - - - -	7·3	–	–
Death-rate—All Causes - - -	14·5	15·2	13·8
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	3	–	–	–	–	2	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	5	–	–	–	–	–	1	–	1	3	2	1
Bronchitis - - - - -	1	4	1	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	4	1	–	1	–	–	–	–	–	–	2	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	5	–	–	–	–	–	–	1	1	2	3	4
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	20	28	5	4	1	–	2	2	1	4	8	13	8

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Gatehouse** (Burgh).

Population—Census 1901, - - - 1,013.
Do. Do. 1911, - - - 1,032.
Do. estimated to middle of 1914, 989.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	1	29	13	16
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	6	-	-	-	-	-
Deaths - - -	13	0	2	15	7	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·3	29·3	-
Marriage-rate - - - - - -	6·1	-	-
Death-rate—All Causes - - -	13·1	15·2	10·8
Do. —Phthisis - - - -	-	0·0	-
Do —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	1	-	-	-	1	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-		-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	2	1	1
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	7	8	3	-	-	-	-	2	1	-	3	3	3

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Kirkcudbright** (Burgh).

Population—Census 1901, - - - 2,386.
Do. Do. 1911, - - - 2,205.
Do. estimated to middle of 1914, 2,044.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	3	0	48	25	23
Illegitimate Births -	8	0	0	8	5	3
Marriages - -	20	-	-	-	-	-
Deaths - - -	34	0	4	38	13	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·0	23·5	-
Marriage-rate - - - - -	9·8	-	-
Death-rate—All Causes - - -	16·6	18·6	15·6
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	5	-	-	-	-	-	-	-	2	3	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	2	3	-
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - -	-	3	-	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	1
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	-	1	-	-	-	-	-	-	1	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	5	-	-	-	-	-	-	-	1	1	6	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	25	5	2	-	-	3	1	-	4	7	10	6

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Maxwelltown** (Burgh).

Population—Census 1901, - - - 5,796.
Do. Do. 1911, - - - 6,200.
Do. estimated to middle of 1914, 6,030.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	128	0	1	129	56	73
Illegitimate Births -	7	0	1	8	4	4
Marriages - -	38	-	-	-	-	-
Deaths - - -	77	0	11	88	36	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·2	21·4	-
Marriage-rate - - - - - -	6·3	-	-
Death-rate—All Causes - - -	12·8	14·6	14·9
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	1	-	3	1	-	-	-
Tuberculous Meningitis - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	1	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	6	-	-	-	-	-	-	-	-	3	5	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	5	-	-	-	-	-	-	-	2	1	3	2
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	2	3	1	-	-	-	-	-	-	-	-	3	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	1	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	1	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	20	2	-	-	-	1	-	1	3	5	12	11
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	36	52	13	5	-	-	5	-	5	6	12	26	16

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**New Galloway** (Burgh).

Population—Census 1901, - - - 376.
Do. Do. 1911, - - - 352.
Do. estimated to middle of 1914, 328.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	0	1	12	6	6
Illegitimate Births -	1	0	0	1	1	0
Marriages -	1	–	–	–	–	–
Deaths - - -	4	0	0	4	1	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	33·5	36·6	–
Marriage-rate - - - - -	3·0	–	–
Death-rate—All Causes - - -	12·2	12·2	10·1
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Defined Diseases - - -	1	1	–	–	–	–	–	–	–	–	–	1	–
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	1	3	–	–	–	–	–	–	–	–	1	1	2

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,021.
Do. Do. 1911, - - - 7,553.
Do. estimated to middle of 1914, 7,049.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	163	2	5	166	82	84
Illegitimate Births -	15	0	2	17	7	10
Marriages - -	42	–	–	–	–	–
Deaths - - -	114	3	13	124	51	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·1	23·5	–
Marriage-rate - - - - -	6·0	–	–
Death-rate—All Causes - - -	16·2	17·6	15·4
Do. —Phthisis - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births) corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	9	–	1	1	–	3	6	2	–	–	1	–
Tuberculous Meningitis - - -	2	1	–	2	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	1	–	1	–	–	–	–
Cancer, Malignant Disease - -	6	11	–	–	–	–	–	–	1	1	4	7	4
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	11	–	–	–	–	–	–	–	–	2	8	7
Bronchitis - - - - -	–	5	–	1	–	–	–	–	–	–	–	1	3
Pneumonia (all forms) - - -	4	2	1	–	–	–	1	–	–	–	2	1	1
Other Diseases of Respiratory Organs	3	–	3	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	–	–	1	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	1	–	–	–	1	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	14	23	1	1	–	–	1	–	–	2	5	10	17
Diseases Ill-defined or Unknown -	2	3	–	1	–	–	–	–	–	–	–	2	2
Total - - - -	51	73	7	8	1	1	7	7	7	4	15	31	36

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

Population—Census 1901, - - - 2,926.
Do. Do. 1911, - - - 2,814.
Do. estimated to middle of 1914, 2,645.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	2	1	51	22	29
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	22	-	-	-	-	-
Deaths - - -	24	0	2	26	16	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	19·3	-
Marriage-rate - - - - - -	8·3	-	-
Death-rate—All Causes - - -	9·1	9·8	8·3
Do. —Phthisis - - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·4	
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	-	1	-	2	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	3	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	1	-	-	-	1	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	1	1	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	2	1
Other Defined Diseases - - -	2	3	1	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	16	10	4	1	-	-	-	1	-	3	2	9	6

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,363.
Do. Do. 1911, - - - 8,257.
Do. estimated to middle of 1914, 7,831.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	192	7	3	188	92	96
Illegitimate Births -	40	4	1	37	18	19
Marriages - -	48	-	-	-	-	-
Deaths - - -	104	6	11	109	48	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·5	24·0	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - -	13·3	13·9	12 8
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	3	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	8	1	-	-	-	5	2	1	2	-	-	1
Tuberculous Meningitis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	-	-	1	-	1	-	2	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	1	-	2	3	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	13	-	-	-	-	-	3	-	1	4	4	7
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	-	-	-	-	-	-	1	-	-	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	18	3	1	-	-	2	-	1	1	4	7	17
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	1	-	-	-	-	-	1
Total - - - -	48	61	13	4	1	1	8	8	4	5	11	22	32

YEAR 1914.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Western Kirkcudbright** (County District).

Population—Census 1901, - - - 4,015.
Do. Do. 1911, - - - 3,581.
Do. estimated to middle of 1914, 3,276.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	0	4	67	34	33
Illegitimate Births -	6	0	1	7	3	4
Marriages - -	23	–	–	–	–	–
Deaths - - -	41	0	4	45	23	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	20·5	–
Marriage-rate - - - - -	7·0	–	–
Death-rate—All Causes - - -	12·5	13·7	13·0
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	–	–	–	1	1	2	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	1	–	1	1	–	3
Bronchitis - - - - -	3	2	1	–	–	–	–	–	–	–	1	1	2
Pneumonia (all forms) - - -	3	–	–	–	–	–	–	1	–	1	–	1	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	2	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	3	–	–	1	–	2	–	–	–	–	–	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	7	7	–	–	–	–	–	1	–	1	–	4	8
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	23	22	3	–	1	1	3	4	2	4	5	8	14

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Airdrie** (Burgh).

Population—Census 1901, - - - 22,288.
Do. Do. 1911, - - - 24,388.
Do. estimated to middle of 1914, 23,878.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	723	1	8	730	363	367
Illegitimate Births -	33	0	4	37	18	19
Marriages - -	184	–	–	–	–	–
Deaths - - -	342	1	36	377	203	174

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·3	30·6	–
Marriage-rate - - - - -	7·7	–	–
Death-rate—All Causes - - -	14·3	15·8	17·4
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	4	2	3	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	2	–	3	1	–	–	–	–	–	–	–	–
*Whooping-cough - - -	6	3	4	5	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	2	1	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	10	–	–	–	2	5	2	3	3	2	–	–
Tuberculous Meningitis - - -	1	3	–	3	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	1	–	4	–	1	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	4	2	2	–	–	2	–	2	–	–	–	–	–
Cancer, Malignant Disease - -	20	15	–	–	–	–	–	2	2	5	12	9	5
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Meningitis - - - - -	4	4	1	3	2	–	–	1	–	–	1	–	–
Organic Heart Disease - - -	17	7	–	–	–	1	1	2	2	5	5	5	3
Bronchitis - - - - -	17	13	4	1	–	–	–	–	–	3	8	6	8
Pneumonia (all forms) - - -	21	15	14	9	1	–	3	1	3	1	2	1	1
Other Diseases of Respiratory Organs	–	2	1	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	8	7	14	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	–	1	–	1	1	–
Other Diseases of Digestive System (under 2 years)	3	–	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	6	–	1	–	1	1	2	2	2	4	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	16	29	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	15	2	–	4	–	–	2	6	2	1	1	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	40	47	5	4	1	–	1	4	6	7	11	22	26
Diseases Ill-defined or Unknown -	6	7	2	1	–	1	–	1	–	1	4	2	1
Total - - - -	203	174	82	43	6	10	13	26	22	28	52	49	46

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

Population—Census 1901, - - - 1,366.
Do. Do. 1911, - - - 1,326.
Do. estimated to middle of 1914, 1,251.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	1	1	26	12	14
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	4	–	–	–	–	–
Deaths - - -	26	1	1	26	9	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·8	–
Marriage-rate - - - - - -	3·2	–	–
Death-rate—All Causes - - -	20·8	20·8	16·8
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	–	–	1	2
Cancer, Malignant Disease - -	–	3	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	1	2
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	1	–	–
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	1	1	2	6
Other Defined Diseases - - -	4	7	–	1	–	–	–	–	–	–	–	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	9	17	2	2	–	1	1	–	1	1	2	4	12

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Coatbridge** (Burgh).

Population—Census 1901, - - - 36,991.
Do. Do. 1911, - - - 43,286.
Do. estimated to middle of 1914, 43,658.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1368	9	12	1371	674	697
Illegitimate Births -	65	2	4	67	42	25
Marriages - -	268	–	–	–	–	–
Deaths - - -	719	27	37	729	382	347

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·3	31·4	–
Marriage-rate - - - - -	6·1	–	–
Death-rate—All Causes - - -	16·5	16·7	18·1
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	3	–	1	–	–	2	1	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	14	12	4	21	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	1	–	2	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	28	22	22	26	1	1	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	20	23	1	–	3	2	10	2	12	7	3	1	2
Tuberculous Meningitis - - -	10	8	4	11	2	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	10	10	2	6	7	2	–	1	–	1	1	–	–
Other Tuberculous Diseases - -	8	5	2	2	3	1	2	1	1	–	1	–	–
Cancer, Malignant Disease - -	15	24	–	–	–	–	1	3	4	6	18	3	4
Rheumatic Fever - - - -	2	2	–	–	–	–	1	2	–	–	1	–	–
Meningitis - - - - - -	11	5	4	10	1	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	31	37	1	–	–	–	4	1	9	8	14	24	7
Bronchitis - - - - -	22	17	4	2	–	–	–	–	4	5	6	12	6
Pneumonia (all forms) - - -	37	20	21	13	1	–	–	5	3	7	3	4	–
Other Diseases of Respiratory Organs	5	3	–	4	–	–	–	–	–	1	–	3	–
*Diarrhœa and Enteritis (under 2 years)	12	10	15	7	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	3	–	–	–	–	–	2	2	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	6	–	–	3	–	2	1	1	3	3	3	–
Puerperal Sepsis - - - -	–	2	–	–	–	–	1	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	3	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	32	29	59	1	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	24	8	2	7	2	1	2	7	2	8	1	–	–
Suicide - - - - - - -	3	–	–	–	–	–	–	1	–	1	1	–	–
Other Defined Diseases - - -	71	80	17	8	–	1	3	8	8	15	21	28	42
Diseases Ill-defined or Unknown -	6	10	4	2	–	–	–	–	2	1	3	4	–
Total - - - -	382	347	164	124	26	9	30	39	52	64	77	83	61

YEAR 1914.
COUNTIES—Lanark and Renfrew.
PUBLIC HEALTH DISTRICT—**Glasgow** (Burgh).

Population—Census 1901, - - - 953,800.
Do. Do. 1911, - - - 1,008,487.
Do. estimated to middle of 1914, 1,053,926.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29,618	376	220	29,462	14,858	14,604
Illegitimate Births -	2,057	217	52	1,892	984	908
Marriages - -	10,302	–	–	–	–	–
Deaths - - -	17,720	956	758	17,522	9,019	8,503

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·1	28·0	–
Marriage-rate - - - - -	9·8	–	–
Death-rate—All Causes - - -	16·8	16·6	18·2
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Ages										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	42	39	2	2	6	10	18	22	15	4	–	2	–
Typhus Fever - - - - -	1	1	–	–	–	–	–	2	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	266	225	120	347	21	1	1	1	–	–	–	–	–
*Scarlet Fever - - - - -	101	126	18	134	50	10	9	5	–	1	–	–	–
*Whooping-cough - - - -	260	264	236	281	7	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	92	70	31	101	22	5	1	1	1	–	–	–	–
Influenza - - - - - -	13	7	–	1	–	–	3	2	1	–	5	2	6
Erysipelas - - - - -	17	22	6	1	–	–	2	2	4	7	12	2	3
Phthisis, Pulmonary Tuberculosis -	748	626	3	32	40	47	272	343	303	188	113	30	3
Tuberculous Meningitis - - -	186	132	98	144	38	17	9	7	4	–	–	1	–
Abdominal Tuberculosis - - -	127	97	41	90	30	20	19	10	6	5	3	–	–
Other Tuberculous Diseases - -	120	74	16	30	23	23	36	26	13	13	10	3	1
Cancer, Malignant Disease - -	484	622	–	1	2	1	5	28	131	238	340	261	99
Rheumatic Fever - - - -	26	39	–	1	7	11	15	10	10	4	5	1	1
Meningitis - - - - -	128	125	90	91	18	10	10	10	13	7	2	2	–
Organic Heart Disease - - -	554	648	5	3	15	22	64	71	121	179	299	277	146
Bronchitis - - - - -	653	646	266	101	8	3	14	18	59	117	225	314	174
Pneumonia (all forms) - - -	941	766	456	442	37	13	57	103	104	139	140	146	70
Other Diseases of Respiratory Organs	128	147	66	52	6	2	10	16	16	24	33	30	20
*Diarrhœa and Enteritis (under 2 years)	362	322	575	109	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	52	46	–	4	19	20	15	13	12	5	5	5	–
All Liver Diseases (not Malignant) -	51	62	4	2	1	1	3	5	8	25	29	26	9
Other Diseases of Digestive System (under 2 years)	82	46	113	15	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	326	290	5	11	9	8	21	55	61	127	150	114	55
Puerperal Sepsis - - - -	–	81	–	–	–	–	21	46	14	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	95	–	–	–	–	20	43	31	1	–	–	–
Congenital Debility and Malformation, including Premature Birth	710	520	1211	14	2	2	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	469	196	63	62	46	24	57	77	85	99	75	45	32
Suicide - - - - - -	38	5	–	–	–	–	4	7	8	13	7	4	–
Other Defined Diseases - - -	1835	2009	440	184	55	46	105	173	270	440	593	807	733
Diseases Ill-defined or Unknown -	207	155	48	29	1	5	7	15	37	49	75	56	40
Total - - - -	9019	8503	3913	2284	463	301	799	1111	1327	1685	2119	2128	1392

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

Population—Census 1901, - - - 32,775.
Do. Do. 1911, - - - 38,644.
Do. estimated to middle of 1914, 38,612.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,320	17	15	1,318	691	627
Illegitimate Births -	58	7	7	58	23	35
Marriages - -	271	-	-	-	-	-
Deaths - - -	517	26	69	560	291	269

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	34·2	34·1	-
Marriage-rate - - - - - -	7·0	-	-
Death-rate—All Causes - - -	13·4	14·5	15·7
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	20	9	11	17	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	5	-	5	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	3	1	6	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1
Erysipelas - - - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	15	-	2	-	2	5	8	6	2	3	-	-
Tuberculous Meningitis - - -	3	3	1	3	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	8	5	3	3	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	7	5	4	1	1	2	1	1	2	-	-	-	-
Cancer, Malignant Disease - -	14	14	1	-	-	-	1	1	5	5	4	6	5
Rheumatic Fever - - - - -	3	1	-	-	-	1	1	-	-	1	1	-	-
Meningitis - - - - - -	6	8	6	4	2	-	1	1	-	-	-	-	-
Organic Heart Disease - - -	23	19	1	-	-	1	5	-	7	4	8	11	5
Bronchitis - - - - - -	23	17	10	5	-	-	-	-	1	4	7	9	4
Pneumonia (all forms) - - -	34	25	15	15	1	-	1	4	3	6	6	5	3
Other Diseases of Respiratory Organs	6	3	1	2	-	-	1	-	-	2	1	2	-
*Diarrhœa and Enteritis (under 2 years)	21	8	26	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	4	2	-	-	1	-	2	2	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	1	-	2	1	-
Other Diseases of Digestive System (under 2 years)	3	1	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	4	-	-	-	-	-	-	1	2	3	2	-
Puerperal Sepsis - - - -	-	4	-	-	-	-	1	2	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	2	3	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	20	33	53	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	18	14	5	6	1	-	3	5	2	2	5	1	2
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	50	51	7	8	2	2	-	6	9	13	19	11	24
Diseases Ill-defined or Unknown -	3	4	1	-	-	-	1	2	-	1	-	1	1
Total - - - -	291	269	156	81	13	10	27	35	42	42	59	50	45

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

Population—Census 1901, - - - 5,359.
Do. Do. 1911, - - - 5,900.
Do. estimated to middle of 1914, 5,787.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	0	5	132	55	77
Illegitimate Births -	5	0	3	8	3	5
Marriages -	53	–	–	–	–	–
Deaths - - -	92	11	9	90	38	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·9	22·8	–
Marriage-rate - - - - -	9·2	–	–
Death-rate—All Causes - - -	15·9	15·6	15·2
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	5	1	–	–	–	2	1	1	1	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	–	–	1	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	3	–	–	–	–	2	–	1	1	1	3	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	3	–	–	–	–	–	1	–	–	–	4	2
Bronchitis - - - - - -	4	2	–	1	–	–	–	–	–	–	1	2	2
Pneumonia (all forms) - - -	–	5	2	1	–	–	–	–	1	–	1	–	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	6	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	2	–	–	–	–	–	–	–	–	–	1	1	–
Other Defined Diseases - - -	11	21	1	–	–	–	–	1	1	3	3	10	13
Diseases Ill-defined or Unknown -	2	–	–	1	–	–	–	–	–	–	–	–	1
Total - - - -	38	52	15	6	4	1	4	4	4	5	8	20	19

YEAR 1914.
COUNTY—**Lanark**.
PUBLIC HEALTH DISTRICT—**Motherwell** (Burgh).

Population—Census 1901, - - - 31,144.
Do. Do. 1911, , - - 40,380.
Do. estimated to middle of 1914, 41,337.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1272	3	23	1292	669	623
Illegitimate Births -	38	2	9	45	21	24
Marriages -	219	–	–	–	–	–
Deaths - - -	487	4	54	537	303	234

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	30·8	31·2	–
Marriage-rate - - - - -	5·3	–	
Death-rate—All Causes - - -	11·8	13·0	14·7
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	10	7	8	7	2	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	9	1	3	6	1	1	1	–	–	–	–	–
*Whooping-cough - - - -	3	7	4	6	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	4	3	5	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	21	12	–	–	–	–	7	11	11	3	1	–	–
Tuberculous Meningitis - -	13	9	4	14	2	–	1	–	1	–	–	–	–
Abdominal Tuberculosis - - -	2	5	–	4	2	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	5	1	–	1	–	–	3	2	–	–	–	–	–
Cancer, Malignant Disease - -	14	22	–	–	–	–	1	1	3	7	13	7	4
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	6	12	6	11	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	15	10	–	1	1	–	2	1	1	4	9	4	2
Bronchitis - - - - -	23	11	9	–	–	–	2	1	–	4	7	10	1
Pneumonia (all forms) - - -	34	13	11	13	2	–	1	4	3	5	3	4	1
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	1	–	2	–	–	–
*Diarrhœa and Enteritis (under 2 years)	9	17	25	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	1	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	3		–	–	–	–	1	–	2	1	2	–
Other Diseases of Digestive System (under 2 years)	5	4	6	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	8	7	–	–	–	–	–	1	2	5	5	1	1
Puerperal Sepsis - - - -	–	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	7	–	–	–	–	–	5	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	27	11	38	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	15	4	1	4	1	2	4	1	2	4	–	–	–
Suicide - - - - - -	1	1		–	–	–	–	–	1	1	–	–	–
Other Defined Diseases - - -	67	51	14	4	3	1	6	4	7	14	16	21	28
Diseases Ill-defined or Unknown -	7	3		1	–	–	–	–	–	2	1	4	2
Total - - - -	303	234	130	79	21	6	29	37	34	53	56	53	39

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Rutherglen** (Burgh).

Population—Census 1901, - - - 18,593.
Do. Do. 1911, - - - 24,319.
Do. estimated to middle of 1914, 24,934.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	631	6	18	643	333	310
Illegitimate Births -	15	2	8	21	12	9
Marriages - -	230	-	-	-	-	-
Deaths - - -	286	6	73	353	186	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·3	25·8	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - -	11·5	14·2	15·7
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	6	1	6	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	6	1	4	2	2	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	2	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	7	11	-	-	-	1	4	4	5	2	2	-	-
Tuberculous Meningitis - - -	-	3	-	1	-	-	1	-	-	1	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	1	-	2	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	17	16	-	1	-	-	1	1	4	7	7	10	2
Rheumatic Fever - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-
Meningitis - - - - -	7	5	6	2	1	1	-	-	1	1	-	-	-
Organic Heart Disease - - -	10	18	-	-	-	-	-	1	1	7	6	8	5
Bronchitis - - - - -	15	9	3	-	-	-	-	-	1	1	8	8	3
Pneumonia (all forms) - - -	25	9	11	7	1	-	4	1	1	4	4	1	-
Other Diseases of Respiratory Organs	7	2	1	-	-	-	-	2	1	2	1	1	1
*Diarrhœa and Enteritis (under 2 years)	3	1	3	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	1	-	1	-	1
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	1	-	-	-	-	1	-	1	2	1	1	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	26	5	31	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	8	1	3	2	-	3	1	2	2	1	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	35	49	2	4	1	-	3	5	4	7	16	19	23
Diseases Ill-defined or Unknown -	2	2	-	-	1	-	-	-	-	1	1	1	-
Total - - - -	186	167	63	38	9	4	21	17	28	37	49	50	37

YEAR 1914.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Wishaw** (Burgh).

Population—Census 1901, - - - 20,873.
Do. Do. 1911, - - - 25,263.
Do. estimated to middle of 1914, 25,420.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	914	8	12	918	469	449
Illegitimate Births -	40	3	7	44	21	23
Marriages - -	167	-	-	-	-	-
Deaths - - -	375	1	40	414	224	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	36·0	36·1	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - -	14·8	16·3	17·7
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	11	10	3	17	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	4	1	-	2	2	-	-	-	1	-	-	-	-
*Whooping-cough - - - - -	6	10	5	11	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	6	2	6	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	11	6	-	-	1	1	7	1	2	4	-	1	-
Tuberculous Meningitis - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	3	-	1	1	2	-	-	2	-	-	-	-
Other Tuberculous Diseases - -	1	3	-	1	-	-	3	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	12	-	-	-	-	-	-	2	4	3	10	1
Rheumatic Fever - - - -	1	2	-	-	-	-	1	-	-	2	-	-	-
Meningitis - - - - - -	6	6	4	4	-	-	-	2	1	1	-	-	-
Organic Heart Disease - - -	14	15	-	-	-	2	1	1	2	4	8	3	8
Bronchitis - - - - - -	29	14	11	6	-	1	-	-	2	4	8	3	8
Pneumonia (all forms) - - -	19	12	9	12	2	-	-	-	2	3	1	-	2
Other Diseases of Respiratory Organs	2	3	2	-	1	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	11	11	19	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	5	-	-	-	2	-	3	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	1	-	1	1	-	-	1	1	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	3	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	19	19	38	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	17	6	2	5	1	-	4	1	1	2	1	6	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	42	38	10	2	2	1	-	4	5	12	17	11	16
Diseases Ill-defined or Unknown -	4	2	-	-	-	-	-	-	1	1	-	2	2
Total - - -	224	190	109	73	15	8	21	12	23	38	39	39	37

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1901, - - - 20,877.
Do. Do. 1911, - - - 28,484.
Do. estimated to middle of 1914, 29,466.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	752	9	12	755	396	359
Illegitimate Births -	22	2	5	25	8	17
Marriages - -	121	–	–	–	–	–
Deaths - - -	394	120	67	341	188	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·5	25·6	–
Marriage-rate - - - - -	4·1	–	–
Death-rate—All Causes - - -	13·4	11·6	12·3
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	6	4	3	6	–	1	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	4	–	3	1	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	4	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	2	2	5	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	10	–	–	–	1	6	4	2	3	–	1	–
Tuberculous Meningitis - - -	3	1	1	2	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	2	–	2	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	3	1	1	–	–	3	–	–	1	–	–	–
Cancer, Malignant Disease - -	13	15	–	–	–	–	–	2	2	6	6	3	9
Rheumatic Fever - - - -	2	–	–	–	–	–	2	–	–	–	–	–	–
Meningitis - - - - -	8	4	2	6	2	1	–	–	–	–	–	1	–
Organic Heart Disease - - -	14	14	–	–	–	1	–	1	2	1	7	10	6
Bronchitis - - - - -	10	6	5	1	–	–	–	–	1	1	2	5	1
Pneumonia (all forms) - - -	19	13	10	6	2	2	3	1	1	1	1	4	1
Other Diseases of Respiratory Organs	1	2	1	–	–	–	–	2	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	7	5	10	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	2	–	–	–	–	2	–	1	–	1	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	4	–	1	–	–	–	1	1	4	1	3	–
Puerperal Sepsis - - - -	–	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	–	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	12	10	22	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	17	4	1	1	–	–	6	2	3	4	2	1	1
Suicide - - - - - -	2	–	–	–	–	–	–	–	1	–	1	–	–
Other Defined Diseases - - -	44	36	6	2	3	2	2	3	8	10	12	13	19
Diseases Ill-defined or Unknown -	3	1	–	–	–	–	–	–	1	–	1	1	1
Total - - - -	188	153	68	40	9	8	26	17	27	31	35	42	38

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

Population—Census 1901, - - - 178,637.
Do. Do. 1911, - - - 202,663.
Do. estimated to middle of 1914, 200,455.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7,294	70	84	7,308	3,683	3,625
Illegitimate Births -	329	18	38	349	167	182
Marriages - -	1,292	-	-	-	-	-
Deaths - - -	3,027	141	240	3,126	1,636	1,490

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	36·4	36·5	-
Marriage-rate - - - - - -	6·5	-	-
Death-rate—All Causes - - -	15·1	15·6	16·6
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	4	-	-	2	2	3	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	73	63	38	93	4	-	-	-	-	1	-	-	-
*Scarlet Fever - - - - - -	25	17	3	20	15	1	2	1	-	-	-	-	-
*Whooping-cough - - - - -	57	70	67	53	7	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	17	20	1	27	9	-	-	-	-	-	-	-	-
Influenza - - - - - - -	5	4	-	1	-	-	1	-	1	-	2	4	-
Erysipelas - - - - - - -	5	5	2	-	-	-	-	-	2	2	2	-	2
Phthisis, Pulmonary Tuberculosis -	63	75	2	7	5	13	41	26	23	11	7	1	2
Tuberculous Meningitis - - -	30	30	15	26	11	2	3	1	1	1	-	-	-
Abdominal Tuberculosis - - -	34	30	18	26	10	3	4	1	-	1	-	1	-
Other Tuberculous Diseases - -	22	9	3	5	2	5	5	4	5	2	-	-	-
Cancer, Malignant Disease - -	62	85	-	-	-	2	2	2	22	33	37	34	15
Rheumatic Fever - - - - -	4	7	-	2	3	-	2	3	-	1	-	-	-
Meningitis - - - - - -	32	31	29	17	8	2	5	1	-	1	-	-	-
Organic Heart Disease - - -	111	103	-	1	-	5	12	6	21	33	45	61	30
Bronchitis - - - - - -	135	72	55	20	-	1	-	2	11	17	38	38	25
Pneumonia (all forms) - - -	172	136	123	86	10	6	4	12	8	14	22	17	6
Other Diseases of Respiratory Organs	24	28	9	16	1	-	-	1	3	7	6	7	2
*Diarrhœa and Enteritis (under 2 years)	95	76	144	27	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	15	6	-	1	4	6	3	1	2	2	2	-	-
All Liver Diseases (not Malignant) -	12	8	-	1	-	-	1	2	1	6	5	3	1
Other Diseases of Digestive System (under 2 years)	22	14	30	6	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	31	46	3	2	1	1	5	9	10	14	18	11	3
Puerperal Sepsis - - - - -	-	11	-	-	-	-	1	5	5	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	28	-	-	-	-	7	10	11	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	157	123	278	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	99	25	5	17	7	9	11	21	20	14	11	6	3
Suicide - - - - - - -	4	1	-	-	-	-	-	-	1	1	2	1	-
Other Defined Diseases - - -	286	329	69	30	11	9	20	25	35	65	89	145	117
Diseases Ill-defined or Unknown -	40	34	7	6	2	-	-	3	6	11	12	16	11
Total - - - -	1636	1490	901	492	112	67	132	137	188	237	298	345	217

YEAR 1914.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

Population—Census 1901, - - - 40,145.
Do. Do. 1911, - - - 42,978.
Do. estimated to middle of 1914, 41,810.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,130	16	31	1,145	572	573
Illegitimate Births -	78	2	10	86	38	48
Marriages - -	254	–	–	–	–	–
Deaths - - -	499	23	47	523	271	252

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·0	27·4	–
Marriage-rate - - - - - -	6·1	–	–
Death-rate—All Causes - - -	12·0	12·5	12·6
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	2	–	–	–	–	2	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	3	3	3	–	–	–	–	1	–	–	–	–
*Scarlet Fever - - - - -	6	10	–	8	4	3	1	–	–	–	–	–	–
*Whooping-cough - - - -	2	4	6	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	5	1	4	3	2	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	4	1	1	–	–	–	–	1	2	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	12	12	–	–	–	2	6	6	2	4	1	3	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Abdominal Tuberculosis - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	4	2	–	–	–	1	2	–	1	–	1	–	1
Cancer, Malignant Disease - -	13	31	–	–	–	–	1	–	6	10	13	11	3
Rheumatic Fever - - - -	2	2	–	–	–	–	1	–	3	–	–	–	–
Meningitis - - - - -	3	5	2	1	3	–	1	–	1	–	–	–	–
Organic Heart Disease - - -	15	28	–	–	–	–	–	1	–	7	14	13	8
Bronchitis - - - - - -	17	12	4	1	–	–	–	–	–	2	4	5	13
Pneumonia (all forms) - - -	27	14	10	9	–	1	–	2	3	1	8	4	3
Other Diseases of Respiratory Organs	7	5	2	–	–	–	–	1	–	1	–	5	3
*Diarrhœa and Enteritis (under 2 years)	8	12	15	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	4	3	1	–	–	–	–	–	–	–	3	3	–
Other Diseases of Digestive System (under 2 years)	3	1	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	8	4	1	–	–	–	1	–	–	4	2	2	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	8	–	–	–	–	1	3	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	27	12	39	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	26	4	–	1	–	–	6	4	6	6	6	1	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	63	60	7	4	–	1	–	8	7	8	12	32	44
Diseases Ill-defined or Unknown -	9	8	–	–	1	–	–	–	–	2	3	4	7
Total - - - -	271	252	98	37	12	10	22	26	36	47	67	83	85

YEAR 1914.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Armadale** (Burgh).

Population—Census 1901, - - - 3,921.
Do. Do. 1911, - - - 4,739.
Do. estimated to middle of 1914, 4,766.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	181	3	3	181	83	98
Illegitimate Births -	8	0	1	9	5	4
Marriages - -	21	–	–	–	–	–
Deaths - - -	61	0	13	74	40	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	38·0	38·0	–
Marriage-rate - - - - -	4·4	–	–
Death-rate—All Causes - - -	12·8	15·5	16·9
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	3·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	6	4	2	8	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	–	–	3	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	3	–	1	–	–	–	1	1	–	3	–	2
Bronchitis - - - - -	7	2	6	–	–	–	–	–	–	2	1	–	–
Pneumonia (all forms) - - -	–	4	–	4	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	6	10	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	9	4	1	1	–	–	1	–	–	3	1	4
Diseases Ill-defined or Unknown -	2	2	–	2	–	–	–	–	–	–	1	1	–
Total - - - -	40	34	25	21	1	1	–	2	1	2	12	2	7

YEAR 1914.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Bathgate** (Burgh).

Population—Census 1901, - - - 6,786.
Do. Do. 1911, - - - 8,226.
Do. estimated to middle of 1914, 8,280.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	279	5	4	278	159	119
Illegitimate Births -	10	2	1	9	5	4
Marriages - -	58	-	-	-	-	-
Deaths - - -	97	0	16	113	60	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·7	33·6	-
Marriage-rate - - - - - -	7·0	-	-
Death-rate—All Causes - - -	11·7	13·6	14·8
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	2	4	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	4	-	4	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	1	3	1	2	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	4	1	-	1	-	-	-	-	-	2	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	1	-	1	-	2	1	2	-
Bronchitis - - - - - -	9	5	4	1	-	-	-	-	1	1	3	2	2
Pneumonia (all forms) - - -	4	4	2	2	-	-	-	1	3	-	-	-	-
Other Diseases of Respiratory Organs	2	3	1	3	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	4	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	1	2	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	8	13	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	1	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	7	4	-	-	1	-	-	1	1	3	4	4
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	1	-	-	-	-
Total - - - -	60	53	35	17	2	3	5	6	9	12	9	8	7

YEAR 1914.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Borrowstounness** (Burgh).

Population—Census 1901, - - - 9,306.
Do. Do. 1911, - - - 10,862.
Do. estimated to middle of 1914, - 10,827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	337	3	4	338	161	177
Illegitimate Births -	17	0	0	17	8	9
Marriages - -	72	–	–	–	–	–
Deaths - - -	123	0	21	144	68	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·1	31·2	–
Marriage-rate - - - - -	6·7	–	–
Death-rate—All Causes - - -	11·4	13·3	14·7
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	2·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	9	–	1	2	2	1	5	3	2	3	–	–
Tuberculous Meningitis - - -	4	–	1	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	–	1	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	1	–	–	–	–	–	–	–	1	1	2	1
Rheumatic Fever - - - -	2	–	–	–	1	–	–	–	1	–	–	–	–
Meningitis - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	1	–	2	2	1	–
Bronchitis - - - - -	7	6	–	1	–	–	–	–	1	1	3	6	1
Pneumonia (all forms) - - -	5	5	5	2	–	–	1	–	1	–	–	1	–
Other Diseases of Respiratory Organs	2	1	–	–	–	–	2	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	6	13	16	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	12	17	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	3	1	1	–	–	–	1	–	–	1	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	16	1	2	2	–	1	2	–	2	4	7	8
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	68	76	42	16	6	2	5	12	8	9	14	18	12

YEAR 1914.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Linlithgow** (Burgh).

Population—Census 1901, - - - 4,279.
Do. Do. 1911, - - - 4,002.
Do. estimated to middle of 1914, - 3,726.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	104	4	0	100	46	54
Illegitimate Births -	9	1	0	8	5	3
Marriages -	29	-	-	-	-	-
Deaths - - -	44	0	7	51	23	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·9	26·8	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - -	11·8	13·7	13·5
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	1	2	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	1	1	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	2	-	-	-	-	-	2	3	2	-	3
Organic Heart Disease - - -	4	7	-	1	-	-	-	-	-	-	2	1	1
Bronchitis - - - - -	4	2	2	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	1	1	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	1	-	1	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	7	1	-	-	1	-	-	-	1	2	3	3
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	23	28	9	3	-	2	1	3	2	6	10	7	8

YEAR 1914.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Queensferry** (Burgh).

Population—Census 1901, - - - 1,850.
Do. Do. 1911, - - - 3,510.
Do. estimated to middle of 1914, 3,390.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	0	1	80	38	42
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	14	–	–	–	–	–
Deaths - - -	38	0	4	42	23	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·3	23·6	–
Marriage-rate - - - - -	4·1	–	–
Death-rate—All Causes - - -	11·2	12·4	18·3
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—188.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	2	–	–	–	1	–	1	2	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	2	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	2	2	2	–	–	–	–	–	–	1	–	1	–
Pneumonia (all forms) - - -	4	–	1	1	–	–	–	–	1	1	–	–	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	4	8	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	2	–	–	1	–	–	1	–	1	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	5	1	–	1	–	–	1	–	–	1	2	–
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	1	–	–	–
Total - - - -	23	19	15	2	3	1	–	4	3	6	1	6	1

YEAR 1914.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

Population—Census 1901, - - - 1,442.
Do. Do. 1911, - - - 1,876.
Do. estimated to middle of 1914, 1,920.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	1	1	68	33	35
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	15	-	-	-	-	-
Deaths - - -	32	0	5	37	19	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	35·4	35·4	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - -	16·7	19·3	20·7
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	1	-	-	-	-	-	2	2	3	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	2	1	-	-	-	-	-	-	-	3	-
Organic Heart Disease - - -	-	3	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	1	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	1	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	3	2	1	-	-	-	-	-	-	-	3	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	19	18	11	7	1	-	1	-	-	2	2	11	2

YEAR 1914.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

Population—Census 1901, - - - 25,214.
Do. Do. 1911, - - - 31,725
Do. estimated to middle of 1914, 32,230.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,181	14	25	1,192	603	589
Illegitimate Births -	57	2	10	65	34	31
Marriages - -	187	–	–	–	–	–
Deaths - - -	390	10	61	441	237	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	36·6	37·0	–
Marriage-rate - - - - -	5·8	–	–
Death-rate—All Causes - - -	12·1	13·7	14·6
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	13	10	6	15	2	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	9	–	6	5	1	1	–	–	–	–	–	–
*Whooping-cough - - - -	3	4	5	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	2	1	1	3	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	9	12	–	–	1	–	8	5	3	3	1	–	–
Tuberculous Meningitis - - -	4	–	1	2	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	6	3	3	5	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	6	2	2	1	–	1	2	1	–	–	1	–	–
Cancer, Malignant Disease - -	11	16	–	–	–	–	–	–	2	5	12	3	5
Rheumatic Fever - - - -	1	2	–	1	1	–	–	1	–	–	–	–	–
Meningitis - - - - -	6	4	4	–	3	1	1	–	–	–	1	–	–
Organic Heart Disease - - -	14	18	1	–	–	–	1	3	1	7	11	8	–
Bronchitis - - - - -	16	16	11	5	–	–	1	–	1	1	5	5	3
Pneumonia (all forms) - - -	17	12	10	12	1	1	–	1	1	–	1	1	1
Other Diseases of Respiratory Organs	3	6	–	5	1	–	–	–	–	–	1	2	–
*Diarrhœa and Enteritis (under 2 years)	15	5	15	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	5	6	–	–	–	1	5	–	4	–	1	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	1	1	–	–	–
Other Diseases of Digestive System (under 2 years)	4	3	6	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	4	1	–	–	–	–	2	–	3	2	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	27	13	40	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	10	5	2	3	1	–	–	2	3	2	2	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	49	46	6	2	2	–	5	3	10	11	15	23	18
Diseases Ill-defined or Unknown -	4	2	–	1	–	–	–	–	–	1	1	3	–
Total - - - -	237	204	114	67	22	5	24	20	28	35	54	45	27

YEAR 1914.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

Population—Census 1901, - - - 12,910.
Do. Do. 1911, - - - 15,215.
Do. estimated to middle of 1914, 15,205.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	415	10	13	418	207	211
Illegitimate Births -	19	2	5	22	9	13
Marriages - -	86	-	-	-	-	-
Deaths - - -	312	137	12	187	94	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·3	27·5	-
Marriage-rate - - - - - -	5·7	-	-
Death-rate—All Causes - - -	20·5	12·3	12·6
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	2	-	2	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	-	1	2	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	4	7	-	-	1	1	5	1	-	2	1	-	-
Tuberculous Meningitis - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	1	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	10	-	-	-	-	-	1	2	2	2	5	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	3	1	1	-	-	1	-	-	1	-	-	-
Organic Heart Disease - - -	11	9	-	-	1	-	3	1	1	-	5	8	1
Bronchitis - - - - - -	3	7	2	-	-	-	1	1	-	-	1	-	5
Pneumonia (all forms) - - -	8	6	7	1	-	-	-	1	3	1	-	-	1
Other Diseases of Respiratory Organs	2	1	1	-	-	-	-	1	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	2	2	1	-	-	-	-	1	1	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	1	-	-	-	1	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	6	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	6	1	-	-	2	3	1	2	2	2	2	1
Suicide - - - - - - -	3	1	-	-	-	-	2	-	2	-	-	-	-
Other Defined Diseases - - -	23	21	4	2	-	-	1	2	2	6	3	7	17
Diseases Ill-defined or Unknown -	2	-	1	1	-	-	-	-	-	-	-	-	-
Total - - - -	94	93	38	15	8	3	17	11	15	16	15	23	26

YEAR 1914.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

Population—Census 1901, - - - 4,487.
Do. Do. 1911, - - - 4,661.
Do. estimated to middle of 1914, 4,492.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	2	2	96	42	54
Illegitimate Births -	4	0	0	4	4	0
Marriages - -	31	–	–	–	–	–
Deaths - - -	80	2	7	85	37	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·4	21·4	–
Marriage-rate - - - - -	6·9	–	–
Death-rate—All Causes - - -	17·8	18·9	17·1
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	2·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—135.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	1	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	3	–	–	–	–	1	1	2	1	2	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	1	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	6	–	–	1	–	–	1	–	1	4	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Bronchitis - - - - -	1	2	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms) - - -	4	4	2	–	–	–	–	–	2	2	2	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	–	–	–	–	–	–	1	–	–	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	1	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	21	3	–	–	–	–	2	2	3	2	5	17
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	37	48	13	2	2	–	4	5	7	8	11	10	23

YEAR 1914.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (County District).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,658.
Do. estimated to middle of 1914, 4,391.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	3	3	97	55	42
Illegitimate Births -	16	2	2	16	10	6
Marriages - -	13	-	-	-	-	-
Deaths - - -	54	3	5	56	22	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	22·1	-
Marriage-rate - - - - - -	3·0	-	-
Death-rate—All Causes - - -	12·3	12·8	11·1
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	3	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	3	-	2
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	2	1	1	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	4	-	-	-	-	-	-	-	-	1	1	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	11	1	-	-	-	-	2	-	1	1	3	14
Diseases Ill-defined or Unknown -	-	4	-	-	-	-	-	-	-	-	-	3	1
Total - - - -	22	34	9	1	-	1	3	2	1	1	7	10	21

YEAR 1914.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Kirkwall** (Burgh).

Population—Census 1901, - - - 3,711.
Do. Do. 1911, - - - 3,810.
Do. estimated to middle of 1914, 3,659.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	6	3	61	29	32
Illegitimate Births -	4	0	2	6	1	5
Marriages - -	35	–	–	–	–	–
Deaths - - -	67	15	4	56	13	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·5	16·7	–
Marriage-rate - - - - - -	9·6	–	–
Death-rate—All Causes - - -	18·3	15·3	12·4
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	1	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	4	–	–	–	–	–	2	–	–	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	2	4	–	–	–	–	–	–	–	–	1	1	4
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	5	–	–	–	–	–	–	–	–	1	4	3
Bronchitis - - - - - -	–	5	–	–	–	–	–	–	–	–	–	–	5
Pneumonia (all forms) - - -	1	3	1	–	–	–	–	–	–	–	1	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	1	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	15	–	–	–	1	1	–	1	–	5	3	6
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	13	43	4	–	1	2	2	2	2	2	9	10	22

YEAR 1914.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Stromness** (Burgh).

Population—Census 1901, - - - 2,450.
Do. Do. 1911, - - - 1,653.
Do. estimated to middle of 1914, 1,646.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	2	1	33	15	18
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	7	–	–	–	–	–
Deaths - - -	38	1	1	38	16	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	20·0	–
Death-rate—All Causes - - -	4·3	–	–
Do. —Phthisis - - - -	23·1	23·1	18·7
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	3·0	–
	–	2·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—182.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	2	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	1	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	–	1	1	–	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	4	–	–	–	–	–	–	–	–	–	4	3
Bronchitis - - - - -	1	1	1	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	7	1	–	–	–	–	1	–	1	–	3	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	16	22	6	3	–	1	2	3	–	2	2	7	12

YEAR 1914.

COUNTY—**Orkney.**

PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 10,144.
Do. Do. 1911, - - - 9,304.
Do. estimated to middle of 1914, 8,485.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	137	3	8	142	69	73
Illegitimate Births -	14	0	0	14	5	9
Marriages - -	51	–	–	–	–	–
Deaths - - -	119	4	14	129	67	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·7	–
Marriage-rate - - - - -	6·0	–	–
Death-rate—All Causes - - -	14·0	15·2	11·2
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	1	–	–	–	–	–	–	–	–	–	2	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	6	–	–	–	–	1	3	2	2	2	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	1	–	–	–	–	1	1	–	1	1	–	–
Cancer, Malignant Disease - -	6	4	–	–	–	–	–	–	–	3	–	3	4
Rheumatic Fever - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	1	–	–
Organic Heart Disease - - -	8	7	–	–	–	–	–	–	–	–	3	6	6
Bronchitis - - - - - -	1	3	–	–	–	–	–	–	–	–	–	–	4
Pneumonia (all forms) - - -	4	5	1	–	–	–	1	–	–	1	2	3	1
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	–	–	–	2	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	–	–	1	3	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	2	–	–	–	–	–	–	–	–	1	1	2
Suicide - - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	21	24	–	–	–	–	–	1	–	2	4	5	33
Diseases Ill-defined or Unknown -	3	2	1	–	–	–	–	–	–	1	2	1	–
Total - - - -	67	62	10	1	–	–	5	5	2	11	18	26	51

YEAR 1914.

COUNTY—**Orkney.**

PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 7,845.
Do. Do. 1911, - - - 7,095.
Do. estimated to middle of 1914, 6,525.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	141	2	5	144	75	69
Illegitimate Births -	6	0	0	6	2	4
Marriages - -	39	-	-	-	-	-
Deaths - - -	91	0	7	98	42	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·6	22·1	-
Marriage-rate - - - - - -	6·0	-	-
Death-rate—All Causes - - -	13·9	15·0	10·5
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	4	3	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	4	-	-	-	-	-	-	-	-	-	1	5
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	-	1	-	1	-	-
Cancer, Malignant Disease - -	3	5	-	-	-	-	-	-	-	1	2	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - -	7	2	-	-	-	-	-	-	-	-	1	3	5
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	3	2	-	-	-	-	-	-	-	2	1	-
Other Diseases of Respiratory Organs	-	2	-	-	-	-	1	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	1	-	-	1	-	1	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	20	-	-	-	1	-	-	2	-	6	1	23
Diseases Ill-defined or Unknown -	6	3	-	-	-	-	-	-	-	-	1	2	6
Total - - - -	42	56	12	2	1	1	3	1	5	3	14	14	42

YEAR 1914.

COUNTY—**Orkney.**

PUBLIC HEALTH DISTRICT—**South Ronaldshay** (County District).

Population—Census 1901, - - - 2,707.
Do. Do. 1911, - - - 2,395.
Do. estimated to middle of 1914, 2,184.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	3	0	59	27	32
Illegitimate Births -	6	0	0	6	3	3
Marriages - -	13	–	–	–	–	–
Deaths - - -	48	0	3	50	24	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·4	27·0	–
Marriage-rate - - - - - -	6·0	–	–
Death-rate—All Causes - - - -	22·0	23·4	15·6
Do. —Phthisis - - - -	–	2·7	–
Do. —All Tuberculosis - -	–	3·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	5	–	–	–	–	–	3	2	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	2	–	–	–	–	–	–	–	–	1	1	–
Bronchitis - - - - - -	–	2	1	–	–	1	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	1	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	1	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	12	–	–	–	–	1	1	–	1	2	6	15
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	24	27	7	1	–	1	2	5	4	2	5	9	15

YEAR 1914.
COUNTY—**Orkney.**
PUBLIC HEALTH DISTRICT—**Walls** (County District).

Population—Census 1901, - - - 1,842.
Do. Do. 1911, - - - 1,640.
Do. estimated to middle of 1914, 1,499.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	2	3	27	17	10
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	11	–	–	–	–	–
Deaths - - -	32	4	2	30	19	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·3	18·0	–
Marriage-rate - - - - - -	7·3	–	–
Death-rate—All Causes - - -	21·3	20·0	13·7
Do. —Phthisis - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	1	–	–	–	1	–	–	1	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	–	–	–	–	–	–	1	–	1	–	–	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	2	–	1	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	7	–	–	–	–	–	–	1	–	1	4	5
Diseases Ill-defined or Unknown -	4	1	–	–	–	–	–	–	–	–	–	2	3
Total - - - -	19	11	3	–	–	1	1	1	2	1	2	8	11

YEAR 1914.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Innerleithen** (Burgh).

Population—Census 1901, - - - 2,181.
Do. Do. 1911, - - - 2,547.
Do. estimated to middle of 1914, 2,539.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	4	2	30	18	12
Illegitimate Births -	4	1	0	3	3	0
Marriages - -	20	-	-	-	-	-
Deaths - - -	34	0	6	40	18	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·6	11·8	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - -	13·4	15·8	15·3
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	1	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	-	1	-	1	-	1
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	-	1	-	-	1	-	-	-	1	-	-
Cancer, Malignant Disease - -	2	5	-	-	-	-	-	-	-	1	2	4	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	-	3	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	7	-	-	-	-	-	-	-	1	1	6	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	18	22	-	4	-	1	1	-	2	2	10	11	9

YEAR 1914.
COUNTY—**Peebles.**
PUBLIC HEALTH DISTRICT—**Peebles** (Burgh).

Population—Census 1901, - - - 5,266.
Do. Do. 1911, - - - 5,579.
Do. estimated to middle of 1914, 5,411.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	3	5	91	42	49
Illegitimate Births -	1	0	4	5	3	2
Marriages - -	24	–	–	–	–	–
Deaths - - -	60	8	10	62	29	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·8	–
Marriage-rate - - - - - -	4·4	–	–
Death-rate—All Causes - - -	11·1	11·5	11·3
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	6	–	–	–	–	1	6	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	4	–	–	–	–	–	–	–	1	3	1	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	2	–	–	–	–	–	–	–	1	–	–	1	–
Bronchitis - - - - - -	2	3	–	1	–	–	–	–	–	–	1	–	3
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	–	–	1	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	–	–	1	–	1	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	1	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	11	12	–	–	–	–	–	–	3	1	5	8	6
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	29	33	2	1	–	–	1	7	7	4	15	12	13

YEAR 1914.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Peebles** (County District).

Population—Census 1901, . . . 7,619.
Do. Do. 1911, . . . 7,132.
Do. estimated to middle of 1914, 6,642.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	124	2	8	130	63	67
Illegitimate Births	8	0	3	11	3	8
Marriages	31	–	–	–	–	–
Deaths	81	8	7	80	40	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	18·7	19·6	–
Marriage-rate	4·7	–	–
Death-rate—All Causes	12·2	12·0	11·5
Do. —Phthisis	–	1·1	–
Do. —All Tuberculosis	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	2	–	–	–	1	1	1	2	–	2	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	1	–	–	–	–	1	–	1	–	–	–	–
Other Tuberculous Diseases	2	–	–	1	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	4	6	–	–	–	–	–	–	–	3	3	2	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	3	–	1	–	–	–	–	1	–	1	–	4
Bronchitis	–	5	1	–	–	–	–	–	–	1	1	2	–
Pneumonia (all forms)	2	1	–	–	–	–	1	–	1	–	1	–	–
Other Diseases of Respiratory Organs	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	–	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	17	–	2	1	–	1	1	–	7	2	8	5
Diseases Ill-defined or Unknown	1	1	–	–	–	–	–	–	–	–	–	1	1
Total	40	40	8	7	1	1	6	4	6	11	10	14	12

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Aberfeldy** (Burgh).

Population—Census 1901, - - - 1,508.
Do. Do. 1911, - - - 1,592.
Do. estimated to middle of 1914, 1,542.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	2	22	11	11
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	6	-	-	-	-	-
Deaths - - -	26	2	0	24	7	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·0	14·3	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - -	16·9	15·6	13·5
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—156.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	2	1	1
Cancer, Malignant Disease - -	-	4	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - -	1	2	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	2	7
Other Defined Diseases - - -	2	8	1	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	17	3	1	1	-	-	1	-	1	3	5	9

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Abernethy** (Burgh).

Population—Census 1901, - - - 623.
Do. Do. 1911, - - - 593.
Do. estimated to middle of 1914, 555.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	6	4
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	6	-	-	-	-	-
Deaths - - -	6	1	1	6	4	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·0	18·0	-
Marriage-rate - - - - -	10·8	-	-
Death-rate—All Causes - - -	10·8	10·8	8·2
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	4	2	-	-	1	-	-	-	1	-	-	2	2

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Alyth** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 1,860.
Do. estimated to middle of 1914, 1,738.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	16	14
Illegitimate Births -	4	0	0	4	2	2
Marriages - -	14	-	-	-	-	-
Deaths - - -	11	0	1	12	6	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·3	17·3	-
Marriage-rate - - - - -	8·1	-	-
Death-rate—All Causes - - -	6·3	6·9	5·7
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	1	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	4
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	6	6	2	-	-	-	-	-	-	2	2	2	4

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Auchterarder** (Burgh).

Population—Census 1901, - - - 2,308.
Do. Do. 1911, - - - 2,294.
Do. estimated to middle of 1914, 2,181.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	3	1	34	16	18
Illegitimate Births -	5	1	0	4	0	4
Marriages - ..	17	-	-	-	-	-
Deaths - - -	33	4	3	32	15	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	15·6	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - -	15·1	14·7	12·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	-	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	1	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	1	-	3
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	10	-	-	-	-	1	2	-	-	1	8	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	15	17	3	-	-	-	1	2	3	2	3	10	8

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Blairgowrie** (Burgh).

Population—Census 1901, - - - 3,378.
Do. Do. 1911, - - - 3,249.
Do. estimated to middle of 1914, 3,054.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	6	0	46	24	22
Illegitimate Births -	6	2	0	4	2	2
Marriages - -	21	-	-	-	-	-
Deaths - - -	46	3	3	46	18	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·0	15·1	-
Marriage-rate - - - - - -	6·9	-	-
Death-rate—All Causes - - -	15·1	15·1	12·3
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—152.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	5	-	-	-	-	-	-	-	3	-	2	3
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - - -	1	6	-	-	-	-	-	-	-	1	1	2	3
Organic Heart Disease - - -	-	2	1	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	-	-	-	-	-	-	-	-	-	1
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	3	2	5	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	-	-	-	-	-	-	-	1	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	6	8	-	-	-	-	-	3	-	2	1	4	4
Other Defined Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -													
Total - - - -	18	28	7	-	-	-	-	3	4	7	3	9	13

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Callander** (Burgh).

Population—Census 1901, - - - 1,458.
Do. Do. 1911, - - - 1,504.
Do. estimated to middle of 1914, 1,447.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	30	0	1	31	17	14
Illegitimate Births -	4	0	0	4	2	2
Marriages - -	7	–	–	–	–	–
Deaths - - -	21	1	5	25	6	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	21·4	–
Marriage-rate - - - - -	4·8	–	–
Death-rate—All Causes - - -	14·5	17·3	15·3
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—161.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	–	–	–	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	2	1	–	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	1	10	1	–	–	–	–	–	–	2	1	4	3
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	6	19	5	–	–	–	–	1	–	4	2	9	4

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Coupar-Angus** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,095.
Do. estimated to middle of 1914, 2,005.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	1	0	36	19	17
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	9	–	–	–	–	–
Deaths - - -	27	0	4	31	13	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·5	18·0	–
Marriage-rate - - - - -	4·5	–	–
Death-rate—All Causes - - -	13·5	15·5	12·4
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	4	–	–	–	–	–	–	1	–	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Bronchitis - - - - -	1	3	1	–	–	–	1	–	–	–	1	1	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	–	2	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	2	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	5	–	1	–	–	–	–	1	–	2	2	5
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	13	18	3	3	–	–	1	–	3	–	6	6	9

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Crieff** (Burgh).

Population—Census 1901, - - - 5,208.
Do. Do. 1911, - - - 5,571.
Do. estimated to middle of 1914, 5,418.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	4	2	85	45	40
Illegitimate Births -	11	1	2	12	4	8
Marriages - -	32	-	-	-	-	-
Deaths - - -	76	9	6	73	28	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·1	15·7	-
Marriage-rate - - - - - -	5·9	-	-
Death-rate—All Causes - - -	14·0	13·5	11·9
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·1.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	10	-	-	-	-	-	-	-	2	3	6	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	1	-	-	1	2	-	2	1
Bronchitis - - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - -	5	7	2	-	-	-	-	-	2	1	-	4	3
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	-	1	-	1	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	3	1	-	1	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	11	1	-	-	-	-	-	-	2	5	7	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	28	45	10	2	1	1	1	1	4	8	9	24	12

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Doune** (Burgh).

Population—Census 1901, - - - 930.
Do. Do. 1911, - - - 893.
Do. estimated to middle of 1914, 839.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	1	20	15	5
Illegitimate Births -	0	0	1	1	0	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	18	2	1	17	7	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·6	23·8	-
Marriage-rate - - - - - -	6·0	-	-
Death-rate—All Causes - - -	21·5	20·3	18·7
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—150.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	2	-	-	-	-	-	-	-	-	1	3	2
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	1	-	1	1	3
Other Defined Diseases - - -	1	5	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	10	3	-	-	-	-	-	1	-	3	5	5

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Dunblane** (Burgh).

Population—Census 1901, - - - 2,516.
Do. Do. 1911, - - - 2,978.
Do. estimated to middle of 1914, 2,980.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	1	1	47	25	22
Illegitimate Births -	5	0	0	5	3	2
Marriages - -	15	-	-	-	-	-
Deaths - - -	35	1	5	39	18	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·8	15·8	-
Marriage-rate - - - - -	5·0	-	-
Death-rate—All Causes - - -	11·7	13·1	12·1
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	-	-	1	1	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	-	1	4	1
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	8	1	-	-	-	1	-	-	3	1	4	5
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	-	1	-	1	1
Total - - - -	18	21	3	3	-	1	1	-	1	5	3	11	11

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Perth** (Burgh).

Population—Census 1901, - - - 33,995.
Do. Do. 1911, - - - 35,854.
Do. estimated to middle of 1914, 35,087.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	708	30	12	690	327	363
Illegitimate Births -	54	14	5	45	25	20
Marriages - -	313	–	–	–	–	–
Deaths - - -	554	91	21	484	221	263

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·2	19·7	–
Marriage-rate - - - - - -	8·9	–	–
Death-rate—All Causes - - -	15·8	13·8	13·5
Do. —Phthisis - - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	2	–	–	–	1	–	2	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	1	1	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	3	1	2	–	1	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - - -	–	2	–	–	–	–	–	1	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	22	14	–	–	–	–	6	8	12	9	1	–	–
Tuberculous Meningitis - - -	5	4	–	2	4	–	2	–	1	–	–	–	–
Abdominal Tuberculosis - - -	5	3	2	3	–	–	–	1	2	–	–	–	–
Other Tuberculous Diseases - -	6	6	1	1	2	2	3	2	–	–	–	1	–
Cancer, Malignant Disease - -	15	22	–	–	–	–	–	–	1	5	14	7	10
Rheumatic Fever - - - - -	1	1	–	–	–	–	–	–	–	1	1	–	–
Meningitis - - - - - -	1	1	1	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	23	36	–	–	–	–	1	1	6	9	13	17	12
Bronchitis - - - - - -	15	20	–	1	–	–	–	–	1	3	8	12	10
Pneumonia (all forms) - - -	17	21	6	6	–	1	3	3	3	4	3	4	5
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	1	–	1	–
*Diarrhœa and Enteritis (under 2 years)	3	3	4	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	1	–	–	–	1	1	–	1	–	–	–	1
All Liver Diseases (not Malignant) -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	9	–	–	2	–	–	1	4	5	2	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	–	4	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	15	16	31	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	8	3	–	2	–	–	1	2	–	1	3	2	–
Suicide - - - - - - -	2	1	–	–	–	–	–	–	1	–	1	1	–
Other Defined Diseases - - -	62	77	8	4	1	1	3	2	12	14	16	37	41
Diseases Ill-defined or Unknown -	4	9	–	4	–	–	1	–	1	3	1	3	–
Total - - - -	221	263	55	30	10	8	21	28	46	56	63	87	80

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Rattray** (Burgh).

Population—Census 1901, - - - 2,019.
Do. Do. 1911, - - - 1,730.
Do. estimated to middle of 1914, 1,558.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	1	2	29	15	14
Illegitimate Births -	6	1	2	7	4	3
Marriages - -	4	–	–	–	–	–
Deaths - - -	23	0	4	27	16	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·0	18·6	–
Marriage-rate - - - - -	2·6	–	–
Death-rate—All Causes - - -	14·8	17·3	14·3
Do. —Phthisis - - - -	-	1·3	–
Do. —All Tuberculosis - -	-	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—24·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	1	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	–	–	1	2	1
Bronchitis - - - - -	3	–	1	1	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	5	–	–	–	–	–	–	–	1	–	5	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	16	11	3	2	–	1	1	–	1	2	3	8	6

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Blairgowrie** (County District).

Population—Census 1901, - - - 9,963.
Do. Do. 1911, - - - 9,830.
Do. estimated to middle of 1914, 9,321.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	194	6	5	193	93	100
Illegitimate Births -	24	2	1	23	11	12
Marriages - ..	47	-	-	-	-	-
Deaths - - -	95	3	15	107	55	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·8	20·7	-
Marriage-rate - - - - - -	5·0	-	-
Death-rate—All Causes - - -	10·2	11·5	10·1
Do —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	-	1	1	-	3	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	1	-	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - -	8	12	-	1	-	-	-	-	1	3	1	9	5
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	6	-	-	-	-	-	-	-	1	-	8	3
Bronchitis - - - - - -	3	3	3	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	5	3	-	-	1	-	-	-	2	1	2	1	1
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	1	-	-	-	1	-	1	1	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	2	-	-	-	-	-	1	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	15	14	2	-	-	1	-	-	1	3	2	6	14
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	1	1	-
Total - - - -	55	52	15	4	1	2	3	2	8	13	7	27	25

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Central Perth** (County District).

Population—Census 1901, - - - 11,099.
Do. Do. 1911, - - - 10,417.
Do. estimated to middle of 1914, 9,710.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	193	7	15	201	103	98
Illegitimate Births -	19	2	6	23	13	10
Marriages - -	54	-	-	-	-	-
Deaths - - -	130	9	20	141	77	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·9	20·7	-
Marriage-rate - - - - - -	5·6	-	-
Death-rate—All Causes - - -	13·4	14·5	12·4
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Influenza - - - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	2	-	-	-	-	1	2	3	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	7	-	-	-	1	-	1	1	2	2	7	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Organic Heart Disease - - -	6	4	-	-	-	-	-	-	-	1	1	3	5
Bronchitis - - - - - -	8	4	2	-	1	-	-	-	2	-	-	3	4
Pneumonia (all forms) - - -	4	1	1	1	1	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	-	4	-	1	-	-	-	-	1	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	1	-	2	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	4	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	-	1	-	-	-	-	-	1	-	2	2
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	25	27	-	1	1	-	1	1	3	4	4	11	26
Diseases Ill-defined or Unknown -	2	1	-	-	-	1	-	-	-	1	-	1	-
Total - - - - -	77	64	13	5	5	2	4	7	10	13	11	28	43

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Highland Perth** (County District).

Population—Census 1901, - - - 13,389.
Do. Do. 1911, - - - 12,900.
Do. estimated to middle of 1914, 12,135.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	178	6	9	181	94	87
Illegitimate Births -	23	3	3	23	11	12
Marriages - -	40	-	-	-	-	-
Deaths - - -	165	31	20	154	74	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·7	14·9	-
Marriage-rate - - - - - -	3·3	-	-
Death-rate—All Causes - - -	13·6	12·7	10·6
Do —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	1	-	-	3
Influenza - - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	2	-	-	3	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	14	9	-	-	-	-	-	-	-	5	4	8	6
Rheumatic Fever - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-		-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	17	-	-	-	-	-	-	-	-	1	10	16
Bronchitis - - - - -	1	6	1	-	-	-	-	-	-	-	1	1	4
Pneumonia (all forms) - - -	4	-	-	1	-	-	-	-	-	-	-	1	2
Other Diseases of Respiratory Organs	-	2	-	-	-	1	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	5	1	-	-	-	-	-	-	1	2	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	-	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	4	-	-	1	-	4	-	1	-	1	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	24	21	-	-	1	2	1	4	1	4	2	12	18
Diseases Ill-defined or Unknown -	1	7	1	-	-	-	-	-	1	-	2	1	3
Total - - - -	74	80	11	1	2	5	9	5	4	14	13	36	54

YEAR 1914.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Perth** (County District).

Population—Census 1901, - - - 20,683.
Do. Do. 1911, - - - 20,852.
Do. estimated to middle of 1914, 19,920.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	444	18	34	460	245	215
Illegitimate Births -	31	3	10	38	19	19
Marriages - -	103	-	-	-	-	-
Deaths - - -	226	5	50	271	129	142

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·3	23·1	-
Marriage-rate - - - - - -	5·1	-	-
Death-rate—All Causes - - -	11·3	13·6	11·9
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	8	-	-	-	1	2	5	2	2	-	-	-
Tuberculous Meningitis - - -	3	2	1	2	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	3	-	1	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	1	-	-	-	-	1	1	-	-	-	-
Cancer, Malignant Disease - -	14	16	-	-	-	-	-	-	2	5	8	8	7
Rheumatic Fever - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-
Meningitis - - - - - -	3	3	3	2	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	17	16	-	-	-	-	-	-	2	3	6	7	15
Bronchitis - - - - - -	5	6	4	-	-	-	-	-	1	1	2	1	2
Pneumonia (all forms) - - -	7	6	3	1	-	-	-	1	1	-	2	3	2
Other Diseases of Respiratory Organs	1	2	-	1	-	-	-	-	2	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	3	-	-	1	-	-	1	-	1	2	2	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	4	9	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	3	-	1	-	-	1	-	2	1	3	1	2
Suicide - - - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-
Other Defined Diseases - - -	42	55	3	3	-	3	1	4	4	7	7	15	50
Diseases Ill-defined or Unknown -	1	6	-	-	-	-	1	-	-	-	1	2	3
Total - - - -	129	142	29	16	3	5	10	15	19	21	31	41	81

YEAR 1914.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Western Perth** (County District).

Population—Census 1901, - - - 10,177.
Do. Do. 1911, - - - 10,130.
Do. estimated to middle of 1914, 9,634.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Female
Births - - -	194	5	10	199	98	101
Illegitimate Births -	17	2	3	18	10	8
Marriages - -	43	-	-	-	-	-
Deaths - - -	124	9	21	136	62	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·1	20·7	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - -	12·9	14·1	13·5
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	3	-	-	-	-	3	3	2	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	-	-	-	1	-	-	-	2	-	-	-
Cancer, Malignant Disease - -	2	10	-	-	-	-	-	-	1	3	4	3	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	10	-	-	-	-	1	1	2	-	1	6	8
Bronchitis - - - - -	1	6	-	-	-	-	-	-	-	-	1	4	2
Pneumonia (all forms) - - -	4	5	3	1	-	-	-	-	1	1	1	2	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	-	-	-	1	-	-	-	-	-	1	1	1
Puerperal Sepsis - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	6	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	3	-	1	-	-	-	-	1	-	1	-	1
Suicide - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	17	19	3	-	1	-	1	-	1	2	5	9	14
Diseases Ill-defined or Unknown -	2	3	-	-	-	-	-	-	-	-	-	3	2
Total - - - -	62	74	21	4	2	1	8	8	8	9	16	29	30

YEAR 1914.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Barrhead** (Burgh).

Population—Census 1901, - - - 9,855.
Do. Do. 1911, - - - 11,387.
Do. estimated to middle of 1914, - 11,319.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	301	6	7	302	145	157
Illegitimate Births -	13	2	0	11	6	5
Marriages - -	54	–	–	–	–	–
Deaths - - -	142	3	20	159	86	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·6	26·7	–
Marriage-rate - - - - - -	4·8	–	–
Death-rate—All Causes - - -	12·5	14·0	15·7
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	4	4	2	6	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	4	–	–	–	–	5	1	4	2	–	–	–
Tuberculous Meningitis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	2	1	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	3	4	1	2	1	1	1	–	1	–	–	–	–
Cancer, Malignant Disease - -	4	6	–	–	–	–	–	1	1	2	4	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	2	–	1	1	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	9	10	–	–	–	–	–	1	1	5	5	6	1
Bronchitis - - - - - -	3	2	2	–	–	–	–	–	–	–	1	1	1
Pneumonia (all forms) - - -	9	2	–	4	2	–	–	2	–	–	1	2	–
Other Diseases of Respiratory Organs	3	–	1	1	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	1	–	–	1	–	–	1	–	1	1	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	4	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	1	–	–	–	–	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	19	26	1	1	–	1	1	5	4	3	13	7	9
Diseases Ill-defined or Unknown -	5	–	1	2	–	–	–	–	1	–	1	–	–
Total - - - - -	86	73	23	20	6	2	8	12	12	15	28	21	12

YEAR 1914.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Gourock** (Burgh).

Population—Census 1901, - - - 5,261.
Do. Do. 1911, - - - 7,442.
Do. estimated to middle of 1914, 7,763.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	190	8	4	186	109	77
Illegitimate Births -	12	6	3	9	6	3
Marriages - -	39	–	–	–	–	–
Deaths - - -	96	6	9	99	45	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·5	24·0	–
Marriage-rate - - - - - -	5·0	–	–
Death-rate—All Causes - - -	12·4	12·8	13·0
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	3	–	1	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	2	–	–	–	–	–	–	–	1	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	5	–	–	–	1	2	2	–	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	8	–	–	–	–	–	–	3	1	2	1	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	4	–	–	–	–	–	–	1	–	2	2	–
Bronchitis - - - - - -	1	3	1	1	–	–	–	–	–	–	1	–	1
Pneumonia (all forms) - - -	5	1	1	1	–	–	1	1	–	1	1	–	–
Other Diseases of Respiratory Organs	3	1	–	2	2	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	1	2	–	1.	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	1	–	–	–	–	–	1	–	1	–	2	–
Suicide - - - - - - -	2	–	–	–	–	–	–	–	1	–	1	–	–
Other Defined Diseases - - -	15	21	–	–	–	–	1	–	3	4	5	9	14
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	–	1	–	–	2
Total - - - - -	45	54	7	9	4	1	4	5	10	9	13	16	21

YEAR 1914.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

Population—Census 1901, - - - 68,911.
Do. Do. 1911, - - - 75,140.
Do. estimated to middle of 1914, 77,642.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,539	15	26	2,550	1,300	1,250
Illegitimate Births -	127	5	9	131	67	64
Marriages - -	662	–	–	–	–	–
Deaths - - -	1,428	67	40	1,401	736	665

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·7	32·8	–
Marriage-rate - - - - - -	8·5	–	–
Death-rate—All Causes - - -	18·4	18·0	18·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	2	1	–	–	1	1	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	14	15	8	21	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	4	–	1	1	–	1	1	1	–	–	–	–
*Whooping-cough - - - - -	11	15	13	13	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	4	1	7	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	3	4	1	–	–	–	–	–	–	–	4	1	1
Erysipelas - - - - - -	4	1	–	–	–	–	–	1	–	2	–	1	1
Phthisis, Pulmonary Tuberculosis -	52	26	1	2	1	–	15	23	12	20	3	1	–
Tuberculous Meningitis - - -	13	18	8	16	6	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	10	12	4	11	3	–	2	–	1	–	–	1	–
Other Tuberculous Diseases - -	13	7	3	4	2	2	6	2	1	–	–	–	–
Cancer, Malignant Disease - -	35	45	–	–	–	–	1	2	11	17	25	17	7
Rheumatic Fever - - - - -	2	3	–	–	1	–	–	1	1	1	1	–	–
Meningitis - - - - - -	11	13	6	9	1	–	4	2	1	1	–	–	–
Organic Heart Disease - - -	43	75	–	–	2	2	2	4	6	15	33	35	19
Bronchitis - - - - - -	49	39	10	17	2	–	–	2	2	10	15	15	15
Pneumonia (all forms) - - -	90	56	28	34	2	2	11	5	10	11	17	15	11
Other Diseases of Respiratory Organs	8	11	2	3	–	–	1	1	1	3	3	3	2
*Diarrhœa and Enteritis (under 2 years)	25	27	40	12	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	9	6	1	–	3	6	1	1	1	1	–	1	–
All Liver Diseases (not Malignant) -	2	8	–	–	–	–	1	2	–	5	2	–	–
Other Diseases of Digestive System (under 2 years)	8	5	12	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	15	12	1	4	1	–	–	2	6	7	2	4	–
Puerperal Sepsis - - - -	–	4	–	–	–	–	1	3	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	13	–	–	–	–	3	7	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	68	39	107	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	56	11	5	1	4	1	12	11	15	7	6	4	1
Suicide - - - - - - -	1	1	–	–	–	–	–	1	–	1	–	–	–
Other Defined Diseases - - -	172	167	19	9	5	6	3	10	19	45	66	83	74
Diseases Ill-defined or Unknown -	14	22	6	4	–	–	–	2	2	3	2	13	4
Total - - - -	736	665	276	169	36	20	64	85	94	149	179	194	135

YEAR 1914.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Johnstone** (Burgh).

Population—Census 1901, - - 11,155.
Do. Do. 1911, - - 12,045.
Do. estimated to middle of 1914. 11,747.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	377	2	7	382	194	188
Illegitimate Births -	18	0	2	20	9	11
Marriages - -	96	-	-	-	-	-
Deaths - - -	173	0	33	206	110	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·1	32·5	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - -	14·7	17·5	19·3
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —141.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	3	5	4	3	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	4	1	-	-	-	6	3	3	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	3	1	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	1	2	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	5	-	-	-	-	-	-	1	-	2	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	1	-	1	-	-	-	-	-
Organic Heart Disease - - -	5	7	-	-	-	-	-	2	1	1	1	4	3
Bronchitis - - - - -	9	5	1	-	-	-	-	-	1	4	-	4	4
Pneumonia (all forms) - - -	8	5	2	1	2	-	-	1	1	1	2	-	3
Other Diseases of Respiratory Organs	3	-	1	1	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	4	6	10	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	4	3	4	1	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	2	3	5	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	6	-	-	-	-	2	-	1	-	1	1	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	2	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	7	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	1	-	-	1	-	1	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	29	26	3	2	1	1	2	3	2	3	6	19	13
Diseases Ill-defined or Unknown -	3	2	-	-	-	-	-	-	-	-	1	3	1
Total - - - -	110	96	54	14	6	5	13	13	11	10	16	36	28

YEAR 1914.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Paisley** (Burgh).

Population—Census 1901, - - - 79,363.
Do. Do. 1911, - - - 84,455.
Do. estimated to middle of 1914, 86,593.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,382	19	25	2,388	1,215	1,173
Illegitimate Births -	132	8	15	139	76	63
Marriages - -	630	–	–	–	–	–
Deaths - - -	1,380	52	40	1,368	675	693

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·5	27·6	–
Marriage-rate - - - - -	7·3	–	–
Death-rate—All Causes - - -	15·9	15·8	17·5
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	21	22	12	30	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	8	10	–	11	1	4	2	–	–	–	–	–	–
*Whooping-cough - - - -	18	12	15	14	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	3	–	6	2	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	4	2	–	–	–	–	–	–	–	–	4	–
Erysipelas - - - - -	3	3	2	–	–	–	–	1	–	1	1	–	1
Phthisis, Pulmonary Tuberculosis -	44	38	–	2	3	–	18	23	12	13	9	2	–
Tuberculous Meningitis - - -	6	5	1	7	1	1	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	7	7	2	4	3	–	3	1	1	–	–	–	–
Other Tuberculous Diseases - -	13	7	2	8	–	–	3	3	3	–	1	–	–
Cancer, Malignant Disease - -	33	50	–	–	–	–	1	1	11	21	20	15	14
Rheumatic Fever - - - -	1	7	–	–	1	3	2	–	–	2	–	–	–
Meningitis - - - - -	10	7	5	6	3	2	–	1	–	–	–	–	–
Organic Heart Disease - - -	46	67	–	–	2	2	6	9	10	11	29	24	20
Bronchitis - - - - -	51	50	27	11	–	1	–	1	6	6	13	19	17
Pneumonia (all forms) - - -	49	41	30	15	1	1	4	6	4	10	7	10	2
Other Diseases of Respiratory Organs	8	10	3	4	1	–	–	1	–	1	3	3	2
*Diarrhœa and Enteritis (under 2 years)	22	21	38	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	4	–	–	–	1	1	2	2	1	1	–	–
All Liver Diseases (not Malignant) -	2	11	–	–	–	–	–	–	3	1	3	3	3
Other Diseases of Digestive System (under 2 years)	8	10	15	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	19	17	1	–	1	2	3	2	3	8	6	9	1
Puerperal Sepsis - - - -	–	3	–	–	–	–	–	1	2	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	12	–	–	–	–	–	6	5	1	–	–	–
Congenital Debility and Malformation, including Premature Birth	76	51	124	2	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	27	13	3	8	7	–	–	2	6	7	4	2	1
Suicide - - - - - -	5	2	–	–	–	–	2	3	1	1	–	–	–
Other Defined Diseases - - -	178	196	33	10	5	3	13	15	22	41	65	74	93
Diseases Ill-defined or Unknown -	9	10	3	1	–	1	–	–	1	1	6	3	3
Total - - - -	675	693	318	147	34	21	58	79	92	126	168	168	157

YEAR 1914.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Port-Glasgow** (Burgh).

Population—Census 1901, - - - 16,857.
Do. Do. 1911, - - - 17,749.
Do. estimated to middle of 1914, 17,180.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	638	2	6	642	335	307
Illegitimate Births -	21	1	1	21	11	10
Marriages - -	124	-	-	-	-	-
Deaths - - -	304	7	30	327	162	165

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	37·1	37·4	-
Marriage-rate - - - - - -	7·2	-	-
Death-rate—All Causes - - -	17·7	19·0	20·7
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	5	2	5	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	12	5	10	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	19	-	1	-	1	8	9	2	4	1	-	-
Tuberculous Meningitis - - -	5	2	-	4	-	2	-	-	-	-	1	-	-
Abdominal Tuberculosis - - -	4	1	3	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	2	-	1	1	-	2	1	-	-	1	-	-
Cancer, Malignant Disease - -	8	9	-	1	-	-	-	-	3	5	4	4	-
Rheumatic Fever - - - - -	-	3	-	-	-	1	1	-	1	-	-	-	-
Meningitis - - - - - -	2	7	-	5	2	-	1	-	-	1	-	-	-
Organic Heart Disease - - -	15	10	-	-	1	-	1	2	2	5	6	5	3
Bronchitis - - - - - -	17	8	4	1	-	-	-	-	1	4	5	6	4
Pneumonia (all forms) - - - -	18	12	4	9	-	-	1	2	5	2	5	2	-
Other Diseases of Respiratory Organs	4	2	3	-	-	-	-	2	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	6	12	10	8	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	4	-	-	1	-	2	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	1	-	2	-
Other Diseases of Digestive System (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	1	-	1	-	-	-	2	1	-	-
Puerperal Sepsis - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	10	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	2	-	2	1	-	-	3	-	1	-	2	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	32	36	7	4	1	2	2	4	6	7	9	16	10
Diseases Ill-defined or Unknown -	4	4	-	2	-	-	-	-	1	1	2	2	-
Total - - - -	162	165	65	53	8	7	19	24	24	34	36	39	18

YEAR 1914.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

Population—Census 1901, - - - 9,296.
Do. Do. 1911, - - - 12,565.
Do. estimated to middle of 1914, 12,997.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	372	1	10	381	196	185
Illegitimate Births -	13	1	4	16	5	11
Marriages - -	65	-	-	-	-	-
Deaths - - -	122	4	39	157	88	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·6	29·3	-
Marriage-rate - - - - - -	5·0	-	-
Death-rate—All Causes - - -	9·4	12·1	13·6
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	4	2	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	-	-	4	4	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	1	-	-	-	-	1	-	2	1	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	4	-	3	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	2	-	-	-	-	1	1	1	1	2	1	-
Bronchitis - - - - - -	8	6	5	2	-	1	-	-	-	1	1	-	4
Pneumonia (all forms) - - - -	8	2	2	3	-	-	-	-	1	-	4	-	-
Other Diseases of Respiratory Organs	2	1	-	1	-	-	-	1	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	-	1	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	1	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	4	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	-	-	-	-	3	1	3	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	31	5	2	1	-	2	2	6	3	5	14	10
Diseases Ill-defined or Unknown -	3	1	1	-	-	-	-	-	1	1	-	-	1
Total - - - -	88	69	35	17	4	4	10	14	15	10	14	17	17

YEAR 1914.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Upper Renfrew** (County District).

Population—Census 1901, - - - 25,218.
Do. Do. 1911, - - - 34,541.
Do. estimated to middle of 1914, 35,783.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	792	23	21	790	406	384
Illegitimate Births -	38	9	8	37	21	16
Marriages - -	171	–	–	–	–	–
Deaths - - -	724	292	50	482	236	246

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	22·1	–
Marriage-rate - - - - - -	4·8	–	–
Death-rate—All Causes - - -	20·2	13·5	14·4
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	1	–	–	–	–	–	2	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	3	1	2	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	3	1	2	3	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	2	5	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	2	–	3	1	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	18	12	–	1	–	1	1	10	9	5	3	–	–
Tuberculous Meningitis - - -	1	3	1	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	1	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	3	–	1	1	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	12	23	–	–	–	–	–	1	1	9	14	7	3
Rheumatic Fever - - - -	1	1	–	1	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	6	1	–	4	2	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	17	32	–	–	1	–	–	1	5	8	9	18	7
Bronchitis - - - - - -	20	16	8	–	–	–	1	1	2	2	4	6	12
Pneumonia (all forms) - - -	11	15	9	3	2	–	1	–	3	1	5	1	1
Other Diseases of Respiratory Organs	7	3	3	–	–	–	–	–	–	–	1	2	4
*Diarrhœa and Enteritis (under 2 years)	8	–	7	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	4	–	–	–	1	1	–	1	–	1	–	1
All Liver Diseases (not Malignant) -	–	5	–	–	–	–	–	–	–	2	1	1	1
Other Diseases of Digestive System (under 2 years)	1	3	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	10	–	1	–	1	1	–	3	2	5	3	1
Puerperal Sepsis - - - -	–	2	–	–	–	–	1	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	3	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	20	16	35	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	19	3	1	1	4	–	4	2	3	2	3	1	1
Suicide - - - - - -	3	–	–	–	–	–	–	1	–	2	–	–	–
Other Defined Diseases - - -	64	74	4	1	1	–	2	2	9	15	23	38	43
Diseases Ill-defined or Unknown -	7	2	–	–	–	–	–	–	–	–	5	2	2
Total - - - -	236	246	80	25	17	4	15	23	41	48	74	79	76

YEAR 1914.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Lower Renfrew** (County District).

Population—Census 1901, - - - 21,969.
Do. Do. 1911, - - - 23,742.
Do. estimated to middle of 1914, 23,161.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	469	9	13	473	237	236
Illegitimate Births -	18	3	5	20	9	11
Marriages - -	104	–	–	–	–	–
Deaths - - -	330	39	40	331	152	179

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	20·4	–
Marriage-rate - - - - -	4·5	–	–
Death-rate—All Causes - - -	14·2	14·3	15·0
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	3	1	3	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	8	5	5	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	3	1	3	1	–	1	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	12	17	–	2	–	–	7	9	5	5	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	–	–	–	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	5	3	–	–	2	3	2	–	–	–	1	–	–
Cancer, Malignant Disease - -	11	14	–	–	–	–	–	1	2	5	8	5	4
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis - - - - -	1	3	2	1	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	12	20	–	–	–	–	–	–	–	3	6	14	9
Bronchitis - - - - -	11	7	4	1	1	–	–	–	1	–	1	4	6
Pneumonia (all forms) - - -	17	14	4	6	2	–	1	2	4	–	–	5	7
Other Diseases of Respiratory Organs	1	3	–	2	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	2	1	–	–	–	–	1	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	3	1	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	4	–	–	–	–	–	1	1	2	4	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	1	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	8	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	7	3	–	1	–	2	–	1	2	1	–	2
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	42	53	11	2	–	–	3	3	6	6	16	22	26
Diseases Ill-defined or Unknown -	7	3	–	1	–	–	–	–	1	1	2	3	2
Total - - - -	152	179	50	27	10	4	19	18	22	25	43	56	57

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Cromarty** (Burgh).

Population—Census 1901, - - - 1,242.
Do. Do. 1911, - - - 1,928.
Do. estimated to middle of 1914, 1,794.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	23	1	0	22	11	11
Illegitimate Births -	4	0	0	4	2	2
Marriages -	5	-	-	-	-	-
Deaths - - -	27	1	2	28	15	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·8	12·3	-
Marriage-rate - - - - - -	2·8	-	-
Death-rate—All Causes - - -	15·1	15·6	18·2
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—227.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	-	-	-	-	-	-	3	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	3	5	1	-	-	-	-	-	-	-	-	4	3
Pneumonia (all forms) - - -	1	2	2	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	†2	-	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	1	-	-	-	-	1	-	1	-	-	1	1
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	†15	13	5	1	-	2	1	4	2	1	1	6	4

† Including 1 of unstated age.

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Dingwall** (Burgh).

Population—Census 1901, - - - 2,519.
Do. Do. 1911, - - - 2,639.
Do. estimated to middle of 1914, 2,551.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	0	4	40	20	20
Illegitimate Births -	3	0	1	4	0	4
Marriages - -	32	–	–	–	–	–
Deaths - - -	58	19	5	44	17	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·1	15·7	–
Marriage-rate - - - - - -	12·5	–	–
Death-rate—All Causes - - -	22·7	17·2	15·4
Do. —Phthisis - - - -	–	2·7	–
Do. —All Tuberculosis - -	–	3·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	–	1	–	–	2	1	–	1	2	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	3	–	–	–	1	–	–	–	2	–	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	1	2	–	–	–
Bronchitis - - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	–	1	1
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	5	8	2	–	–	–	–	–	1	2	2	3	3
Diseases Ill-defined or Unknown -	1	4	–	–	–	–	–	–	–	–	–	3	2
Total - - - -	17	27	3	1	–	1	3	1	3	8	4	11	9

YEAR 1914.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Fortrose** (Burgh).

Population—Census 1901, - - - 1,065.
Do. Do. 1911, - - - 970.
Do. estimated to middle of 1914, 894.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	5	1	18	10	8
Illegitimate Births -	4	3	0	1	0	1
Marriages - -	1	–	–	–	–	–
Deaths - - -	28	10	1	19	4	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·6	20·1	–
Marriage-rate - - - - -	1·1	–	–
Death-rate—All Causes - - -	31·3	21·3	15·2
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	2	–	–	–	–	–	–	1	1	–	1	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	1	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	9	–	–	–	–	1	–	–	–	1	1	6
Other Defined Diseases - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Diseases Ill-defined or Unknown													
Total - - - -	4	15	1	–	1	–	2	1	1	1	2	3	7

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Invergordon** (Burgh).

Population—Census 1901, - - - 1,047.
Do. Do. 1911, - - - 1,051.
Do. estimated to middle of 1914, 1,002.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	0	0	25	12	13
Illegitimate Births -	3	0	0	3	0	3
Marriages - -	14	-	-	-	-	-
Deaths - - -	16	2	2	16	9	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·0	25·0	-
Marriage-rate - - - - - -	14·0	-	-
Death-rate—All Causes - - -	16·0	16·0	13·1
Do. —Phthisis - - - - -	-	3·0	-
Do. —All Tuberculosis - -	-	4·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	1	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	2	3	-	-	-	-	-	-	1	1	-	1	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	1	-	-	-	-	-
Total - - - -	9	7	2	-	-	1	-	4	2	2	-	1	4

YEAR 1914.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Stornoway** (Burgh).

Population—Census 1901, - - - 3,885.
Do. Do. 1911, - - - 3,806.
Do. estimated to middle of 1914, 3,600.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	0	1	66	31	35
Illegitimate Births -	2	0	1	3	1	2
Marriages - -	23	-	-	-	-	-
Deaths - - -	58	0	7	65	35	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·1	18·3	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	16·1	18·1	17·0
Do. —Phthisis - - - -	-	3·6	-
Do. —All Tuberculosis - -	-	4·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	1	-	2	1	1	-	1	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	6	-	-	-	1	3	2	1	2	3	-	1
Tuberculous Meningitis - - -	1	1	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	4	-	-	-	-	-	-	-	1	2	-	6
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	2	2	-	2	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory Organs	1	2	-	1	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	2	1	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	2	-	-	1	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	3	2	1	1	5
Other Defined Diseases - - -	5	9	1	1	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	35	30	6	6	2	3	7	4	5	7	7	3	15

YEAR 1914.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Population—Census 1901, - - - 1,645
Do. Do. 1911, - - - 1,599.
Do. estimated to middle of 1914, 1,509.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	0	22	10	12
Illegitimate Births -	4	0	0	4	1	3
Marriages - -	23	–	–	–	–	–
Deaths - - -	17	0	0	17	8	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·6	14·6	–
Marriage-rate - - - - -	15·2	–	–
Death-rate—All Causes - - -	11·3	11·3	9·0
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	1	–	–	–	–	–	–	1	1	–	1	1
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	5	–	1	–	–	–	–	1	–	1	1	5
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	1	–	–	1	–
Total - - - -	8	9	–	1	–	–	–	–	3	1	2	3	7

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

Population—Census 1901, - - - 6,331.
Do. Do. 1911, - - - 8,922.
Do. estimated to middle of 1914, 8,315.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	110	3	6	113	60	53
Illegitimate Births -	11	2	3	12	4	8
Marriages - -	16	-	-	-	-	-
Deaths - - -	72	2	13	83	43	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·3	13·6	-
Marriage-rate - - - - -	1·9	-	-
Death-rate—All Causes - - -	8·7	10·0	11·1
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—35.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	2	2	1	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	1	1	-	-	1	1	1
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	1	3	6	1
Organic Heart Disease - - -	5	7	-	-	-	-	-	-	-	-	1	-	2
Bronchitis - - - - -	4	1	2	-	-	-	-	-	1	-	1	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	1	2	1	-	1
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	-	1	-	1	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	16	-	-	-	1	1	-	1	4	2	8	16
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	2	-	-	1	-
Total - - - -	43	40	4	1	-	3	4	6	7	9	10	17	22

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

Population—Census 1901, - - - 11,181.
Do. Do. 1911, - - - 10,385.
Do. estimated to middle of 1914, 9,644.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	224	1	6	229	120	109
Illegitimate Births -	22	0	3	25	13	12
Marriages - -	36	–	–	–	–	–
Deaths - - -	154	5	9	158	81	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·2	23·7	–
Marriage-rate - - - - - -	3·7	–	–
Death-rate—All Causes - - -	16·0	16·4	12·4
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	2	–	1	–	–	–	–	1	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	4	7	–	–	–	–	4	–	2	1	2	1	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	9	5	–	–	–	–	–	1	1	–	4	5	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	6	1	–	–	–	–	–	–	1	–	8	6
Bronchitis - - - - - -	1	2	–	–	–	–	–	–	–	–	–	–	3
Pneumonia (all forms) - - -	9	6	2	3	–	–	–	2	–	–	1	4	3
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	–	–	2
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	1	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	4	–	–	–	–	–	–	–	–	1	2	3
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	2	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	–	–	–	–	–	–	1	–	1	1
Suicide - - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	30	28	1	1	1	1	3	1	1	6	4	17	22
Diseases Ill-defined or Unknown -	6	6	3	–	–	1	–	–	1	1	–	2	5
Total - - - -	81	77	15	5	1	1	8	6	7	10	14	41	50

YEAR 1914.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Lewis** (County District).

Population—Census 1901 - - - 25,064.
Do. Do. 1911, - - - 25,797.
Do. estimated to middle of 1914, 24,796.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	555	4	3	554	282	272
Illegitimate Births -	18	0	2	20	11	9
Marriages - -	81	-	-	-	-	-
Deaths - - -	353	2	4	355	165	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·4	22·3	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - -	14·2	14·3	12·0
Do. —Phthisis - - - -	-	2·5	-
Do. —All Tuberculosis - -	-	3·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15-	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	14	10	3	16	3	1	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	2	-	-	-	-	1	-	-	-	1	-	2
Erysipelas - - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	36	27	-	1	3	1	21	13	10	6	5	3	-
Tuberculous Meningitis - - -	-	2	-	-	-	-	1	-	1	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	7	4	-	-	-	2	4	1	2	-	2	-	-
Cancer, Malignant Disease - -	3	8	-	-	-	-	-	-	3	3	2	2	1
Rheumatic Fever - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	2	1	1	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	10	17	-	-	1	1	-	-	1	3	6	7	8
Bronchitis - - - - -	7	14	1	3	-	-	-	-	1	-	3	3	10
Pneumonia (all forms) - - -	8	15	4	2	-	1	-	-	1	6	1	6	2
Other Diseases of Respiratory Organs	4	3	-	1	-	-	-	-	-	1	2	-	3
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	3	-	-	-	-	-	1	2	1	2	3	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	2	1	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	5	-	3	2	2	-	1	-	-	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	51	55	4	1	2	1	2	-	1	1	13	11	70
Diseases Ill-defined or Unknown -	1	7	-	1	-	-	1	-	-	2	-	-	4
Total - - - -	165	190	22	31	13	10	32	20	24	24	39	37	103

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

Population—Census 1901, - - 12,953.
Do. Do. 1911, - - - 11,887.
Do. estimated to middle of 1914, 10,991.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	191	3	10	198	114	84
Illegitimate Births -	25	0	6	31	21	10
Marriages - -	19	–	–	–	–	–
Deaths - - -	211	4	28	235	98	137

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·4	18·0	–
Marriage-rate - - - - - -	1·7	–	–
Death-rate—All Causes - - -	19·2	21·3	15·4
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age.										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	2	1	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	11	–	–	–	1	4	5	4	2	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	12	15	–	–	–	–	–	–	–	3	8	11	5
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	2	2	–	1	–	1	1	1	–	–	–	–	–
Organic Heart Disease - - -	5	10	–	–	–	–	–	–	–	–	3	7	5
Bronchitis - - - - - -	3	4	–	–	–	–	–	–	–	–	1	1	5
Pneumonia (all forms) - - -	5	3	–	–	1	–	2	–	1	1	–	1	2
Other Diseases of Respiratory Organs	3	1	–	–	–	–	–	–	–	–	2	2	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	3	–	–	–	–	–	3	–	–	1	1	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	4	–	–	1	–	–	–	1	–	1	1	4
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	1	1	1	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	2	–	–	2	–	–	–	–	–	2	2	–
Suicide - - - - - - -	2	–	–	–	–	–	–	–	2	–	–	–	–
Other Defined Diseases - - -	36	55	1	–	–	2	1	2	5	9	6	17	48
Diseases Ill-defined or Unknown -	9	13	3	–	–	–	–	–	–	–	5	5	9
Total - - - -	98	137	11	5	4	4	10	12	14	16	30	50	79

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

Population—Census 1901, - - - 4,106.
Do. Do. 1911, - - - 3,622.
Do. estimated to middle of 1914, 3,300.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	0	2	53	22	31
Illegitimate Births -	6	0	0	6	1	5
Marriages - -	12	–	–	–	–	–
Deaths - - -	54	0	7	61	30	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·5	16·1	–
Marriage-rate - - - - - -	3·6	–	–
Death-rate—All Causes - - -	16·4	18·5	12·1
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	3	–	–	–	–	1	–	2	–	–	–	–
Tuberculous Meningitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	5	–	–	–	–	–	–	2	2	–	2	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	–	–	3	1	1
Bronchitis - - - - - -	–	2	1	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	2	–	–	–	–	–	–	2	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	–	1	1	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	16	10	–	1	1	–	–	–	1	1	2	5	15
Diseases Ill-defined or Unknown -	4	3	–	–	–	–	–	–	–	–	1	4	2
Total - - - - -	30	31	2	1	1	–	1	–	9	4	8	15	20

YEAR 1914.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1901, - - - 5,412.
Do. Do. 1911, - - - 4,753.
Do. estimated to middle of 1914, 4,330.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	0	1	56	30	26
Illegitimate Births -	3	0	1	4	2	2
Marriages - -	11	-	-	-	-	-
Deaths - - -	80	2	5	83	52	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·7	12·9	-
Marriage-rate - - - - -	2·5	-	-
Death-rate—All Causes - - -	18·5	19·2	11·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	-	-	1	3	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	-	1	-	1	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	2	-	-	2
Bronchitis - - - - -	3	-	-	-	-	-	-	1	-	-	1	-	1
Pneumonia (all forms) - - -	3	3	2	-	-	1	-	-	1	-	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	2	-	1	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	1	2	1	-	-	-	-
Suicide - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	21	19	-	-	-	1	-	-	-	2	2	4	31
Diseases Ill-defined or Unknown -	5	1	1	-	-	-	-	-	-	-	-	2	3
Total - - - -	52	31	5	2	-	2	1	6	7	6	5	8	41

YEAR 1914.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

Population—Census 1901, - - - 17,303.
Do. Do. 1911, - - - 16,877.
Do. estimated to middle of 1914, 15,941.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	285	7	3	281	146	135
Illegitimate Births -	28	3	1	26	11	15
Marriages - -	93	-	-	-	-	-
Deaths - - -	235	7	13	241	98	143

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·9	17·6	-
Marriage-rate - - - - - -	5·8	-	-
Death-rate—All Causes - - -	14·7	15·1	15·2
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	1	1	1
Influenza - - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	9	-	-	-	1	2	5	5	1	3	-	-
Tuberculous Meningitis - - -	3	1	1	2	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	16	-	-	-	-	-	-	2	3	3	8	5
Rheumatic Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	16	-	-	-	-	1	1	4	6	6	8	3
Bronchitis - - - - - -	4	13	2	-	-	-	-	-	-	-	-	6	9
Pneumonia (all forms) - - -	4	4	1	1	-	-	-	1	-	2	-	1	2
Other Diseases of Respiratory Organs	2	2	-	1	-	-	-	-	-	-	1	2	-
*Diarrhœa and Enteritis (under 2 years)	1	4	3	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	2	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	5	-	-	-	-	-	1	3	1	3	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	2	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	9	21	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	3	-	2	-	-	-	-	-	2	4	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	48	5	1	1	-	1	1	2	6	10	21	23
Diseases Ill-defined or Unknown -	4	3	1	-	-	-	-	-	-	-	-	4	2
Total - - - -	98	143	35	13	4	2	8	10	16	22	31	53	47

YEAR 1914.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Jedburgh** (Burgh).

Population—Census 1901, - - - 3,136.
Do. Do. 1911, - - - 2,752.
Do. estimated to middle of 1914, 2,502.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	2	2	28	16	12
Illegitimate Births -	2	1	1	2	1	1
Marriages - -	16	-	-	-	-	-
Deaths - - -	43	6	4	41	19	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	11·2	11·2	-
Marriage-rate - - - - - -	6·4	-	-
Death-rate—All Causes - - -	17·2	16·4	15·6
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	5	-	-	-	-	-	-	2	-	1	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	-	1	1	3
Bronchitis - - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1
Pneumonia (all forms) - - -	1	2	-	1	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	1	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	-	-	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	4	-	-	-	-	-	-	-	2	-	2	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	19	22	1	2	1	-	-	4	3	4	4	8	14

YEAR 1914.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Kelso** (Burgh).

Population—Census 1901, - - - 4,008.
Do. Do. 1911, - - - 3,982.
Do. estimated to middle of 1914, 3,784.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	1	5	83	51	32
Illegitimate Births -	5	0	0	5	3	2
Marriages - -	22	–	–	–	–	–
Deaths - - -	64	9	4	59	27	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·9	21·9	–
Marriage-rate - - - - - -	5·8	–	–
Death-rate—All Causes - - -	16·9	15·6	13·6
Do. —Phthisis - - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	2	–	–	–	–	–	2	2	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	2	–	–	–	–	–	–	–	1	–	4	–
Rheumatic Fever - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	4	–	–	–	–	–	–	–	2	1	2	1
Bronchitis - - - - - -	3	2	2	–	–	–	–	–	–	–	–	3	–
Pneumonia (all forms) - - -	1	2	1	–	–	–	–	–	1	–	1	–	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	1	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	–	1	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	12	2	–	–	–	1	2	–	–	1	4	10
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	1	–	1	–	–
Total - - - -	27	32	9	2	–	1	2	4	5	4	5	16	11

YEAR 1914.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Melrose** (Burgh).

Population—Census 1901, - - - 2,195.
Do. Do. 1911, - - - 2,166.
Do. estimated to middle of 1914, 2,053.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	14	1	1	14	8	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	6	–	–	–	–	–
Deaths - - -	41	19	1	23	10	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	6·8	6·8	–
Marriage-rate - - - - -	2·9	–	–
Death-rate—All Causes - - -	20·0	11·2	9·5
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	3	1	–	–	–	–	–	1	–	–	1	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	4	–	–	–	–	–	–	–	–	–	3	1
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	2	–	1	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	1	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	5	–	–	–	–	–	1	–	1	1	1	4
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	10	13	1	–	–	–	1	2	1	1	2	7	8

YEAR 1914.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Hawick** (County District).

Population—Census 1901, - - - 3,265.
Do. Do. 1911, - - - 3,258.
Do. estimated to middle of 1914, 3,101.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	2	1	48	21	27
Illegitimate Births -	4	0	0	4	3	1
Marriages - -	25	–	–	–	–	–
Deaths - - -	36	4	4	36	16	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·8	15·5	–
Marriage-rate - - - - -	8·1	–	–
Death-rate—All Causes - - -	11·6	11·6	11·3
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	1	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	–	3	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	1	2	–
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	7	–	–	–	–	1	1	–	1	2	5	7
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	16	20	2	1	–	1	2	2	1	1	6	11	9

YEAR 1914.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Jedburgh** (County District).

Population—Census 1901, - - - 5,257.
Do. Do. 1911, - - - 4,855.
Do. estimated to middle of 1914 4,499.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	0	4	101	56	45
Illegitimate Births -	12	0	1	13	8	5
Marriages - -	24	..	–	–	–	–
Deaths - - -	52	2	4	54	29	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·6	22·4	–
Marriage-rate - - - - - -	5·3	–	–
Death-rate—All Causes - - -	11·6	12·0	11·7
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	1	–	–	–	–	1	2	–	1	–	1	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	2	4	–	–	–	–	–	–	1	–	2	3	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	6	–	–	–	–	–	–	–	–	2	3	7
Bronchitis - - - - - -	1	1	–	–	–	–	–	1	–	–	–	–	1
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	–	–	–	–	1	2
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	1	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	1	–	–	–	–	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	7	1	–	–	–	–	–	1	3	4	3	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	29	25	4	1	–	–	2	4	2	5	10	12	14

YEAR 1914.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Kelso** (County District).

Population—Census 1901, - - - 6,653.
Do. Do. 1911, - - - 6,321.
Do. estimated to middle of 1914, 5,917.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	7	0	116	53	63
Illegitimate Births	24	1	0	23	8	15
Marriages - -	33	-	-	-	-	-
Deaths - - -	79	1	11	89	35	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	19·6	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - -	13·4	15·0	14·7
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	-	2	-	2	-	4	1	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	7	-	-	-	-	-	-	2	2	1	3	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	11	-	-	-	-	-	-	-	2	3	7	5
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	2	1	-
Pneumonia (all forms) - - -	-	3	1	-	-	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs	2	1	1	1	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	15	1	-	-	1	-	1	-	2	3	10	9
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	-	-	-	-	2
Total - - - -	35	54	6	3	3	1	5	1	4	8	13	25	20

YEAR 1914.

COUNTY—**Roxburgh**.

PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

Population—Census 1901, - - - 1,872.
Do. Do. 1911, - - - 1,934.
Do. estimated to middle of 1914, 1,862.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	1	1	34	15	19
Illegitimate Births -	6	1	0	5	4	1
Marriages - -	7	-	-	-	-	-
Deaths - - -	27	1	2	28	11	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	18·3	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - -	14·5	15·0	12·0
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	1	-	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	1	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	11	-	-	-	-	-	-	-	3	1	4	7
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	-	-	-	-	3
Total - - - -	11	17	2	-	-	-	1	2	-	4	2	6	11

YEAR 1914.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Melrose** (County District).

Population—Census 1901, - - - 5,115.
Do. Do. 1911, - - - 5,047.
Do. estimated to middle of 1914, 4,786.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	4	3	81	44	37
Illegitimate Births -	9	0	1	10	7	3
Marriages - -	16	–	–	–	–	–
Deaths - - -	71	1	5	75	36	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·1	16·9	–
Marriage-rate - - - - -	3·3	–	–
Death-rate—All Causes - - -	14·8	15·7	13·6
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	3	–	–	–	–	–	1	–	–	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	1	–	–	1	–	–
Cancer, Malignant Disease - -	1	9	–	–	–	–	–	–	–	3	2	2	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	5	–	–	–	–	–	–	–	–	–	3	6
Bronchitis - - - - -	4	1	1	–	–	–	–	–	–	–	1	2	1
Pneumonia (all forms) - - -	2	–	1	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	1	–	–	–	–	–	–	1	1	–	1	3
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	–	–	–	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	11	1	–	–	–	–	–	2	1	3	7	11
Diseases Ill-defined or Unknown -	–	3	–	–	–	–	–	–	–	–	1	–	2
Total - - - -	36	39	6	1	–	–	–	3	4	5	12	16	28

YEAR 1914.
COUNTY—**Selkirk.**
PUBLIC HEALTH DISTRICT—**Galashiels** (Burgh).

Population—Census 1901, - - - 13,615.
Do. Do. 1911, - - - 14,531.
Do. estimated to middle of 1914, 14,123.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	226	4	9	231	113	118
Illegitimate Births -	16	1	4	19	11	8
Marriages - -	74	-	-	-	-	-
Deaths - - -	194	12	13	195	90	105

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·0	16·4	-
Marriage-rate - - - - -	5·2	-	-
Death-rate—All Causes - - -	13·7	13·8	14·1
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	1	-	5	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	4	-	-	-	-	1	4	3	1	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	1	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	3	19	-	-	-	-	-	1	-	3	9	7	2
Rheumatic Fever - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-
Meningitis - - - - -	-	3	1	-	-	-	2	-	-	-	-	-	-
Organic Heart Disease - - -	13	14	-	-	-	1	-	-	-	3	9	10	4
Bronchitis - - - - -	7	6	-	-	-	-	-	-	-	-	4	3	6
Pneumonia (all forms) - - -	2	2	-	-	-	1	1	-	-	-	-	1	1
Other Diseases of Respiratory Organs	4	4	-	-	-	-	-	2	-	2	1	1	2
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	2	-	-	-	1	-	-	2	1	3	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	5	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	2	-	-	-	-	-	1	-	1	1	1	2
Suicide - - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - -	23	34	1	-	-	1	2	2	6	6	9	11	19
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	1	-	1	-
Total - - - -	90	105	19	7	-	6	7	11	14	19	38	38	36

YEAR 1914.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

Population—Census 1901, - - - 5,655.
Do. Do. 1911, - - - 5,886.
Do. estimated to middle of 1914, 5,677.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	0	1	82	43	39
Illegitimate Births -	6	0	1	7	5	2
Marriages - -	37	–	–	–	–	–
Deaths - - -	69	2	12	79	38	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·3	14·4	–
Marriage-rate - - - - -	6·5	–	–
Death-rate—All Causes - - -	12·2	13·9	13·5
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	–	–	–	–	1	1	3	1	1	1	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	9	–	–	–	–	–	1	1	2	4	2	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	5	–	–	1	–	–	–	–	1	2	2	1
Bronchitis - - - - -	2	–	1	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	2	2	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	1	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	16	–	1	–	–	1	1	2	–	4	11	10
Diseases Ill-defined or Unknown -	3	2	–	–	–	–	–	–	–	–	1	2	2
Total - - - -	38	41	6	2	1	–	2	3	6	7	13	21	18

YEAR 1914.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

Population—Census 1901, - - - 4,086.
Do. Do. 1911, - . . 4,184.
Do. estimated to middle of 1914, 4,014.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	0	2	67	44	23
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	16	–	–	–	–	–
Deaths - - -	45	2	5	48	26	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·2	16·7	–
Death-rate—All Causes - - -	4·0	–	–
Do. —Phthisis - - - -	11·2	12·0	12·0
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–
	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—30.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	1	–	2	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	–	–	–	–	–	–	–	1	–	2	1	–
Bronchitis - - - - -	2	1	–	–	–	–	–	–	–	–	–	3	–
Pneumonia (all forms) - - -	5	3	1	2	–	–	–	1	1	–	1	–	2
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	–	1	–	–	–	1	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	1	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	9	–	–	–	–	–	1	1	1	2	6	5
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	26	22	2	5	1	–	–	3	5	1	11	12	8

YEAR 1914.
COUNTY—**Shetland.**
PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

Population—Census 1901, - - - 4,281.
Do. Do. 1911, - - - 4.664.
Do. estimated to middle of 1914, 4,561.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	1	0	92	46	46
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	58	–	–	–	–	–
Deaths - - -	82	0	4	86	35	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·4	20·2	–
Marriage-rate - - - - -	12·7	–	–
Death-rate—All Causes - - -	18·0	18·9	15·5
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	3·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	6	6	5	3	–	–	1	1	1	1	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	1	–	2	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	–	–	–	1	3	1	1	1	–	–	–
Tuberculous Meningitis - - -	–	2	–	–	1	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	1	–	–	–	–	–	–	–	1	–	–	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	5	–	–	–	–	–	–	–	1	2	–	6
Bronchitis - - - - -	–	6	–	–	–	–	–	–	–	–	–	–	6
Pneumonia (all forms) - - -	3	2	1	–	–	–	–	–	–	1	–	2	1
Other Diseases of Respiratory Organs	1	–	–	–	1	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	2	–	–	–	–	–	1	1	–	1	–	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	8	15	1	–	–	–	–	1	1	2	2	5	11
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	–	1	1
Total - - - -	35	51	12	5	5	1	4	5	4	8	6	8	28

YEAR 1914.
COUNTY—**Shetland**.
PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 19,109.
Do. Do. 1911, - - - 18,543.
Do. estimated to middle of 1914, 17,485.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	286	2	5	289	160	129
Illegitimate Births -	16	0	1	17	10	7
Marriages - -	33	–	–	–	–	–
Deaths - - -	317	5	7	319	137	182

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·5	–
Marriage-rate - - - - -	1·9	–	–
Death-rate—All Causes - - -	18·1	18·2	12·5
Do. —Phthisis - - - -	–	1·1	
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	–	–	–	–	–	2	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	7	5	1	3	1	1	3	3	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	6	–	3	1	3	–	–	–	–	–	–	–
Influenza - - - - - -	4	7	2	2	–	1	–	–	–	1	1	–	4
Erysipelas - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	8	12	–	–	–	–	5	6	6	2	1	–	–
Tuberculous Meningitis - - -	–	2	–	–	–	–	1	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	3	3	–	–	–	–	1	2	1	1	1	–	–
Cancer, Malignant Disease - -	6	7	–	–	–	–	–	–	–	1	6	2	4
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Organic Heart Disease - - -	11	14	–	–	–	1	–	1	2	3	6	5	7
Bronchitis - - - - -	7	11	2	1	–	–	1	–	–	–	2	2	10
Pneumonia (all forms) - - -	5	4	1	2	–	–	–	1	–	–	–	–	5
Other Diseases of Respiratory Organs	1	2	–	–	–	–	–	–	–	1	–	2	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	1	–	–	1	–	1
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	4	–	–	–	–	–	1	–	–	1	2	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	–	1	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	5	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	4	1	–	1	1	–	2	1	–	–	–	3
Suicide - - - - - - -	2	1	–	–	–	–	–	–	1	–	1	1	–
Other Defined Diseases - - -	55	75	2	1	–	2	–	2	5	5	10	16	87
Diseases Ill-defined or Unknown -	12	10	2	–	–	–	1	–	–	2	4	8	5
Total - - - -	137	182	19	12	4	9	15	21	22	16	35	38	128

YEAR 1914.
COUNTY—**Shetland.**
PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 4,776.
Do. Do. 1911, - - - 4,704.
Do. estimated to middle of 1914, 4,457.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	2	1	82	42	40
Illegitimate Births -	4	0	1	5	4	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	67	0	4	71	23	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·6	18·4	-
Marriage-rate - - - - -	1·1	-	-
Death-rate—All Causes - - -	15·0	15·9	11·7
Do. —Phthisis - - - -	-	2·2	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	5	5	-	-	-	1	3	3	1	-	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	-	1	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	7	-	-	-	-	1	-	1	1	-	1	4
Bronchitis - - - - -	-	4	-	-	-	-	-	-	-	1	-	1	2
Pneumonia (all forms) - - -	3	-	-	-	-	-	-	2	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	24	-	-	-	-	-	1	1	2	3	4	21
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	23	48	1	1	-	1	4	6	4	6	7	11	30

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Bridge of Allan** (Burgh).

Population—Census 1901, - - - 3,240.
Do. Do. 1911, - - - 3,121.
Do. estimated to middle of 1914, 2,935.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	3	3	37	19	18
Illegitimate Births -	3	0	2	5	4	1
Marriages - -	17	–	–	–	–	–
Deaths - - -	35	3	17	49	22	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·6	12·6	–
Marriage-rate - - - - -	5·8	–	–
Death-rate—All Causes - - -	11·9	16·7	14·9
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza - - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Erysipelas - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	–	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	–	–	–	–	1	2	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	2	–	1	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	3	1	–	–	–	–	–	–	1	–	–	–	3
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	3	–	–	1	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	1	–	–	–	–	1	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	7	13	–	–	–	–	–	–	–	1	2	9	8
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	22	27	1	3	–	–	1	2	5	7	5	12	13

YEAR 1914.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Denny and Dunipace** (Burgh).

Population—Census 1901, - - - 5,288.
Do. Do. 1911, - - - 5,164.
Do. estimated to middle of 1914, 4,880.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	172	3	1	170	93	77
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	33	-	-	-	-	-
Deaths - - -	54	3	10	61	36	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	35·2	34·8	-
Marriage-rate - - - - - -	6·8	-	-
Death-rate—All Causes - - -	11·1	12·5	13·6
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	1	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	3	-	1	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	2	1	2	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	2	-	-	-	-	-	1	1	-	2	2	1
Bronchitis - - - - - -	2	1	1	-	-	-	-	1	-	-	1	-	-
Pneumonia (all forms) - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	6	-	-	1	2	-	-	-	1	3	4	4
Diseases Ill-defined or Unknown -	2	-	-	-	-	1	-	-	-	-	1	-	-
Total - - - -	36	25	14	5	3	3	1	4	5	2	10	7	7

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

Population—Census 1901, - - - 29,280.
Do. Do. 1911, - - - 33,574.
Do. estimated to middle of 1914, 34,066.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	892	10	19	901	448	453
Illegitimate Births -	53	2	7	58	34	24
Marriages - -	248	–	–	–	–	–
Deaths - - -	466	45	17	438	234	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution
Birth-rate - - - - - -	26·2	26·4	–
Marriage-rate - - - - -	7·3	–	–
Death-rate—All Causes - - -	13·7	12·9	14·1
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	2	1	2	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	4	-	2	2	-	-	-	1	-	-	-	-
*Whooping-cough - - - -	6	6	7	4	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	3	3	2	-	-	-	-	-	-	1	1	1	1
Phthisis, Pulmonary Tuberculosis -	22	13	-	-	2	2	10	5	8	6	1	1	-
Tuberculous Meningitis - - -	2	6	1	6	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	3	1	-	1	1	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	13	19	-	-	-	-	1	1	4	7	9	9	1
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	1	3	2	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	12	-	-	-	1	-	1	2	7	5	4	4
Bronchitis - - - - -	13	11	9	-	-	-	-	-	-	-	6	5	4
Pneumonia (all forms) - - -	42	14	11	11	3	-	4	4	7	1	8	4	3
Other Diseases of Respiratory Organs	3	2	1	-	-	-	1	-	-	-	-	1	2
*Diarrhœa and Enteritis (under 2 years)	5	5	7	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	1	-	-	-	1	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	4	-	-	-	-	-	2	1	3	1	-	-
Puerperal Sepsis - - - -	-	3	-	-	-	-	2	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	16	14	30	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	5	-	2	1	-	1	3	3	3	3	2	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	57	60	12	5	1	3	3	3	10	15	19	26	20
Diseases Ill-defined or Unknown -	11	5	2	1	-	-	-	1	1	1	4	5	1
Tota - - - -	234	204	88	40	14	7	25	24	41	45	57	58	39

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Grangemouth** (Burgh).

Population—Census 1901, - - - 8,999.
Do. Do. 1911, - - - 10,219.
Do. estimated to middle of 1914, 10,111.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	258	0	7	265	125	140
Illegitimate Births -	4	0	1	5	3	2
Marriages - -	49	-	-	-	-	-
Deaths - - -	121	2	18	137	78	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·5	26·2	-
Marriage-rate - - - - -	4·8	-	-
Death-rate—All Causes - - -	12·0	13·5	15·1
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	3	-	4	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	-	3	1	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	1	1	-	-	1	-	-	-
Cancer, Malignant Disease - -	6	6	-	-	-	-	-	1	1	2	2	4	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	4	1	-	-	1	-	-	2	3	4	3	3
Bronchitis - - - - - -	9	4	5	-	-	-	-	-	-	3	2	3	-
Pneumonia (all forms) - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	3	1	-	-	-	-	1	1	-	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-	2
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	6	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	2	-	-	-	1	3	-	2	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	15	18	2	1	1	1	1	-	6	2	8	6	5
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	1	-	-	1	1	-
Total - - - -	78	59	25	11	2	4	5	10	15	14	22	17	12

YEAR 1914.

COUNTY—**Stirling**.

PUBLIC HEALTH DISTRICT—**Kilsyth** (Burgh).

Population—Census 1901, - - - 7,292.
Do. Do. 1911, - - - 8,106.
Do. estimated to middle of 1914, 7,972.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	274	0	3	277	144	133
Illegitimate Births -	10	0	1	11	5	6
Marriages - -	55	-	-	-	-	-
Deaths - - -	115	3	12	124	63	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	34·4	34·7	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - -	14·4	15·6	16·5
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	8	-	-	1	1	6	1	2	2	1	-	-
Tuberculous Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	3	7	-	-	-	-	-	-	3	1	-	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	2	2	1
Bronchitis - - - - -	9	7	5	5	-	-	-	-	1	-	2	3	-
Pneumonia (all forms) - - -	3	4	1	3	1	-	1	-	1	-	-	-	-
Other Diseases of Respiratory Organs	5	-	1	1	-	1	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	6	5	8	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	6	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	2	-	-	-	2	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	11	3	2	-	-	1	-	3	1	4	4	6
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	63	61	28	22	3	3	12	4	11	4	14	14	9

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Stirling** (Burgh).

Population—Census 1901, - - 18,403.
Do. Do. 1911, - - 21,200.
Do. estimated to middle of 1914, 21,057.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	600	18	8	590	298	292
Illegitimate Births -	40	6	2	36	19	17
Marriages - -	204	–	–	–	–	–
Deaths - - -	432	63	25	394	204	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·5	28·0	–
Marriage-rate - - - - - -	9·7	–	–
Death-rate—All Causes - - -	20·5	18·7	18·9
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—147.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	3	–	–	–	1	1	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	3	7	4	5	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	6	8	6	6	2	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	2	–	4	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	14	12	–	2	2	1	7	3	7	2	1	1	–
Tuberculous Meningitis - - -	3	2	–	3	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	6	–	4	1	1	–	3	1	–	1	–	–
Other Tuberculous Diseases - -	4	2	1	2	–	–	1	–	1	–	1	–	–
Cancer, Malignant Disease - -	13	8	–	–	1	–	–	1	2	5	5	5	2
Rheumatic Fever - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	16	12	–	–	1	3	1	–	3	3	4	6	7
Bronchitis - - - - - -	18	24	8	5	–	–	–	–	–	4	7	12	6
Pneumonia (all forms) - - -	17	8	11	3	–	–	2	1	2	2	2	–	2
Other Diseases of Respiratory Organs	2	2	–	–	–	–	–	–	–	1	1	2	–
*Diarrhœa and Enteritis (under 2 years)	11	5	12	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	4	–	–	1	1	–	–	1	–	1	–	–
All Liver Diseases (not Malignant) -	4	–	–	–	–	–	–	–	–	1	–	2	1
Other Diseases of Digestive System (under 2 years)	2	1	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	1	–	1	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	18	34	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	12	4	–	2	–	–	3	2	3	4	2	–	–
Suicide - - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases - - -	46	54	8	1	1	–	1	5	7	14	18	16	29
Diseases Ill-defined or Unknown -	4	1	–	–	–	–	1	–	–	–	1	2	1
Total - - - -	204	190	87	43	14	7	18	17	30	36	45	48	49

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

Population—Census 1901, - - - 19,217.
Do. Do. 1911, - - - 26,203.
Do. estimated to middle of 1914, 27,119.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	835	11	20	844	422	422
Illegitimate Births -	25	1	9	33	22	11
Marriages - -	147	-	-	-	-	-
Deaths - - -	355	11	45	389	199	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·8	31·1	-
Marriage-rate - - - - - -	5·4	-	-
Death-rate—All Causes - - -	13·1	14·3	14·5
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	3	-	-	-	-	2	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	9	11	4	14	1	-	-	1	-	-	-	-	-
*Scarlet Fever - - - - - -	-	4	-	1	3	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	5	6	5	6	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	1	-	-	1	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	9	-	1	-	1	6	2	2	2	1	-	-
Tuberculous Meningitis - - -	3	-	-	1	-	-	1	-	-	-	-	1	-
Abdominal Tuberculosis - - -	4	4	1	4	-	-	2	-	-	-	1	-	-
Other Tuberculous Diseases - -	6	1	-	1	-	-	1	3	2	-	-	-	-
Cancer, Malignant Disease - -	14	6	-	-	-	-	-	1	2	1	6	8	2
Rheumatic Fever - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - - -	3	1	2	-	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	16	14	-	-	1	1	1	1	3	2	7	4	10
Bronchitis - - - - - -	14	15	9	6	-	-	-	1	-	-	4	4	5
Pneumonia (all forms) - - -	13	8	2	8	-	-	1	2	2	2	1	3	-
Other Diseases of Respiratory Organs	5	3	1	3	-	-	-	-	2	1	-	1	-
*Diarrhœa and Enteritis (under 2 years)	5	7	11	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	2	2	1	1	-
Puerperal Sepsis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	-	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	21	15	36	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	†14	6	1	1	2	-	-	3	5	2	1	4	-
Suicide - - - - - - -	1	2	-	-	-	-	-	-	1	-	2	-	-
Other Defined Diseases - - -	49	56	10	4	3	-	4	4	7	6	9	24	34
Diseases Ill-defined or Unknown -	5	5	1	-	-	-	1	2	1	1	1	2	1
Total - - - -	†199	190	85	52	11	3	25	21	32	19	35	52	53

† Including 1 of unstated age.

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

Population—Census 1901, - - - 39,474.
Do. Do. 1911, - - - 41,745.
Do. estimated to middle of 1914, 49,461.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,154	8	23	1,169	607	562
Illegitimate Births -	45	0	9	54	26	28
Marriages - -	225	–	–	–	–	–
Deaths - - -	558	127	61	492	265	227

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·5	28·9	–
Marriage-rate - - - - - -	5·6	–	–
Death-rate—All Causes - - -	13·8	12·2	13·0
Do. —Phthisis - - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	4	3	3	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	6	5	–	7	3	1	–	–	–	–	–	–	–
*Whooping-cough - - - - -	4	3	6	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	7	4	1	7	3	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	12	13	1	–	1	1	9	6	4	2	–	–	1
Tuberculous Meningitis - - -	4	4	–	5	–	1	–	2	–	–	–	–	–
Abdominal Tuberculosis - - -	3	5	2	1	1	–	2	–	1	–	1	–	–
Other Tuberculous Diseases - -	10	4	1	4	1	2	1	2	1	2	–	–	–
Cancer, Malignant Disease -	12	20	–	–	–	–	–	–	3	8	9	10	2
Rheumatic Fever - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - - -	2	4	2	2	–	–	1	–	–	1	–	–	–
Organic Heart Disease - - -	20	24	–	–	–	–	1	1	2	10	7	16	7
Bronchitis - - - - - -	8	12	5	–	–	–	–	–	1	3	2	5	4
Pneumonia (all forms) - - -	33	21	20	7	1	–	–	2	4	9	4	5	2
Other Diseases of Respiratory Organs	5	3	–	3	–	–	–	–	1	1	2	1	–
*Diarrhœa and Enteritis (under 2 years)	6	1	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	1	–	–	–	–	–	–	–	3	–	1	–
Other Diseases of Digestive System (under 2 years)	3	2	3	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	6	–	–	–	–	1	1	2	1	3	3	–
Puerperal Sepsis - - - -	–	2	–	–	–	–	–	2	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	1	1	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	18	15	32	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	23	5	2	4	3	–	9	3	1	2	1	2	1
Suicide - - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	65	56	17	1	2	1	3	1	9	15	17	31	24
Diseases Ill-defined or Unknown -	9	6	1	–	–	–	–	–	–	2	–	7	5
Total - - - -	265	227	102	49	16	7	30	21	33	60	46	81	47

YEAR 1914.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

Population—Census 1901, - - - 11,098.
Do. Do. 1911, - - - 11,659.
Do. estimated to middle of 1914, 11,277.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	215	6	10	219	114	105
Illegitimate Births -	10	2	4	12	7	5
Marriages - -	44	-	-	-	-	-
Deaths - - -	151	24	25	152	83	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·1	19·4	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - -	13·4	13·5	12·4
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	-	2	-	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	2	5	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	2	2	1	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	-	-	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	10	-	1	-	-	-	-	2	2	4	8	11
Bronchitis - - - - -	4	4	3	-	-	-	-	-	-	-	1	2	2
Pneumonia (all forms) - - -	4	6	1	1	1	-	-	1	-	1	3	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	2	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	1	1	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	2	-	1	-	-	-	1	3	1	1	1	2
Suicide - - - - - -	3	-	-	-	-	-	-	-	1	1	1	-	-
Other Defined Diseases - - -	25	26	2	1	-	-	-	2	2	6	9	17	12
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	-	1	-	-	2
Total - - - -	83	69	17	7	2	4	3	8	12	13	20	32	34

YEAR 1914.
COUNTY—**Sutherland.**
PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

Population—Census 1901, - - - 624.
Do. Do. 1911, - - - 741.
Do. estimated to middle of 1914, 742.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	0	1	15	5	10
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	2	-	..	-	-	-
Deaths - - -	10	1	0	9	2	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·9	20·2	-
Marriage-rate - - - - -	2·7	-	-
Death-rate—All Causes - - -	13·5	12·1	11·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	5	-	-	..	-	-	-	1	2	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	..
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	1	-	-	-	-	1	-	-	-	-	-	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	2	7	-	-	-	-	1	-	1	2	3	-	2

YEAR 1914.

COUNTY—**Sutherland.**

PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

Population—Census 1901, - - - 20,816.
Do. Do. 1911, - - - 19,438.
Do. estimated to middle of 1914, 18,087.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	331	2	2	331	163	168
Illegitimate Births -	27	0	0	27	12	15
Marriages - -	38	–	–	..	–	–
Deaths - - -	302	1	9	310	146	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·3	18·3	–
Marriage-rate - - - - -	2·1	–	–
Death-rate—All Causes - - -	16·7	17·1	12·1
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	2	–	1	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	2	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	3
Phthisis, Pulmonary Tuberculosis -	16	12	–	–	–	–	9	8	4	3	3	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	16	8	–	–	–	–	–	–	1	1	7	9	6
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	–	5	1	1	1	–	–	2	–	–	–	–	–
Organic Heart Disease - - -	14	20	–	–	–	1	1	1	1	3	5	11	11
Bronchitis - - - - -	3	8	1	1	–	–	–	–	–	–	–	1	8
Pneumonia (all forms) - - -	9	13	5	2	–	–	–	–	3	2	–	2	8
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	1	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	1	2
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	–	1	1	–	2
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	4	–	1	–	–	1	1	2	1	1	1	1
Suicide - - - - - -	4	–	–	–	–	–	–	–	1	1	–	2	–
Other Defined Diseases - - -	55	70	1	1	1	–	1	3	3	7	5	27	76
Diseases Ill-defined or Unknown -	8	9	2	–	1	–	–	1	–	–	1	6	6
Total - - - -	146	164	16	11	5	3	14	17	17	20	24	62	121

YEAR 1914.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

Population—Census 1901, - - - 2,204.
Do. Do. 1911, - - - 2,063.
Do. estimated to middle of 1914, 1,921.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	3	1	32	16	16
Illegitimate Births -	3	1	1	3	1	2
Marriages - -	11	–	–	–	–	–
Deaths - - -	29	1	2	30	12	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·7	16·7	–
Marriage-rate - - - - -	5·7	–	–
Death-rate—All Causes - - -	15·1	15·6	13·8
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	3	–	–	–	–	–	–	–	1	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease -	1	4	–	–	–	–	–	–	–	–	2	2	1
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	–	–	–	–	–	1	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	6	–	–	–	–	–	–	1	1	1	5	5
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	12	18	1	–	–	–	1	–	1	2	6	10	9

YEAR 1914.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Stranraer** (Burgh).

Population—Census 1901, - - - 6,036.
Do. Do. 1911, - - - 6,444.
Do. estimated to middle of 1914, 6,263.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	129	8	3	124	68	56
Illegitimate Births -	12	4	0	8	3	5
Marriages - -	35	–	–	–	–	–
Deaths - - -	122	13	3	112	47	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	20·6	19·8	–
Marriage-rate - - - - - -	5·6	–	–
Death-rate—All Causes	19·5	17·9	16·0
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—185.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	3	2	2	3	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	–	–	2	–	–	–	–
Tuberculous Meningitis - - -	2	2	2	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	1	2	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	4	–	–	–	–	–	–	–	1	–	2	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	2	1	–	–	1	–	–	–	–	–	–	1
Organic Heart Disease - - -	7	8	–	–	–	–	1	–	–	–	3	10	1
Bronchitis - - - - - -	–	5	2	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	–	5	1	1	–	–	–	–	1	–	–	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	1	–	–	–	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	2	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	2	–	–	1	–	–	1	1	2	–	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	23	3	1	–	–	–	–	1	4	1	12	15
Diseases Ill-defined or Unknown -	1	–	–	1	–	–	–	–	–	–	–	–	–
Total - - - -	47	65	23	10	3	1	2	3	5	8	5	29	23

YEAR 1914.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Whithorn** (Burgh).

Population—Census 1901, - - - 1,188.
Do. Do. 1911, - - - 1,170.
Do. estimated to middle of 1914, 1,110.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	2	1	24	15	9
Illegitimate Births -	3	1	1	3	2	1
Marriages - -	4	–	–	–	–	–
Deaths - - -	17	0	0	17	9	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·5	21·6	–
Marriage-rate - - - - -	3·6	–	–
Death-rate—All Causes - - -	15·3	15·3	11·4
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	–	–	–	1	2
Bronchitis - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	5	–	–	–	–	–	–	–	–	1	1	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	9	8	3	2	–	–	–	–	–	–	3	3	6

YEAR 1914.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Wigtown** (Burgh).

Population—Census 1901, - - - 1,386.
Do. Do. 1911, - - - 1,369.
Do. estimated to middle of 1914, 1,299.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	0	1	28	14	14
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	1	–	–	–	–	–
Deaths - - -	20	0	4	24	10	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	21·6	–
Marriage-rate - - - - -	0·8	–	–
Death-rate—All Causes - - -	15·4	18·5	15·5
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	–	–	2	1	–
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	–	1	–	–	2
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	–	–	1	–	–	–	–	–	1	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	5	–	–	–	–	–	1	1	1	1	2	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	10	14	2	–	–	1	–	1	3	3	4	4	6

YEAR 1914.
COUNTY—**Wigtown**.
PUBLIC HEALTH DISTRICT—**Machars** (County District).

Population—Census 1901, - - - - 9,186.
Do. Do. 1911, - - - - 8,853.
Do. estimated to middle of 1914, 8,329.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	214	7	5	212	113	99
Illegitimate Births -	34	2	3	35	23	12
Marriages - -	50	-	-	-	-	-
Deaths - - -	123	1	8	130	57	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·7	25·5	-
Marriage-rate - - - - - -	6·0	-	-
Death-rate—All Causes - - -	14·8	15·6	13·6
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	2	1	1	-	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	1	8	-	-	-	-	-	-	2	2	1	3	1
Rheumatic Fever - - - - -	2	1	-	-	1	-	-	-	-	-	1	1	-
Meningitis - - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	15	-	-	-	-	-	-	-	3	3	5	11
Bronchitis - - - - - -	2	2	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	5	5	2	1	-	-	1	-	-	4	1	1	-
Other Diseases of Respiratory Organs	-	3	-	-	-	-	-	-	1	1	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	2	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	7	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	22	4	-	-	-	3	-	3	2	1	10	22
Diseases Ill-defined or Unknown -	2	2	-	1	-	-	-	-	-	-	-	1	2
Total - - - -	57	73	21	4	1	-	9	1	8	12	10	26	38

YEAR 1914.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Rhins** (County District).

Population—Census 1901, - - - 12,685.
Do. Do. 1911, - - - 12,099.
Do. estimated to middle of 1914, 11,341.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	280	1	14	293	156	137
Illegitimate Births -	49	0	6	55	27	28
Marriages - -	81	–	–	–	–	–
Deaths - - -	185	6	12	191	94	97

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·7	25·8	–
Marriage-rate - - - - -	7·1	–	–
Death-rate—All Causes - - -	16·3	16·8	15·3
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	9	–	–	–	–	6	4	–	1	2	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	–	1	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	4	7	–	–	–	–	–	–	1	3	1	4	2
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	1	2	1	1	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	10	12	–	–	–	–	–	–	–	1	4	8	9
Bronchitis - - - - -	2	7	1	1	–	–	–	–	1	–	–	3	3
Pneumonia (all forms) - - -	10	5	3	2	–	–	–	2	–	2	2	2	2
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	2	3	3	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	6	–	–	–	–	1	–	2	1	1	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	1	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	†6	5	1	1	–	–	1	–	2	2	1	1	1
Suicide - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	1
Other Defined Diseases - - -	36	31	2	3	2	–	3	2	–	4	10	10	31
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	–	1	1
Total - - - -	†94	97	25	13	3	1	11	11	8	15	21	31	51

† Including 1 of unstated age.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS IN SCOTLAND, 1914.

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Baltasound—	31	Jan.	...	43·3	36·0	39·7	...	50	31st	29	14th
T. Edmonston		Feb.	...	47·1	38·7	42·9	...	55	12th	31	19th
Saxby,		Mar.	...	43·8	35·6	39·7	...	50	1st, 25th	30	5th, 11th
L.R.C.S.,		Apl.	...	50·6	40·5	45·6	...	61	22nd	33	25th
Edinburgh.		May	...	51·0	40·2	45·6	...	60	27th	31	1st
		June	...	57·8	46·2	52·0	...	67	30th	38	29th
		July	...	61·7	50·5	56·1	...	69	8th, 19th	47	24th
		Aug.	...	...	...	...	...	...	...	...	...
		Sept.	...	...	...	...	...	...	...	...	...
		Oct.	...	...	...	...	...	...	...	...	...
		Nov.	...	45·3	38·6	42·0	...	54	9th	29	13th, 14th
		Dec.	...	42·1	35·8	39·0	...	48	2nd	29	22nd
		Year	...								
*Lerwick—	59	Jan.	29·771	43·8	37·1	40·5	+1·5	51	31st	31	5th, 7th
The Meteorological Office.		Feb.	29·246	46·1	38·8	42·5	+4·3	51	1st, 4th	32	20th
		Mar.	29·315	43·2	35·3	39·3	+0·7	48	31st	30	4th, 11th
		Apl.	29·728	48·5	40·7	44·6	+3·1	59	29th	34	25th
		May	29·861	48·8	40·3	44·6	−0·6	54	17th, 19th	31	1st
		June	29·921	54·7	46·5	50·6	+0·9	62	30th	41	1st, 2nd
		July	29·733	58·8	50·9	54·9	+2·1	66	10th	46	4th
		Aug.	29·831	57·8	52·1	55·0	+2·0	63	27th	49	14th, 19th
		Sept.	29·781	54·1	47·3	50·7	+0·1	61	7th, 8th, 10th	41	29th, 30th
		Oct.	29·926	50·2	45·7	48·0	+2·3	54	7th	40	2nd
		Nov.	29·583	45·6	39·4	42·5	+0·2	53	8th, 9th	29	13th, 14th
		Dec.	29·303	43·0	36·5	39·8	+0·2	49	2nd	28	13th
		Year	**29·667**			**46·1**		**66**		**28**	
Deerness—	163	Jan.	29·705	43·1	37·1	40·1	+1·1	50	31st	32	5th, 7th,
M. Spence.		Feb.	29·133	45·3	39·2	42·3	+3·8	51	2nd	35	17th, 18th
		Mar.	29·208	43·5	36·9	40·2	+0·9	49	31st	31	10th
		Apl.	29·648	50·1	41·4	45·8	+3·4	60	20th, 21st	34	30th
		May	29·777	50·4	41·3	45·9	−0·5	58	4th	34	1st
		June	29·827	55·6	46·8	51·2	−0·1	66	30th	42	1st, 6th, 7th
		July	29·604	57·9	50·7	54·3	+0·1	63	15th, 19th, 21st	46	4th
		Aug.	29·713	59·0	51·3	55·2	+1·2	66	23rd	48	8th
		Sept.	29·701	55·8	47·7	51·8	+0·3	63	6th	41	28th, 29th
		Oct.	29·803	52·1	46·3	49·2	+2·8	56	8th, 9th	41	2nd, 14th, 15th
		Nov.	29·473	46·6	39·8	43·2	+0·8	57	9th	31	13th, 14th, 15th
		Dec.	29·165	42·3	35·9	39·1	−0·6	49	2nd, 3rd	30	13th
		Year	**29·563**			**46·5**		**66**		**30**	
†Kirkwall—	72	Jan.	29·796	42·8	37·0	39·9	+0·4	51	31st	31	7th
A. G. Spence.		Feb.	29·222	45·9	38·7	42·3	+3·2	52	1st, 2nd	33	17th
		Mar.	29·298	44·7	36·2	40·5	+0·8	81	30th	29	9th, 10th
		Apl.	29·742	52·4	41·7	47·1	+3·6	67	22nd	32	25th
		May	29·869	52·2	41·2	46·7	−1·3	59	18th	33	1st 2nd 25th
		June	29·928	58·5	47·4	53·0	+0·1	69	30th	41	1st, 7th
		July	29·694	60·7	50·6	55·7	+0·7	71	15th	44	4th
		Aug.	29·795	61·3	51·3	56·3	+1·5	68	23rd, 27th	45	20th, 29th, 31st
		Sept.	29·788	57·4	47·9	52·7	+0·3	67	7th	41	29th
		Oct.	29·910	52·8	45·5	49·2	+2·1	58	9th	36	28th
		Nov.	29·582	46·6	40·1	43·4	+0·4	55	9th	27	15th
		Dec.	29·261	41·3	35·9	38·6	−2·2	49	2nd	27	23rd
		Year	**29·657**			**47·1**		**71**		**27**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog	Gale.	N	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	...	25	4·36	...	1·39	7*th*	3	7	1	...	...	0	4	...	...	...	...	...	...	...	...	...
...	...	...	...	...	27	3·98	...	0·85	22*nd*	0	2	0	...	...	1	7	...	...	...	...	...	...	...	...	...
...	...	...	...	...	29	3·87	...	0·51	5*th*	9	10	2	...	...	0	4	...	...	...	...	...	...	...	...	...
...	...	...	...	...	23	1·99	...	0·44	12*th*	3	4	0	...	...	2	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	24	3·15	..	0·78	30*th*	3	5	0	...	...	4	0	...	...	...	...	...	...	...	...	..
...	...	...	...	...	16	1·01	...	0·33	26*th*	1	1	0	...	...	10	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	19	2·58	...	0·85	23*rd*	0	0	5	...	...	13	0	4	14	12	16	6	2	4	2	2
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	..	...	...	...	29	6·48	...	0·86	1*st*	5	9	2	...	...	2	3	...	...	...	...	...	...	...	...	...
...	...	...	...	...	22	6·35	...	1·21	4*th*	1	2	0	...	...	0	5	...	...	...	...	...	...	...	...	...
40·9	2·2	·211	84	8·6	28	6·05	...	1·60	7*th*	3	2	1	0	18	0	13	3	2	1	8	17	13	10	6	2
43·3	2·1	·235	84	8·0	26	4·25	...	0·47	13*th*	1	2	0	0	11	0	10	0	0	2	20	20	7	4	1	2
39·1	2·0	·200	84	7·7	31	6·02	...	0·75	5*th*	11	8	0	0	9	0	5	3	3	7	15	7	8	10	8	1
44·4	2·1	·246	84	7·2	16	2·58	...	0·73	12*th*	0	3	0	1	7	0	2	1	1	3	12	14	14	9	5	1
44·4	2·4	·240	82	7·7	22	2·73	...	0·47	8*th*	2	3	0	0	11	2	2	7	5	1	7	13	11	8	6	4
49·9	1·8	·313	88	8·3	11	1·07	...	0·24	25*th*	0	1	0	0	15	9	0	6	5	2	6	12	8	12	5	4
53·8	1·4	·375	90	7·9	12	2·40	...	0·87	2*nd*	0	0	0	0	10	18	1	9	7	4	13	15	6	2	6	0
54·4	1·6	·378	90	7·5	18	1·85	...	0·36	23*rd*	0	0	0	0	14	6	0	3	6	4	10	19	7	10	1	2
50·5	2·0	·317	87	6·7	20	3·44	...	0·98	27*th*	0	0	0	0	7	3	2	9	5	1	2	14	14	7	7	1
48·5	1·9	·294	86	7·5	22	2·23	...	0·29	26*th*	0	0	0	0	10	3	1	2	1	1	14	20	7	4	8	5
42·9	2·0	·234	85	7·1	28	6·31	...	0·63	1*st*	3	1	0	0	7	1	4	8	3	5	7	10	9	8	8	2
40·7	2·6	·202	80	7·0	26	6·03	...	1·09	4*th*	3	3	0	0	10	0	8	7	9	6	10	10	9	4	3	4
					260	**44·96**		**1·60**																	
39·6	1·7	·210	86	7·3	17	3·58	+0·17	0·70	4*th*	2	4	1	2	15	0	1	3	1	1	8	19	12	11	5	2
42·0	1·5	·235	89	6·9	18	3·46	+0·60	0·57	18*th*	1	1	1	0	7	0	3	0	0	2	14	25	8	4	0	3
39·5	1·7	·209	86	6·2	24	3·82	+1·01	0·47	2*nd*	8	8	0	0	9	1	1	4	3	7	14	5	7	13	6	3
45·0	1·9	·255	86	6·0	14	1·24	−0·68	0·30	12*th*	0	1	0	1	8	1	0	5	0	1	13	11	12	11	3	4
45·5	2·5	·248	82	7·7	19	2·77	+0·85	0·67	8*th*	0	3	0	0	16	3	1	7	3	1	8	8	8	16	8	3
50·5	1·9	·319	87	7·8	11	0·92	−0·93	0·23	26*th*	0	0	0	1	15	15	0	7	6	2	5	5	4	11	8	12
53·8	1·5	·372	89	8·1	17	3·60	+0·75	1·52	24*th*	0	0	0	0	20	15	0	5	3	12	17	3	1	8	11	2
54·5	1·7	·376	89	7·5	16	1·59	−1·34	0·40	2*nd*	0	0	0	1	18	6	0	2	5	6	17	11	7	7	1	6
51·5	2·1	·326	86	7·1	18	3·14	−0·12	0·60	19*th*	0	1	0	0	14	6	2	6	2	1	9	9	10	9	10	4
49·0	1·7	·305	88	7·4	19	2·91	−1·37	0·52	4*th*	0	0	0	1	14	5	0	2	0	7	14	14	6	7	6	6
43·0	1·9	·236	85	7·4	28	4·47	+0·51	0·81	1*st*	3	5	0	0	13	2	2	5	3	7	7	10	9	11	6	2
39·0	2·2	·195	83	6·2	22	4·02	−0·14	0·66	6*th*	1	2	0	3	11	0	7	5	5	9	6	12	10	7	3	5
					223	**35·52**		**1·52**																	
39·9	1·7	·214	88	7·2	20	4·66	+0·71	0·71	4*th*	1	1	1	1	13	2	1	2	4	0	4	4	28	8	6	6
42·2	2·0	·227	85	6·0	22	3·95	+0·54	0·56	18*th*	0	2	0	2	5	1	2	0	0	0	12	10	26	4	2	2
40·6	2·1	·211	84	5·9	27	4·38	+1·05	0·54	2*nd*	3	4	0	0	9	1	2	2	2	2	16	8	0	14	14	4
47·3	1·8	·283	88	7·4	15	1·39	−0·75	0·33	22*nd*	0	0	0	0	10	1	1	2	2	0	6	8	16	16	6	4
48·0	1·8	·290	87	6·9	21	2·67	+0·88	0·60	8*th*	0	0	0	1	10	0	1	0	6	2	4	20	6	12	10	2
52·8	1·4	·361	90	8·0	11	0·81	−0·85	0·27	26*th*	0	0	0	0	13	8	0	2	10	6	4	12	6	0	18	2
56·0	1·8	·397	88	8·0	15	2·75	+0·14	0·62	24*th*	0	0	0	0	17	7	0	4	8	4	18	6	8	0	12	2
56·9	2·2	·398	86	7·0	15	1·31	−1·71	0·40	2*nd*	0	0	0	2	9	2	0	0	4	4	16	18	2	8	6	4
53·2	1·8	·355	88	7·4	21	3·26	−0·06	0·42	19*th*	0	0	0	0	8	2	3	4	6	4	6	4	10	20	6	0
49·6	1·1	·327	93	6·8	17	2·93	−1·29	0·62	4*th*	0	0	0	1	9	2	0	0	0	4	24	4	12	8	8	2
43·8	1·4	·255	89	7·7	26	5·64	+1·33	0·78	1*st*	4	0	1	0	13	0	4	4	6	6	6	4	14	12	8	0
38·7	2·0	·197	85	6·5	19	4·14	−0·50	0·51	6*th*	3	0	0	1	8	0	4	0	4	8	8	6	16	14	4	2
					229	**37·89**		**0·78**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Wick— The Meteorological Office.	94	Jan.	29·795	42·7	33·7	38·2	+0·4	51	31st	24	22nd
		Feb.	29·220	45·8	36·1	41·0	+3·1	54	2nd	32	17th
		Mar.	29·286	43·5	34·0	38·8	−0·7	53	31st	27	9th, 12th
		Apl.	29·738	51·4	39·9	45·7	+2·6	67	22nd	34	25th
		May	29·877	51·3	40·0	45·7	−1·6	58	14th, 18th, 21st	31	12th, 27th
		June	29·910	56·3	45·6	51·0	−1·2	70	30th	37	3rd
		July	29·687	57·9	50·4	54·2	−1·1	64	5th	46	4th, 24th, 30th
		Aug.	29·785	59·3	50·4	54·9	0·0	69	23rd	44	31st
		Sept.	29·795	56·2	46·2	51·2	−0·7	61	23rd, 30th	39	6th
		Oct.	29·883	53·2	43·0	48·1	+1·9	59	16th	33	28th
		Nov.	29·565	47·8	37·4	42·6	+0·9	59	26th	25	15th, 16th
		Dec.	29·245	42·3	32·9	37·6	−0·8	49	2nd	22	22nd, 23rd
		Year	**29·649**			**45·8**		**70**		**22**	
Dunrobin— D. Melville, for the Duke of Sutherland, K.G.	16	Jan.	29·908	43·2	33·2	38·2	0·0	51	24th, 30th	21	22nd
		Feb.	29·314	47·0	34·7	40·9	+2·1	55	2nd	29	20th
		Mar.	29·389	44·7	35·8	40·3	0·0	57	31st	28	9th
		Apl.	29·823	54·2	40·6	47·4	+3·6	71	20th	35	9th, 25th
		May	29·941	54·4	41·7	48·1	−0·1	63	14th	31	1st, 25th
		June	29·998	59·3	47·6	53·5	+0·3	72	30th	40	1st
		July	29·762	60·6	51·9	56·3	+0·2	72	21st	48	3rd 25th, 31st
		Aug.	29·860	62·0	50·5	56·3	+0·5	70	23rd	46	29th
		Sept.	29·885	58·1	45·8	52·0	−0·6	67	3rd	38	22nd, 28th
		Oct.	29·965	52·6	42·6	47·6	+0·9	58	5th	34	27th
		Nov.	29·653	47·3	34·8	41·1	−1·1	55	4th, 8th	24	18th
		Dec.	29·338	41·0	31·0	36·0	−2·7	48	3rd	22	22nd
		Year	**29·736**			**46·5**		**72**		**21**	
Fortrose— Archd. Thom.	69	Jan.	...	42·5	32·9	37·7	...	52	30th	22	22nd
		Feb.	...	46·8	36·7	41·8	...	54	1st, 2nd	30	19th
		Mar.	...	45·5	35·3	40·4	...	53	31st	28	9th
		Apl.	...	54·0	40·9	47·5	...	67	26th	31	15th
		May	...	53·2	41·9	47·6	...	62	31st	32	2nd, 25th
		June	...	59·5	48·1	53·8	...	67	29th	42	3rd, 7th, 8th
		July	...	64·0	52·3	58·2	...	71	4th	43	4th
		Aug.	...	63·8	52·8	58·3	...	71	14th	46	21st 29th,
		Sept.	...	58·2	46·6	52·4	...	66	24th	39	29th
		Oct.	...	53·2	43·8	48·5	...	61	7th, 12th	36	15th 16th 29th
		Nov.	...	45·4	38·0	41·7	...	56	8th	28	17th, 18th
		Dec.	...	40·8	32·5	36·7	...	47	16th 17th 25th	22	22nd
		Year				**47·1**		**71**		**22**	
Strathpeffer— The Meteorological Office.	210	Jan.	29·687	43·1	32·0	37·6	+0·9	54	31st	17	22nd
		Feb.	29·089	46·8	34·8	40·8	+3·6	56	2nd	28	21st
		Mar.	29·183	45·5	33·0	39·3	+0·2	55	31st	25	9th
		Apl.	29·626	56·5	39·5	48·0	+4·4	72	21st	32	9th
		May	29·752	57·0	40·2	48·6	+0·4	70	17th	28	2nd
		June	29·793	63·6	46·8	55·2	+1·1	77	17th	40	7th, 9th, 10th
		July	29·565	66·0	50·4	58·2	+1·7	76	12th	40	4th
		Aug.	29·657	65·2	49·6	57·4	+2·4	70	14th, 22nd	44	8th, 29th
		Sept.	29·695	61·5	45·8	53·7	+1·9	70	2nd	36	22nd
		Oct.	29·744	55·1	41·1	48·1	+2·9	63	7th	32	15th
		Nov.	29·444	47·3	36·2	41·8	+1·4	59	9th	24	18th
		Dec.	29·134	41·0	29·7	35·4	−1·0	48	3rd, 17th	18	22nd
		Year	**29·531**			**47·0**		**77**		**17**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·5	1·4	·205	88	6·7	19	1·90	−0·49	0·50	25*th*	3	1	0	1	7	0	3	1	2	0	4	22	19	9	4	1
41·4	1·0	·240	92	6·6	18	2·60	+0·51	0·57	20*th*	0	0	0	0	2	0	3	0	0	1	11	25	10	7	1	1
38·3	1·3	·205	89	6·7	26	3·02	+0·88	0·39	24*th*	8	5	0	0	6	0	5	3	3	3	13	10	9	14	5	2
44·7	1·3	·266	90	6·1	15	1·10	−0·72	0·25	22*nd*	1	1	1	1	2	2	3	1	1	0	7	15	15	8	9	4
45·5	1·8	·263	87	7·6	21	2·40	+0·53	0·94	8*th*	0	1	0	0	16	0	2	7	3	1	11	12	7	10	10	1
50·3	1·4	·329	90	8·2	17	0·83	−0·98	0·16	4*th*, 8*th*, 21*st*	0	0	0	0	18	10	0	1	14	1	11	4	5	6	14	4
53·6	0·7	·392	95	8·1	18	3·62	+0·88	0·89	25*th*	0	0	0	0	18	10	0	7	5	2	18	11	1	3	13	2
54·2	0·7	·400	96	7·8	18	1·60	−1·14	0·64	2*nd*	0	0	0	0	17	7	0	1	10	5	8	21	6	5	2	4
50·5	1·1	·339	92	7·2	21	2·32	−0·27	0·71	14*th*	0	0	0	0	14	5	2	6	2	2	6	11	9	12	9	3
48·1	0·6	·321	96	8·1	20	1·92	−1·31	0·32	25*th*	0	0	0	1	19	2	0	1	1	3	11	19	5	12	7	3
42·6	1·1	·249	91	8·8	25	4·14	+1·30	0·53	1*st*	3	5	0	0	12	0	0	4	1	3	9	8	9	15	7	4
37·9	1·5	·199	88	6·2	23	3·31	+0·32	0·45	13*th*	3	3	0	2	13	0	7	2	5	5	9	9	14	13	3	2
					241	**28·76**		**0·94**																	
37·6	1·6	·194	86	6·4	15	3·35	+0·67	0·85	25*th*	2	0	0	4	12	0	0	2	2	10	0	0	0	18	6	24
41·1	2·1	·214	83	5·2	14	2·10	−0·64	0·46	20*th*	1	0	0	5	6	0	1	1	2	10	1	3	7	23	1	8
39·2	1·6	·208	87	5·7	21	4·20	+1·83	0·63	2*nd*	6	1	0	4	9	0	0	0	3	17	3	1	5	24	4	5
46·8	1·6	·282	88	5·0	10	1·05	−0·87	0·40	23*rd*	0	0	0	7	5	0	0	0	1	15	1	0	8	25	1	9
47·6	2·4	·273	83	5·9	12	2·18	+0·29	0·36	8*th*	0	0	0	2	7	0	0	2	2	16	0	0	1	16	3	22
53·4	2·8	·332	82	6·6	11	0·87	−1·12	0·22	18*th*	0	0	1	2	8	2	0	0	0	14	3	1	5	17	0	20
56·1	2·5	·380	84	6·3	16	3·53	+0·89	1·21	6*th*	0	0	1	5	11	0	0	2	0	27	0	0	1	9	0	22
56·1	2·4	·382	84	6·8	13	2·05	−0·62	0·85	2*nd*	0	0	1	3	9	0	0	0	1	21	0	0	5	11	1	23
52·6	2·6	·327	82	4·8	7	1·80	−0·83	0·61	14*th*	0	0	0	6	4	1	1	0	2	13	1	0	6	5	14	19
48·3	2·2	·284	85	5·8	15	1·44	−1·82	0·49	25*th*	0	0	0	4	8	1	0	0	5	0	15	2	9	6	5	20
41·9	1·7	·230	88	6·6	19	4·25	+1·05	0·60	1*st*	3	1	1	1	10	0	2	16	2	0	11	2	3	7	8	11
36·8	1·8	·184	85	6·0	15	5·00	+1·67	0·97	5*th*, 13*th*	3	3	0	2	13	0	7	2	5	5	9	9	14	13	3	2
					168	**31·82**		**1·21**																	
37·1	1·4	·194	88	8·0	14	2·38	...	0·58	8*th*	4	0	0	0	11	0	1	6	0	0	2	0	0	54	0	0
40·9	1·8	·218	86	7·3	12	1·57	...	0·50	5*th*	0	0	0	5	4	3	1	0	0	0	0	0	0	54	2	0
39·7	2·0	·205	84	6·1	19	2·13	...	0·47	2*nd*	1	0	0	1	4	0	0	0	6	2	0	2	6	36	10	0
49·0	3·6	·263	75	6·4	14	0·52	...	0·18	23*rd*	0	0	0	2	8	2	0	0	2	0	4	4	10	28	12	0
50·0	3·0	·286	80	7·4	16	3·27	..	1·45	8*th*	0	1	0	1	13	0	0	2	10	0	0	2	12	24	12	0
55·5	3·7	·340	77	7·7	7	0·72	...	0·25	20*th*	0	0	1	1	14	3	0	0	6	6	6	4	2	12	18	6
59·5	3·0	·416	82	7·0	17	2·48	...	0·52	6*th*	0	0	1	1	13	0	0	2	18	4	12	4	2	12	8	0
60·7	3·9	·409	78	6·1	16	0·80	...	0·13	3*rd*	0	0	2	0	7	3	0	2	16	4	0	4	16	18	2	0
55·2	3·6	·337	78	6·3	14	0·82	...	0·14	14*th*	0	0	0	2	8	0	3	6	8	4	2	8	8	14	10	0
49·1	2·1	·297	85	7·2	10	0·88	...	0·43	26*th*	0	0	0	0	14	0	0	18	6	2	4	2	0	2	16	12
42·3	1·9	·230	86	7·3	22	2·92	...	0·39	15*th*	0	0	0	0	13	0	0	8	22	10	6	0	0	8	2	4
37·3	1·7	·190	86	6·5	18	3·23	...	0·73	31*st*	1	0	0	1	9	2	1	8	12	6	4	0	8	18	4	2
					179	**21·72**		**1·45**																	
36·2	1·5	·186	87	5·9	17	3·52	+0·41	1·06	25*th*	4	0	0	6	11	2	2	0	0	1	0	3	14	16	4	24
40·5	2·3	·206	82	5·7	18	2·91	+0·28	0·46	20*th*	0	0	0	3	7	1	2	0	0	2	0	12	11	11	2	18
38·8	2·1	·196	84	5·7	23	2·78	+0·19	0·61	2*nd*	5	2	0	2	5	1	0	2	1	7	1	3	7	15	5	21
47·9	3·8	·246	75	5·4	13	1·11	−0·68	0·28	23*rd*	0	1	0	6	8	0	0	0	0	3	1	4	16	21	1	14
48·3	3·6	·255	75	6·9	15	2·70	+0·62	0·95	7*th*	0	0	0	1	10	0	1	3	6	3	1	3	8	13	5	20
55·6	3·8	·339	77	6·9	16	0·69	−1·39	0·15	20*th*	0	0	1	3	12	1	0	1	0	10	2	3	11	8	3	22
58·5	3·3	·392	79	6·6	17	2·55	−0·52	0·66	6*th*	0	0	1	2	11	1	0	1	1	7	6	1	8	4	4	30
56·5	2·7	·379	83	6·5	17	2·58	−0·05	0·62	2*nd*	0	0	2	1	11	0	0	0	2	8	1	2	16	5	1	27
52·7	2·4	·334	84	6·6	16	1·40	−1·15	0·28	30*th*	0	0	0	1	7	2	1	2	1	2	1	1	15	12	4	22
47·2	1·9	·280	87	6·1	16	0·96	−2·18	0·41	25*th*	0	0	0	4	7	1	0	1	1	8	3	2	14	4	2	27
40·6	1·3	·225	89	6·8	22	4·52	+1·58	0·68	29*th*	2	0	0	1	8	2	0	2	2	5	1	1	15	11	4	19
34·0	1·4	·168	85	6·1	20	4·81	+1·18	0·91	2*nd*	5	0	0	5	10	0	4	0	5	7	2	1	19	6	5	17
					210	**30·53**		**1·06**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Glencarron— D. D. Munro.	504	Jan.	29·386	41·8	31·7	36·8	−0·3	54	31*st*	18	22*nd*
		Feb.	28·764	47·0	34·6	40·8	+3·9	55	2*nd*	25	19*th*
		Mar.	28·878	44·8	32·5	38·7	+0·4	54	30*th*	24	9*th*
		Apl.	29·327	...	...	...	...	...	...	...	...
		May	29·442	...	...	...	...	...	...	...	...
		June	29·484	...	...	...	...	...	...	...	...
		July	...	...	...	...	...	...	...	...	...
		Aug.	...	...	...	...	...	...	...	...	..
		Sept.	...	...	...	...	...	...	...	...	...
		Oct.	...	...	...	...	...	...	...	...	...
		Nov.	...	...	...	...	...	...	...	...	...
		Dec.	...	...	...	...	...	...	...	...	...
		Year									
Stornoway— The Meteorological Office.	52	Jan.	29·856	44·2	37·2	40·7	+1·9	52	24*th*, 30*th*	31	7*th*, 17*th*
		Feb.	29·228	46·1	36·8	41·5	+2·5	51	1, 2, 3, 28	31	19*th*
		Mar.	29·378	45·9	34·8	40·4	+0·7	53	30*th*	29	8*th*, 9*th*, 10*th*
		Apl.	29·769	52·3	42·1	47·2	+4·0	64	17*th*	37	14*th*
		May	29·921	52·4	41·6	47·0	−0·3	57	5*th*, 15*th*, 27*th*	33	25*th*
		June	29·958	59·1	47·4	53·3	+0·9	70	16*th*	42	1*st*, 7*th*, 23*rd*
		July	29·721	62·2	50·3	56·3	+1·5	72	12*th*	40	23*rd*
		Aug.	29·796	62·5	51·1	56·8	+2·2	73	14*th*	44	30*th*, 31*st*
		Sept.	29·846	58·0	47·8	52·9	+1·4	70	9*th*	40	20*th*
		Oct.	29·896	54·5	45·3	49·9	+4·1	59	8*th*	37	27*th*
		Nov.	29·588	48·0	38·1	43·1	+0·8	56	4*th*	29	15*th*
		Dec.	29·241	42·7	34·0	38·4	−0·9	51	26*th*	26	22*nd*, 25*th*
		Year	**29·683**			**47·3**		**73**		**26**	
Castlebay (Barra) The Meteorological Office.	48	Jan.	29·870	45·8	40·5	43·2	+2·3	52	24*th* 25*th* 30*th*	33	2*nd*, 6*th*
		Feb.	29·218	47·4	40·1	43·8	+2·9	52	1*st*, 2*nd*	35	12*th*
		Mar.	29·358	46·0	38·8	42·4	+0·8	50	30*th*, 31*st*	32	10*th*
		Apl.	29·812	50·2	44·6	47·4	+2·5	56	17*th*	39	14*th*
		May	29·948	50·9	44·3	47·6	−1·3	55	16*th* 17*th* 26*th*	36	9*th*
		June	29·988	56·6	48·8	52·7	−0·9	64	17*th*	42	8*th*
		July	29·743	59·2	52·4	55·8	−1·4	73	20*th*	46	26*th*
		Aug.	29·808	60·6	53·7	57·2	+0·3	73	14*th*	49	30*th*, 31*st*
		Sept.	29·883	57·8	51·1	54·5	+2·1	68	8*th*	44	20*th*
		Oct.	29·908	54·3	49·5	51·9	+5·5	58	5*th*	44	28*th*, 29*th*
		Nov.	29·620	49·9	42·6	46·3	+1·7	56	9*th*	32	14*th*
		Dec.	29·236	45·9	38·4	42·2	+0·5	51	2*nd*, 17*th*	34	5*th*, 28*th*
		Year	**29·699**			**48·7**		**73**		**32**	
Inverness— W. G. MacConnachie, M.A.	114	Jan.	29·840	43·7	33·7	38·7	+0·2	54	31*st*	20	22*nd*
		Feb.	29·254	47·9	37·0	42·5	+3·5	55	3*rd*	30	19*th*
		Mar.	29·315	46·6	34·4	40·5	−0·3	55	30*th*, 31*st*	27	9*th*
		Apl.	29·760	57 2	40·7	49·0	+3·7	72	21*st*	34	9*th*
		May	29·883	56·2	42·4	49·3	+0·1	68	17*th*	30	25*th*
		June	29·905	61·7	49·1	55·4	+0·7	73	18*th*	41	3*rd*
		July	29·666	63·8	51·9	57·9	+0·9	74	21*st*	43	4*th*
		Aug.	29·764	63·9	51·8	57·9	+1·2	71	23*rd*	44	18*th*
		Sept.	29·815	60·7	48·5	54·6	+1·5	71	10*th*	39	22*nd* 29*th* 30*th*
		Oct.	29·876	55·9	43·5	49·7	+2·8	62	5*th*, 6*th*	33	29*th*
		Nov.	29·589	47·9	38·4	43·2	+1·5	59	9*th*	25	19*th*
		Dec.	29·243	40·7	32·6	36·7	−2·0	51	2*nd*	20	22*nd*
		Year	**29·659**			**47·9**		**74**		**20**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
36·4	1·5	·187	87	7·1	18	10·28	+0·11	1·98	30*th*	3	0	0	3	16	0	2	8	5	16	0	1	0	30	0	2
41·3	1·9	·221	85	7·4	25	7·24	+0·13	0·99	2*nd*	0	0	1	3	14	0	3	6	1	7	1	1	0	39	0	1
38·2	1·4	·202	88	6·1	25	6·09	−1·76	0·66	2*nd*	6	0	2	6	12	1	0	5	1	15	0	0	0	38	1	2
...	...	...	...	7·1	18	8·83	+3·52	1·99	12*th*	0	0	0	6	19	0	1	4	0	15	0	0	0	40	0	1
...	...	...	...	8·4	23	5·46	+0·96	1·05	8*th*	2	0	0	3	24	0	2	2	0	19	0	0	0	40	1	0
...	...	...	...	6·7	19	4·11	+0·07	1·21	17*th*	0	0	2	9	14	0	1	0	2	26	0	0	0	32	0	0
...	...	...	...	...	19	5·62	+0·07	1·39	24*th*	0	0	2	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	21	7·12	−0·19	1·12	3*rd*	0	0	1	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	20	8·03	−0·41	2·45	30*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	17	2·60	−6·86	0·47	25*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	24	13·00	+3·95	1·59	10*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	22	11·45	+1·02	1·64	16*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
					251	**89·83**		**2·45**																	
40·8	1·7	·219	87	8·5	19	6·23	+0·98	1·54	25*th*	2	2	0	0	19	0	10	3	1	1	1	12	22	17	4	1
41·8	1·1	·242	92	8·0	27	6·54	+2·65	0·99	13*th*	0	1	2	0	14	0	12	0	1	1	3	15	25	8	3	0
38·5	1·2	·209	90	6·4	25	5·10	+1·19	0·74	30*th*	2	9	0	0	8	0	4	3	3	3	9	6	8	12	13	5
45·6	1·9	·263	86	6·9	16	3·39	+0·71	0·58	6*th*	0	2	0	2	7	0	3	0	4	0	4	10	22	13	6	1
45·9	1·9	·266	87	7·8	23	2·19	−0·26	0·37	19*th*	1	0	0	0	12	0	0	5	5	3	3	7	16	16	6	1
51·7	1·8	·337	88	7·0	19	1·53	−0·91	0·32	26*th*	0	1	0	3	10	1	0	6	11	3	2	5	15	12	5	1
55·2	1·4	·395	91	7·3	19	3·39	+0·36	0·92	6*th*	0	0	0	0	13	0	0	5	11	3	10	9	5	6	12	1
54·5	1·1	·393	93	6·7	22	2·99	−0·89	0·53	2*nd*	0	0	2	3	8	0	0	1	9	7	6	9	20	7	1	2
51·5	1·4	·344	90	7·2	21	4·74	+0·66	0·86	30*th*	0	0	0	0	12	0	1	6	4	2	3	7	15	12	6	5
49·1	1·1	·321	92	7·0	21	2·25	−3·44	0·41	25*th*	0	0	0	0	10	2	0	5	1	3	8	17	12	7	6	3
43·1	1·4	·248	89	7·3	26	5·38	−0·03	0·81	27*th*	2	6	1	0	12	0	10	3	3	8	5	6	14	10	7	4
38·4	1·2	·208	90	6·5	23	6·24	+0·34	0·96	2*nd*	2	4	1	2	11	0	16	4	4	8	6	11	15	5	2	7
					261	**50·17**		**1·54**																	
43·3	1·8	·242	86	8·3	18	2·15	...	0·50	8*th*	2	7	0	0	21	0	5	1	1	8	15	8	10	14	3	2
44·3	2·1	·245	84	8·3	27	5·05	...	0·49	10*th*	1	6	3	0	17	0	4	1	1	1	11	15	12	8	3	4
42·1	1·6	·234	88	6·6	23	3·42	...	0·34	11*th* 13*th* 30*th*	5	7	1	1	11	0	2	8	1	4	12	7	5	14	7	4
47·1	1·9	·279	86	7·3	17	2·48	...	0·45	5*th*	0	5	0	1	9	0	1	1	2	4	7	8	16	14	6	2
47·3	2·4	·270	83	8·1	17	1·36	...	0·32	19*th*	0	2	0	0	15	0	0	6	0	3	6	6	11	16	11	3
51·9	1·8	·339	88	7·2	15	1·25	...	0·27	19*th*	0	1	0	1	13	4	0	7	1	0	3	4	8	16	17	4
55·2	0·9	·410	94	7·8	19	3·24	...	0·93	1*st*	0	0	0	0	14	2	0	4	3	12	9	3	4	10	15	2
56·5	1·6	·409	89	7·3	16	4·00	...	0·50	25*th*	0	0	0	0	11	1	0	0	3	8	9	5	16	8	5	8
54·1	2·2	·356	84	8·1	16	3·05	...	0·78	22*nd*	0	0	0	0	16	3	0	3	1	7	6	10	9	13	8	3
51·8	2·1	·331	86	8·2	20	2·67	...	0·59	11*th*	0	1	0	0	19	0	0	3	2	7	11	10	8	9	8	4
46·9	2·7	·258	81	7·9	25	3·53	...	0·34	29*th*	1	5	1	0	12	0	4	3	7	7	5	6	13	12	4	3
43·0	2·5	·225	81	7·0	25	5·63	...	0·70	6*th*	2	8	2	0	10	0	6	4	6	10	8	9	13	7	4	1
					238	**37·83**		**0·93**																	
37·3	1·5	·193	87	6·8	16	2·74	+0·28	0·56	25*th*	3	1	0	3	12	4	5	5	2	2	3	0	32	17	1	0
41·3	2·2	·215	83	6·3	13	1·35	−0·69	0·32	13*th*	1	0	0	1	7	3	3	1	2	3	0	2	26	22	0	0
39·6	2·2	·201	82	5·7	20	2·44	+0·47	0·38	3*rd*	5	6	0	4	9	2	0	1	5	8	5	3	15	14	11	0
48·5	3·6	·257	75	5·2	13	0·80	−0·68	0·18	10*th*	1	1	0	6	3	2	2	1	1	3	1	1	17	29	7	0
49·2	3·7	·264	75	7·4	16	3·49	+1·69	1·68	7*th*	1	4	0	0	12	0	0	4	8	7	1	0	9	21	12	0
54·8	3·9	·326	76	7·3	11	0·71	−1·16	0·20	4*th*	0	0	2	1	13	3	0	0	9	14	2	1	7	21	6	0
59·8	2·9	·423	82	7·4	19	4·01	+1·25	0·71	17*th*	0	0	1	0	13	2	0	3	14	8	0	0	15	16	6	0
58·0	3·0	·393	81	6·3	14	1·95	−0·71	0·72	2*nd*	0	0	2	1	6	3	0	1	9	9	2	6	18	13	4	0
53·8	3·3	·325	78	7·0	14	0·91	−1·72	0·29	14*th*	0	0	1	1	9	2	0	4	10	3	1	1	16	16	9	0
47·9	2·2	·280	85	6·1	10	0·89	−1·59	0·29	25*th*	0	0	0	3	9	7	1	1	0	9	2	1	26	14	9	0
41·9	1·8	·228	87	8·0	20	4·23	+1·79	0·69	30*th*	4	1	0	1	15	6	5	0	6	12	2	1	3	19	6	1
35·9	1·9	·176	83	6·4	20	3·01	+0·55	0·47	1*st*	9	1	0	2	13	3	5	3	4	10	0	0	25	15	5	0
					186	**26·53**		**1·68**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°		°	
Fort Augustus—Rev. Cyril von Dieckhoff, O.S.B.	Feet. 73	Jan.	29·886	42·3	31·8	37·1	−1·0	53	31*st*	16	22*nd*
		Feb.	29·273	47·9	36·2	42·1	+3·9	54	1*st*, 2*nd*, 4*th*	23	19*th*
		Mar.	29·360	46·9	33·3	40·1	+0·4	55	30*th*, 31*st*	22	9*th*
		Apl.	29·813	55·1	39·2	47·2	+2·7	70	21*st*	31	9*th*
		May	29·917	55·1	41·6	48·4	−1·0	68	17*th*	26	25*th*
		June	29·949	61·0	47·8	54·4	−0·5	74	11*th*	37	11*th*
		July	29·706	65·3	51·5	58·4	+1·3	77	21*st*	38	4*th*
		Aug.	29·810	63·5	51·0	57·3	+0·4	70	12*th*, 31*st*	42	29*th*
		Sept.	29·870	60·1	47·0	53·6	+0·3	72	2*nd*	31	21*st*
		Oct.	29·910	55·4	42·8	49·1	+2·5	63	6*th*	30	13*th*, 15*th*
		Nov.	29·627	47·2	36·7	42·0	+0·2	56	8*th*, 9*th*	21	18*th*
		Dec.	29·289	41·1	31·7	36·4	−1·6	50	2*nd*	18	24*th*
		Year	**29·701**			**47·2**		**77**		**16**	
Fort-William—W. T. Kilgour.	38	Jan.	29·945	42·2	33·0	37·6	−1·2	53	26*th*, 31*st*	19	15*th*, 16*th*
		Feb.	29·318	47·6	36·5	42·1	+3·1	55	2*nd*	24	19*th*
		Mar.	29·395	46·9	34·3	40·6	0·0	55	31*st*	24	9*th*
		Apl.	29·865	55·0	40·2	47·6	+2·5	69	21*st*	34	9*th*
		May	29·967	56·1	41·7	48·9	−1·1	68	17*th*	31	25*th*
		June	29·999	64·4	48·1	56·3	+1·0	78	17*th*	41	7*th*, 8*th*, 11*th*
		July	29·751	65·7	50·8	58·3	+1·1	81	20*th*	38	4*th*
		Aug.	29·853	66·5	50·5	58·5	+1·2	85	14*th*	44	16*th* 17*th* 31*st*
		Sept.	29·912	60·9	46·3	53·6	−0·1	75	8*th*	32	21*st*
		Oct.	29·945	54·5	43·0	48·8	+1·4	62	6*th*	31	15*th*
		Nov.	29·672	47·4	37·0	42·2	−0·5	56	3*rd*, 30*th*	23	18*th*
		Dec.	29·318	41·2	32·4	36·8	−2·6	54	2*nd*	20	24*th*, 25*th*
		Year	**29·745**			**47·6**		**85**		**19**	
Kingussie—W. de Watteville, M.D.	828	Jan.	29·059	39·4	30·2	34·8	+0·1	51	30*th*, 31*s*	15	15*th*
		Feb.	28·493	44·5	33·4	39·0	+3·8	52	1*st*, 28*th*	18	19*th*
		Mar.	28·545	43·2	30·5	36·9	+0·2	53	30*th*	17	9*th*
		Apl.	28·988	53·4	35·6	44·5	+3·0	70	21*st*	27	9*th*
		May	29·084	53·7	38·8	46·3	−0·6	64	14*th*, 15*th*	22	25*th*
		June	29·135	63·3	44·9	54·1	+0·2	79	17*th*	36	3*rd*, 11*th*
		July	28·916	64·5	48·6	56·6	+1·2	78	21*st*	35	4*th*
		Aug.	29·012	65·6	47·9	56·8	+2·6	85	14*th*	36	17*th*
		Sept.	29·045	59·5	43·6	51·6	+1·6	73	7*th*	28	22*nd*
		Oct.	29·095	53·5	37·8	45·7	+1·9	62	7*th*	24	15*th*, 29*th*
		Nov.	28·821	44·4	32·9	38·7	+0·3	55	8*th*, 9*th*	16	18*th*
		Dec.	28·498	37·6	27·0	32·3	−3·1	47	2*nd*	12	22*nd*, 23*rd*
		Year	**28·891**			**44·8**		**85**		**12**	
Nairn—The Meteorological Office.	82	Jan.	29·873	41·3	30·5	35·9	−1·5	54	30*th*, 31*st*	17	14*th* 22*nd* 23*rd*
		Feb.	29·247	47·4	33·3	40·4	+2·7	57	2*nd*	26	20*th*
		Mar.	29·327	45·9	31·5	38·7	−1·1	55	30*th*, 31*st*	23	9*th*, 10*th*
		Apl.	29·773	57·0	38·3	47·7	+3·6	73	21*st*	30	9*th*
		May	29·889	56·6	39·7	48·2	−0·8	70	17*th*	26	25*th*
		June	29·922	61·9	47·1	54·5	−0·2	74	29*th*, 30*th*	36	3*rd*
		July	29·689	64·1	49·5	56·8	−0·6	77	20*th*	39	4*th*
		Aug.	29·787	64·7	49·3	57·0	+0·3	71	12*th*, 23*rd*	41	16*th* 18*th* 29*th*
		Sept.	29·825	60·5	45·1	52·8	−0·1	70	10*th*	34	22*nd*
		Oct.	29·892	54·9	38·3	46·6	+0·6	62	7*th*, 8*th*	28	15*th*
		Nov.	29·602	46·7	35·5	41·1	+0·1	58	9*th*	22	18*th*
		Dec.	29·259	39·6	29·8	34·7	−2·8	48	2*nd*, 17*th*	16	23*rd*
		Year	**29·674**			**46·2**		**77**		**16**	

Hygrometer. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Cloud. Scale 0–10.	Rain, and other Forms of Precipitation. Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Day of Month.	Weather.—Number of Days with— Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	Wind Directions. Number of Observations at 9 A.M. and 9 P.M. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
36·3	1·2	·192	90	7·0	15	3·98	−1·59	0·93	25*th*	3	0	0	4	18	0	3	0	4	2	0	3	39	11	2	1
41·0	1·7	·221	86	7·8	22	4·12	+0·05	0·74	5*th*	1	1	0	0	17	0	1	2	5	1	1	4	38	2	3	0
38·8	1·4	·209	89	6·7	21	2·19	−1·49	0·35	5*th*	4	0	0	0	10	0	0	3	9	2	1	2	36	3	4	2
47·0	2·9	·255	80	6·6	14	3·47	+1·20	0·73	12*th*	0	0	0	5	15	1	1	4	6	0	0	2	40	6	2	0
48·6	3·3	·265	77	7·7	18	4·21	+1·91	1·51	8*th*	1	1	0	0	18	0	1	3	13	3	1	6	36	0	0	0
54·6	2·9	·347	81	7·4	16	1·46	−0·53	0·23	20*th*	0	0	4	3	15	0	0	1	22	2	1	1	32	1	0	0
58·1	3·1	·392	80	7·2	14	1·42	−1·54	0·36	6*th*	0	0	0	3	14	1	0	1	25	1	4	0	27	2	1	1
56·6	2·2	·394	85	7·5	17	3·03	−0·53	0·69	23*rd*	0	0	1	2	16	1	0	1	21	2	0	4	31	3	0	0
52·7	2·1	·342	86	7·8	17	2·19	−1·69	0·40	14*th*	0	0	0	1	18	1	1	3	10	1	0	2	36	5	2	1
48·1	1·5	·298	89	7·3	11	0·79	−3·46	0·26	26*th*	0	0	0	3	16	1	0	1	11	1	1	3	33	1	4	7
41·1	0·9	·238	93	8·3	22	4·52	+1·58	0·68	29*th*	2	0	0	1	8	2	0	2	2	5	1	1	15	11	4	19
36·2	0·9	·197	92	7·3	21	7·57	+1·75	1·38	2*nd*	5	0	0	1	14	1	4	1	16	0	3	0	33	8	0	1
					208	**38·95**		**1·51**																	
37·4	2·1	·183	82	7·2	19	11·11	+2·04	3·22	25*th*	5	1	0	4	16	4	0	0	1	8	3	2	28	5	1	14
41·4	2·0	·220	85	8·2	27	12·18	+4·94	2·69	1*st*	5	3	0	0	19	0	1	0	0	5	1	2	34	1	0	13
39·6	2·3	·199	81	6·8	23	5·49	−1·17	1·09	30*th*	2	1	0	1	11	2	0	8	4	3	1	6	15	5	2	18
46·8	3·3	·246	78	6·6	18	7·02	+3·22	1·77	12*th*	0	1	0	5	14	0	0	0	3	0	0	5	30	5	1	16
48·1	3·2	·260	77	8·2	20	3·28	−0·48	1·00	19*th*	0	0	0	0	19	4	0	0	6	3	0	1	27	9	1	15
55·6	3·5	·347	78	6·7	16	2·72	−1·08	0·72	22*nd*	0	0	2	4	14	3	0	0	13	0	0	0	20	7	4	16
58·1	3·5	·382	78	7·9	20	1·80	−3·38	0·28	31*st*	0	0	2	2	19	3	0	0	7	0	0	4	15	6	4	26
56·8	2·3	·394	85	7·2	19	6·99	+0·97	1·28	23*rd*	0	0	0	2	15	7	0	0	5	3	1	1	28	1	0	23
52·5	2·5	·328	83	7·4	16	5·04	−2·29	1·67	16*th*	0	0	0	2	15	5	0	1	2	2	0	1	20	4	3	27
47·9	2·1	·282	86	7·4	15	1·86	−5·77	0·47	25*th*	0	0	0	2	16	1	0	1	6	6	2	5	15	0	2	25
41·7	1·6	·230	88	7·6	24	13·18	+4·96	2·60	29*th*	1	2	3	2	19	4	2	0	6	9	2	1	19	6	1	16
37·0	2·1	·180	82	7·5	23	14·04	+4·18	1·88	2*nd*	10	3	3	3	18	5	1	1	10	5	4	1	24	5	0	12
					240	**84·71**		**3·22**																	
35·1	1·7	·171	83	7·8	17	3·56	+1·25	0·82	25*th*	4	0	0	2	18	0	3	1	0	2	0	3	11	28	2	15
38·8	2·1	·196	84	7·5	20	2·52	+0·46	0·65	14*th*	2	0	0	0	13	0	2	0	0	5	2	6	18	15	2	8
36·2	2·0	·177	83	6·1	22	2·88	+0·88	0·40	6*th*	12	0	0	4	10	0	0	1	2	6	0	1	5	18	13	16
45·1	3·9	·217	72	5·9	18	1·59	−0·33	0·33	10*th*	0	0	0	8	12	0	1	0	3	4	2	2	14	21	5	9
46·8	3·9	·233	73	8·0	18	3·28	+1·51	1·71	8*th*	2	0	0	1	16	0	0	8	2	2	0	1	13	23	6	7
54·9	4·3	·317	74	7·5	17	1·33	−0·65	0·23	16*th*	0	0	1	3	16	0	0	2	9	2	0	0	10	22	7	8
57·3	4·2	·351	75	7·2	12	2·24	−0·12	0·52	2*nd*	0	0	1	2	16	0	0	1	9	0	3	8	15	10	5	11
56·2	3·6	·352	78	6·9	15	2·44	−0·39	0·98	2*nd*	0	0	0	3	14	0	0	1	3	2	1	5	18	14	3	15
51·7	3·4	·298	78	7·0	15	1·46	−1·41	0·26	9*th*	6	0	0	1	12	0	2	1	1	2	0	1	15	25	9	6
45·1	2·1	·252	84	6·9	12	0·60	−2·49	0·17	25*th*	0	0	0	5	16	1	0	0	3	6	4	3	10	16	4	16
38·3	1·4	203	88	7·5	23	5·90	+2·95	1·68	29*th*	6	0	0	2	16	2	2	2	5	5	0	1	8	24	1	14
32·6	1·4	·155	84	7·5	19	5·86	+2·93	1·08	2*nd*	8	0	0	1	17	1	4	3	4	4	2	3	14	15	3	14
					208	**33·66**		**1·71**																	
36·7	1·6	·187	86	7·6	19	2·65	+0·75	0·48	25*th*	2	2	0	0	9	0	1	0	0	0	0	2	7	25	3	25
40·5	2·0	·212	84	7·4	19	1·44	−0·15	0·41	5*th*	0	0	0	0	2	0	2	1	0	0	3	5	20	12	0	15
38·4	2·0	·193	84	7·4	21	2·37	+0·54	0·41	2*nd*, 9*th*	6	0	0	0	10	0	1	2	1	5	4	5	5	5	18	17
48·5	4·1	·247	72	6·3	15	0·76	−0·51	0·18	23*rd*	0	1	0	0	2	1	2	1	2	1	0	7	12	23	3	11
49·4	4·1	·257	73	6·8	18	3·31	+1·64	1·20	7*th*	0	1	0	0	7	0	2	3	9	5	0	0	1	25	4	15
54·8	3·1	·345	80	6·8	11	0·95	−0·91	0·26	4*th*	0	2	0	1	5	3	0	4	15	5	0	1	8	13	13	11
58·4	3·2	·394	80	6·7	21	3·40	+0·63	0·67	6*th*	0	0	1	0	5	0	0	3	8	8	1	1	2	10	3	26
57·6	3·2	·382	80	6·5	16	2·01	−0·64	1·00	2*nd*	0	0	2	0	3	1	0	0	6	9	1	4	11	11	0	20
52·5	2·8	·322	81	7·0	16	1·28	−1·09	0·43	14*th*	0	0	0	0	4	0	3	1	3	5	1	0	7	21	6	16
46·5	1·8	·274	87	6·9	16	1·12	−1·35	0·28	8*th*	0	0	0	1	7	0	0	1	1	5	4	3	11	11	2	24
41·5	1·5	·230	88	7·7	26	4·04	+1·83	0·60	30*th*	2	1	0	0	10	1	2	1	1	8	1	1	5	23	5	16
35·3	1·6	·176	85	6·9	19	2·19	+0·11	0·31	1*st*	2	0	0	0	12	0	7	2	3	9	3	6	8	11	1	19
					217	**25·52**		**1·20**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Gordon Castle—C. Webster, for the Duke of Richmond and Gordon, K.G.	107	Jan.	29·851	42·9	33·0	38·0	+0·1	55	25*th*, 31*st*	18	23*rd*
		Feb.	29·245	50·1	36·4	43·3	+5·0	58	2*nd*	31	10*th*, 19*th*
		Mar.	29·311	46·3	33·7	40·0	−0·1	57	30*th*	28	9*th*
		Apl.	29·767	58·1	40·1	49·1	+4·7	75	20*th*	36	9*th*, 16*th*
		May	29·879	57·7	40·8	49·3	+0·5	70	14*th*	29	25*th*
		June	29·920	63·4	46·7	55·1	+0·5	76	30*th*	35	3*rd*
		July	29·681	66·7	50·6	58·7	+1·5	79	13*th*	43	4*th*
		Aug.	29·783	66·6	48·8	57·7	+1·2	76	13*th*	40	17*th*
		Sept.	29·806	62·6	45·2	53·9	+0·6	72	9*th*	37	5*th*, 22*nd*
		Oct.	29·879	56·7	41·4	49·1	+2·3	66	9*th*	30	29*th*
		Nov.	29·587	47·7	37·1	42·2	+0·9	59	9*th*	28	15*th*
		Dec.	29·272	41·5	31·6	36·6	−2·2	51	2*nd*	20	22*nd*
		Year	**29·665**			**47·8**		**79**		**18**	
Braemar—A. M. Shirran.	1114	Jan.	28·768	39·9	30·6	35·3	+1·1	52	31*st*	16	15*th*
		Feb.	28·209	43·5	32·8	38·2	+3·7	52	2*nd*, 28*th*	15	19*th*
		Mar.	28·232	41·7	28·7	35·2	−1·1	52	31*st*	10	9*th*
		Apl.	28·703	54·2	33·3	43·8	+3·1	70	21*st*	25	4*th*
		May	28·793	54·0	36·8	45·4	−0·7	71	14*th*	19	25*th*
		June	28·839	63·4	43·7	53·6	+0·9	76	16*th*, 17*th*	34	3*rd*, 11*th*
		July	28·622	64·4	46·3	55·4	+0·3	79	21*st*	37	1*st*, 8*th*, 30*th*
		Aug.	28·734	65·2	46·2	55·7	+1·9	82	14*th*	37	8*th*, 17*th*
		Sept.	28·762	59·8	42·1	51·0	+1·2	71	2*nd*	25	22*nd*
		Oct.	28·805	52·9	36·6	44·8	+1·7	63	16*th*	20	15*th*
		Nov.	28·523	44·2	31·8	38·0	−0·2	55	8*th*	12	18*th*
		Dec.	28·198	37·2	26·0	31·6	−2·9	51	2*nd*	7	25*th*
		Year	**28·599**			**44·0**		**82**		**7**	
Balmoral—J. Michie, M.V.O., and J. M. Troup.	927	Jan.	28·948	41·8	29·2	35·5	+0·8	50	24*th*, 31*st*	13	1*st*
		Feb.	28·399	46·1	32·6	39·4	+4·4	54	4*th*	19	19*th*, 20*th*
		Mar.	28·420	43·4	29·9	36·7	−0·1	51	31*st*	16	9*th*
		Apl.	28·889	57·9	33·2	45·6	+4·4	75	28*th*	23	9*th*
		May	28·997	59·4	38·2	48·8	+2·2	71	26*th*	21	25*th*
		June	29·026	70·7	44·0	57·4	+4·2	88	17*th*	31	7*th*
		July	28·851	67·7	47·3	57·5	+1·9	82	13*th*	35	31*st*
		Aug.	28·921	70·2	44·7	57·5	+3·2	85	14*th*	34	17*th*
		Sept.	28·931	62·5	40·8	51·7	+1·4	72	9*th*	25	22*nd*
		Oct.	29·003	55·3	37·0	46·2	+2·6	67	8*th*, 10*th*	19	15*th*
		Nov.	28·724	47·1	32·4	39·8	+1·1	62	9*th*	14	18*th*
		Dec.	28·384	39·5	26·1	32·8	−2·2	48	8*th*	7	22*nd*
		Year	**28·791**			**45·7**		**88**		**7**	
Logie Coldstone—J. B. Anderson, The School-house.	608	Jan.	...	42·0	31·0	36·5	+1·0	56	31*st*	8	1*st*
		Feb.	...	46·1	33·8	40·0	+4·2	56	28*th*	23	19*th*
		Mar.	..	43·5	30·7	37·1	−0·3	55	31*st*	19	9*th*
		Apl.	...	57·2	34·8	46·0	+3·7	74	21*st*	25	16*th*
		May	...	56·9	38·9	47·9	+0·4	71	17*th*	23	25*th*
		June	...	64·6	45·9	55·3	+1·3	79	29*th*	32	3*rd*
		July	...	65·5	48·0	56·8	+0·8	81	21*st*	36	31*st*
		Aug.	...	65·4	47·8	56·6	+1·1	80	14*th*	37	20*th*
		Sept.	...	61·3	42·3	51·8	+0·1	75	9*th*	26	22*nd*
		Oct.	...	54·8	37·9	46·4	+2·2	65	7*th*	21	15*th*
		Nov.	...	45·2	34·7	40·0	+1·2	57	9*th*	19	18*th*
		Dec.	...	38·3	28·0	33·2	−2·5	47	2*nd*, 3*rd*	10	22*nd*
		Year				**45·6**		**81**		**8**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch																	
37·3	1·5	·193	87	6·7	17	1·76	−0·28	0·51	8*th*	3	0	1	2	11	2	3	0	0	0	5	24	27	3	3	0
41·8	2·4	·217	82	5·3	10	0·86	−1·10	0·27	22*nd*	0	0	1	1	5	2	3	0	0	1	10	17	24	3	1	0
39·2	2·1	·199	83	5·7	27	2·86	+0·71	0·36	20*th*	4	1	0	2	9	3	0	0	5	1	15	6	21	6	8	0
48·9	4·4	·246	71	5·6	10	0·64	−1·14	0·24	1*st*	0	0	1	2	8	1	1	0	3	0	10	12	22	7	6	0
49·2	3·6	·266	76	7·1	16	3·14	+1·10	1·36	8*th*	1	2	0	0	13	1	1	3	7	0	10	5	16	4	17	0
54·3	2·5	·352	83	7·4	15	1·02	−1·05	0·26	4*th*	0	0	2	2	14	2	1	8	16	0	5	0	10	6	15	0
58·9	3·4	·395	79	7·0	17	4·76	+1·66	0·87	15*th*	0	0	2	1	14	3	0	0	4	2	20	14	6	0	16	0
57·3	2·9	·385	81	6·9	17	2·45	−0·92	0·90	2*nd*	0	0	3	0	8	0	0	3	10	0	12	5	23	1	8	0
53·5	2·8	·334	81	6·5	12	1·56	−1·38	0·53	14*th*	0	0	0	2	8	1	2	3	1	1	10	6	21	3	15	0
48·1	1·8	·291	87	6·3	20	2·03	−1·27	0·37	25*th*	0	0	0	4	8	2	0	0	4	1	16	16	18	0	7	0
42·1	1·9	·228	85	6·1	24	3·71	+0·85	0·86	2*nd*	1	1	0	3	9	4	5	1	8	1	5	11	28	3	3	0
36·7	1·7	·185	85	6·3	15	3·77	+1·01	1·24	13*th*	2	0	1	2	10	0	6	4	5	1	8	23	18	0	3	0
					200	**28·56**		**1·36**																	
35·1	1·5	·175	85	6·7	19	2·88	−0·11	0·95	25*th*	11	0	0	0	9	0	1	2	2	4	2	8	36	8	0	0
37·4	1·5	·194	87	6·3	21	4·22	+1·56	0·70	22*nd*	9	0	0	3	6	0	3	0	0	4	0	2	48	2	0	0
34·5	1·6	·168	84	6·6	23	4·36	+1·71	0·43	13*th*, 14*th*	15	0	0	5	12	0	0	2	2	4	0	10	18	22	4	0
44·3	3·5	·218	74	4·3	13	1·45	−0·78	0·40	10*th*	1	2	1	8	5	0	0	4	0	4	0	16	8	22	6	0
46·1	3·5	·235	76	5·3	14	2·19	−0·11	1·06	8*th*	3	1	0	0	5	0	0	8	0	2	0	6	34	6	6	0
54·8	3·5	·335	78	4·7	12	1·77	−0·61	0·87	21*st*	0	0	4	1	5	0	0	4	16	4	2	8	12	8	6	0
56·0	3·4	·355	79	5·3	14	2·12	−0·71	0·65	2*nd*	0	0	3	4	6	0	0	0	0	16	2	18	0	8	6	12
54·8	3·2	·343	80	5·3	13	1·88	−1·90	0·81	2*nd*	0	0	0	1	6	0	0	0	4	4	2	16	30	6	0	0
50·1	2·7	·294	81	5·7	12	0·84	−2·24	0·18	19*th*	0	0	0	3	4	1	2	6	0	2	4	10	16	12	10	0
44·6	1·8	·254	86	5·5	15	2·23	−1·71	0·49	29*th*	0	0	0	4	8	0	0	0	10	6	10	4	14	10	8	0
38·2	1·4	·202	88	6·3	19	6·02	+2·16	1·02	2*nd*	5	0	0	0	8	0	0	0	0	18	4	10	16	6	6	0
31·7	1·3	·149	82	6·4	23	8·81	+5·51	2·20	2*nd*	13	0	1	2	6	0	2	2	6	12	4	16	20	0	2	0
					198	**38·77**		**2·20**																	
35·1	1·7	·171	83	8·1	16	2·43	...	0·71	25*th*	5	0	0	1	19	0	5	2	0	4	6	10	8	22	10	0
38·1	2·1	·189	82	7·5	16	3·59	...	0·75	22*nd*	3	0	2	1	15	0	2	2	2	2	4	6	10	22	8	0
35·3	1·8	·172	83	6·7	21	3·76	...	0·56	20*th*	8	0	0	6	15	0	2	4	2	6	4	2	16	16	12	0
44·1	1·8	·249	85	5·1	9	0·88	...	0·28	10*th*	0	0	2	8	8	1	2	0	0	0	4	8	16	24	6	2
48·7	2·3	·289	84	5·8	12	2·71	...	0·92	8*th*	1	0	1	9	14	0	3	2	0	0	2	0	26	24	8	0
55·1	3·2	·346	79	5·0	12	2·12	...	1·03	21*st*	0	0	4	10	8	0	0	6	0	0	4	2	20	22	6	0
56·5	3·1	·368	80	6·0	13	3·02	...	0·87	2*nd*	0	0	2	4	11	0	2	4	2	2	6	6	10	20	12	0
56·6	2·4	389	84	6·1	13	2·39	...	1·54	2*nd*	0	0	2	6	13	0	0	2	0	2	4	2	22	24	6	0
50·8	2·1	·319	86	6·2	10	1·15	...	0·28	19*th*	0	0	0	5	13	1	2	4	2	0	2	4	10	24	14	0
44·9	1·7	·259	88	6·1	12	2·14	...	0·58	29*th*	0	0	0	5	11	3	1	0	4	2	6	4	20	20	6	0
38·4	1·8	·197	86	7·2	22	6·35	...	1·02	2*nd*	1	0	1	0	13	4	1	4	2	8	2	2	8	20	14	0
32·3	1·7	·146	80	6·5	21	9·16	...	2·26	2*nd*	8	0	1	3	13	0	4	2	0	6	10	4	18	20	2	0
					177	**39·70**		**2·26**																	
36·2	1·7	·182	86	5·5	16	1·26	...	0·27	9*th*	4	0	0	6	7	0	2	4	0	0	2	12	14	12	10	8
38·8	2·1	·196	84	...	16	2·00	...	0·57	22*nd*	1	0	1	...	...	0	2	0	0	0	3	7	35	2	2	7
35·7	1·7	·178	84	4·8	26	2·90	...	0·61	20*th*	8	0	0	7	6	0	0	1	1	1	4	1	8	20	11	15
41·1	2·6	·233	80	3·1	11	0·80	...	0·19	1*st*	0	0	0	11	3	0	1	0	1	0	3	6	13	8	15	14
47·5	3·5	·248	76	7·4	14	3·21	...	1·40	8*th*	0	2	1	1	18	0	0	2	5	2	5	10	5	6	12	15
55·4	3·6	·341	78	7·2	14	1·59	...	0·43	7*th*	0	1	3	3	16	0	0	3	7	5	1	2	6	9	16	11
55·3	2·1	·378	86	6·4	15	2·86	...	0·80	2*nd*	0	0	2	3	7	1	0	0	1	0	9	15	11	7	14	5
55·9	2·6	·374	84	5·8	13	1·76	...	0·79	2*nd*	0	0	1	5	9	0	0	1	1	3	7	6	9	1	0	34
51·7	2·7	·314	82	6·3	15	0·96	...	0·17	19*th*	0	0	0	3	13	0	2	0	14	1	4	6	10	3	8	14
45·4	1·7	·264	88	6·8	15	3·24	...	0·70	21*st*	0	0	0	...	...	0	0	2	4	20	3	5	2	3	2	21
40·0	1·3	·220	90	...	21	5·67	...	0·97	2*nd*	7	0	0	...	...	0	1	15	4	11	1	0	4	1	8	6
...	...	...	...	...	18	5·79	...	1·05	13*th*	8	0	0	...	...	0	3	1	7	11	4	2	15	1	12	9
					194	**32·04**		**1·40**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Loanhead— A. Farquharson.	747	Jan.	29·131	41·8	31·4	36·6	+0·7	55	31*st*	22	22*nd*
		Feb.	28·571	46·5	34·1	40·3	+4·3	57	28*th*	25	19*th*
		Mar.	28·602	43·9	31·5	37·7	+0·2	54	30*th*, 31*st*	21	9*th*
		Apl.	29·070	57·9	36·0	47·0	+4·5	76	21*st*	29	5*th*, 9*th*
		May	29·172	57·5	39·2	48·4	+1·1	73	14*th*	25	25*th*
		June	29·231	65·0	46·4	55·7	+2·0	81	17*th*	34	7*th*
		July	28·980	66·4	49·0	57·7	+1·9	86	21*st*	40	31*st*
		Aug.	29·109	65·9	48·6	57·3	+2·2	81	14*th*	40	17*th*
		Sept.	29·126	61·9	43·7	52·4	+1·0	73	2*nd*	31	22*nd*
		Oct.	29·172	54·4	39·8	47·1	+2·5	64	7*th*	26	15*th*
		Nov.	28·902	45·2	35·2	40·2	+1·6	58	9*th*	21	18*th*
		Dec.	28·570	38·7	29·3	34·0	−2·3	47	2*nd*, 3*rd*	16	25*th*
		Year	**28·969**			**46·2**		**86**		**16**	
Aberdeen (King's Coll.)— The Meteorological Office.	88	Jan.	29·875	42·7	35·9	39·3	+1·6	54	25*th*	29	15*th*
		Feb.	29·324	46·5	38·4	42·5	+4·4	53	2*nd*	31	25*th*
		Mar.	29·336	44·5	35·4	40·0	−0·1	56	31*st*	29	10*th*
		Apl.	29·809	53·8	40·1	47·0	+3·2	68	20*th*	34	4*th*
		May	29·898	55·1	41·9	48·5	+0·2	71	18*th*	31	25*th*
		June	29·930	60·5	47·9	54·2	+0·3	78	30*th*	38	3*rd*
		July	29·673	62·3	52·6	57·5	+0·3	74	21*st*	46	4*th*
		Aug.	29·828	62·3	52·0	57·2	+0·7	75	23*rd*	45	8*th*
		Sept.	29·830	59·7	46·8	53·3	+0·3	68	1*st*	40	6*th*
		Oct.	29·906	53·7	44·0	48·9	+2·0	63	5*th*	32	15*th*
		Nov.	29·613	47·3	39·3	43·3	+1·4	57	9*th*	27	15*th*
		Dec.	29·298	41·8	33·8	37·8	−0·2	50	2*nd*	23	25*th*
		Year	**29·693**			**47·5**		**78**		**23**	
Crathes— J. Smith.	145	Jan.	29·835	43·0	31·9	37·5	+1·1	55	25*th*	13	1*st*
		Feb.	29·263	47·7	34·4	41·1	+4·1	54	1*st*, 2*nd*	25	20*th*, 25*th*
		Mar.	29·270	46·0	32·3	39·2	+0·1	58	31*st*	23	10*th*
		Apl.	29·746	57·8	36·6	47·2	+4·3	75	21*st*	29	16*th*
		May	29·825	59·0	40·5	49·8	+1·9	73	18*th*	28	25*th*
		June	29·863	67·9	47·0	57·5	+3·2	84	29*th*	33	3*rd*, 7*th*
		July	29·637	66·7	51·5	59·1	+1·8	83	21*st*	39	31*st*
		Aug.	29·751	66·7	49·0	57·9	+1·6	77	23*rd*	39	8*th*
		Sept.	29·780	63·0	44·7	53·9	+1·5	77	2*nd*	31	22*nd*
		Oct.	29·842	56·3	41·3	48·8	+2·6	67	5*th*	26	15*th*
		Nov.	29·545	47·3	35·7	41·5	+1·5	59	8*th*	24	15*th*, 26*th*
		Dec.	29·230	40·7	29·8	35·3	−1·6	50	2*nd*	15	25*th*
		Year	**29·632**			**47·4**		**84**		**13**	
Stonehaven—	86	Jan.	...	43·3	33·2	38·3	...	54	25*th*	22	1*st*
		Feb.	...	47·4	35·8	41·6	...	55	2*nd*	28	19*th*
		Mar.	...	46·8	34·6	40·7	...	59	31*st*	28	10*th*
		Apl.	...	56·0	38·8	47·4	...	70	21*st*	33	9*th*, 15*th*
		May	...	57·9	41·6	49·8	...	69	18*th*	30	2*nd*, 25*th*
		June	...	63·8	48·1	56·0	...	80	29*th*	36	7*th*
		July	...	63·4	51·1	57·3	...	73	9*th*	45	4*th*
		Aug.	...	63·9	50·1	57·0	...	72	23*rd*	43	8*th*
		Sept.	...	62·4	46·5	54·5	...	71	30*th*	36	13*th*
		Oct.	...	56·5	44·0	50·3	...	65	3*rd*	32	28*th*
		Nov.	...	49·7	37·9	43·8	...	59	7*th*	28	15*th*
		Dec.	...	44·5	32·9	38·7	...	56	3*rd*	23	21*st*
		Year				**47·9**		**80**		**22**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·5	0·8	·209	93	6·5	16	1·41	−0·51	0·31	9*th*	5	0	0	5	14	1	2	2	0	6	10	5	15	9	14	1
40·5	0·7	·237	94	6·4	12	2·12	−1·03	0·49	22*nd*	1	0	1	2	10	0	1	2	5	0	11	3	17	6	5	7
38·0	0·9	·210	92	6·3	23	3·31	+1·07	0·72	20*th*	7	0	0	5	13	0	0	2	5	3	12	1	6	8	17	8
47·1	2·4	·267	83	5·0	11	0·71	−1·35	0·19	29*th*	0	0	0	7	7	0	1	1	6	4	6	1	17	9	4	12
48·6	3·2	·267	78	7·4	12	3·60	+1·45	1·65	8*th*	0	2	1	1	18	0	0	1	6	2	10	0	6	7	20	10
56·1	2·6	·377	83	7·2	11	1·70	−0·36	0·40	7*th*	0	1	3	3	16	0	0	3	7	5	1	2	6	9	16	11
58·0	2·4	·410	85	7·0	15	2·92	−0·05	0·85	2*nd*	0	0	2	2	13	0	0	4	3	9	11	2	2	7	14	10
57·6	2·5	·401	84	5·8	12	1·34	−1·88	0·86	2*nd*	0	0	1	5	9	0	0	0	7	11	6	1	10	5	1	21
53·1	2·4	·339	83	6·3	15	0·91	−1·71	0·20	19*th*	0	0	0	3	13	0	2	2	0	4	3	3	1	11	11	25
47·2	1·1	·298	93	6·8	16	3·29	+0·10	0·65	21*st*	0	0	0	3	15	0	0	2	6	6	8	1	2	9	10	18
41·0	0·8	·239	94	6·6	25	6·19	+3·20	1·22	2*nd*	7	0	0	2	11	0	1	2	4	5	3	0	10	11	12	13
34·9	1·2	·179	89	...	18	6·29	+3·38	1·75	13*th*	8	0	0	...	...	0	3	1	7	11	4	2	15	1	12	9
					186	**33·79**		**1·75**																	
39·0	2·3	·194	82	7·5	16	1·43	−0·75	0·47	8*th*	3	0	0	0	13	0	0	2	1	1	3	13	16	14	8	4
41·8	2·0	·225	85	6·5	14	2·27	+0·03	0·54	20*th*	0	1	0	4	12	0	1	0	0	1	5	24	15	3	1	7
39·9	2·4	·200	81	5·9	21	3·08	+0·75	0·50	23*rd*	4	3	0	0	10	0	0	1	1	4	9	11	8	10	13	5
47·5	4·0	·238	73	4·4	10	0·59	−1·50	0·12	26*th*, 29*th*	0	0	0	9	5	0	0	2	1	2	5	16	14	9	5	6
48 9	3·9	·256	74	6·1	15	2·66	+0·52	1·07	8*th*	0	3	1	3	11	0	0	6	3	4	7	13	9	5	12	3
54·8	3·9	·326	76	6·9	11	0·76	−1·09	0·27	18*th*	0	0	2	1	10	3	0	7	7	7	8	6	4	4	8	9
57·0	2·8	·388	83	7·1	16	4·20	+1·30	0·88	15*th*	0	0	2	0	15	2	0	6	1	8	9	12	2	6	9	9
57·2	3·2	·375	80	7·1	12	1·41	−1·67	0·33	3*rd*, 8*th*	0	0	0	1	13	1	0	0	1	6	10	16	10	1	1	17
53·5	3·6	·314	76	6·3	11	1·34	−1·37	0·28	19*th*	0	0	0	2	5	0	0	1	1	1	5	11	13	8	11	9
49·0	2·0	·298	86	7·4	17	2·06	−0·88	0·60	25*th*	0	1	0	2	14	0	0	2	1	8	11	9	5	6	10	10
43·1	1·9	·237	85	6·3	24	3·65	+0·43	0·53	1*st*	4	2	0	3	11	0	0	1	1	3	6	7	13	12	9	8
37·8	2·0	·196	89	5·6	17	5·26	+2·20	0·96	30*th*	4	2	0	5	12	0	1	2	1	7	6	10	13	10	5	8
					184	**28·71**		**1·07**																	
35·7	1·5	·182	86	7·6	15	1·16	...	0·34	9*th*	5	0	0	2	19	0	2	0	0	2	14	18	16	8	2	2
39·9	2·0	·207	84	6·4	16	3·45	...	0·88	20*th*	0	0	0	4	12	0	1	0	0	2	4	28	20	2	0	0
38·8	2·5	·188	80	6·6	22	4·00	...	0·61	13*th*	3	2	0	6	18	1	1	0	0	4	10	8	16	12	12	0
50·4	5·9	·236	66	...	10	0·64	...	0·18	9*th*	0	0	0	...	...	0	1	0	2	4	10	12	14	12	4	2
51·8	4·6	·273	71	7·4	12	2·35	...	1·11	8*th*	0	4	1	6	21	0	0	2	4	4	4	8	14	4	20	2
59·1	4·9	·358	71	6·7	11	0·72	...	0·17	18*th*	0	0	2	4	15	3	0	12	4	6	10	6	10	0	8	4
59·7	4·7	·372	72	7·8	15	3·13	...	0·76	15*th*	0	0	2	0	18	3	0	0	0	10	20	12	0	0	18	2
59·4	4·4	·376	74	5·9	11	1·23	...	0·58	2*nd*	0	0	2	7	16	4	1	0	4	20	10	18	8	0	0	2
55·1	4·2	·322	74	5·6	11	1·38	...	0·48	23*rd*	0	0	1	7	10	1	3	0	0	2	6	16	10	12	12	2
47·2	2·1	·275	86	7·7	18	3·53	...	0·72	31*st*	0	1	0	3	19	5	0	0	4	6	6	14	10	6	14	2
40·6	1·7	218	87	6·4	25	4·23	...	0·87	3*rd*	5	0	0	7	15	0	5	0	0	8	0	32	4	8	6	2
34·9	1·5	·173	85	6·6	19	8·69	...	1·96	13*th*	5	2	1	4	17	0	4	2	0	8	2	26	16	6	2	0
					185	**34·51**		**1·96**																	
36·9	1·9	·183	84	...	15	1·57	...	0·57	9*th*	3	0	0	...	...	0	1	6	0	2	6	12	6	12	18	0
40·3	1·5	·219	88	...	18	2·39	...	0·50	20*th*	0	0	0	...	...	0	1	2	0	0	6	22	10	8	8	0
40·3	1·9	·212	85	...	22	2·80	...	0·36	20*th*	0	0	0	...	...	0	1	8	2	0	6	14	6	8	18	0
49·5	3·4	·272	77	...	10	0·70	...	0·13	5*th*, 9*th*	0	0	0	...	...	0	1	4	4	4	16	12	12	4	4	0
50·4	3·5	·280	77	...	16	2·60	...	1·09	8*th*	0	2	1	...	...	0	0	14	0	2	10	18	6	4	8	0
56·8	3·7	·357	77	...	8	0·62	...	0·15	18*th*	0	0	1	...	...	5	3	6	0	16	12	10	4	0	12	0
57·9	2·4	·409	85	...	16	3·29	...	0·63	15*th*	0	0	2	...	...	5	0	2	2	12	14	8	0	6	18	0
58·2	2·6	·407	84	...	10	1·02	...	0·32	2*nd*	0	0	1	...	...	3	0	4	0	6	18	24	4	4	2	0
55·6	2·6	·360	83	...	10	0·98	...	0·37	17*th*	0	0	0	...	...	4	1	4	4	4	10	12	10	10	6	0
...	...	...	...	...	17	1·70	...	0·40	25*th*	0	0	0	...	...	0	0	8	0	6	6	8	8	6	20	0
...	...	...	...	...	24	2·93	...	0·56	1*st*	2	0	0	...	...	0	1	10	0	2	8	10	4	8	18	0
...	...	...	...	...	19	3·97	...	0·80	13*th*	0	0	0	...	...	0	6	8	0	2	6	12	8	8	18	0
					185	**24·57**		**1·09**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Montrose (Royal Asylum)—J. Masson.	200	Jan.	...	41·9	34·3	38·1	+0·8	51	26*th*	27	1*st*, 2*nd*
		Feb.	...	46·5	37·4	42·0	+4·4	57	2*nd*	32	19*th*
		Mar.	...	45·2	34·0	39·6	+0·3	53	30*th*	25	11*th*
		Apl.	...	55·1	38·3	46·7	+3·0	70	20*th*	31	15*th*
		May	...	56·2	40·0	48·1	0·0	70	17*th*	28	25*th*
		June	...	62·6	46·4	54·5	+0·1	79	29*th*, 30*th*	38	1*st*, 3*rd*, 7*th*,
		July	...	63·2	51·5	57·4	−0·1	79	21*st*	48	4*th*, 5*th*
		Aug.	...	63·2	49·8	56·5	−0·4	73	23*rd*	44	17*th*
		Sept.	...	60·1	45·9	53·0	+0·2	71	2*nd*	38	21*st*
		Oct.	...	54·3	42·6	48·5	+1·7	64	5*th*	30	15*th*
		Nov.	...	47·0	37·3	42·2	+1·2	56	9*th*	26	15*th*
		Dec.	...	42·1	31·9	37·0	−1·0	50	2*nd*, 3*rd*	20	21*st*
		Year				**46·9**		**79**	-	**20**	
Arbroath—J. Campbell, for the Natural History Association.	70	Jan.	29·923	43·5	34·8	39·2	+1·3	54	25*th*	25	1*st*
		Feb.	29·362	46·9	37·8	42·4	+3·9	51	1*st*, 2*nd*	30	19*th*
		Mar.	29·368	46·7	35·5	41·1	+0·6	57	31*st*	28	9*th*, 10*th*
		Apl.	29·854	56·0	39·3	47·7	+3·3	70	22*nd*	34	9*th*, 15*th*
		May	29·938	57·4	42·7	50·1	+1·4	70	18*th*	31	10*th*, 25*th*
		June	29·956	63·2	48·2	55·7	+1·2	80	29*th*	39	7*th*
		July	29·739	64·6	52·8	58·7	+1·2	74	9*th*	46	29*th*
		Aug.	29·860	64·3	51·0	57·7	+0·6	74	23*rd*	42	7*th*
		Sept.	29·884	62·0	46·8	54·4	+0·9	70	3*rd*	35	21*st*, 22*nd*
		Oct.	29·937	55·9	44·2	50·1	+3·2	64	3*rd*	35	15*th*
		Nov.	29·657	48·6	39·2	43·9	+2·6	57	9*th*	30	15*th*, 17*th*, 18*th*
		Dec.	29·330	43·3	33·2	38·3	−0·6	52	2*nd*	23	21*st*, 25*th*
		Year	**29·734**			**48·3**		**80**		**23**	
Lednathie—W. G. Lindsay, for P. Stormonth Darling.	720	Jan.	...	40·6	33·0	36·8	+1·9	52	25*th*	21	1*st*
		Feb.	...	43·9	33·8	38·9	+3·7	52	2*nd*	19	19*th*
		Mar.	...	43·7	32·1	37·9	+0·9	53	31*st*	20	9*th*
		Apl.	...	55·9	35·0	45·5	+3·5	71	22*nd*	24	16*th*
		May	...	56·0	38·4	47·2	+0·1	71	14*th*	23	25*th*
		June	...	66·0	45·5	55·8	+2·6	80	17*th*	33	7*th*
		July	...	65·7	49·9	57·8	+1·8	76	20*th*	42	8*th*
		Aug.	...	64·4	47·6	56·0	+1·3	76	14*th*	39	8*th*, 17*th*
		Sept.	—	59·7	43·7	51·7	+0·9	73	2*nd*	28	22*nd*
		Oct.	—	54·4	39·6	47·0	+2·6	65	16*th*	26	15*th*
		Nov.	—	46·1	34·0	40·1	+1·2	58	30*th*	20	18*th*
		Dec.	...	38·7	29·3	34·0	−1·4	47	3*rd*. 17*th*	16	21*st*
		Year				**45·7**		**80**		**16**	
Carnoustie—	39	Jan.	...	42·9	34·6	38·8	...	54	25*th*	25	1*st*
		Feb.	...	47·1	36·3	41·7	...	53	1*st*, 4*th*	29	19*th*
		Mar.	...	45·8	35·5	40·7	...	56	30*th*, 31*st*	27	9*th*
		Apl.	...	56·1	39·0	47·6	...	72	28*th*	32	9*th*
		May	...	57·3	42·4	49·9	...	70	14*th*	32	10*th*, 25*th*
		June	...	63·5	48·1	55·8	...	78	29*th*	37	7*th*
		July	...	64·9	51·7	57·8	...	74	9*th*	43	29*th*
		Aug.	...	64·3	50·8	57·6	...	73	23*rd*	44	8*th*
		Sept.	...	61·6	47·0	54·3	...	70	2*nd*, 3*rd*	36	21*st*, 22*nd*
		Oct.	...	55·7	44·5	50·1	...	63	4*th*, 5*th*	35	2*nd*, 28*th*
		Nov.	...	49·0	38·9	44·0	...	57	8*th*	29	17*th*
		Dec.	...	42·6	33·7	38·2	...	51	2*nd*	24	21*st*
		Year				**48·0**		**78**		**24**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	...	13	1·47	−0·69	0·58	9*th*	2	0	0	...	...	1	1	6	0	2	3	20	11	12	8	0
...	...	...	...	...	15	2·48	+0·42	0·64	20*th*	0	0	0	...	...	1	6	0	0	2	5	31	3	15	0	0
...	...	...	...	...	18	3·65	+1·78	1·01	20*th*	2	1	0	...	...	2	1	3	3	3	8	14	4	22	5	0
46·1	3·4	·237	76	...	8	0·50	−1·57	0·16	29*th*	0	1	1	...	...	1	1	3	0	2	2	11	9	31	2	0
48·2	2·3	·281	84	...	13	1·98	+0·10	0·74	8*th*	0	1	0	...	...	1	1	11	3	3	3	28	7	7	0	0
54·4	3·1	·338	80	...	11	0·95	−1·00	0·29	18*th*	0	0	2	...	...	7	1	12	4	10	5	12	4	10	2	1
56·6	2·0	·400	87	...	15	2·50	−0·42	0·58	2*nd*	0	0	1	...	...	5	0	10	1	21	1	13	2	14	0	0
56·3	2·1	·393	86	...	11	1·51	−1·63	0·37	2*nd*	0	0	0	...	...	5	0	0	5	13	1	21	9	11	2	0
52·8	2·3	·338	85	...	10	0·81	−1·92	0·31	17*th*	0	0	0	...	...	5	0	10	5	2	3	15	3	19	3	0
47·7	1·2	·302	92	...	17	2·70	−0·13	0·92	25*th*	0	0	0	...	...	2	1	16	1	6	4	13	2	14	6	0
42·3	1·8	·242	90	...	18	3·28	+0·51	0·49	5*th*	1	1	0	...	...	1	2	15	1	11	0	11	2	17	3	0
...	...	...	...	...	20	5·26	+2·45	1·07	13*th*	0	0	0	...	...	0	4	23	2	8	0	17	3	8	1	0
					169	**27·09**		**1·07**																	
39·3	2·0	·202	84	7·8	18	1·36	−0·80	0·34	9*th*	5	0	0	1	19	3	3	1	3	1	8	5	24	10	10	0
42·2	2·0	·227	85	6·5	19	1·67	−0·14	0·32	20*th*	3	0	0	0	7	2	3	0	3	1	11	11	25	3	2	0
40·2	2·4	·201	81	6·1	21	3·04	+1·30	0·76	20*th*	4	2	0	0	10	3	1	5	3	7	8	5	10	12	12	0
47·3	3·4	·248	76	4·8	10	0·60	−1·16	0·16	9*th*	0	1	1	6	5	1	3	3	7	2	7	1	25	9	6	0
49·8	3·7	·269	76	6·8	15	1·54	−0·31	0·54	8*th*	0	1	1	2	8	0	0	4	8	2	12	2	20	8	6	0
56·0	3·9	·343	76	5·7	12	0·57	−1·28	0·11	18*th*	0	0	1	3	7	2	0	1	19	8	7	2	14	6	3	0
58·3	3·4	·386	79	7·5	12	1·75	−0·94	0·73	2*nd*	0	0	1	1	13	8	0	6	14	14	9	3	4	6	6	0
57·8	2·7	·398	83	6·4	15	2·03	−0·85	0·45	2*nd*	0	0	2	0	11	1	0	0	10	10	9	7	21	5	0	0
54·1	3·5	·323	78	5·6	6	0·46	−1·92	0·14	17*th*	0	1	1	4	6	2	1	1	11	2	7	1	22	7	9	0
49·7	2·3	·300	85	7·1	17	2·18	−0·21	0·48	25*th*	0	0	0	1	12	3	0	6	7	9	10	4	9	11	6	0
43·7	1·9	·244	85	6·8	21	2·54	+0·22	0·42	1*st*	1	1	0	1	13	3	3	8	5	5	4	1	17	13	7	0
38·4	1·9	·195	85	6·1	15	2·97	+0·53	0·64	13*th*	5	3	0	5	14	1	7	7	5	6	5	4	16	14	5	0
					181	**20·71**		**0·76**																	
...	...	...	...	...	14	1·99	−1·86	0·45	9*th*	4	0	0	...	...	2	2	4	4	2	6	2	18	14	12	0
...	...	...	...	...	20	6·29	+3·09	1·39	20*th*	3	1	0	...	...	0	2	0	0	0	4	2	34	8	8	0
...	...	...	...	...	20	6·09	+3·38	0·87	13*th*	5	0	0	...	...	1	1	2	2	4	8	6	6	12	22	0
...	...	...	...	...	8	1·46	−1·62	0·49	9*th*	0	0	1	...	...	0	2	0	0	4	10	2	14	20	10	0
...	...	...	...	...	12	1·82	−0·76	0·53	8*th*	0	1	0	...	...	1	1	2	2	6	8	0	16	20	8	0
...	...	...	...	...	12	1·14	−1·61	0·38	21st	0	0	3	...	...	1	0	0	4	2	10	2	8	22	12	0
...	...	...	...	...	8	3·08	−0·50	0·95	31*st*	0	0	2	...	...	3	0	0	6	2	24	4	12	6	8	0
...	...	...	...	...	12	3·78	−0·09	0·85	2*nd*, 3*rd*	0	0	3	...	...	1	0	0	0	8	12	0	16	22	4	0
...	...	...	...	...	6	0·74	−2·88	0·32	16*th*	0	0	0	...	...	0	2	0	0	4	10	2	8	20	16	0
...	...	...	...	...	13	4·61	+0·15	1·04	25*th*	0	0	0	...	...	0	0	0	8	6	10	0	10	12	16	0
...	...	...	...	...	20	6·40	+1·59	1·12	5*th*	1	0	0	...	...	0	3	0	8	12	0	2	10	10	18	0
...	...	...	...	...	18	10·25	+5·88	2·33	13*th*	7	0	0	...	...	0	6	0	10	4	0	2	12	10	24	0
					163	**47·65**		**2·33**																	
38·1	1·6	·198	86	...	14	1·64	...	0·33	9*th*	1	0	0	...	...	0	3	10	4	0	6	2	18	16	6	0
40·9	1·6	·222	87	...	17	2·09	...	0·41	22*nd*	0	0	0	...	...	1	3	0	0	2	2	10	24	16	2	0
40·2	2·3	·203	82	..	22	3·70	...	0·84	20*th*	0	0	0	...	..	0	2	6	4	4	6	8	6	21	7	0
49·2	3·4	·270	77	...	9	0·62	...	0·16	9*th*	0	0	0	..	...	0	1	2	2	8	4	4	12	24	4	0
51·3	4·0	·280	74	6·0	17	2·38	...	0·56	8*th*	0	3	1	1	5	0	0	5	5	3	10	6	8	22	3	0
57·9	4·5	·353	73	5·2	17	1·02	...	0·42	18*th*	0	0	1	4	5	0	1	3	6	12	6	11	1	16	5	0
59·3	3·2	·406	81	6·7	15	2·36	...	0·71	2*nd*, 31*st*	0	0	0	1	5	5	0	11	3	14	6	4	5	10	9	0
59·4	3·1	·411	82	5·9	16	2·64	...	0·65	2*nd*	0	0	0	3	8	1	0	6	3	6	6	11	9	20	1	0
56·0	3·8	·345	76	4·8	9	1·27	...	0·75	21*st*	0	0	0	6	3	0	1	11	3	4	3	5	5	26	3	0
50·6	2·2	·313	85	...	18	2·61	...	0·56	25*th*	0	0	0	..	...	1	0	6	2	4	9	9	10	11	11	0
44·0	1·7	·250	86	...	21	3·34	...	0·48	5*th*	0	0	0	..	...	1	2	9	3	0	8	5	8	18	9	0
38·1	1·8	·194	84	..	20	4·11	...	1·11	13*th*	0	0	0	...	...	0	3	3	6	5	5	6	13	19	5	0
					195	**27·78**		**1·11**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Dundee (Eastern Necropolis)— J. Carnochan, Curator of Parks.	164	Jan.	29·834	42·1	33·7	37·9	+1·3	52	25*th*	24	1*st*
		Feb.	29·262	47·2	36·4	41·8	+4·1	55	4*th*	28	19*th*
		Mar.	29·281	46·0	33·9	40·0	+0·4	56	31*st*	25	9*th*
		Apl.	29·764	56·9	38·7	47·8	+3·2	74	21*st*	32	15*th*
		May	29·840	58·8	41·7	50·3	+1·0	73	17*th*	31	10*th*
		June	29·858	66·6	48·5	57·6	+1·9	79	29*th*	39	1*st*, 7*th*
		July	29·640	67·9	51·9	59·9	+1·2	84	21*st*	46	29*th*
		Aug.	29·766	66·9	50·7	58·8	+1·3	75	29*th*	47	8*th*, 25*th*
		Sept.	29·798	61·4	46·0	53·7	+0·2	71	2*nd*	34	21*st*, 22*nd*
		Oct.	29·840	54·6	42·8	48·7	+2·2	62	3*rd*, 4*th*, 5*th*	34	2*nd*, 15*th*
		Nov.	29·566	46·9	37·2	42·1	+1·4	56	9*th*	26	18*th*
		Dec.	29·216	41·0	31·5	36·3	−1·2	51	2*nd*	21	25*th*
		Year	**29·639**			**47·9**		**84**		**21**	
Dundee Harbour— J. H. Thompson, F.R.S.E.	20	Jan.	...	44·4	33·4	38·9	+1·1	53	25*th*, 26*th*	26	1*st*
		Feb.	...	48·0	36·9	42·5	+3·0	55	2*nd*	29	25*th*
		Mar.	...	48·4	35·8	42·1	+0·8	57	31*st*	28	9*th*
		Apl.	...	58·5	40·9	49·7	+3·4	72	21*st*	35	9*th*
		May	...	58·0	43·6	50·8	+0·5	70	17*th*	37	11*th*, 25*th*
		June	...	64·9	50·1	57·5	+0·8	75	29*th*	41	7*th*
		July	...	65·1	54·5	59·8	+0·5	81	21*st*	51	25*th*, 29*th*
		Aug.	...	64·7	53·5	59·1	+0·1	72	23*rd*	44	9*th*
		Sept.	...	60·9	49·5	55·2	+0·4	70	2*nd*	39	22*nd*
		Oct.	...	53·8	46·0	49·9	+1·5	63	5*th*	39	28*th*, 29*th*
		Nov.	...	49·5	39·4	44·5	+2·4	57	8*th*, 9*th*	32	17*th*, 18*th*
		Dec.	...	42·9	34·2	38·6	−0·4	51	2*nd*	26	26*th*
		Year				**49·1**		**81**		**26**	
Balruddery— G. Davie, for J. Martin White.	276	Jan.	...	42·4	32·4	37·4	+0·5	52	25*th*, 30*th*, 31*st*	25	2*nd*
		Feb.	...	47·3	35·0	41·2	+3·2	53	2*nd*	28	19*th*
		Mar.	...	46·8	33·1	40·0	−0·1	58	31*st*	25	9*th*
		Apl.	...	58·3	36·7	47·5	+2·8	75	21*st*	30	9*th*
		May	...	59·0	40·3	49·7	+0·4	74	17*th*	31	10*th*
		June	...	66·5	46·1	56·3	+0·6	79	29*th*	35	7*th*
		July	...	67·7	49·4	58·6	−0·3	84	21*st*	41	4*th*, 29*th*
		Aug.	...	66·3	48·0	57·2	+0·2	75	14*th*	41	20*th*
		Sept.	...	61·7	45·4	53·6	−0·5	72	2*nd*	31	22*nd*
		Oct.	...	56·9	41·3	49·1	+2·7	64	9*th*	32	19*th*
		Nov.	...	48·2	36·0	42·1	+1·4	58	7*th*	28	14*th*
		Dec.	...	42·5	30·9	36·7	−0·4	49	2*nd*	23	21*st*
		Year				**47·5**		**84**		**23**	
Kettins— W. Andrew, The Schoolhouse.	218	Jan.	...	41·4	31·7	36·6	...	53	25*th*	16	1*st*
		Feb.	...	46·4	34·1	40·3	...	54	1*st*	24	19*th*
		Mar.	...	45·9	32·6	39·3	..	56	30*th*, 31*st*	22	9*th*
		Apl.	...	57·7	35·9	46·8	...	72	21*st*, 28*th*	28	9*th*, 15*th*
		May	...	58·5	40·3	49·4	...	72	17*th*	30	10*th*, 25*th*
		June	...	68·0	46·6	57·3	...	78	17*th*	34	7*th*
		July	...	67·9	49·7	58·8	...	81	21*st*	39	29*th*
		Aug.	...	66·4	49·1	57·8	...	78	14*th*	42	13*th*, 17*th*
		Sept.	...	61·2	43·9	52·6	...	73	2*nd*	28	22*nd*
		Oct.	...	55·2	39·7	47·5	...	64	7*th*	28	15*th*
		Nov.	...	48·0	34·5	41·2	...	57	8*th*	22	17*th*, 18*th*
		Dec.	...	40·5	29·5	35·0	...	50	2*nd*	17	25*th*
		Year				**46·9**		**81**		**16**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·5	0·9	·207	92	8·8	15	1·45	−0·82	0·55	9*th*	1	0	0	0	23	1	2	3	6	2	9	1	22	9	10	0
40·7	1·1	·231	91	8·5	18	2·43	+0·35	0·49	22*nd*	0	0	0	0	18	0	4	1	4	1	8	0	35	3	4	0
38·5	1·2	·209	90	7·6	21	3·30	+1·42	0·69	20*th*	2	0	0	0	15	0	1	1	8	0	13	0	26	4	10	0
46·8	1·9	·275	86	6·3	7	0·79	−1·13	0·26	9*th*	0	1	1	2	11	0	2	0	2	3	12	0	33	2	8	0
49·4	2·4	·293	84	7·9	12	1·84	−0·03	0·32	8*th*	0	0	0	0	16	0	1	1	10	0	10	0	32	3	6	0
56·8	3·0	·375	81	7·3	11	1·04	−0·95	0·60	18*th*	0	0	1	0	10	0	0	0	10	9	12	0	18	5	6	0
58·5	2·4	·417	85	8·0	13	2·15	−0·76	0·71	31*st*	0	0	0	0	15	1	1	1	9	7	19	0	10	7	9	0
57·1	2·0	·407	87	7·6	15	2·68	−0·56	0·61	2*nd*	0	0	2	0	17	1	0	0	1	13	11	0	32	1	4	0
52·4	2·0	·340	87	6·9	5	0·81	−1·76	0·42	17*th*	0	0	0	5	12	0	1	0	3	3	12	0	21	7	14	0
47·8	1·2	·303	91	8·5	17	2·42	−0·22	0·50	25*th*	0	0	0	0	20	3	0	0	11	0	18	1	22	1	9	0
41·7	1·0	·243	93	8·7	20	3·45	+0·88	0·54	5*th*	0	0	0	0	21	3	3	1	7	0	11	0	26	5	10	0
36·3	0·9	·198	93	8·5	17	4·42	+1·72	1·22	13*th*	1	0	0	0	18	1	6	0	7	1	11	2	26	5	10	0
					171	**26·78**		**1·22**																	
39·1	2·0	·200	84	7·8	14	1·30	...	0·34	8*th*	1	0	0	1	16	0	1	2	1	11	2	4	7	27	7	1
...	...	...	...	6·6	19	2·32	...	0·57	22*nd*	0	0	0	2	12	0	1	0	0	6	2	6	22	16	4	0
...	...	...	...	6·4	20	3·53	...	0·77	20*th*	1	0	0	4	14	0	0	4	4	6	4	2	6	32	4	0
...	...	...	...	4·9	7	0·83	...	0·29	9*th*	0	1	1	5	6	0	1	2	2	10	4	2	10	28	2	0
...	...	...	...	6·8	12	1·61	...	0·31	22*nd*	0	0	0	1	12	0	0	6	4	8	4	4	12	18	6	0
...	...	...	...	7·0	9	1·11	...	0·71	18*th*	0	0	1	2	12	0	0	4	10	12	0	2	16	14	2	0
...	...	...	...	7·3	12	1·95	...	0·64	31*st*	0	0	0	0	14	1	0	2	10	16	10	0	6	8	10	0
...	...	...	...	7·3	11	2·56	...	0·57	2*nd*	0	0	1	0	14	0	0	0	8	14	4	0	24	10	2	0
...	...	...	...	5·9	7	0·72	...	0·30	17*th*	0	0	0	2	10	0	0	2	4	8	4	2	12	22	6	0
...	...	...	...	6·6	16	2·50	...	0·46	25*th*	0	0	0	4	12	4	0	0	12	8	6	2	6	20	8	0
...	...	...	...	6·6	21	3·29	...	0·55	5*th*	0	0	0	1	9	3	3	2	6	0	8	0	14	20	10	0
..	...	...	...	...	21	4·53	...	1·22	13*th*	0	0	0	...	...	0	5	4	2	12	2	0	14	24	4	0
					169	**26·25**		**1·22**																	
...	...	...	...	...	10	1·47	...	0·38	8*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	18	2·51	...	0·62	22*nd*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
39·2	2·2	·197	82	...	16	3·71	...	0·90	20*th*	1	0	0	...	...	0	1	4	1	6	4	1	1	11	5	29
47·2	3·2	·251	78	...	6	0·61	...	0·22	4*th*	0	0	0	...	...	0	1	1	2	3	1	4	9	10	1	29
49·6	3·4	·273	77	...	11	1·53	...	0·28	7*th*, 8*th*	0	0	0	...	...	0	0	2	2	1	0	2	4	8	3	40
56·9	3·9	·352	76	...	8	1·52	...	0·81	18*th*	0	0	1	...	...	0	0	4	1	2	0	7	8	5	5	28
58·3	2·7	·406	83	...	8	2·24	...	0·73	31*st*	0	0	0	...	...	0	0	0	4	5	0	3	2	6	6	36
57·2	2·0	·409	87	...	9	2·16	...	0·63	2*nd*	0	0	0	...	...	0	0	1	2	1	1	11	3	1	17	25
53·4	2·7	·335	82	...	7	0·75	...	0·23	17*th*	0	0	0	...	...	0	1	0	2	1	0	3	10	8	2	34
47·8	1·6	·293	88	...	14	3·23	...	0·71	25*th*	0	0	0	...	...	0	0	0	2	3	0	0	2	4	5	46
41·4	1·2	·235	91	6·3	18	4·00	...	0·73	5*th*	0	0	0	1	8	0	1	5	2	3	0	2	6	7	4	31
36·2	1·3	·189	89	5·9	16	5·40	...	1·53	13*th*	1	0	0	4	9	0	8	4	3	7	1	2	10	6	1	28
					141	**29·13**		**1·53**																	
36·1	1·2	·190	89	7·6	16	1·73	...	0·41	8*th*	2	0	0	3	19	1	0	4	6	6	4	4	6	18	2	12
39·2	1·6	·208	87	6·6	22	4·43	...	1·07	20*th*	2	0	0	6	14	1	0	4	0	2	2	10	8	18	2	10
38·9	2·2	·195	84	6·7	23	4·45	...	1·09	20*th*	5	3	0	7	16	0	0	10	4	2	4	2	4	26	6	4
49·2	4·0	·257	73	5·0	5	0·82	...	0·39	9*th*	0	0	1	8	8	0	0	2	6	4	4	0	2	22	12	8
51·9	4·6	·274	71	7·2	16	1·89	...	0·51	7*th*	0	2	0	2	14	0	0	4	0	0	4	6	6	26	6	10
60·5	5·4	·366	70	5·5	12	0·85	...	0·20	21*st*	0	0	3	8	11	1	0	8	2	2	2	2	0	28	12	4
61·0	4·0	·410	77	7·3	12	2·66	...	0·94	1*st*	0	0	1	2	14	0	0	8	0	6	6	6	0	26	2	8
59·7	3·4	·408	80	6·7	18	2·42	...	0·74	2*nd*	0	0	2	1	14	0	0	0	4	4	0	0	18	16	2	18
54·1	3·0	·336	80	6·4	7	0·77	...	0·21	16*th*	0	0	0	5	10	0	0	8	0	2	2	2	4	22	10	10
47·2	1·8	·282	88	5·7	15	3·16	...	0·60	25*th*	0	0	0	9	12	2	0	6	6	0	0	2	2	10	10	26
41·0	1·6	·223	87	6·2	19	3·77	...	0·65	5*th*	1	1	0	6	15	2	0	6	2	0	2	4	8	18	6	14
34·2	1·7	·164	82	6·1	19	8·60	...	1·88	13*th*	4	0	0	7	15	0	0	0	6	8	2	2	8	22	0	14
					184	**35·55**		**1·88**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Perth— A. M. Rodger, The Museum.	83	Jan.	29·914	43·0	33·7	38·4	+1·1	55	25*th*	19	1*st*
		Feb.	29·331	48·4	37·1	42·8	+4·6	55	2*nd*, 3*rd*	25	19*th*, 25*th*
		Mar.	29·366	48·1	33·9	41·0	+1·2	58	30*th*, 31*st*	20	9*th*
		Apl.	29·843	59·9	37·2	48·6	+3·4	75	21*st*	29	15*th*
		May	29·921	59·3	41·7	50·5	+0·9	72	17*th*	31	10*th*
		June	29·938	68·8	47·0	57·9	+2·0	83	17*th*	35	7*th*
		July	29·717	68·7	50·9	59·8	+1·2	83	21*st*	40	29*th*
		Aug.	29·838	67·0	48·9	58·0	+0·4	81	14*th*	43	13*th*, 17*th*
		Sept.	29·877	61·8	45·6	53·7	+0·4	74	2*nd*	28	22*nd*
		Oct.	29·908	56·8	41·2	49·0	+2·6	66	9*th*	30	15*th* 19*th* 29*th*
		Nov.	29·646	47·8	36·3	42·1	+1·2	58	8*th*, 9*th*	22	17*th*, 18*th*
		Dec.	29·307	42 1	30·4	36·3	−1·6	52	2*nd*	16	25*th*
		Year	**29·717**			**48·2**		**83**		**16**	
Crieff— Dr. Meikle and G. Reid.	436	Jan.	29·527	41·8	33·2	37·5	+0·7	52	2*nd*, 25*th*	26	15*th*
		Feb.	28·950	46·0	35·8	40·9	+3·0	53	2*nd*	29	17*th*, 19*th*
		Mar.	28·982	46·2	32·9	39·6	−0·5	56	31*st*	24	9*th*
		Apl.	29·466	57·6	37·7	47·7	+2·9	73	21*st*	32	9*th*, 15*th*
		May	29·546	58·1	41·0	49·6	−0·5	71	14*th*, 17*th*	32	10*th*
		June	29·571	68·1	47·6	57·9	+1·7	80	17*th*	38	7*th*
		July	29·351	66·8	50·6	58·7	−0·1	82	21*st*	42	4*th*
		Aug.	29·470	64·7	49·8	57·3	−0·2	78	14*th*	45	7*th*, 8*th*, 17*th*
		Sept.	29·503	61·1	45·2	53·2	−0·2	72	2*nd*	34	21*st*, 22*nd*
		Oct.	29·538	55·5	42·3	48·9	+2·5	63	5*th*, 6*th*	32	28*th*
		Nov.	29·266	47·0	35·9	41·5	+0·5	57	8*th*	25	18*th*
		Dec.	28·925	40·6	30·7	35·7	−1·4	50	2*nd*	21	21*st*
		Year	**29·341**			**47·4**		**82**		**21**	
Stronvar— G. Dickson, for J. Carnegie.	422	Jan.	...	42·6	32 0	37·3	+0·7	53	31*st*	17	16*th*
		Feb.	...	48·2	35·9	42·1	+5·2	55	2*nd*, 6*th*	30	17*th*, 23*rd*
		Mar.	...	45·8	33·0	39·4	+0·6	56	31*st*	17	9*th*
		Apl.	...	57·5	37·1	47·3	+3·4	72	21*st*	30	3*rd*, 9*th*, 17*th*
		May	...	57·5	39·2	48·4	−0·1	68	16*th*	36	24*th*
		June	...	65·8	44·2	55·0	+0·3	81	17*th*	37	6*th*, 8*th*
		July	...	65·5	...	...	...	85	21*st*	..	...
		Aug.	...	67·1	...	...	...	82	14*th*	...	...
		Sept.	...	62·4	...	...	...	70	7*th*	...	...
		Oct.	...	55·6	40·2	47·9	+2·3	68	3*rd*	30	12*th* 27*th* 30*th*
		Nov.	...	...	...	...	...	...	...	...	...
		Dec.	...	40·1	31·0	35·6	−1·3	48	1*st*	17	25*th*
		Year									
St. Andrews— The Meteorological Office.	20	Jan.	...	43·2	33·6	38·4	...	54	25*th*	25	1*st*
		Feb.	...	47·5	35·5	41·5	...	53	1*st*, 2nd	28	25*th*
		Mar.	...	46·9	34·9	40·9	...	57	30*th*	27	9*th*, 10*th*
		Apl.	...	57·8	38·4	48·1	...	72	21*st*	30	15*th*
		May	...	57·9	42·5	50·2	...	71	17*th*	31	10*th*
		June	...	64·0	48·0	56·0	...	75	30*th*	37	1*st*
		July	...	66·2	51·1	58·7	...	82	21*st*	42	4*th*
		Aug.	...	64·6	50·4	57·5	...	74	23*rd*	41	17*th*
		Sept.	...	61·7	46·7	54·2	...	72	2*nd*	32	22*nd*
		Oct.	...	55·5	41·0	48·3	...	63	1*st*, 5*th*	32	2*nd*
		Nov.	...	49·3	37·8	43·6	...	57	8*th*	26	17*th*
		Dec.	...	43·3	33·8	38·6	...	51	2*nd*	25	21*st* 22*nd* 24*th*
		Year				**48·0**		**82**		**25**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
° °	°	Inch.	%			Inch.	Inch.	Inch.																	
37·4	1·9	·187	84	6·9	14	2·07	−0·92	0·48	8*th*	1	0	0	5	17	1	2	4	7	12	3	4	21	4	6	1
41·5	2·2	·217	83	6·1	21	3·62	+1·04	0·56	22*nd*	0	0	0	2	5	0	4	3	6	9	3	10	15	5	3	2
38·5	2·3	·189	82	4·9	23	3·89	+1·55	0·81	20*th*	4	2	0	5	6	1	0	6	5	7	3	3	11	12	13	2
46·5	2·9	·251	80	3·5	10	0·80	−1·32	0·25	9*th*	0	0	1	4	5	0	1	1	2	4	6	2	19	20	3	3
49·5	3·3	·274	77	5·9	15	1·56	−0·66	0·36	7*th*	0	3	1	2	8	0	0	2	10	8	3	3	16	13	3	4
57·1	4·1	·350	75	5·1	9	0·37	−1·74	0·12	20*th*	0	0	2	4	6	0	0	2	7	12	5	4	19	9	1	1
58·4	2·9	·402	82	6·2	11	2·83	−0·19	0·86	1*st*	0	0	2	0	8	0	0	1	3	21	7	2	9	13	4	2
56·8	2·3	·394	85	5·8	17	2·05	−1·26	0·73	2*nd*	0	0	0	2	8	1	0	1	3	18	3	11	20	2	0	4
52·4	2·4	·330	84	4·8	8	0·63	−2·20	0·22	17*th*	0	0	1	7	7	0	0	2	4	11	2	5	11	19	1	5
47·3	1·6	·287	89	6·3	14	2·38	−0·72	0·45	31*st*	0	0	0	4	11	5	0	1	13	9	10	2	4	8	4	11
41·5	1·5	·230	88	5·8	21	4·12	+1·22	0·87	2*nd*	1	0	0	4	10	7	2	5	13	4	4	1	16	7	8	2
36·0	1·5	·184	87	6·8	19	7·38	+4·22	1·59	13*th*	4	0	0	1	12	4	5	6	3	8	3	0	16	11	15	0
					182	**31·70**		**1·59**																	
37·4	1·7	·191	86	8·3	17	3·11	−1·35	0·96	25*th*	2	0	0	1	19	0	3	2	4	24	0	1	1	26	4	0
40·4	1·5	·220	88	8·5	26	6·43	+3·16	0·88	20*th*	3	0	0	0	19	0	4	2	0	7	1	1	10	32	3	0
38·8	2·3	·192	82	6·8	23	5·03	+2·11	0·89	13*th*	7	1	0	2	12	0	1	4	3	13	5	1	2	28	6	0
46·6	3 6	·237	75	5·5	11	1·76	−0·52	0·44	4*th*	1	0	1	6	11	0	3	0	0	12	0	1	5	38	4	0
48·6	3·9	·252	73	7·1	13	1·37	−0·98	0·33	3*rd*	0	2	2	1	10	0	1	3	11	11	0	1	4	23	9	0
56·7	4·8	·329	71	6·3	12	0·53	−2·37	0·12	10*th*, 23*rd*	0	0	3	3	10	0	1	1	1	26	0	3	6	11	12	0
57·4	3·4	·373	79	7·5	11	3·53	+0·37	1·12	1*st*	0	0	3	0	13	0	0	2	4	19	9	2	2	14	10	0
56·1	2·7	·374	82	7·3	18	4·19	+0·20	1·33	2*nd*	0	0	0	1	12	0	0	0	0	17	5	0	1	36	3	0
52·4	2·8	·321	82	6·5	12	1·08	−2·20	0·43	16*th*	0	0	0	4	12	0	1	5	2	12	0	1	1	31	8	0
48·0	1·9	·287	87	7·6	17	2·01	−2·09	0·59	25*th*	0	0	0	2	16	0	1	3	1	21	3	0	0	30	4	0
41·6	1·6	·229	88	7·5	23	5·50	+1·10	0·81	27*th*	3	1	0	0	15	0	2	11	2	18	1	0	3	23	2	0
35·8	1·3	·187	89	7·5	20	8·64	+4·33	1·31	13*th*	9	0	0	1	14	0	6	3	4	18	2	3	2	22	8	0
					203	**43·18**		**1·33**																	
...	...	..	...	9·8	14	7·22	−2·06	2·75	25*th*	2	...	...	...	...	...	...	0	13	0	16	2	26	1	4	0
41·2	1·5	·227	89	9·0	26	13·83	+6·88	2·00	19*th*	2	0	0	3	25	0	1	0	0	0	10	2	42	2	0	0
38·0	1·6	·197	86	7·9	22	8·19	+2·03	1·20	14*th*	7	0	0	3	17	0	0	0	16	0	4	0	32	0	10	0
47·4	2·7	·264	82	6·4	15	6·15	+1·88	1·07	5*th*	0	0	1	5	10	0	0	0	18	0	2	0	34	0	6	0
44·5	2·6	·237	80	6·5	9	2·55	−1·36	0·78	7*th*	0	0	0	3	10	0	1	8	4	0	6	0	8	0	36	0
51·2	3·3	·295	78	8·0	6	1·40	−2·54	0·76	20*th*	0	0	2	2	14	0	0	0	26	0	12	4	10	0	8	0
55·3	2·9	·356	81	8·0	11	3·24	−1·37	0·86	1*st*	0	0	1	1	17	0	0	0	6	2	16	0	10	4	24	0
56·7	3·2	·368	80	7·3	13	5·05	−0·84	1·12	8*th*	0	0	0	3	13	0	0	0	8	2	18	6	18	4	6	0
52·9	3·2	·318	79	6·7	11	2·70	−3·67	0·82	16*th*	0	0	0	4	11	0	0	4	10	0	10	0	26	0	10	0
49·8	2·1	·305	86	7·2	8	2·22	−5·32	0·91	17*th*	0	0	0	2	12	0	0	0	22	2	26	0	2	0	10	0
...	...	...	...	...	17	10·05	+2·44	2·25	29*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
34·2	1·7	·164	82	6·1	19	8·60	...	1·88	13*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
					171	**71·20**		**2·75**																	
38·4	1·3	·206	89	...	13	1·70	...	0·36	8*th*	0	0	0	...	...	0	0	0	4	2	8	2	46	0	0	0
40·7	1·8	·217	86	...	16	2·75	...	0·45	14*th*, 20*th*	0	0	0	...	...	0	0	0	4	2	2	4	42	0	2	0
40·6	2·5	·203	81	...	17	3·52	...	0·48	13*th*	1	0	0	...	...	0	0	0	4	2	8	2	34	8	4	0
49·9	4·1	·263	73	...	8	0·89	...	0·24	4*th*	0	0	0	...	...	0	0	0	6	2	10	0	22	12	8	0
51·4	4·0	·281	74	...	13	2·14	...	0·42	8*th*	0	1	0	...	...	0	0	0	18	2	6	0	30	4	2	0
57·3	4·6	·341	73	...	10	0·71	...	0·19	7*th*	0	1	1	...	...	1	0	0	16	12	2	0	28	0	2	0
59·3	3·9	·388	76	...	12	2·24	...	0·57	31*st*	0	0	1	...	...	7	0	0	10	12	8	2	24	4	2	0
59·1	3·3	·401	80	...	11	1·92	...	0·48	2*nd*	0	0	0	...	...	2	0	0	10	6	4	2	26	8	6	0
55·7	3·8	·341	76	...	5	0·65	...	0·26	30*th*	0	0	1	...	...	1	1	0	8	4	4	0	24	10	10	0
50·3	2·1	·311	85	...	13	2·37	...	0·57	25*th*	0	0	0	...	...	3	0	0	8	4	6	12	24	6	2	0
43·9	1·8	·247	86	..	13	2·68	...	0·44	5*th*	0	0	0	...	...	2	2	0	4	6	6	0	34	4	6	0
37·9	1·5	·199	88	...	15	4·86	...	1·47	25*th*	0	0	0	...	...	2	2	0	10	6	2	0	30	10	4	0
					146	**26·43**		**1·47**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Cupar— A. R. Turnbull, M.D., Fife and Kinross Asylum.	210	Jan.	...	43·9	32·7	38·3	+1·2	53	25*th*	24	1*st*
		Feb.	...	47·5	34·9	41·2	+3·3	53	1*st*	27	19*th*
		Mar.	...	47·0	33·8	40·4	+0·5	55	30*th*	24	9*th*
		Apl.	...	56·0	38·2	47·1	+3·0	72	21*st*	31	9*th*, 15*th*
		May	...	55·1	42·2	48·7	−0·4	70	14*th*, 17*th*	31	11*th*
		June	...	64·7	47·7	56·2	+0·5	77	17*th*	37	1*st*
		July	...	65·2	51·3	58·3	+0·5	83	21*st*	42	4*th*
		Aug.	...	64·1	51·2	57·7	+0·9	73	23*rd*	44	17*th*
		Sept.	...	58·9	46·1	52·5	−0·4	73	2*nd*	32	22*nd*
		Oct.	...	54·2	40·5	47·4	+0·9	61	3*rd*, 5*th*	30	31*st*
		Nov.	...	48·5	36·0	42·3	+1·5	56	8*th*	24	17*th*, 18*th*
		Dec.	...	43·8	31·7	37·8	−0·4	50	2*nd*	20	25*th*
		Year				**47·3**		**83**		**20**	
Colinsburgh— Rev. Robert Dick	147	Jan.	29·844	42·4	34·0	38·2	+0·9	51	31*st*	25	1*st*
		Feb.	29·285	46·5	37·4	42·0	+4·0	52	4*th*, 10*th*	29	1*st*, 19*th*
		Mar.	29·294	46·5	34·0	40·3	+0·3	57	30*th*	26	7*th*
		Apl.	29·777	57·0	38·9	48·0	+3·2	74	21*st*	32	15*th*
		May	29·858	58·1	42·4	50·3	+0·8	70	17*th*	31	10*th*
		June	29·875	65·8	47·9	56·9	+1·5	79	30*th*	36	1*st*
		July	29·650	68·1	52·2	60·2	+2·1	80	21*st*	47	25*th*
		Aug.	29·781	66·6	51·4	59·0	+1·7	75	14*th*	46	16*th*
		Sept.	...	62·7	46·9	54·8	+1·4	73	2*nd*, 3*rd*	36	22*nd*
		Oct.	29·857	55·5	44·5	50·0	+3·2	63	3*rd*	36	28*th*
		Nov.	...	47·9	38·0	43·0	+2·5	55	8*th*, 9*th*	28	15*th*
		Dec.	...	41·7	34·4	38·1	+0·5	50	2*nd*	27	20*th*, 21*st*, 24*th*
		Year				**48·4**		**80**		**25**	
Lathallan— Dr. W. H. Bryce.	522	Jan.	29·424	41·1	33·4	37·3	...	50	25*th* 30*th* 31*st*	27	1*st*
		Feb.	28·857	45·3	36·2	40·8	...	50	15*th*	29	19*th*
		Mar.	28·877	44·5	33·5	39·0	...	55	30*th*	25	9*th*
		Apl.	29·362	54·3	37·8	46·1	...	69	21*st*	30	15*th*
		May	29·440	54·6	40·9	47·8	...	68	17*th*	31	10*th*
		June	29·467	62·0	46·5	54·3	...	73	29*th*	37	1*st*, 3*rd*, 7*th*
		July	29·244	64·0	50·5	57·3	...	79	21*st*	44	4*th*
		Aug.	29·373	62·9	49·7	56·3	...	73	14*th*	44	16*th*
		Sept.	29·400	58·9	44·7	51·8	...	70	2*nd*	35	22*nd*
		Oct.	29·432	53·2	41·6	47·4	...	61	1*st*, 5*th*	34	28*th*
		Nov.	29·157	46·3	36·9	41·6	...	54	9*th*	27	16*th*
		Dec.	28·832	41·0	32·4	36·7	...	48	2*nd*	25	20*th*, 21*st*, 24*th*
		Year	**29·239**			**46·4**		**79**		**25**	
Kirkcaldy—	100	Jan.	29·929	43·4	35·9	39·7	...	54	25*th*	27	1*st*
		Feb.	29·345	48·3	38·0	43·2	...	55	28*th*	32	19*th*, 25*th*
		Mar.	29·344	47·7	35·9	41·8	...	59	30*th*	27	9*th*
		Apl.	29·832	58·0	40·9	49·5	...	73	21*st*	35	9*th*
		May	29·910	58·1	43·8	51·0	...	73	17*th*	34	12*th*
		June	29·928	65·4	49·4	57·4	...	75	30*th*	40	1*st*
		July	29·698	66·5	52·1	59·3	...	83	21*st*	44	4*th*
		Aug.	...	...	...	...	...	76	...	44	...
		Sept.	29·875	62·9	48·2	55·6	...	76	2*nd*	36	21*st*, 22*nd*
		Oct.	29·908	57·1	45·3	51·2	...	66	4*th*	35	19*th*
		Nov.	29·615	50·0	39·2	44·6	...	57	8*th*	30	15*th*, 17*th*
		Dec.	29·293	44·1	34·7	39·4	...	52	2*nd*	27	20*th*, 21*st*, 25*th*
		Year						**83**		**27**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	7·2	15	2·20	−0·11	0·50	8*th*	2	0	0	0	12	0	0	6	4	6	8	8	12	4	14	0
...	...	...	...	6·6	22	2·66	+0·68	0·36	20*th*	0	0	0	0	7	0	0	0	0	2	2	6	28	6	12	0
...	...	...	...	6·2	21	3·53	+1·69	0·54	20*th*	6	0	0	0	5	0	0	8	0	10	4	4	2	2	24	8
...	...	...	...	4·8	10	0·97	−0·91	0·25	4*th*	0	0	1	5	4	0	1	2	2	8	4	2	8	18	12	4
...	...	...	...	6·7	15	2·55	+0·66	0·80	7*th*	1	2	0	0	7	0	0	8	4	8	6	0	10	10	16	0
...	...	...	...	5·2	16	0·88	−1·02	0·14	20*th*	0	0	2	...	...	0	0	0	8	12	6	4	4	16	10	0
...	...	...	...	...	13	2·08	−0·51	0·55	31*st*	0	0	1	...	...	1	0	0	2	18	10	6	0	8	16	2
...	...	...	...	...	18	2·64	−0·57	0·50	2*nd*, 4*th*	0	0	2	...	...	1	0	0	0	14	6	0	20	12	2	8
...	...	...	...	...	8	0·52	−2·32	0·15	17*th*	0	0	1	...	...	0	0	2	0	8	0	6	10	12	18	4
...	...	...	...	...	23	2·64	+0·02	0·50	25*th*	0	0	0	...	...	1	0	2	0	2	4	2	10	10	2	30
...	...	...	...	...	25	3·91	+1·32	0·70	2*nd*	0	0	0	...	...	2	2	0	4	6	6	0	34	4	6	0
...	...	...	...	...	21	6·64	+3·86	1·40	13*th*	1	0	0	...	...	0	1	12	0	4	8	4	16	0	18	0
					207	**31·22**		**1·40**																	
38·2	1·6	·199	87	6·8	16	1·78	...	0·43	8*th*	3	0	0	1	11	5	2	8	4	5	8	4	13	14	6	0
42·3	2·1	·226	84	6·0	19	2·02	...	0·42	21*st*	0	0	0	4	10	1	2	4	0	4	5	10	23	7	3	0
40·0	2·2	·203	82	5·2	20	3·51	...	0·93	20*th*	3	1	0	8	8	1	2	11	2	4	10	1	11	19	4	0
49·1	3·8	·260	74	...	9	0·84	...	0·37	5*th*	0	0	1	...	...	0	1	2	4	5	4	4	19	20	2	0
50·8	3·6	·283	76	...	12	2·21	...	0·58	8*th*	0	1	0	...	...	1	0	3	9	9	6	3	10	21	1	0
57·8	4·2	·360	76	...	14	0·61	...	0·12	21*st*	0	1	1	...	...	2	2	13	7	4	4	3	8	16	5	0
60·2	3·9	·401	77	...	10	1·66	...	0·67	31*st*	0	0	2	...	...	3	0	4	11	14	7	2	5	7	12	0
59·1	3·1	·406	81	...	16	2·24	...	0·65	8*th*	0	0	0	...	...	2	0	6	4	14	5	5	14	13	1	0
54·8	3·2	·343	80	...	7	0·47	...	0·16	9*th*	0	0	0	...	...	4	0	0	6	10	0	2	24	6	12	0
50·0	1·7	·317	88	5·1	15	2·46	...	0·57	25*th*	0	0	0	8	11	6	0	10	3	8	11	2	12	14	2	0
43·2	1·8	·240	86	7·0	19	3·32	...	0·64	2*nd*	1	0	0	2	12	4	1	12	5	6	3	0	10	13	11	0
38·3	1·9	·194	84	...	17	4·47	...	0·93	3*rd*, 13*th*	0	0	0	...	...	5	3	6	4	5	7	2	17	8	13	0
					174	**25·59**		**0·93**																	
36·9	1·2	·196	90	7·7	15	1·80	...	0·42	8*th*	6	0	0	2	19	3	1	5	0	4	4	9	8	17	1	14
40·0	1·4	·218	89	7·9	17	1·98	...	0·35	14*th*, 22*nd*	2	0	0	2	18	0	1	2	0	0	8	14	21	7	0	4
37·7	1·3	·201	89	6·6	20	3·34	...	0·89	20*th*	6	0	0	3	14	0	0	3	3	5	5	6	9	15	8	8
45·6	3·0	·240	79	4·7	10	0·75	...	0·25	4*th*	0	0	2	7	6	0	0	2	2	3	7	7	21	13	3	2
47·2	2·6	·264	82	7·1	14	2·04	...	0·57	8*th*	2	1	0	1	13	0	0	8	4	0	5	9	11	9	8	8
53·8	2·8	·337	81	6·0	13	0·75	...	0·17	7*th*	0	1	2	3	8	1	1	3	13	3	2	3	10	9	9	8
56·3	2·7	·377	83	7·7	8	2·10	...	0·79	31*st*	0	0	2	1	15	7	0	1	12	6	9	8	2	6	10	8
55·4	1·8	·388	89	6·9	12	2·42	...	0·61	8*th*	0	0	1	1	12	0	0	3	9	1	5	10	18	4	0	12
51·6	2·3	·323	84	5·1	5	1·65	...	0·80	17*th*	0	0	1	8	8	1	1	3	4	3	2	0	18	11	12	7
47·5	1·0	·304	93	6·7	15	2·73	...	0·65	25*th*	0	0	0	3	13	0	0	0	10	4	10	2	14	4	5	13
41·5	1·0	·241	92	6·7	18	3·41	...	0·66	2*nd*	2	1	1	3	12	1	2	1	11	5	5	0	20	8	10	0
36·5	0·6	·204	95	6·8	14	5·03	...	1·08	4*th*	3	0	0	4	14	0	2	2	11	2	8	4	22	3	9	1
					161	**28·00**		**1·08**																	
38·9	1·6	·206	88	7·6	15	1·95	...	0·62	8*th*	1	0	0	3	17	2	...	...	...	...	...	...	...	...	...	...
41·7	1·7	·228	87	6·6	18	1·86	...	0·37	14*th*	0	0	0	4	11	0	2	...	...	...	...	...	...	...	...	...
40·3	1·9	·212	85	6·4	19	3·44	...	0·60	20*th*	3	0	0	6	16	0	0	...	...	...	...	...	...	...	...	...
49·7	3·5	·272	76	4·6	14	0·93	...	0·28	5*th*	0	0	0	9	7	0	0	...	...	...	...	...	...	...	...	...
51·5	3·1	·303	79	7·2	15	1·88	...	0·30	3*rd*, 7*th*	0	0	0	4	14	0	0	...	...	...	...	...	...	...	...	...
58·0	4·6	·352	73	5·9	14	0·58	...	0·18	20*th*	0	0	1	3	8	0	0	...	...	...	...	...	...	...	...	...
59·8	3·2	·414	81	7·9	10	2·00	..	0·56	31*st*	0	0	2	1	16	3	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	2·22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55·9	2·7	·372	83	6·3	9	1·03	...	0·53	17*th*	0	1	1	4	11	5	0	...	...	...	...	...	...	...	...	...
51·0	2·0	·323	86	6·6	15	1·77	...	0·68	25*th*	0	0	0	7	13	2	0	...	...	...	...	...	...	...	...	...
44·0	1·5	·255	88	5·8	19	3·20	...	0·55	1*st*	2	2	0	7	13	0	0	...	...	...	...	...	...	...	...	...
38·6	1·1	·213	92	6·4	19	3·59	...	0·75	13*th*	0	0	0	6	11	0	2	...	...	...	...	...	...	...	...	...
						24·45																			

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Buchlyvie—Rev. J. A. Macdonald.	125	Jan.	29·882	42·3	32·9	37·6	+0·3	52	25*th*, 31*st*	20	16*th*
		Feb.	29·292	47·1	36·4	41·8	+4·0	54	2*nd*	28	25*th*, 27*th*
		Mch.	29·324	47·1	32·8	40·0	+0·3	56	30*th*, 31*st*	22	9*th*
		Apl.	29·780	57·4	37·5	47·5	+3·2	72	21*st*	30	4*th*, 15*th*
		May	29·877	59·0	41·7	50·4	+1·1	74	15*th*	31	3*rd*
		June	29·890	68·1	47·0	57·6	+2·2	82	16*th*, 17*th*	37	8*th*
		July	29·656	68·1	49·8	59·0	+1·6	81	21*st*	35	4*th*
		Aug.	29·787	66·9	48·7	57·8	+0·8	78	14*th*	42	8*th*, 17*th*, 26*th*
		Sept.	29·833	62·2	44·6	53·4	−0·1	73	2*nd*	30	21*st*, 22*nd*
		Oct.	29·869	55·5	41·1	48·3	+2·0	66	6*th*, 9*th*	26	19*th*
		Nov.	29·593	47·5	36·1	41·8	+2·2	57	30*th*	22	18*th*
		Dec.	29·268	40·5	30·2	35·4	−1·8	50	2*nd*	17	24*th*, 25*th*
		Year	**29·671**			**47·5**		**82**		**17**	
Helensburgh—James N. Stirling, Water Trust.	18	Jan.	...	42·7	33·0	37·9	−1·0	51	25*th*, 31*st*	21	16*th*
		Feb.	...	47·2	37·3	42·3	+3·6	54	2*nd*	28	27*th*
		Mch.	...	47·4	35·0	41·2	+0·7	55	30*th*	25	9*th*
		Apl.	...	56·5	40·5	48·5	+3·3	70	21*st*	31	15*th*
		May	...	56·2	41·7	49·0	−1·1	68	15*th*	32	12*th*
		June	...	67·5	49·1	58·3	+2·9	81	17*th*, 18*th*	39	8*th*
		July	...	67·3	51·0	59·2	+1·7	80	21*st*	39	4*th*
		Aug.	...	67·1	51·0	59·1	+2·0	81	14*th*	46	8*th*, 18*th*, 29*th*
		Sept.	...	63·5	47·9	55·7	+2·2	74	2*nd*	32	21*st*
		Oct.	...	54·4	42·8	48·6	+2·0	64	6*th*	32	19*th*
		Nov.	...	48·5	37·7	43·1	+1·9	57	7*th*, 8*th*, 9*th*	25	18*th*
		Dec.	...	41·9	33·3	37·6	−1·2	50	2*nd*	22	24*th*
		Year				**48·4**		**81**		**21**	
Kilmahew—Claud A. Allan.	130	Jan.	...	...	...	...	...	...	...	...	...
		Feb.	...	...	...	...	...	...	...	...	...
		Mch.	...	..	...	...	...	...	...	...	...
		Apl.	...	56·5	38·7	47·6	...	68	22*nd*	31	15*th*
		May	...	56·5	41·0	48·8	...	63	15*th*	29	24*th*
		June	...	64·7	48·0	56·4	...	80	17*th*	38	1*st*, 3*rd*
		July	...	63·7	49·9	56·8	...	79	21*st*	37	4*th*
		Aug.	...	63·4	49·9	56·7	...	69	16*th*, 17*th*	45	18*th*, 31*st*
		Sept.	..	60·1	45·7	52·9	...	68	2*nd*	31	21*st*
		Oct.	...	57·5	41·7	49·6	...	68	11*th*	30	28*th*
		Nov.	...	49·8	35·7	42·8	...	56	4*th*, 8*th*, 9*th*	25	18*th*
		Dec.	...	42·7	31·4	37·1	...	52	2*nd*	21	25*th*
		Year						**80**			
Dumbarton—William Denny and Brothers.	27	Jan.	29·979	43·8	33·0	38·4	−0·8	56	24*th*	24	5*th*, 6*th*
		Feb.	29·413	48·7	37·6	43·2	+4·0	54	21*st*	31	12*th*
		Mch.	29·440	47·7	36·6	42·2	+1·1	56	31*st*	29	9*th*, 10*th*
		Apl.	29·934	57·4	42·0	49·7	+3·8	70	20*th*	35	15*th*
		May	30·011	58·1	44·2	51·2	+0·9	70	15*th*	36	12*th*, 24*th*
		June	30·017	66·9	49·8	58·4	+2·2	80	17*th*	40	8*th*
		July	29·770	67·3	52·7	60·0	+1·7	79	21*st*	41	4*th*
		Aug.	29·887	67·7	52·3	60·0	+2·2	81	14*th*	45	18*th*
		Sept.	29·956	62·7	48·4	55·6	+1·3	72	2*nd*	33	21*st*
		Oct.	29·991	56·7	43·6	50·2	+2·7	65	6*th*	32	19*th*
		Nov.	29·700	50·0	38·4	44·2	+2·5	57	7*th*, 8*th*	25	18*th*, 19*th*
		Dec.	29·361	43·7	33·9	38·8	−0·5	52	2*nd*	24	25*th*
		Year	**29·788**			**49·3**		**81**		**24**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·5	1·5	·195	87	7·8	18	3·37	−2·27	0·68	24*th*	1	1	0	3	24	1	2	1	0	11	8	4	5	24	1	8
41·8	1·6	·231	88	8·0	26	4·54	−0·10	0·59	20*th*	1	0	0	0	14	0	1	0	0	5	9	0	28	14	0	0
39·3	1·7	·207	87	7·0	24	3·99	+0·35	0·41	11*th*	5	2	0	1	10	0	0	0	4	4	8	0	15	20	11	0
47·1	2·5	·265	82	5·5	17	3·35	+0·63	1·12	5*th*	0	0	1	8	9	0	0	0	3	2	4	1	15	26	9	0
50·1	3·5	·277	77	7·5	19	1·98	−0·80	0·47	19*th*	0	2	0	1	12	0	0	0	6	8	2	0	7	28	9	2
57·4	3·9	·360	76	7·0	12	0·96	−2·31	0·23	26*th*	0	0	1	1	13	4	0	0	3	18	3	0	9	21	5	1
58·5	3·2	·394	80	7·2	16	2·92	−0·22	1·04	1*st*	0	0	4	2	11	3	0	0	1	16	7	2	8	7	12	9
57·4	2·5	·398	84	6·2	21	5·24	+0·54	1·09	8*th*	0	0	1	2	11	4	0	0	1	10	3	1	15	20	1	11
53·1	2·3	·341	84	5·8	18	2·73	−1·55	0·83	23*rd*	0	1	2	2	6	0	0	1	1	6	3	1	9	17	10	12
48·2	1·6	·297	89	7·0	17	1·64	−2·98	0·47	25*th*	0	0	0	1	9	2	0	0	0	15	2	2	7	11	4	21
41·9	1·4	·237	90	6·7	23	5·68	+0·67	0·68	29*th*	0	1	0	2	11	2	2	0	0	8	2	1	15	13	5	16
36·0	1·5	·184	87	7·1	25	7·63	+1·68	1·35	2*nd*	7	1	0	3	13	3	3	1	0	9	8	2	16	7	4	15
					236	**44·03**		**1·35**																	
38·3	1·4	·203	88	...	19	4·43	−0·49	0·79	24*th*	...	...	...	...	...	...	...	0	0	0	0	0	30	10	2	20
41·7	1·4	·233	89	...	27	5·73	+1·73	0·82	20*th*	...	...	...	...	...	...	...	0	0	0	0	0	32	6	6	12
40·1	1·4	·219	89	...	22	6·47	+2·98	0·82	13*th*	...	...	...	...	...	...	...	0	0	8	0	2	28	2	0	22
...	...	...	...	...	13	3·17	+0·66	0·93	12*th*	0	0	1	..	...	0	0	0	0	2	0	8	20	18	0	12
49·0	2·7	·283	81	...	18	2·58	−0·17	0·43	4*th*	0	0	0	...	...	0	0	0	0	10	0	0	24	14	4	10
59·9	5·3	·361	69	6·9	11	0·97	−1·83	0·27	20*th*	0	1	0	8	18	0	0	0	0	6	0	0	8	4	2	40
59·7	3·5	405	79	7·6	14	2·88	−0·44	0·66	31*st*	0	0	0	3	20	0	0	0	4	4	8	0	10	0	4	32
58·7	2·9	·406	82	7·9	17	6·34	+2·39	1·79	8*th*	0	0	0	6	24	0	0	0	0	6	0	0	4	0	0	52
...	...	...	...	...	13	2·84	−1·29	0·60	14*th*	0	0	0	...	...	0	1	0	0	2	0	0	28	0	0	30
49·3	1·8	·306	88	...	16	1·24	−3·45	0·24	27*th*	0	0	0	...	...	3	1	2	2	6	10	4	6	6	10	16
43·9	1·3	·258	90	...	21	7·50	+2·75	0·87	29*th*	1	0	0	...	...	0	1	0	0	10	0	0	16	2	0	32
37·4	1·1	·202	91	...	22	10·18	+4·58	1·45	2*nd*	2	0	0	...	...	1	1	...	...	...	...	...	...	...	...	...
					213	**54·33**		**1·79**																	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	15	2·81	...	0·53	5*th*	3	1	1	...	...	0	0	10	2	10	0	16	4	10	8	0
49·9	3·6	·273	76	...	14	1·33	...	0·25	4*th*	0	1	0	...	...	0	0	6	6	10	8	10	10	10	2	0
56·5	4·0	·346	75	...	11	0·69	...	0·18	26*th*	0	0	0	...	...	0	0	0	4	2	16	4	18	4	12	0
57·9	3·0	·393	81	...	17	3·38	...	0·68	5*th*	0	0	0	...	...	0	0	0	2	8	2	6	2	14	28	0
57·2	2·2	·403	86	...	16	4·88	...	1·65	8*th*	0	0	0	...	...	0	0	10	6	14	0	8	6	14	4	0
52·9	2·3	·339	85	...	13	1·59	...	0·33	23*rd*	0	0	0	...	...	0	1	14	18	0	0	6	14	4	4	0
48·0	1·5	·297	90	...	18	2·38	...	0·78	25*th*	0	0	0	...	...	2	0	8	12	14	4	14	0	2	8	0
42·7	1·7	·237	86	...	22	4·64	...	0·60	29*th*	1	0	0	...	...	3	0	2	6	34	0	0	14	4	0	0
38·7	1·9	·198	85	...	21	7·29	...	2·10	2*nd*	3	1	0	...	...	4	2	4	6	28	12	4	4	4	0	0
38·8	2·2	·194	83	9·0	14	4·51	−0·81	0·75	24*th*	1	0	0	0	22	1	3	8	4	4	0	0	8	4	6	28
43·7	2·3	·235	82	8·0	24	5·58	+1·38	0·64	22*nd*	0	1	0	0	12	0	1	2	4	0	2	4	10	6	8	20
41·1	2·4	·209	81	7·6	20	5·34	+1·73	0·68	28*th*	1	1	0	0	16	0	0	2	4	0	2	6	10	4	12	22
50·2	3·2	·284	79	6·9	12	2·19	0·47	0·54	6*th*	0	0	0	0	11	0	0	0	4	2	4	4	6	10	2	28
51·6	4·1	·282	74	7·3	12	1·24	−1·48	0·21	4*th*, 19*th*	0	0	0	0	11	0	0	0	2	4	4	0	0	10	30	12
60·2	4·1	·396	76	6·2	5	0·44	−2·26	0·17	20*th*	0	0	0	4	10	0	0	2	14	0	2	0	2	6	10	24
60·8	4·4	·396	75	7·6	12	2·62	−0·54	0·63	31*st*	0	0	2	3	20	1	0	6	2	2	0	2	0	6	22	22
59·6	2·9	·420	82	...	18	4·44	+0·41	1·32	8*th*	0	0	0	...	...	0	0	6	0	2	6	2	14	6	16	10
55·5	2·8	·362	82	...	13	1·61	−2·47	0·39	23*rd*	0	0	0	...	...	0	0	2	2	2	4	0	10	8	16	16
49·3	1·8	·306	88	..	16	1·24	−3·45	0·25	27*th*	0	0	0	...	...	3	1	2	2	6	10	4	6	6	10	16
43·8	2·0	·243	84	...	22	4·96	+0·01	0·77	29*th*	2	1	0	...	...	3	1	12	2	4	8	2	6	8	12	6
38·9	1·6	·206	88	...	18	5·98	+0·80	0·85	12*th*	1	0	0	...	...	2	3	10	0	16	2	10	4	10	4	6
					186	**40·15**		**1·32**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Ardtornish—	40	Jan.	29·937	43·9	34·0	39·0	...	55	31*st*	21	16*th*
E. Matthews,		Feb.	29·308	48·7	37·7	43·2	...	55	1*st*, 2*nd*	28	19*th*
for G. Craig		Mch.	29·397	47·0	33·6	40·3	...	54	31*st*	27	11*th*, 25*th*
Sellar.		Apl.	29·862	54·8	41·2	48·0	...	69	21*st*	36	15*th* 16*th* 29*th*
		May	29·967	55·0	41·8	48·4	...	67	17*th*	31	24*th*
		June	29·988	64·1	45·7	54·9	...	77	13*th*	39	8*th*
		July	29·737	65·3	48·8	57·1	...	80	20*th*	35	27*th*
		Aug.	29·848	65·9	49·3	57·6	...	82	14*th*	40	31*st*
		Sept.	29·914	61·2	47·1	54·2	...	73	8*th*, 9*th*	33	21*st*
		Oct.	29·945	55·9	43·0	49·5	...	61	6*th*, 7*th*	32	29*th*
		Nov.	29·667	49·5	37·3	43·4	...	57	9*th*	27	17*th*, 18*th*
		Dec.	29·319	43·3	33·3	38·3	...	52	2*nd*	23	24*th*
		Year	**29·741**			**47·8**		**82**		**21**	
Lochbuie—	20	Jan.	...	43·4	35·6	39·5	−1·2	53	30*th*	26	7*th*
E. Lovesey, for		Feb.	...	46·7	36·6	41·7	+1·8	53	1*st*, 2*nd*	30	10*th*, 19*th*
The Maclaine		Mch.	...	46·5	34·7	40·6	−0·5	52	30*th*, 31*st*	26	9*th*
of Lochbuie.		Apl.	...	54·0	40·8	47·4	+2·4	65	17*th*, 21*st*	33	9*th*, 15*th*
		May	...	53·4	42·1	47·8	−2·2	60	17*th*	32	26*th*
		June	...	62·3	46·9	54·6	−0·4	74	13*th*	40	7*th*
		July	...	64·5	49·4	57·0	0·0	79	20*th*	40	4*th*
		Aug.	...	64·3	51·1	57·7	+1·0	78	14*th*	42	31*st*
		Sept.	...	60·7	48·0	54·4	+0·5	72	8*th*	34	29*th*
		Oct.	...	55·5	43·9	49·7	+1·3	62	6*th*	34	15*th*, 28*th*
		Nov.	...	49·4	38·6	44·0	0·0	56	8*th*	30	18*th*
		Dec.	...	45·8	34·4	40·1	−1·2	53	2*nd*	29	24*th*, 25*th*
		Year				**47·9**		**79**		**26**	
Oban—	20	Jan.	29·958	44·4	34·8	39·6	−1·2	53	25*th*	23	16*th*, 17*th*
Edwin Bailey,		Feb.	29·338	47·7	37·3	42·5	+2·2	54	1*st*, 2*nd*	29	19*th*
M.D., M.O.H.		Mch.	29·437	47·1	35·0	41·1	−0·2	54	30*th*, 31*st*	27	9*th*
		Apl.	29·893	53·6	41·5	47·6	+2·0	67	17*th*	36	15*th*, 16*th*
		May	30·002	54·3	42·7	48·5	−1·5	62	16*th*, 17*th*	34	10*th*, 26*th*
		June	30·013	60·8	48·1	54·5	−0·5	74	12*th*, 16*th*	37	8*th*
		July	29·762	63·8	50·5	57·2	+0·3	78	20*th*	41	1*st*, 4*th*
		Aug.	29·879	64·3	51·9	58·1	+1·1	82	14*th*	45	31*st*
		Sept.	29·950	59·7	47·9	53·8	+0·1	71	8*th*	34	21*st*, 22*nd*
		Oct.	29·998	55·5	43·2	49·4	+0·8	61	7*th*	35	15*th*, 29*th*
		Nov.	29·708	49·9	38·3	44·1	+0·3	5	9*th*	29	15*th*, 18*th*
		Dec.	29·355	44·9	34·4	39·7	−1·9	5	2*nd*	25	24*th*, 25*th*
		Year	**29·774**			**48·0**		**82**		**23**	
Poltalloch—	135	Jan.	29·831	43·3	33·8	38·6	−0·6	52	25*th*	22	16*th*
D. S. Melville,		Feb.	29·238	46·0	36·3	41·2	+2·0	53	1*st*, 2*nd*	31	19*th*
for Colonel		Mch.	29·315	46·3	34·7	40·5	−0·2	56	31*st*	25	9*th*
Malcolm.		Apl.	29·782	55·0	40·9	48·0	+2·9	69	21*st*	34	15*th*, 16*th*
		May	29·887	54·2	41·6	47·9	−2·2	63	16*th*, 17*th*	30	12*th*
		June	29·901	63·3	48·7	56·0	0·0	77	13*th*	37	8*th*
		July	29·661	63·6	51·1	57·4	−0·4	78	20*th*	37	27*th*
		Aug.	29·768	64·6	50·5	57·6	+0·1	81	14*th*	42	31*st*
		Sept.	29·836	59·8	46·7	53·3	−0·8	71	8*th*, 9*th*	32	21*st*
		Oct.	29·853	54·0	43·0	48·5	+1·0	61	6*th*	31	15*th*
		Nov.	29·588	48·0	37·5	42·8	−0·1	55	8*th*, 9*th*	27	16*th*
		Dec.	29·244	42·0	33·4	37·7	−1·8	51	2*nd*	23	24*th*, 25*th*
		Year	**29·659**			**47·5**		**81**		**22**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·4	1·7	·208	87	7·6	18	7·15	...	1·29	25*th*	2	4	0	1	17	4	1	5	3	5	14	4	13	10	1	7
43·3	2·2	·233	83	6·8	27	12·59	...	1·64	20*th*	2	2	1	0	9	0	3	0	2	6	18	8	19	2	0	1
40·8	2·0	·214	84	4·5	23	8·72	...	1·16	2*nd*	2	3	1	4	0	0	1	2	5	13	7	2	8	5	16	4
48·2	2·9	·268	80	3·1	15	5·96	...	0·89	12*th*	0	1	0	6	0	0	0	0	4	11	6	2	7	28	2	0
48·7	2·6	·281	82	...	17	3·48	...	0·80	19*th*	0	0	0	...	...	0	1	1	9	3	1	5	32	2	9	0
55·9	2·9	·366	82	...	16	2·92	...	0·39	22*nd*	0	0	1	...	...	1	0	4	8	10	2	2	8	26	2	0
57·9	1·8	·425	89	...	19	3·65	...	0·59	31*st*	0	0	1	...	...	0	0	0	0	17	15	5	6	14	5	0
57·7	2·5	·403	84	...	21	6·34	...	1·42	3*rd*	0	0	1	...	...	0	0	0	0	20	10	4	7	19	2	0
54·0	2·6	·344	82	5·0	18	5·50	...	1·05	16*th*	0	0	1	3	5	0	2	0	2	12	15	0	5	20	1	5
49·2	1·9	·303	87	6·5	14	3·66	...	0·93	25*th*	0	0	0	2	6	0	0	0	1	25	11	1	4	17	3	1
43·4	2·2	·234	83	7·2	23	9·60	...	1·23	29*th*	2	8	3	1	12	0	7	1	8	15	4	3	8	10	11	0
38·4	1·9	·195	85	6·2	23	13·00	...	2·72	25*th*	8	3	2	3	12	0	3	3	11	16	6	0	9	12	4	1
					234	**82·57**		**2·72**																	
...	...	...	...	7·4	19	8·50	...	1·31	8*th*	1	2	1	0	10	0	0	2	18	6	2	4	22	8	0	0
...	...	..	...	7·3	28	10·59	...	1·50	20*th*	1	2	2	0	6	0	1	2	4	2	14	12	18	4	0	0
...	...	...	..	5·3	25	7·68	...	1·01	5*th*	4	1	0	1	4	0	0	10	12	0	8	0	12	10	10	0
...	...	...	...	4·6	16	6·67	...	1·91	12*th*	0	3	0	7	2	0	0	0	6	0	6	12	24	8	4	0
...	...	..	...	...	19	4·88	...	0·99	28*th*	0	0	0	...	...	0	0	6	4	4	0	8	24	4	12	0
...	...	...	...	...	15	3·84	...	0·64	29*th*	0	0	1	...	...	0	0	0	6	0	0	6	22	14	12	0
...	...	...	...	...	19	4·27	...	0·77	13*th*	0	0	1	...	...	0	0	6	12	4	12	8	8	6	6	0
...	...	...	...	...	20	8·47	...	1·01	22*nd*	0	0	1	...	...	0	0	8	2	4	12	14	22	0	0	0
...	...	...	...	5·3	18	6·76	...	1·02	23*rd*	0	1	1	3	3	0	0	8	12	0	6	4	16	6	8	0
...	...	...	...	...	18	4·53	...	0·84	25*th*	0	0	0	...	...	0	0	4	22	6	4	2	14	2	8	0
...	...	...	...	...	23	11·24	...	1·43	29*th*	0	5	1	...	...	0	3	4	24	0	2	4	12	6	8	0
...	...	...	...	...	24	12·30	...	1·71	8*th*	2	6	0	...	...	0	2	2	26	4	4	4	12	4	6	0
					244	**89·73**		**1·91**																	
39·7	2 2	·202	82	8·1	18	5·52	...	0·74	30*th*	2	3	0	0	19	0	2	2	2	4	6	3	9	11	7	18
43·3	2·3	·231	82	8·1	27	6·97	...	0·82	20*th*	0	0	1	1	17	1	1	1	1	1	3	14	18	8	1	9
41·8	2·4	·217	82	6·0	24	4·47	...	0·60	2*nd*	2	1	0	3	8	0	1	16	4	6	4	6	4	6	7	9
49·0	3·3	·270	77	6·2	15	4·25	...	1·08	12*th*	0	0	0	5	10	0	0	8	5	2	1	1	5	17	11	10
49·2	3·1	·276	79	7·3	21	2·00	...	0·50	19*th*	0	0	0	1	16	0	0	10	8	6	1	3	9	13	8	4
56·0	4·0	·340	75	5·5	15	1·85	...	0·30	20*th*	0	0	1	6	8	2	0	21	4	0	7	0	18	5	9	1
59·3	4·4	·374	74	6·0	16	2·24	...	0·50	5*th*	0	0	1	3	11	0	0	17	1	11	5	1	17	3	7	0
59·3	3·6	·396	78	5·8	19	4·64	...	0·73	22*nd*	0	0	0	7	11	0	0	2	3	2	3	3	18	16	2	13
55·6	3·7	·342	77	6·5	13	2·74	...	0·60	13*th*	0	0	1	4	13	0	0	13	4	3	2	9	7	8	6	8
51·0	2·9	·301	81	6·6	7	1·44	...	0·47	8*th*	0	0	0	3	9	0	0	10	0	7	0	11	8	7	2	17
45·1	2·8	·238	78	7·7	22	6·43	...	1·42	29*th*	0	5	2	3	19	0	1	5	1	7	9	2	11	6	7	12
40·5	2·4	·204	81	8·1	24	10·25	...	1·27	30*th*	1	9	1	2	20	0	1	9	6	6	15	1	12	1	8	4
					221	**52·80**		**1·42**																	
39·4	1·5	·212	88	8·2	19	6·33	+1·12	1·46	8*th*	1	0	0	0	21	2	0	4	6	0	18	3	8	16	5	2
41·4	1·2	·235	91	8·7	27	8·41	+4·40	1·03	20*th*	2	2	0	1	21	0	2	0	2	2	3	7	28	11	0	3
40·3	1·7	·215	87	6·8	23	5·97	+2·29	0·62	13*th*	5	3	1	3	11	0	1	10	8	1	6	8	7	8	8	6
47·8	2·7	·267	81	6·6	15	4·30	+1·62	0·65	12*th*	0	3	0	6	15	0	0	4	3	5	2	2	10	17	9	8
48·2	1·8	·293	88	7·5	19	2·42	−0·17	0·57	4*th*	0	0	0	1	15	0	0	11	8	2	6	0	9	16	7	3
56·5	3·2	·366	80	5·9	16	2·74	−0·44	0·44	28*th*	0	0	1	3	10	0	0	7	7	4	5	4	10	9	10	4
57·9	3·0	·393	81	7·2	16	1·99	−2·19	0·45	31*st*	0	0	1	1	13	0	0	5	8	4	4	13	9	10	6	3
57·5	2·2	·408	86	6·5	19	6·45	+1·70	0·85	8*th*	0	0	1	4	10	1	0	2	1	3	5	17	10	15	3	6
53·5	2·4	·343	84	6·7	16	4·06	−1·13	0·94	23*rd*	0	0	0	3	11	0	0	5	6	3	6	9	7	18	3	3
49·0	1·5	·310	90	7·2	15	3·41	−2·18	0·74	27*th*	0	1	0	3	14	1	0	6	1	3	14	5	5	12	6	10
42·7	1·4	·244	88	7·6	20	7·06	+1·70	1·37	29*th*	0	3	0	2	16	0	0	14	4	2	5	4	6	12	9	4
38·2	1·5	·201	88	7·1	23	8·81	+3·11	1·35	30*th*	3	2	1	2	14	0	1	4	4	0	11	5	15	12	4	7
					228	**61·95**		**1·46**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Rothesay— D. Penney, Glenburn Hydro.	76	Jan.	29·942	43·8	36·2	40·0	+0·8	55	25*th*	25	16*th*
		Feb.	29·336	47·4	37·8	42·6	+3·0	53	15*th*	31	25*th*, 27*th*
		Mch.	29·392	46·7	35·4	41·1	+0·4	55	31*st*	27	9*th*
		Apl.	29·864	55·4	40·8	48·1	+2·8	67	19*th*, 21*st*	33	15*th*
		May	29·958	55·1	42·7	48·9	−1·0	67	15*th*	33	10*th*
		June	29·963	64·1	48·2	56·2	+1·0	76	17*th*	41	7*th*
		July	29·725	64·4	50·3	57·4	0·0	76	21*st*	39	27*th*
		Aug.	29·846	65·2	51·2	58·2	+1·5	78	14*th*	47	8*th*, 31*st*
		Sept.	29·903	60·5	47·9	54·2	+0·5	76	2*nd*	35	21*st*
		Oct.	29·920	54·7	44·2	49·5	+2·0	66	6*th*	35	19*th*, 28*th*
		Nov.	29·669	48·5	39·1	43·8	+1·2	57	9*th*	30	14*th* 18*th* 21*st*
		Dec.	29·314	43·7	35·8	39·8	−0·2	51	2*nd*	31	24*th* 28*th* 29*th*
		Year	**29·736**			**48·3**		**78**		**25**	
Greenock— D. Macalister, C.E., Water Trust.	238	Jan.	29·741	43·4	34·2	38·8	+0·1	53	25*th*	25	1*st*
		Feb.	29·177	47·6	37·0	42·3	+3·6	53	1*st*, 2*nd*, 3*rd*	31	25*th*
		Mch.	29·204	46·3	34·9	40·6	+0·4	55	30*th*	27	9*th*
		Apl.	29·682	55·9	39·9	47·9	+3·4	70	21*st*	34	7*th*
		May	29·766	56·4	42·6	49·5	+0·2	68	17*th*	35	10*th* 12*th* 24*th*
		June	29·788	64·7	48·4	56·6	+1·6	78	17*th*	40	1*st*, 7*th*
		July	29·573	65·9	50·6	58·3	+0·9	77	21*st*	42	27*th*
		Aug.	29·676	66·1	51·1	58·6	+1·5	79	14*th*	48	4*th*, 27*th*
		Sept.	29·724	60·9	47·3	54·1	+0·7	73	2*nd*	36	21*st*
		Oct.	29·754	55·2	42·8	49·0	+2·1	63	6*th*, 9*th*	35	19*th*
		Nov.	29·485	49·2	37·6	43·4	+1·6	57	8*th*, 9*th*	27	16*th*
		Dec.	29·130	43·2	32·9	38·1	−1·3	52	2*nd*	27	21*st* 24*th* 25*th*
		Year	**29·558**			**48·1**		**79**		**25**	
Paisley— The Coats Observatory.	107	Jan.	29·907	43·3	35·3	39·3	+0·4	53	25*th*	25	16*th*
		Feb.	29·306	48·1	38·9	43·5	+4·6	54	1*st*	32	25*th*
		Mch.	29·357	47·5	35·9	41·7	+1·4	56	30*th*, 31*st*	28	9*th*
		Apl.	29·836	57·4	41·0	49·2	+4·1	71	21*st*	35	15*th*
		May	29·918	57·8	43·9	50·9	+0·2	71	15*th*	36	10*th* 12*th* 24*th*
		June	29·927	66·4	49·6	58·0	+1·6	79	17*th*	42	1*st*, 8*th*
		July	29·689	66·9	51·9	59·4	+0·7	80	21*st*	41	4*th*
		Aug.	29·817	67·2	52·4	59·8	+1·8	79	14*th*	47	18*th*
		Sept.	29·871	62·0	47·4	54·7	+0·3	74	2*nd*	34	21*st*
		Oct.	29·889	55·4	44·4	49·9	+2·2	65	9*th*	33	19*th*
		Nov.	29·631	47·9	37·9	42·9	+0·6	56	8*th*, 9*th*	22	18*th*
		Dec.	29·277	42·5	34·1	38·3	−1·2	51	2nd	26	20*th* 21*st* 24*th*
		Year	**29·702**			**49·0**		**80**		**22**	
Kilmarnock— Agricultural College	90	Jan.	...	42·9	32·6	37·8	−1·6	53	30*th*	18	16*th*
		Feb.	...	47·8	37·3	42·6	+3·3	53	1*st*, 14*th*	31	25*th*
		Mch.	...	46·8	34·4	40·6	−0·6	56	31*st*	25	10*th*, 11*th*
		Apl.	...	56·5	39·8	48·2	+3 0	69	21*st*	32	15*th*
		May	...	56·4	41·3	48·9	−1·3	66	17*th*	30	12*th*, 24*th*
		June	...	65·5	46·7	56·1	+0·1	77	15*th*	35	1*st*
		July	...	68·0	49·4	58·7	0·0	78	21*st*	38	4*th*
		Aug.	...	67·1	50·2	58·7	+1·0	82	14*th*	40	18*th*
		Sept.	...	62·0	46·0	54·0	+0·3	75	7*th*	28	21*st*
		Oct.	...	55·9	42·2	49·1	+1·8	64	6*th*	29	15*th*
		Nov.	...	49·2	36·4	42·8	+0·3	57	9*th*	19	18*th*
		Dec.	...	43·0	33·3	38·2	−1·0	51	2*nd*	19	24*th*
		Year	...			**48·0**		**82**		**18**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·9	1·9	·208	85	8·2	18	4·75	−0·17	0·91	8*th*	1	1	0	1	21	2	2	0	4	6	18	2	8	12	6	6
42·6	1·7	·237	87	8·8	26	7·17	+3·50	0·91	20*th*	1	2	0	0	21	0	2	0	3	2	2	15	15	9	2	8
40·4	1·9	·213	85	5·9	23	5·83	+2·45	0·75	13*th*	6	3	1	4	11	1	1	1	5	7	1	3	2	20	4	19
47·0	3·0	·253	79	5·2	16	3·05	+0·31	0·61	12*th*	0	0	1	7	8	0	1	0	2	6	3	6	5	26	8	4
48·3	3·1	·265	78	7·5	16	1·68	−1·02	0·48	6*th*	0	1	0	2	14	0	0	5	3	5	1	1	4	15	12	16
55·9	3·9	·341	76	5·5	10	1·17	−1·93	0·42	20*th*	0	0	0	5	8	1	0	0	10	2	0	2	1	18	13	14
56·9	2·7	·384	83	6·7	13	2·37	−1·52	0·71	31*st*	0	0	1	4	15	3	1	0	12	5	2	2	1	10	14	16
57·4	2·4	·400	85	5·7	18	5·91	+1·16	1·30	8*th*	0	0	2	9	13	0	0	1	10	6	2	4	6	14	2	17
53·5	2·5	·340	83	6·0	13	3·49	−1·03	0·90	23*rd*	0	0	0	5	14	4	1	2	3	7	1	5	4	13	11	14
49·3	1·7	·308	88	6·9	15	3·07	−1·70	0·99	27*th*	0	0	0	4	15	5	0	2	4	9	2	2	2	18	4	19
44·4	1·8	·253	87	7·2	21	5·81	+0·96	0·69	28*th*	2	1	0	2	15	3	2	1	7	11	1	0	7	17	6	10
40·0	2·2	·203	82	6·9	22	7·48	+2·64	1·50	2*nd*	2	4	0	2	11	6	1	0	13	9	2	3	11	13	10	0
					211	**51·78**		**1·50**																	
39·3	1·1	·219	92	8·4	18	6·36	−1·54	1·27	24*th*	1	1	0	1	20	1	1	0	3	7	14	0	10	19	5	4
42·7	1·6	·239	87	7·5	27	7·77	+1·58	0·95	17*th*	0	2	0	0	9	0	1	0	0	2	11	1	22	16	2	2
39·8	1·4	·217	89	7·1	24	7·42	+2·69	1·06	13*th*	7	8	0	0	11	1	1	0	9	1	7	0	9	16	17	3
47·8	2·5	·272	82	5·9	15	4·61	+1·15	1·40	12*th*	0	3	1	2	4	2	2	0	3	1	10	0	13	20	12	1
49·2	3·2	·274	78	7·3	16	2·55	−0·68	0·67	4*th*	0	1	0	0	12	0	0	0	8	2	6	0	8	18	20	0
57·3	4·7	·338	72	6·4	12	1·19	−2·25	0·35	26*th*	0	0	0	1	8	0	0	0	8	7	3	9	6	22	14	0
58·0	3·1	·390	81	7·5	15	2·21	−1·67	0·55	31*st*	0	0	0	0	10	0	0	0	8	12	5	0	10	10	17	0
57·9	2·7	·400	83	6·6	16	5·63	+0·17	1·65	8*th*	0	0	0	0	7	0	0	0	8	9	4	0	13	21	7	0
54·1	2·5	·349	83	6·7	13	3·22	−2·56	0·97	23*rd*	0	0	0	0	5	2	1	0	6	6	6	0	11	14	17	0
49·2	1·5	·313	90	7·6	17	3·13	−3·03	0·82	27*th*	0	0	0	0	11	9	0	0	16	7	6	0	7	7	15	4
44·1	1·5	·256	88	7·2	22	7·93	+1·63	1·20	29*th*	1	3	0	0	15	5	2	0	3	8	9	0	9	20	9	2
39·3	1·3	·215	90	7·5	22	10·70	+3·22	1·75	2*nd*	7	2	0	0	10	0	1	0	7	4	21	0	9	17	4	0
					217	**62·72**		**1·75**																	
39·0	1·6	·207	87	9·0	17	3·86	−0·87	0·61	24*th*	1	0	1	0	25	7	1	1	1	5	8	7	10	12	6	12
43·3	1·7	·244	87	9·3	26	4·60	+0·99	0·73	17*th*	0	0	0	0	24	1	1	0	0	1	4	17	21	5	3	5
40·8	1·8	·217	86	6·8	23	5·37	+2·62	0·64	28*th*	4	2	0	2	15	5	0	2	4	5	5	6	10	18	8	4
48·4	3·4	·260	77	4·8	15	2·76	+0·79	0·63	12*th*	0	0	1	6	7	0	0	2	0	8	0	5	7	28	4	6
49·8	3·6	·271	76	7·2	17	1·89	−0·28	0·37	11*th*	0	1	1	1	16	3	0	2	4	4	4	2	7	21	15	3
57·5	4·7	·341	72	6·4	13	0·48	−1·74	0·14	20*th*	0	0	0	1	11	0	0	3	6	10	3	1	13	11	11	2
59·0	3·9	·383	77	8·0	12	2·82	+0·02	0·82	12*th*	0	0	3	0	15	1	0	2	2	11	4	8	4	7	16	8
58·6	3·0	·402	82	6·3	16	3·83	+0·34	0·84	8*th*	0	0	0	3	9	0	0	1	0	8	1	9	12	13	2	16
54·0	2·5	·347	83	6·3	14	1·73	−1·97	0·36	15*th*	0	0	0	3	11	1	0	5	1	5	1	3	6	15	7	17
49·3	1·7	·308	88	7·9	17	1·62	−2·50	0·44	25*th*	0	0	0	2	19	10	0	1	1	9	1	4	3	8	6	29
43·3	1·6	·246	88	8·5	22	5·88	+1·80	1·25	29*th*	1	0	0	0	18	10	0	3	2	5	3	2	14	9	5	17
38·5	1·4	·205	88	7·0	26	8·06	+3·30	1·72	2*nd*	4	1	0	3	15	8	0	1	0	13	1	6	8	11	4	18
					218	**42·90**		**1·72**																	
38·2	1·2	·206	90	8·3	17	3·91	...	0·75	24*th*	1	1	0	2	23	0	1	0	2	14	4	20	8	8	4	2
42·3	1·9	·230	86	8·7	25	4·43	...	0·81	22*nd*	1	2	0	1	21	0	4	0	0	6	2	34	12	0	0	2
40·2	1·8	·213	86	7·3	24	4·41	...	0·44	15*th*	2	4	0	3	17	0	1	2	0	10	8	6	8	16	8	4
50·0	4·0	·265	74	6·8	14	2·62	...	0·59	5*th*	0	3	1	7	17	0	1	0	2	0	6	10	26	12	2	2
50·1	3·5	·277	77	8·3	18	1·83	...	0·51	4*th*	0	0	1	2	24	0	0	6	2	2	6	4	16	18	6	2
58·1	4·8	·349	72	7·6	14	0·76	...	0·15	26*th*	0	0	0	3	19	0	0	0	10	4	2	8	16	12	4	4
61·0	4·3	·402	76	7·3	10	2·32	...	0·86	1*st*	0	0	1	1	16	0	0	2	12	4	2	6	12	6	4	14
60·3	3·6	·411	79	6·0	16	4·33	...	0·82	8*th*	0	0	0	3	11	0	0	0	0	4	8	12	20	2	8	8
56·1	3·5	·354	78	6·5	13	1·90	...	0·41	12*th*	0	0	0	4	13	0	1	0	6	4	0	12	10	18	4	6
49·4	1·6	·312	90	7·3	13	2·37	...	0·77	25*th*	0	0	0	5	18	1	0	0	6	20	4	14	4	4	6	4
42·7	1·7	·237	86	6·8	21	5·04	...	1·18	29*th*	2	2	0	7	18	0	5	0	10	12	4	4	12	8	8	2
38·3	1·7	·198	86	7·5	19	4·11	...	0·79	30*th*	2	2	0	3	16	0	3	2	4	14	10	16	12	2	2	0
					204	**38·03**		**1·18**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Turnberry— F. Grosser and J. Richards	97	Jan.	29·954	44·2	35·6	39·9	−0·2	55	25*th*	26	21*st*
		Feb.	29·351	48·0	38·7	43·4	+2·9	54	1*st*	33	19*th*
		Mch.	29·382	46·9	36·9	41·9	+0·7	56	31*st*	29	9*th*
		Apl.	29·867	55·0	42·7	48·9	+3·7	68	17*th*	38	9*th*, 15*th*, 16*th*
		May	29·952	54·6	43·4	49·0	−0·2	64	16*th*	32	27*th*
		June	29·964	62·7	49·4	56·1	+1·6	74	13*th*	42	8*th*
		July	29·718	65·2	52·9	59·1	+1·6	83	11*th*	43	4*th*
		Aug.	29·833	65·3	52·9	59·1	+1·8	81	14*th*	47	17*th*, 31*st*
		Sept.	29·916	61·9	49·9	55·9	+1·3	75	8*th*	36	21*st*
		Oct.	29·935	55·8	45·9	50·9	+1·7	62	19*th*	37	15*th*, 29*th*
		Nov.	29·651	50·6	40·0	45·3	+0·7	56	2*nd*, 8*th*	30	17*th*, 18*th*
		Dec.	29·312	44·9	35·7	40·3	−2·3	52	2*nd*	28	24*th*
		Year	**29·736**			**49·1**		**83**		**26**	
Benwhat— A. Gillespie, C.E.	1177	Jan.	...	...	...	...	...	...	...	...	...
		Feb.	...	...	...	...	...	...	...	...	...
		Mch.	...	...	...	...	...	...	...	...	...
		Apl.	...	...	...	...	...	...	...	...	...
		May	...	...	..	...	...	...	...	...	...
		June	...	...	...	...	...	...	...	...	...
		July	...	...	...	...	...	...	...	...	...
		Aug.	...	...	...	...	...	...	...	...	...
		Sept.	...	...	...	...	...	...	...	...	..
		Oct.	...	...	...	..	...	...	...	...	...
		Nov.	...	...	...	...	...	...	...	...	...
		Dec.	...	...	...	...	...	...	...	...	...
		Year	...			...		...		...	
Colmonell— Andrew Ogg, for W. M'Connell of Knockdolian	150	Jan.	29·911	43·7	34·4	39·1	−0·2	54	8*th*	22	16*th*
		Feb.	29·301	48·3	38·0	43·2	+3·7	52	1*st*, 14*th*	32	9*th*, 10*th*, 24*th*
		Mch.	29·333	47·8	35·5	41·7	+0·3	58	31*st*	25	9*th*
		Apl.	29·816	56·2	41·6	48·9	+3·4	70	21*st*	34	16*th*
		May	29·892	56·3	42·0	49·2	−0·6	70	17*th*	30	12*th*
		June	29·908	64·2	47·7	56·0	+0·6	76	17*th*, 29*th*	39	11*th*
		July	29·665	65·9	51·4	58·7	+1·4	81	20*th*	38	4*th*
		Aug.	29·806	67·2	51·5	59·4	+2·0	80	14*th*	42	18*th*
		Sept.	29·861	63·3	47·8	55·6	+1·7	76	8*th*	31	21*st*
		Oct.	29·869	57·4	43·1	50·3	+2·4	65	8*th*	29	15*th*
		Nov.	29·597	51·0	37·5	44·3	+1·2	59	2*nd*, 4*th*	23	18*th*
		Dec.	29·269	44·1	34·9	39·5	...	51	2*nd*	23	24*th*
		Year	**29·686**			**48·8**		**81**		**22**	
Glasgow (Belvidere Hospital)— Alex. Johnston, M.D.	54	Jan.	29·972	43·7	35·4	39·6	+0·6	53	25*th*, 31*st*	22	16*th*
		Feb.	29·379	48·9	39·3	44·1	+4·6	54	1*st*	31	25*th*
		Mch.	29·424	47·6	36·3	42·0	+0·9	57	31*st*	26	9*th*
		Apl.	29·894	57·6	40·8	49·2	+3·4	72	21*st*	32	15*th*
		May	29·975	57·5	44·3	50·9	+0·5	70	15*th* 16*th* 17*th*	35	10*th*
		June	29·974	65·5	48·1	56·8	+0·6	80	19*th*	40	1*st*
		July	...	...	...	...	...	...	...	...	...
		Aug.	29·867	67·4	50·9	59·2	+1·1	73	14*th*	47	18*th*
		Sept.	29·933	63·0	46·7	54·9	+0·6	71	6*th*, 10*th*	32	21*st*
		Oct.	29·944	56·5	43·3	49·9	+2·7	63	5*th*	31	19*th*
		Nov.	29·689	48·6	39·4	44·0	+1·7	59	1*st*	25	18*th*
		Dec.	...	43·4	35·1	39·3	0·0	52	2*nd*	26	25*th*
		Year								**22**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·6	1·7	·210	86	8·3	15	2·52	−0·97	0·78	8*th*	1	1	1	2	22	1	2	4	14	4	4	14	12	6	4	0
42·8	1·7	·238	87	7·9	19	3·38	+0·50	0·40	18*th*, 20*th*	2	0	0	1	18	0	1	0	2	4	4	28	14	4	0	0
41·5	2·1	·219	84	7·4	21	2·99	+0·17	0·99	14*th*	2	2	0	3	18	0	2	4	16	2	2	8	14	10	6	0
49·0	3·6	·263	75	6·8	14	1·82	−0·13	0·61	12*th*	0	2	0	5	17	2	0	0	10	2	4	10	14	18	2	0
49·3	3·2	·275	78	8·2	10	1·18	−0·94	0·37	4*th*	0	0	0	2	24	3	0	12	6	0	4	8	10	18	4	0
55·7	3·9	·338	76	7·2	12	0·49	−1·81	0·15	30*th*	0	0	0	4	16	2	0	4	18	0	0	4	6	18	10	0
59·1	3·4	·398	79	8·9	11	1·85	−0·99	0·38	31*st*	0	0	0	0	23	0	0	2	6	2	16	12	2	16	6	0
59·3	3·0	·412	82	7·6	15	3·42	−0·45	0·90	8*th*	0	0	0	2	19	3	0	8	4	0	4	12	20	12	2	0
56·7	3·5	·360	78	7·4	10	1·56	−2·17	0·66	12*th*	0	0	0	1	17	1	1	10	6	2	0	8	18	12	4	0
50·5	1·9	·319	87	8·6	11	1·29	−2·57	0·46	25*th*	0	0	0	0	20	6	0	2	10	12	4	4	6	16	6	2
44·8	2·6	·239	81	7·7	18	2·85	−0·93	0·37	12*th*	1	2	0	2	17	0	1	6	18	2	4	2	12	10	6	0
40·1	2·0	·208	84	8·1	19	3·82	+0·12	0·85	30*th*	1	2	0	2	20	0	3	6	8	10	2	10	14	10	2	0
					175	**27·17**		**0·99**																	
...	...	...	...	...	16	3·40	...	0·71	8*th*	2	0	1	...	...	5	2	0	2	11	6	15	6	18	4	0
...	...	...	...	...	24	4·79	...	0·58	22*nd*	2	0	0	...	...	1	3	1	0	0	1	32	10	8	0	4
...	...	...	...	..	24	5·92	...	0·70	19*th*	5	0	0	...	...	1	1	5	3	5	6	14	4	13	12	0
...	...	...	...	...	14	3·41	...	0·83	12*th*	...	...	..	...	...	...	...	4	0	2	5	21	8	13	7	0
...	...	...	...	...	17	3·30	...	0·86	8*th*	...	...	...	...	...	...	...	11	3	3	5	9	7	12	12	0
...	...	...	...	...	14	1·18	...	0·18	5*th*, 22*nd*	...	...	...	...	...	...	...	5	5	14	0	6	5	12	13	0
...	...	...	...	...	18	3·23	...	0·65	1*st*	0	0	3	...	...	1	0	12	1	4	8	23	0	5	9	0
...	...	...	...	...	15	4·78	...	1·21	8*th*	0	0	0	...	...	3	0	4	3	4	0	27	7	17	0	0
...	...	...	...	...	10	2·93	...	0·72	11*th*	0	0	0	...	...	5	0	7	2	4	4	18	9	12	4	0
...	...	...	...	...	10	1·93	...	0·55	25*th*	0	0	0	...	...	5	0	7	1	12	3	18	3	15	3	0
...	...	...	...	...	20	5·11	...	1·04	12*th*	3	1	0	...	...	...	...	3	0	17	4	6	14	13	3	0
...	...	...	...	...	18	8·46	...	2·25	2*nd*	...	...	...	...	...	...	...	2	2	12	10	15	9	10	2	0
					200	**48·44**		**2·25**																	
38·6	1·1	·213	92	7·6	16	3·18	−1·41	0·70	8*th*	1	0	1	3	17	0	0	2	0	12	10	8	6	20	2	2
42·3	1·1	·246	92	6·6	20	6·46	+2·83	1·04	7*th*	0	0	0	2	8	0	0	0	2	8	4	10	10	22	0	0
40·9	1·2	·231	92	6·5	23	5·15	+2·01	0·79	13*th*	2	1	0	4	15	1	0	4	4	10	4	4	0	24	10	2
49·7	2·8	·288	81	5·8	15	3·33	+1·01	0·85	12*th*	0	0	0	9	13	1	0	2	2	10	4	0	10	24	8	0
50·2	2·6	·298	83	7·0	16	2·22	−0·30	0·60	3*rd*	0	0	0	6	19	2	0	4	2	2	4	6	2	26	16	0
57·5	3·1	·383	80	6·4	15	0·85	−1·72	0·15	7*th*	0	0	0	5	12	2	0	12	4	0	2	0	6	18	16	2
59·0	2·4	·424	86	7·0	18	2·82	−0·36	0·53	13*th*	0	0	0	3	12	0	0	2	0	4	8	12	8	12	16	0
59·5	2·5	·429	85	6·1	16	4·65	+0·53	1·17	8*th*	0	0	0	5	11	0	0	0	2	8	4	10	8	20	6	4
56·0	2·4	·381	85	5·3	11	1·86	−2·20	0·45	12*th*	0	0	0	6	9	0	0	0	2	10	4	4	8	20	8	4
48·4	0·8	·321	94	6·9	11	1·82	−3·17	0·84	25*th*	0	0	0	2	13	0	0	4	2	30	0	2	6	12	4	2
42·7	1·0	·252	92	5·9	20	4·89	−0·03	0·50	12*th*	1	2	2	7	11	2	0	2	0	16	6	2	4	20	6	4
39·2	0·9	·222	92	6·2	23	8·44	+3·54	1·67	30*th*	0	2	0	6	13	0	1	0	4	18	10	4	0	24	0	2
					204	**45·67**		**1·67**																	
38·9	1·9	·200	85	7·6	18	2·87	−0·73	0·54	5*th*	2	0	0	4	20	2	0	0	1	6	9	3	12	6	10	15
43·1	2·0	·235	84	8·7	25	3·48	+0·67	0·45	15*th*	0	0	0	2	21	1	0	0	0	5	6	6	25	8	1	5
40·3	1·9	·212	85	8·0	21	4·11	+1·68	0·48	15*th*	5	1	0	0	16	2	0	3	2	10	8	0	8	11	4	16
47·3	2·9	·259	80	...	13	1·87	−0·01	0·43	5*th*	0	4	1	...	...	0	0	0	2	3	1	6	15	12	4	17
49·1	3·3	·271	77	...	17	1·87	−0·38	0·40	4*th*	0	0	1	..	...	0	0	1	2	5	0	3	19	26	2	4
58·2	5·2	·340	70	...	9	0·35	−2·20	0·07	30*th*	0	0	0	...	...	0	0	0	13	10	0	2	22	11	2	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	.	...	...	...	...
58·9	3·0	·406	81	...	15	2·73	−0·75	0·58	8*th*	0	0	1	...	...	0	0	7	10	6	6	20	11	0	0	2
54·2	2·9	·340	81	6·2	10	1·22	−2·06	0·34	15*th*	0	0	1	1	9	0	0	2	8	7	2	2	20	11	0	8
49·0	1·6	·308	89	7·7	12	1·11	−2·42	0·44	25*th*	0	0	0	1	18	3	0	11	6	2	1	1	15	4	1	21
42·8	1·6	·240	88	...	23	4·02	+0·45	0·54	29*th*	2	1	1	...	...	4	1	4	9	3	1	8	20	0	0	15
...	...	...	...	...	17	4·86	+0·99	1·05	2*nd*	...	...	...	...	...	...	...	3	8	5	11	10	10	1	0	14

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Glasgow (The Observatory)—Prof. L. Becker, Ph.D., F.R.S.E.	184	Jan.	29·810	43·0	35·8	39·4	+1·0	53	25*th*	23	16*th*
		Feb.	29·217	47·6	39·2	43·4	+4·4	53	1*st*	33	27*th*
		Mar.	29·258	46·3	36·1	41·2	+0·7	55	31*st*	27	9*th*
		Apl.	29·736	55·6	41·8	48·7	+3·8	68	21*st*	36	15*th*
		May	29·821	55·6	44·3	50·0	0·0	67	17*th*	37	10*th*
		June	29·832	64·5	49·6	57·1	+1·3	78	17*th*	42	1*st*
		July	29·603	65·0	52·7	58·9	+0·9	76	21*st*	43	4*th*
		Aug.	29·728	65·2	52·6	58·9	+1·8	77	14*th*	49	8*th*, 18*th*
		Sept.	29·777	59·6	48·2	53·9	+0·7	71	2*nd*	36	21*st*, 22*nd*
		Oct.	29·799	54·2	45·2	49·7	+2·9	60	5*th*	34	15*th*
		Nov.	29·536	47·7	39·4	43·6	+1·3	56	8*th*, 9*th*	27	18*th*
		Dec.	29·186	42·5	34·9	38·7	−0·1	50	2*nd*	28	21*st*, 23*rd*, 24*th*
		Year	**29·609**			**48·6**		**78**		**23**	
Thorntonhall—A. Henderson Bishop.	440	Jan.	...	41·0	31·4	36·2	...	55	30*th*	21	16*th*
		Feb.	...	46·1	34·8	40·5	...	51	1*st*, 14*th*	29	25*th*, 27*th*
		Mar.	...	45·3	33·1	39·2	...	55	30*th*	25	9*th*
		Apl.	...	55·7	37·7	46·7	...	69	22*nd*	31	15*th*
		May	...	55·9	40·2	48·1	...	68	17*th*	31	12*th*
		June	...	64·2	45·6	54·9	...	77	17*th*	35	1*st*, 3*rd*
		July	...	64·7	48·8	56·8	...	78	21*st*	37	4*th*
		Aug.	...	65·8	48·6	57·2	...	79	14*th*	42	16*th*, 18*th*
		Sept.	...	60·6	44·5	52·6	...	73	2*nd*, 7*th*	30	21*st*
		Oct.	...	54·3	40·9	47·6	...	61	6*th*, 9*th*	28	29*th*
		Nov.	...	47·3	35·0	41·2	...	55	8*th*	20	18*th*
		Dec.	...	41·1	31·1	36·1	...	49	2*nd*	22	24*th*, 25*th*
		Year				**46·4**		**79**		**20**	
Bothwell—J. T. Wilson, M.D.	150	Jan.	...	...	...	...	...	...	...	...	...
		Feb.	...	48·3	36·6	42·5	+4·1	53	1*st*, 2*nd*, 5*th*	28	25*th*
		Mar.	...	47·1	34·0	40·6	+0·5	56	31*st*	25	9*th*
		Apl.	...	57·9	39·3	48·6	+3·8	74	22*nd*	31	15*th*
		May	...	56·7	42·6	49·7	−0·3	70	17*th*	33	10*th*
		June	...	64·4	48·5	56·5	+0·9	81	17*th*	39	1*st*, 3*rd*
		July	...	65·5	51·1	58·3	+0·1	80	21*st*	39	4*th*
		Aug.	...	65·9	51·3	58·6	+1·4	79	14*th*	43	8*th*
		Sept.	...	60·7	46·1	53·4	−0·3	73	2*nd*	32	21*st*
		Oct.	...	54·7	40·5	47·6	+0·3	59	5*th*, 9*th*	29	29*th*
		Nov.	...	47·8	36·7	42·3	+1·3	57	11*th*	24	18*th*
		Dec.	...	42·7	32·5	37·6	−1·0	49	2*nd*	23	21*st*, 24*th*, 25*th*
		Year						**81**			
Hamilton—J. Macaulay for the Duke of Hamilton and Brandon.	140	Jan.	...	42·0	31·8	36·9	...	52	25*th*, 30*th*, 31*st*	18	1*st*
		Feb.	...	47·8	35·6	41·7	...	53	1*st*, 5*th*, 14*th*	28	25*th*
		Mar.	...	46·9	33·5	40·2	...	57	30*th*	24	9*th*
		Apl.	...	56·4	38·3	47·4	...	72	21*st*	30	15*th*
		May	...	56·8	41·4	49·1	...	69	17*th*	32	10*th*, 12*th*
		June	...	65·0	47·0	56·0	...	78	17*th*	37	1*st*, 3*rd*
		July	...	66·7	50·1	58·4	...	80	21*st*	40	31*st*
		Aug.	...	66·9	49·8	58·4	...	81	14*th*	42	16*th*
		Sept.	...	62·1	46·4	54·3	...	74	2*nd*	30	21*st*, 29*th*
		Oct.	...	55·7	41·9	48·8	...	65	11*th*	28	29*th*
		Nov.	...	48·9	38·4	43·7	...	56	8*th*, 9*th*	22	18*th*
		Dec.	...	42·8	31·9	37·4	...	50	2*nd*	21	21*st*
		Year				**47·7**		**81**		**18**	

Hygrometer. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Cloud. Scale 0–10.	Rain, and other Forms of Precipitation. Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Day of Month.	Weather. Number of Days with— Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	Wind Directions. Number of Observations at 9 A.M. and 9 P.M. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·1	1·6	·208	87	8·7	18	3·12	−0·71	0·51	4*th*	2	1	0	0	25	1	0	5	6	12	6	4	12	14	3	0
42·9	1·9	·235	85	9·0	26	3·31	+0·17	0·38	15*th*	0	0	0	0	22	1	0	0	1	5	3	22	17	7	1	0
40·1	1·9	·210	85	7·2	23	4·72	+2·21	0·65	15*th*	5	1	0	0	16	2	0	5	4	10	3	7	10	21	2	0
47·3	2·9	·259	80	6·7	15	2·01	−0·12	0·45	5*th*	0	4	1	1	11	0	0	0	4	6	3	1	13	30	3	0
48·9	3·2	·271	79	8·7	17	1·68	−0·74	0·30	4*th*	0	0	1	0	21	0	0	5	7	5	0	2	12	29	2	0
56·4	4·5	·333	73	7·6	14	0·54	−2·18	0·15	20*th*	0	0	0	0	13	0	0	2	7	12	0	4	11	20	4	0
57·8	3·0	·391	82	8·4	15	2·97	−0·33	1·34	1*st*	0	0	2	0	20	0	0	0	8	11	6	4	9	18	3	3
57·6	2·7	·396	83	7·7	19	4·05	+0·04	0·76	8*th*	0	0	1	1	17	0	0	0	3	20	3	5	21	9	0	1
53·3	2·6	·336	82	7·4	12	1·97	−1·72	0·50	15*th*	0	0	1	0	15	0	0	0	5	10	0	2	14	21	5	3
48·8	1·6	·305	88	8·4	17	1·35	−2·39	0·52	25*th*	0	0	0	1	21	1	0	1	5	17	3	3	9	21	2	1
43·1	1·6	·244	87	8·7	24	4·51	+0·86	0·93	29*th*	2	1	1	0	20	5	0	3	12	10	3	3	17	9	3	0
38·3	1·5	·201	87	8·5	21	6·02	+1·89	1·33	2*nd*	6	1	2	0	20	4	1	2	5	17	5	6	14	8	5	0
					221	**36·25**		**1·34**																	
36·5	0·8	·200	93	7·7	18	3·62	...	0·68	24*th*	4	0	0	2	13	5	1	0	2	6	12	2	30	4	2	4
39·9	1·4	·218	89	7·0	24	4·51	...	0·69	22*nd*	1	0	0	0	7	2	1	0	2	0	4	16	34	0	0	0
38·4	1·4	·204	88	7·2	23	4·52	...	0·58	14*th*	6	0	0	0	11	2	0	2	4	8	0	4	14	16	8	6
47·6	3·3	·254	77	6·4	15	3·37	...	0·99	6*th*	0	0	1	4	10	0	0	0	2	2	4	2	34	8	6	2
48·3	2·9	·270	80	7·5	16	2·39	...	0·52	4*th*	0	0	2	1	12	0	0	2	8	2	0	4	18	22	6	0
56·5	4·0	·346	75	6·9	10	0·55	...	0·15	7*th*	0	0	0	2	10	0	0	4	14	2	0	4	22	12	2	0
58·5	3·0	·400	81	8·1	10	2·29	...	0·94	1*st*	0	0	0	0	15	0	0	0	8	6	6	6	16	4	12	4
57·4	1·8	·417	89	7·6	17	3·06	..	0·55	8*th*	0	0	0	1	15	0	0	0	16	0	4	4	34	0	0	4
53·4	1·7	·361	89	7·3	15	1·26	...	0·21	16*th*	0	0	2	1	12	0	0	0	12	0	0	2	18	2	10	6
47·7	1·3	·299	91	7·4	13	1·29	...	0·50	25*th*	0	0	0	0	13	0	0	0	8	12	4	4	14	14	12	4
40·8	1·0	·234	92	7·3	20	6·06	...	1·03	28*th*	1	0	0	2	13	2	0	0	16	4	6	0	20	6	6	2
36·4	1·0	·197	92	7·9	22	6·29	...	1·17	2*nd*	2	0	0	0	16	0	1	0	10	4	10	6	26	0	6	0
					203	**39·21**		**1·17**																	
...	...	...	...	...	15	2·28	−0·49	0·47	4*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	22	3·77	+1·65	0·49	15*th*, 17*th*	1	0	0	...	...	0	0	0	0	2	4	18	20	12	0	0
...	...	...	...	...	17	3·84	+1·83	0·49	14*th*	3	0	0	...	...	0	0	2	6	6	8	8	2	22	8	0
...	...	...	...	...	12	2·21	+0·44	0·65	6*th*	...	...	...	...	...	...	...	0	2	4	0	8	8	32	6	0
...	...	...	...	...	14	1·73	−0·05	0·30	5*th*	...	...	...	...	...	...	...	2	10	6	2	2	10	14	16	0
...	...	...	...	...	9	0·69	−1·22	0·22	23*rd*	0	0	0	...	...	0	0	0	4	14	2	0	4	28	8	0
...	...	...	...	...	12	2·87	+0·12	1·18	1*st*	0	0	1	...	...	0	0	0	2	12	2	20	4	12	10	0
...	...	...	...	...	15	2·72	−0·20	0·49	8*th*	0	0	1	...	...	1	0	0	10	8	8	4	16	14	2	0
...	...	...	...	...	11	1·17	−1·30	0·28	12*th*, 15*th*	0	0	1	...	...	0	0	4	4	10	0	2	10	22	8	0
...	...	...	...	...	13	1·25	−1·23	0·53	25*th*	0	0	0	...	...	2	0	6	4	4	6	12	2	18	8	2
...	...	...	...	..	21	3·93	+1·32	0·79	29*th*	1	0	0	...	...	2	0	0	14	2	12	0	14	12	6	0
...	...	...	...	...	19	5·56	+2·68	1·11	2*nd*	3	0	0	...	...	0	1	0	8	6	4	22	14	6	2	0
					180	**32·02**		**1·18**																	
37·9	1·6	·197	87	8·7	15	2·83	...	0·53	4*th*	...	...	...	...	...	...	...	0	0	2	16	2	16	2	14	10
41·5	1·6	·209	80	7·4	22	3·46	...	0·47	14*th*	0	0	0	0	11	1	2	0	0	0	18	0	26	0	12	0
39·5	2·0	·204	84	7·2	20	4·05	...	0·65	15*th*	3	0	0	0	14	0	1	0	0	0	18	2	14	2	24	2
49·1	4·0	·256	73	6·5	11	1·92	...	0·65	5*th*	0	0	0	0	10	0	0	0	0	0	18	0	22	0	20	0
49·7	3·4	·275	77	8·5	14	1·72	...	0·26	4*th*, 8*th*, 22*nd*	0	0	0	0	21	0	0	2	0	0	14	2	12	0	30	2
57·9	4·7	·348	72	7·6	7	0·54	...	0·12	23*rd*	0	0	0	0	14	0	0	0	0	4	16	0	2	2	32	4
59·8	4·0	·393	77	7·6	12	2·83	...	1·32	1*st*	0	0	2	0	16	0	0	0	0	0	32	4	4	0	22	0
59·2	3·6	·394	79	7·7	15	2·91	...	0·44	9*th*	0	0	1	0	17	0	0	0	0	0	22	0	14	0	26	0
55·1	3·4	·341	78	7·7	11	1·29	...	0·33	13*th*	0	0	1	0	16	0	0	0	0	2	22	0	12	0	24	0
48·3	2·0	·289	86	8·0	9	1·24	...	0·57	25*th*	0	0	0	0	18	2	0	0	0	2	30	0	0	0	26	4
42·4	1·7	·235	87	8·3	23	4·32	...	0·90	29*th*	1	0	0	0	19	3	1	2	0	0	16	0	10	2	20	10
37·4	1·2	·200	90	8·0	20	4·55	...	0·98	2*nd*	3	0	0	0	15	0	1	0	0	4	22	0	14	0	14	8
					179	**31·66**		**1·32**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Dungavel— J. Macaulay, for the Duke of Hamilton and Brandon.	800	Jan.	...	40·1	30·7	35·4	...	50	9*th*	21	16*th*
		Feb.	...	44·4	35·2	39·8	...	50	1*st*	31	7*th*, 25*th*
		Mar.	...	42·9	32·2	37·6	...	54	31*st*	25	9*th*, 11*th*
		Apl.	...	53·4	38·2	45·8	...	67	20*th*, 21*st*	32	9*th*
		May	...	52·8	39·6	46·2	...	63	15*th*	30	12*th*
		June	...	61·5	45·3	53·4	...	74	17*th*	34	1*st*
		July	...	...	...	...	...	...	...	...	...
		Aug.	...	...	...	...	...	...	...	...	...
		Sept.	...	...	...	...	...	...	...	...	...
		Oct.	...	52·4	41·1	46·8	...	58	6*th*, 9*th*	34	22*nd*, 29*th*
		Nov.	...	46·4	36·1	41·3	...	57	9*th*	24	15*th*, 17*th*
		Dec.	...	39·9	30·6	35·3	...	46	17*th*	21	22*nd*, 23*rd*
		Year									
Leadhills— J. M'Farlane, J.P.	1310	Jan.	...	39·0	28·9	34·0	+0·5	49	8*th*, 9*th*	15	16*th*
		Feb.	...	42·5	33·1	37·8	+3·9	48	1*st*, 14*th*	28	17*th*
		Mar.	...	41·1	30·0	35·6	0·0	53	31*st*	20	9*th*
		Apl.	...	53·0	36·5	44·8	+4·9	67	21*st*	31	26*th*
		May	...	52·3	37·5	44·9	−0·7	66	15*th*	27	12*th*
		June	...	61·6	45·4	53·5	+1·8	73	14*th*, 16*th*, 17*th*	32	1*st*
		July	...	62·6	48·7	55·7	+1·8	79	21*st*	43	25*th*, 29*th*, 31*st*
		Aug.	...	64·2	46·7	55·5	+2·8	80	14*th*	39	16*th*
		Sept.	...	57·7	44·0	50·9	+1·7	70	7*th*	30	21*st*, 29*th*
		Oct.	...	50·9	40·2	45·6	+2·9	60	6*th*	29	29*th*
		Nov.	...	45·4	34·6	40·0	+3·1	55	7*th*	20	18*th*
		Dec.	...	39·0	29·8	34·4	+0·5	45	2*nd*, 4*th*, 17*th*	20	23*rd*
		Year				**44·4**		**80**		**15**	
Bangour Village— D. Hendry, for John Keay, M.D.	584	Jan.	29·364	40·9	32·3	36·6	...	51	25*th*	20	7*th*
		Feb.	28·795	46·2	36·0	41·1	...	52	1*st*	26	19*th*
		Mar.	28·822	43·9	32·6	38·3	...	53	31*st*	23	9*th*, 10*th*
		Apl.	29·305	54·6	36·8	45·7	...	72	21*st*	30	4*th*, 15*th*
		May	29·380	54·3	40·5	47·4	...	68	17*th*	28	10*th*
		June	29·407	61·9	45·9	53·9	...	74	18*th*	36	1*st*
		July	29·179	63·8	48·4	56·1	...	77	21*st*	35	4*th*
		Aug.	29·303	63·5	48·5	56·0	...	72	14*th*	44	13*th*, 17*th*, 21*st*
		Sept.	29·346	58·8	44·3	51·6	...	72	2*nd*	30	29*th*
		Oct.	29·364	53·1	40·4	46·8	...	59	5*th*, 9*th*	29	10*th*
		Nov.	29·100	46·3	35·8	41·1	...	55	9*th*	23	17*th*, 18*th*
		Dec.	28·754	40·5	31·5	36·0	...	48	2*nd*	20	21*st*
		Year	**29·177**			**45·9**		**77**		**20**	
Edinburgh (Blackford)— Professor R. A. Sampson, F.R.S.	441	Jan.	29·539	42·3	34·5	38·4	+1·0	53	25*th*, 30*th*	25	1*st*
		Feb.	28·968	47·6	37·9	42·8	+4·1	54	28*th*	32	19*th*
		Mar.	28·989	45·3	35·4	40·4	+0·5	56	30*th*	28	9*th*
		Apl.	29·478	56·0	41·4	48·7	+5·2	70	21*st*	34	8*th*
		May	29·552	55·4	43·3	49·4	+1·4	70	17*th*	34	10*th*
		June	29·571	62·2	48·7	55·5	+1·5	74	30*th*	40	1*st*
		July	29·342	64·3	51·6	58·0	+1·3	80	21*st*	47	4*th*, 27*th*
		Aug.	29·474	64·3	52·4	58·4	+2·5	75	23*rd*	50	4*th*, 17*th*, 27*th*
		Sept.	29·510	60·3	48·4	54·4	+1·6	74	2*nd*	37	22*nd*
		Oct.	29·535	53·8	45·5	49·7	+3·7	60	3*rd*, 5*th*	38	19*th*
		Nov.	29·268	47·7	39·3	43·5	+2·4	56	8*th*, 9*th*	29	14*th*
		Dec.	28·929	42·9	35·0	39·0	+0·9	54	2*nd*	28	21*st*
		Year	**29·346**			**48·2**		**80**		**25**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
35·9	0·8	·196	93	...	18	4·60	...	0·84	24*th*	4	1	0	...	...	1	2	0	0	10	10	12	16	8	6	0
39·1	1·1	·217	91	...	25	5·57	...	0·70	22*nd*	6	1	0	...	...	0	2	0	0	4	10	18	10	14	0	0
37·3	1·2	·199	90	...	23	5·60	...	0·65	5*th*	13	0	0	...	...	0	1	4	2	12	6	10	10	16	2	0
47·0	3·1	·251	78	...	16	3·23	...	0·70	5*th*	6	2	0	...	...	0	0	4	2	16	4	12	8	12	2	0
46·7	2·3	·266	84	...	20	2·69	...	0·34	4*th*	0	1	0	...	...	1	0	4	2	18	0	4	10	22	2	0
54·6	3·0	·345	81	...	16	1·02	...	0·14	9*th*	0	0	1	...	...	0	0	0	0	24	0	6	8	12	10	0
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
47·0	1·1	·296	92	...	15	2·07	...	0·52	28*th*	1	0	0	...	...	0	0	0	0	16	0	16	6	20	4	0
40·3	1·1	·227	92	...	23	7·43	...	1·07	29*th*	4	1	0	...	...	1	3	6	2	18	6	8	10	10	0	0
34·9	0·9	·185	91	...	20	6·41	...	0·92	2*nd*	9	0	0	...	...	0	1	0	0	24	10	12	12	4	0	0
33·7	0·8	·178	91	...	17	4·48	...	0·79	5*th*	3	1	1	...	...	0	2	0	2	8	2	16	2	2	2	28
37·1	1·3	·195	88	...	26	10·84	...	1·48	20*th*	4	0	0	...	...	0	2	0	2	2	6	30	2	2	0	12
34·2	1·1	·176	88	...	25	8·29	...	1·11	13*th*	11	2	0	...	...	0	2	6	2	6	4	8	6	12	0	18
45·0	3·1	·231	77	...	15	3·93	...	0·85	9*th*	0	2	0	...	...	0	2	14	0	4	6	18	8	4	0	16
44·1	2·3	·239	82	...	16	3·41	...	0·49	4*th*	2	0	1	...	...	0	0	10	0	2	2	12	6	12	4	14
54·6	2·9	·347	81	...	16	1·76	...	0·51	17*th*	0	1	1	...	...	0	0	14	0	0	0	20	6	6	8	6
56·2	2·8	·372	82	...	13	2·69	...	0·85	1*st*	0	0	1	...	...	0	0	0	2	6	8	10	6	6	4	20
55·8	2·8	·367	82	...	16	6·81	...	1·29	9*th*	0	0	0	...	...	0	0	0	0	4	2	20	4	2	0	30
49·9	1·9	·310	87	...	14	2·68	...	0·50	16*th*	0	0	1	...	...	0	0	4	2	4	0	10	4	16	2	18
43·8	1·1	·261	92	...	9	2·72	...	1·09	12*th*	0	0	0	...	...	0	0	2	0	6	2	6	4	8	8	26
38·5	0·9	·215	92	...	23	8·11	...	0·94	29*th*	3	1	0	...	...	0	2	2	2	8	0	6	12	6	0	24
33·5	0·8	·175	91	...	20	11·71	...	2·00	4*th*	11	0	0	...	...	0	4	4	0	10	4	24	0	2	0	18
					210	**67·43**		**2·00**																	
36·4	1·2	·193	90	7·4	15	2·51	...	0·48	8*th*	6	0	0	0	9	1	0	0	9	2	10	0	13	18	10	0
40·5	1·3	·224	90	6·4	20	2·25	..	0·28	15*th*	4	1	0	1	2	0	0	0	0	1	3	1	38	8	5	0
37·4	1·4	·196	88	5·8	23	2·68	...	0·41	15*th*	5	1	0	3	6	1	1	1	6	3	5	1	11	16	19	0
44·8	1·7	·257	87	5·5	15	1·55	...	0·43	5*th*	1	2	1	4	2	1	0	0	3	1	7	0	13	28	8	0
46·8	2·0	·273	86	6·9	16	2·11	...	0·50	23*rd*	0	1	1	0	3	1	0	2	8	3	3	0	11	19	16	0
53·6	2·5	·342	83	6·9	15	0·87	...	0·21	9*th*	0	0	1	0	4	2	0	0	15	8	0	0	13	12	12	0
55·9	1·9	·392	88	7·3	14	2·82	...	0·56	1*st*	0	0	1	0	6	4	0	2	4	14	5	0	15	7	15	0
55·0	1·5	·389	90	7·0	19	2·27	...	0·56	8*th*	0	0	1	0	9	3	0	0	9	9	1	2	26	13	2	0
50·9	1·4	·338	91	6·2	15	0·87	...	0·16	8*th*, 16*th*	0	0	1	1	6	4	1	4	8	4	0	0	13	17	14	0
46·2	1·1	·287	93	7·1	13	1·56	...	0·38	25*th*	0	0	0	0	10	2	0	1	7	12	5	0	8	15	14	0
40·6	1·1	·230	91	6·5	21	3·63	...	0·40	30*th*	2	1	1	0	8	2	1	2	6	5	4	0	15	12	16	0
35·6	1·2	·187	89	6·4	21	3·89	...	0·53	3*rd*	7	0	0	0	8	0	4	2	5	4	7	1	23	10	10	0
					207	**27·01**		**0·56**																	
38·3	1·4	·203	88	6·8	16	2·12	+0·22	0·55	8*th*	3	0	0	1	13	4	5	1	3	3	9	12	13	15	3	3
42·4	1·7	·235	87	6·1	17	1·74	+0·09	0·21	14*th*, 17*th*	4	2	0	3	5	0	7	1	0	2	2	22	20	7	1	1
39·4	1·6	·210	87	5·6	19	2·84	+1·37	0·53	15*th*	8	3	0	1	6	0	1	1	5	1	4	10	13	22	5	1
47·8	3·0	·263	80	4·1	15	1·29	−0·22	0·37	5*th*	1	2	1	10	4	1	1	0	2	3	5	5	19	24	1	1
48·3	2·9	·270	80	6·3	13	1·93	+0·28	0·62	8*th*	0	0	1	0	6	0	1	3	5	5	3	5	9	26	5	1
54·8	3·6	·332	77	5·7	12	1·00	−0·91	0·27	9*th*	0	0	1	1	7	4	0	1	13	6	0	2	7	25	2	4
57·1	2·8	·384	82	6·8	11	2·35	−0·25	0·38	16*th*	0	0	2	0	8	5	0	4	7	12	6	4	5	21	2	1
56·7	2·5	·387	84	5·9	15	1·48	−1·24	0·29	28*th*	0	0	2	1	8	3	0	1	5	7	3	10	17	12	2	5
53·3	2·6	·336	82	5·9	8	0·57	−1·60	0·17	18*th*	0	0	1	3	4	4	0	1	2	4	6	6	7	21	7	6
49·0	1·7	·305	88	6·5	14	1·23	−1·24	0·33	25*th*	0	0	0	4	11	1	0	1	6	7	7	6	10	20	1	4
43·0	1·7	·240	86	5·9	18	2·62	+0·32	0·31	10*th*	1	0	1	1	6	6	6	1	6	6	3	5	15	16	5	3
38·0	1·7	·195	85	6·5	21	3·60	+1·36	0·56	3*rd*	7	2	0	1	12	5	5	2	2	9	6	11	14	10	3	5
					179	**22·77**		**0·62**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Edinburgh (University)—Professor T. Hudson Beare, F.R.S.E.	227	Jan.	...	43·9	35·6	39·8	...	54	25th, 30th, 31st	27	1st
		Feb.	...	48·6	38·5	43·6	...	56	28th	34	19th
		Mar.	...	46·5	36·3	41·4	...	58	30th	29	9th, 10th
		Apl.	...	57·3	42·5	49·9	...	71	21st	36	8th
		May	...	57·0	44·2	50·6	...	71	17th, 18th	35	10th
		June	..	63·9	50·1	57·0	...	75	30th	42	1st, 7th
		July	...	66·0	52·7	59·4	...	80	21st	48	27th, 31st
		Aug.	...	65·2	53·3	59·3	...	74	23rd	49	1st
		Sept.	...	60·7	49·3	35·0	...	75	2nd	39	22nd
		Oct.	...	53·5	46·4	50·0	...	62	8th	39	19th
		Nov.	...	48·3	40·0	44·2	...	57	8th, 9th	32	15th, 17th
		Dec.	...	43·4	35·8	39·6	...	51	2nd	30	20th, 21st, 29th
		Year				**47·5**		**80**		**27**	
Leith—J. Bolam.	76	Jan.	29·957	42·7	35·1	38·9	0·0	54	25th	26	1st
		Feb.	29·365	48·0	38·0	43·0	+3·3	55	1st, 28th	31	19th
		Mar.	29·372	45·8	36·5	41·2	−0·5	58	30th	29	9th
		Apl.	29·859	57·1	40·9	49·0	+3·8	70	22nd	35	4th
		May	29·936	57·0	43·9	50·5	+1·0	71	17th	33	10th
		June	29·956	63·1	49·9	56·5	+0·7	74	30th	41	1st
		July	29·725	64·8	52·1	58 5	0·0	80	21st	45	4th
		Aug.	29·853	64·5	52·8	58·7	+1·0	74	23rd	49	13th
		Sept.	29·902	60·0	48·3	54·2	−0·1	72	2nd	36	22nd
		Oct.	29·936	54·3	44·8	49·6	+2·2	62	5th	35	19th, 29th
		Nov.	29·659	48·5	39·4	44·0	+1·6	56	8th, 9th	30	15th 21st 22nd
		Dec.	29·325	42·5	35·2	38·9	−0 7	51	2nd	26	21st
		Year	**29·739**			**48·6**		**80**		**26**	
Dalkeith—J. Whytock, for the Duke of Buccleuch, K.G.	190	Jan.	...	44·1	34·6	39·4	+2·1	54	30th, 31st	26	7th
		Feb.	...	49·2	36·2	42·7	+4·7	54	1st, 28th	27	19th
		Mar.	...	46·7	33·9	40·3	−0·3	54	1st	26	10th
		Apl.	...	57·6	39·9	48·8	+3·0	74	21st	33	4th
		May	...	57·5	41·6	49·6	+0·2	71	17th	31	9th, 10th
		June	...	64·8	48·9	56·9	+1·1	73	29th	40	7th
		July	...	66·9	52·2	59·6	+1·6	80	21st	43	4th
		Aug.	...	65·4	50·3	57·9	+0·9	75	23rd	44	18th
		Sept.	...	62·4	46·0	54·2	+0·8	70	2nd, 8th, 10th	34	20th
		Oct.	...	56·0	42·7	49·4	+2·3	65	3rd	30	29th
		Nov.	....	48·9	37·2	43·1	+1·6	57	9th	28	17th, 21st
		Dec.	...	43·4	31·6	37·5	−0·8	52	2nd	22	21st
		Year				**48·3**		**80**		**22**	
Smeaton—R. Souter, for Sir A. Buchan-Hepburn, Bart.	100	Jan.	...	...	...	...	...	...	...	...	...
		Feb.	...	48·5	35·2	41·9	+3·7	54	2nd	27	14th, 19th
		Mar.	...	47·7	34·8	41·3	+0·3	59	31st	27	10th
		Apl.	...	...	39·6	...	...	...	...	33	15th
		May	...	...	43·2	...	...	...	...	34	10th
		June	...	...	48·5	...	...	...	...	39	1st, 7th
		July	...	67·3	51·9	59·6	+0·2	80	21st	43	4th
		Aug.	...	67·2	50·8	59·0	+0·9	79	23rd	42	17th
		Sept.	29·878	63·6	46·1	54·9	+1·0	77	2nd	33	22nd
		Oct.	...	54·6	43·2	48·9	+2·1	61	3rd, 7th	32	29th
		Nov.	....	47·2	37·3	42·3	+1·4	56	9th	29	15th, 17th
		Dec.	...	42·4	33·4	37·9	−0·3	50	2nd	25	21st, 25th
		Year									

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·0	2·1	·197	83	...	16	2·13	...	0·53	8*th*	2	0	0	...	...	2	3	0	6	0	12	6	26	4	8	0
42·4	2·5	·219	81	...	17	1·69	...	0·24	17*th*	4	0	0	...	...	1	4	0	0	0	2	12	36	2	0	4
40·3	2·3	·204	82	...	22	3·07	...	0·57	15*th*	8	1	0	...	...	0	0	0	8	0	8	2	16	18	8	2
50·1	4·7	·252	69	...	14	1·07	...	0·25	5*th*	1	2	1	...	...	1	0	0	0	2	4	0	24	18	0	12
50·4	4·0	·269	74	...	15	1·97	+0·05	0·57	8*th*	0	0	1	...	...	0	0	4	10	6	0	2	16	16	2	6
57·5	4·1	·356	75	...	13	0·92	−1·33	0·25	9*th*	0	0	1	...	...	1	0	2	18	0	0	0	20	10	2	8
59·2	4·0	·383	76	...	14	2·60	−0·11	0·40	31*st*	0	0	2	...	...	3	0	4	6	6	6	6	4	16	2	12
59·6	4·5	·376	74	...	18	1·78	−1·22	0·33	28*th*	0	0	2	...	...	1	0	2	8	10	2	2	28	4	0	6
55·3	4·1	·328	74	...	9	0·45	−1·94	0·14	18*th*	0	0	1	...	...	0	0	2	6	6	0	0	26	10	6	4
49·7	2·4	·297	84	...	17	1·53	−0·90	0·40	25*th*	0	0	0	...	...	1	0	...	...	...	...	...	...	...	...	...
44·4	2·3	·242	83	...	21	2·81	+0·56	0·36	10*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
39·0	2·0	·199	84	...	23	3·55	+1·27	0·67	13*th*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
					199	**23·57**		**0·67**																	
38·9	1·7	·204	87	7·1	15	2·15	+0·16	0·58	8*th*	2	0	0	5	18	1	0	2	6	6	8	2	12	24	0	2
42·1	1·9	·228	85	6·3	22	1·74	−0·03	0·18	14*th*, 17*th*	0	0	0	4	13	1	0	0	0	4	2	4	26	12	4	4
40·7	1·9	·215	85	6·6	22	2·83	+1·17	0·44	15*th*	3	0	0	7	18	1	0	0	4	6	4	4	6	30	6	2
50·0	3·7	·271	76	3·8	14	1·00	−0·76	0·27	5*th*	0	1	0	12	7	0	0	0	6	8	0	2	10	26	6	2
51·4	4·1	·299	74	7·6	16	2·05	+0·18	0·47	8*th*	0	0	0	2	10	0	0	6	12	6	2	0	8	22	6	0
57·3	4·1	·353	75	6·2	12	0·80	−1·20	0·18	9*th*	0	0	1	2	12	0	0	0	14	14	0	0	10	18	4	0
59·2	3·4	·400	80	8·0	11	2·29	−0·64	0·56	31*st*	0	0	2	3	11	0	0	0	12	14	2	2	0	18	10	4
59·5	3·5	·401	79	7·5	17	1·86	−1·14	0·33	28*th*	0	0	1	1	15	0	0	2	10	10	4	2	22	12	0	0
55·1	3·6	·336	77	5·8	9	0·45	−1·79	0·11	17*th*	0	1	0	4	7	0	0	4	6	8	0	2	10	22	2	6
49·9	2·1	·306	87	6·8	16	1·59	−1·00	0·45	25*th*	0	0	0	6	19	0	0	4	4	10	6	4	8	18	2	6
44·4	2·0	·248	85	5·2	22	2·78	+0·47	0·38	30*th*	1	0	1	...	...	3	0	2	4	8	2	2	18	20	4	0
39·1	1·7	·206	86	6·5	19	2·99	+0·70	0·65	13*th*	1	0	0	8	18	1	1	2	0	10	10	0	18	20	2	0
					195	**22·53**		**0·65**																	
38·5	1·8	·198	86	...	13	1·76	...	0·52	8*th*	2	0	0	...	...	0	1	4	2	1	4	6	17	28	0	0
42·3	2·2	·224	84	6·4	16	1·69	...	0·25	14*th*	1	1	0	0	7	0	2	0	0	2	1	11	31	11	0	0
39·8	2·0	·206	83	5·9	20	2·55	...	0·58	20*th*	2	0	0	1	5	0	0	0	1	0	5	9	26	19	2	0
49·1	4·3	·250	72	4·4	11	1·05	...	0·38	5*th*	0	1	1	6	5	0	1	0	0	0	1	13	15	30	1	0
49·7	3·3	·277	78	7·0	10	2·11	...	0·67	8*th*	0	0	1	0	8	0	0	1	3	1	4	17	31	5	0	0
56·6	3·7	·355	77	5·9	11	1·59	...	0·36	18*th*	0	0	1	0	7	0	0	9	5	5	3	8	19	10	1	0
58·9	3·3	·398	80	7·6	10	2·24	...	0·50	31*st*	0	0	2	0	11	0	0	0	1	0	1	13	28	16	3	0
58·0	2·6	·404	83	6·9	14	1·91	...	0·33	28*th*	0	0	0	2	10	0	0	0	0	0	1	13	20	28	0	0
54·7	3·1	·344	80	5·9	6	0·57	...	0·23	18*th*	0	0	1	1	3	0	1	1	3	0	1	14	22	19	0	0
49·0	1·7	·305	88	7·7	11	1·28	...	0·30	25*th*	0	0	0	1	15	0	0	3	0	6	7	9	15	20	2	0
...	...	...	...	6·5	13	2·63	...	0·45	15*th*	1	0	0	0	6	1	0	2	0	11	14	0	10	21	2	0
38·2	1·7	·197	86	5·8	20	3·56	...	0·60	3*rd*	1	0	0	6	9	1	1	0	2	10	4	8	24	13	1	0
					155	**22·94**		**0·67**																	
...	...	...	...	...	15	1·61	−0·19	0·50	8*th*	...	...	...	...	...	...		0	8	4	0	6	12	24	8	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	0	0	2	0	16	20	14	4	0
...	...	...	...	...	20	2·28	+0·73	0·47	20*th*	2	1	0	...	...	0	3	0	4	4	10	6	12	20	6	0
51·1	3·4	·291	77	...	11	0·63	−0·88	0·22	5*th*	0	0	0	...	...	0	2	2	2	4	4	10	14	20	4	0
...	...	...	...	...	12	1·90	+0·14	0·53	8*th*	0	1	1	...	...	0	0	2	8	2	0	12	10	28	0	0
...	...	...	...	...	13	1·90	+0·03	0·51	11*th*	0	1	3	...	...	0	0	0	10	12	0	16	6	16	0	0
...	...	...	...	...	11	2·49	−0·58	0·80	16*th*	0	0	1	...	...	0	0	0	4	28	0	6	2	20	2	0
...	...	...	...	5·2	12	2·60	−0·35	0·49	30*th*	0	0	1	3	6	0	0	0	0	14	0	8	12	28	0	0
...	...	...	...	4·6	4	0·61	−1·68	0·26	16*th*	0	0	0	5	4	0	1	0	0	10	4	0	6	36	4	0
...	...	...	...	6·6	11	1·90	−0·58	0·31	31*st*	0	0	0	0	13	0	1	0	0	12	10	2	0	36	2	0
...	...	...	...	...	23	3·31	+0·93	0·59	2*nd*	0	0	0	...	...	1	2	2	4	14	2	2	0	24	12	0
...	...	...	...	...	16	3·88	+1·86	1·19	13*th*	0	0	0	5	15	0	4	0	8	4	6	0	6	22	16	0

Stations and Observers' Names.	Height of Stations above Sea Level.	Months	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B.	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Marchmont—J. A. Wood.	500	Jan.	29·475	41·9	33·0	37·5	+0·7	50	9th, 31st	24	1st
		Feb.	28·940	47·1	35·4	41·3	+3·8	51	2nd, 6th, 15th	29	19th
		Mch.	28·923	46·2	33·5	39·9	+1·0	58	31st	24	10th
		Apl.	29·421	58·1	38·2	48·2	+4·4	74	28th	30	15th
		May	29·487	56·8	40·8	48·8	+0·7	72	17th	31	3rd
		June	29·500	64·4	45·9	55·2	+1·1	77	18th	37	1st, 2nd, 8th
		July	29·279	66·6	50·2	58·4	+1·5	82	21st	43	4th
		Aug.	29·419	66·7	49·2	58·0	+1·8	78	14th	43	17th
		Sept.	29·445	62·1	44·6	53·4	+1·2	76	2nd	30	22nd
		Oct.	29·474	54·4	41·9	48·2	+2·5	62	8th	32	28th
		Nov.	29·209	47·0	36·8	41·9	+2·0	55	9th	27	15th
		Dec.	28·865	42·4	32·3	37·4	+0·8	51	3rd	23	21st
		Year.	**29·286**			**47·3**		**82**		**23**	
Duns—P. Smith, for F. S. Hay.	500	Jan.	...	43·4	32·9	38·2	+1·3	52	31st	22	1st
		Feb.	...	48·2	34·3	41·3	+3·5	52	3rd	24	9th
		Mch.	...	46·0	33·4	39·7	+0·5	58	31st	25	10th, 11th
		Apl.	...	59·2	36·6	47·9	+3·8	73	28th	26	10th
		May	...	58·4	39·9	49·2	+1·0	72	17th	32	3rd, 10th, 11th
		June	...	66·7	44·6	55·7	+1·5	76	18th, 30th	37	7th
		July	...	67·6	50·3	59·0	+2·1	82	21st	44	4th
		Aug.	...	67·2	48·1	57·7	+1·7	79	14th	39	17th
		Sept.	...	62·7	43·9	53·3	+1·0	76	2nd	33	22nd, 30th
		Oct.	...	55·7	41·5	48·6	+2·9	61	3rd	34	27th, 29th
		Nov.	...	47·5	36·1	41·8	+1·7	56	7th, 9th	26	15th
		Dec.	...	42·7	31·5	37·1	+0·4	50	2nd	22	21st
		Year.				**47·5**		**82**		**22**	
West Linton—Rev. J. S. Begg.	770	Jan.	..	39·8	29·8	34·8	...	51	25th, 30th	10	1st
		Feb.	...	45·6	32·8	39·2	...	51	1st, 14th	22	25th
		Mch.	...	43·7	30·6	37·2	...	54	30th, 31st	17	11th
		Apl.	...	55·3	33·4	44·4	...	70	21st	25	19th
		May	...	54·6	38·2	46·4	...	67	17th	26	10th
		June	...	62·7	43·2	53·0	...	76	17th	32	1st
		July	...	64·3	45·8	55·1	...	80	21st	30	4th
		Aug.	...	64·1	45·4	54·8	...	77	14th	37	20th, 25th
		Sept.	...	59·1	40·2	49·7	...	71	2nd, 7th, 10th	22	22nd
		Oct.	...	53·0	39·5	46·3	...	57	5th, 9th, 23rd	25	19th
		Nov.	...	46·2	34·2	40·2	...	54	8th	18	21st
		Dec.	...	40·2	30·3	35·3	...	49	2nd	17	21st
		Year.				**44·7**		**80**		**10**	
The Glen—Alex. Black, for Lord Glenconner.	750	Jan.	...	41·5	32·4	37·0	+2·0	50	8th	17	7th
		Feb.	...	45·0	32·5	38·8	+2·6	50	28th	24	25th
		Mch.	28·665	44·2	32·2	38·2	+0·6	52	30th, 31st	23	10th, 11th
		Apl.	29·141	57·7	36·1	46·9	+4·6	75	21st	26	15th
		May	29·212	58·6	38·9	48·8	+1·0	73	15th, 17th	28	10th
		June	29·251	68·8	44·9	56·9	+2·5	84	17th	35	1st
		July	29·020	67·9	47·9	57·9	+1·5	85	21st	36	4th
		Aug.	29·150	69·2	47·5	58·4	+2·4	85	14th	40	17th
		Sept.	29·183	63·3	43·3	53·3	+1·6	78	2nd, 7th	29	21st
		Oct.	29·207	55·2	39·4	47·3	+2·3	64	7th	27	29th
		Nov.	28·926	47·4	33·3	40·4	+1·7	58	7th	22	17th, 21st
		Dec.	28·596	41·6	30·4	36·0	+0·2	46	17th	22	20th 22nd 25th
		Year.				**46·7**		**85**		**17**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·3	1·2	·199	90	7·0	17	1·96	−0·58	0·50	8*th*	2	0	0	5	16	0	1	11	7	10	1	5	10	14	4	0
40·8	1·6	·221	88	7·6	16	2·00	−0·33	0·38	15*th*	2	0	0	1	16	0	0	3	0	4	0	12	17	20	0	0
38·4	1·9	·195	85	6·0	20	3·47	+1·07	0·52	15*th*	3	3	1	4	10	0	0	9	4	8	3	2	7	23	6	0
48·4	4·7	·234	69	3·8	11	0·85	−1·41	0·20	5*th*	0	0	0	10	4	0	0	1	2	11	1	5	12	27	1	0
49·1	3·5	·267	76	6·6	10	2·06	−0·36	0·85	8*th*[1]	0	1	1	2	11	0	1	12	5	10	5	1	11	12	6	0
55·7	4·1	·333	75	5·6	9	2·27	−0·25	0·57	21*st*	0	0	4	4	7	0	0	8	2	22	2	3	4	18	1	0
58·2	3·8	·374	77	6·5	8	1·47	−1·87	0·54	31*st*	0	0	1	4	12	0	0	3	1	36	2	4	1	15	0	0
57·5	2·8	·392	82	6·0	13	2·17	−1·54	0·37	2*nd*	0	0	0	2	8	0	0	6	1	21	2	7	15	10	0	0
53·1	3·2	·319	78	4·8	10	0·95	−1·96	0·28	16*th*	0	0	0	7	8	1	0	11	1	9	0	0	14	22	3	0
48·2	1·7	·295	89	7·6	18	2·20	−1·34	0·60	25*th*	0	0	0	2	19	2	0	10	4	21	0	2	6	16	3	0
42·1	1·2	·242	90	7·2	26	4·41	+1·16	0·45	15*th*	2	0	0	2	14	0	1	8	3	12	0	3	10	22	2	0
36·7	1·2	·195	90	6·0	23	5·30	+2·30	1·18	12*th*	3	1	0	6	13	0	0	2	0	13	2	4	5	36	0	0
					181	**29·11**		**1·18**																	
37·9	1·4	·201	89	5·8	11	1·58	−0·88	0·60	8*th*	2	0	0	4	8	0	2	0	20	1	4	3	28	0	6	0
41·1	1·7	·227	83	...	11	1·70	−0·55	0·42	21*st*	...	...	...	...	...	...	...	0	2	0	5	3	42	3	1	0
38·8	1·7	·203	86	5·5	18	3·71	+1·45	0·50	15*th*	3	3	1	4	7	0	0	0	10	0	7	1	33	2	9	0
...	...	..	...	3·1	7	1·11	−1·07	0·29	5*th*	0	0	0	12	1	0	0	0	2	0	7	0	41	2	8	0
46·9	1·9	·276	87	5·7	9	1·83	−0·25	0·67	8*th*	0	1	1	2	4	0	0	0	9	0	10	3	30	0	10	0
...	...	...	...	..	8	2·77	+0·50	0·90	21*st*	0	0	1	...	...	0	0	6	12	3	9	0	25	0	5	0
56·6	2·3	·391	85	5·6	7	1·57	−1·49	0·47	31*st*	0	0	1	1	4	0	0	1	18	0	18	1	16	0	8	0
55·4	1·9	·385	88	5·2	12	1·72	−1·39	0·33	28*th*	0	0	0	1	5	0	0	5	8	3	18	7	20	0	1	0
52·3	1·9	·341	87	4·5	8	0·92	−1·93	0·29	16*th*	0	0	0	6	4	0	1	4	10	0	20	7	12	3	4	0
48·1	1·7	·294	88	7·3	14	2·23	−1·14	0·56	25*th*	0	0	0	1	15	0	0	8	13	2	8	8	16	2	5	0
41·7	1·1	·241	92	6·2	23	4·09	+1·10	0·55	15*th*	1	0	0	4	7	0	1	3	11	1	4	6	27	2	6	0
37·0	1·4	·193	88	5·4	21	5·38	+2·32	1·32	12*th*	3	0	0	7	7	0	1	3	17	1	5	5	27	3	1	0
					149	**28·61**		**1·32**																	
35·9	0·8	·196	93	8·5	19	3·65	...	0·70	4*th*	4	0	0	2	24	1	4	...	...	...	...	...	...	...	...	...
38·8	1·0	·217	92	5·8	23	3·17	...	0·39	12*th*, 15*th*	4	1	0	6	10	0	5	0	0	4	4	12	14	14	8	0
37·2	0·9	·204	92	7·3	23	4·03	...	0·74	15*th*	13	0	0	4	16	2	1	...	...	...	...	...	...	...	...	...
47·8	3·2	·258	78	5·3	14	2·07	...	0·57	5*th*	4	2	2	9	12	3	0	2	2	0	8	8	14	6	20	0
48·2	2·9	·268	80	7·2	16	2·85	...	0·90	8*th*	3	2	2	3	18	0	0	2	10	2	10	4	10	14	10	0
56·3	3·2	·364	80	6·7	19	1·62	...	0·41	8*th*	0	1	2	1	12	3	0	0	20	0	2	8	10	8	12	0
58·0	3·2	·388	80	7·8	14	2·29	...	0·50	2*nd*	0	0	1	1	16	5	0	0	6	12	10	12	4	10	8	0
57·0	2·7	·385	83	6·6	20	2·53	...	0·62	8*th*	0	0	1	2	14	5	0	0	0	10	6	26	16	4	0	0
52·4	1·5	·353	90	5·4	12	1·24	...	0·21	15*th*, 17*th*	0	0	2	8	12	1	1	2	2	2	8	4	10	30	2	0
46·7	0·8	·301	94	6·8	18	1·74	...	0·41	25*th*	0	0	0	5	17	6	0	0	12	4	10	12	10	10	4	0
40·4	1·1	·228	91	6·1	23	3·97	...	0·81	28*th*	3	2	1	5	12	3	2	2	12	2	2	4	8	10	10	10
35·8	1·0	·193	92	7·5	22	4·39	...	0·50	3*rd*	9	0	0	3	20	1	2	2	6	12	6	0	20	10	4	2
					223	**33·55**		**0·90**																	
38·0	1·9	·192	84	7·7	17	3·06	...	0·60	4*th*	3	0	0	0	18	0	1	4	5	7	3	6	7	23	7	0
40·5	2·0	·212	84	7·3	24	5·71	...	0·62	12*th*	5	1	0	0	12	0	4	0	0	1	1	13	17	20	4	0
38·3	1·9	·194	84	6·9	22	5·55	...	0·75	13*th*	11	0	0	0	13	0	3	6	3	2	4	9	7	22	9	0
46·8	2·9	·254	80	4·6	14	1·83	...	0·49	5*th*, 9*th*	1	1	0	0	4	0	1	2	5	4	3	7	18	13	8	0
48·0	3·0	·263	79	7·2	17	3·47	...	1·15	8*th*	3	1	0	0	14	0	0	5	9	7	2	4	7	16	12	0
55·9	4·3	·332	74	5·7	15	2·84	...	1·45	17*th*	0	0	1	0	8	0	0	11	10	4	1	4	6	15	9	0
57·8	3·6	·375	78	6·5	10	2·08	...	0·47	12*th*	0	0	1	0	11	0	1	6	0	2	7	16	7	11	13	0
56·4	3·6	·355	78	...	9	1·36	...	0·28	2*nd*	0	0	0	...	...	0	0	5	1	12	1	8	11	22	2	0
52·3	2·2	·334	85	...	9	1·12	...	0·27	17*th*	1	0	0	...	...	3	2	12	2	7	0	1	7	24	7	0
47·2	1·8	·282	88	6·1	13	1·30	...	0·35	24*th*	0	0	0	1	12	1	0	18	1	7	2	10	2	17	5	0
...	...	...	...	6·3	24	6·14	...	0·23	29*th*	2	0	0	0	8	0	3	11	13	12	0	8	2	24	0	0
35·7	1·2	·188	89	6·2	19	7·58	...	1·10	2*nd*	9	0	0	4	12	1	4	10	2	4	4	12	6	22	2	0
					193	**42·04**		**1·45**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°			
Broomlands— J. Brunton.	205	Jan.	...	41·6	33·6	37·6	+0·4	53	31*st*	21	1*st*
		Feb.	...	48·7	36·1	42·4	+4·3	54	14*th*	28	25*th*
		Mar.	...	47·3	34·6	41·0	+1·3	59	31*st*	25	10*th*
		Apl.	...	59·6	37·7	48·7	+3·7	74	21*st*	30	15*th*
		May	...	58·9	42·2	50·6	+1·1	73	17*th*	32	2*nd*, 10*th*
		June	...	66·8	46·7	56·8	+1·3	78	17*th*	37	1*st*, 3*rd*
		July	...	69·1	50·8	60·0	+2·0	84	21*st*	40	4*th*
		Aug.	...	68·3	49·5	58·9	+1·8	83	14*th*	41	8*th*
		Sept.	...	63·8	44·4	54·1	+0·8	77	2*nd*	31	13*th*, 21*st*, 30*th*
		Oct.	...	55·8	40·9	48·4	+1·9	63	3*rd*	29	29*th*
		Nov.	...	48·1	36·4	42·3	+1·6	58	7*th*	26	15*th*, 21*st*
		Dec.	...	43·0	32·6	37·8	+0·1	54	13*th*	23	20*th*
		Year				**48·2**		**84**		**21**	
Wolfelee— W. Steedman, for Major Elliot.	537	Jan.	...	41·5	32·4	37·0	+1·4	50	31*st*	18	7*th*
		Feb.	...	47·4	35·6	41·5	+4·9	51	15*th*	24	25*th*
		Mar.	...	46·2	32·5	39·4	+0·9	56	31*st*	21	10*th*
		Apl.	...	57·8	36·0	46·9	+3·7	70	21*st*, 22*nd*	27	15*th*
		May	...	58·3	39·7	49·0	0·0	78	18*th*	30	10*th*, 11*th*, 25*th*
		June	...	65·4	43·6	54·5	−0·4	75	19*th*	22	1*st*
		July	...	66·2	48·4	57·3	+0·4	81	21*st*	36	4*th*
		Aug.	...	66·2	48·3	57·3	+1·2	80	14*th*	40	17*th*, 20*th*
		Sept.	...	62·4	42·6	52·5	−0·1	75	7*th*, 8*th*, 11*th*	28	21*st*
		Oct.	...	54·8	39·7	47·3	+2·0	64	9*th*	25	29*th*
		Nov.	...	48·3	34·4	41·4	+1·4	55	9*th*, 10*th*	22	17*th*, 18*th*, 21*st*
		Dec.	...	42·6	31·4	37·0	+0·1	50	2*nd*	21	20*th*
		Year				**42·0**		**81**		**18**	
Eskdalemuir— The Meteorological Office.	778	Jan.	29·181	39·9	32·2	36·1	...	48	8*th*, 9*th*, 30*th*	23	1*st*, 7*th*
		Feb.	28·644	44·2	34·4	39·3	...	48	1*st*	22	25*th*
		Mar.	28·638	43·5	31·8	37·7	...	53	31*st*	19	10*th*
		Apl.	29·125	54·4	33·8	44·1	...	67	21*st*	25	15*th*
		May	29·184	54·0	38·5	46·3	...	67	15*th*	29	10*th*
		June	29·204	62·1	43·9	53·0	...	77	17*th*	30	1*st*
		July	28·982	63·8	47·8	55·8	...	79	21*st*	34	4*th*
		Aug.	29·117	63·4	47·2	55·3	...	79	14*th*	40	28*th*
		Sept.	29·157	58·8	42·6	50·7	...	71	10*th*	27	30*th*
		Oct.	29·162	52·4	39·5	46·0	...	58	8*th*	28	19*th*
		Nov.	28·922	45·7	35·4	40·6	...	54	9*th*	21	14*th*
		Dec.	28·582	40·5	31·8	36·2	...	47	2*nd*	22	19*th*
		Year	**28·992**			**45·1**		**79**		**19**	
Drumlanrig— D. Inglis, for the Duke of Buccleuch, K.G.	191	Jan.	...	43·5	31·7	37·6	0·0	51	31*st*	12	1*st*
		Feb.	...	47·6	35·0	41·3	+3·3	53	4*th*	24	25*th*
		Mar.	...	47·3	32·6	40·0	+0·3	57	31*st*	19	11*th*
		Apl.	...	58·1	37·1	47·6	+3·6	71	21*st*	26	15*th*
		May	...	57·2	40·4	48·8	−0·9	73	15*th*	30	10*th*, 26*th*, 27*th*
		June	...	66·7	46·1	56·4	+0·6	80	17*th*	35	1*st*, 7*th*
		July	...	67·5	49·6	58·6	+0·6	82	21*st*	34	4*th*
		Aug.	...	68·1	49·1	58·6	+1·8	81	14*th*	41	18*th*, 31*st*
		Sept.	...	62·5	44·8	53·7	+0·4	74	8*th*	28	21*st*, 30*th*
		Oct.	...	55·3	41·6	48·5	+1·7	62	6*th*	28	19*th*
		Nov.	...	48·9	37·0	43·0	+2·0	56	8*th*	19	18*th*
		Dec.	...	42·9	33·7	38·3	+0·3	49	2*nd*, 7*th*, 17*th*	23	22*nd*
		Year				**47·7**		**82**		**12**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.				Inch.	Inch.	Inch.																	
37·1	1·6	·190	86	7·1	13	1·35	−0·63	0·53	8*th*	1	0	0	0	11	0	1	0	2	16	6	2	36	0	0	0
40·2	1·8	·213	86	6·9	17	1·67	−0·10	0·38	15*th*	0	0	0	0	4	2	1	0	0	2	0	8	46	0	0	0
39·7	2·5	·196	80	7·1	18	2·29	+1·87	0·60	15*th*	..	0	0	0	6	0	0	0	4	12	0	6	34	6	0	0
50·5	4·6	·258	70	4·1	7	0·54	−1·18	0·14	2*nd*	0	0	0	6	1	0	0	0	0	14	0	4	36	6	0	0
51·7	4·3	·278	72	6·8	11	1·48	−0·36	0·30	11*th*	0	0	1	0	6	0	0	4	2	14	2	2	30	8	0	0
57·4	4·0	·357	75	6·3	11	1·97	−0·02	0·59	9*th*	0	0	3	1	6	0	0	2	2	24	0	6	16	8	0	2
60·7	3·0	·435	82	7·0	13	1·28	−1·54	0·40	31*st*	0	0	1	0	7	1	0	0	4	10	2	12	22	12	0	0
59·0	2·4	·424	86	6·1	12	1·35	−1·53	0·38	28*th*	0	0	0	2	6	0	0	0	4	8	0	4	42	4	0	0
54·4	2·0	·367	87	6·0	7	0·80	−1·62	0·25	17*th*	0	0	0	1	3	5	0	10	0	10	2	2	16	16	2	2
47·6	1·4	·295	90	7·1	16	1·68	−1·08	0·47	29*th*	0	0	0	0	11	4	0	0	2	12	2	4	16	16	0	10
42·1	1·0	·246	92	6·8	25	3·90	+1·36	0·58	30*th*	1	0	0	2	13	2	1	0	0	8	8	2	36	0	4	2
36·8	1·0	·199	92	6·6	23	5·74	+3·42	1·22	12*th*	0	0	0	0	8	1	4	0	2	12	4	4	36	2	0	2
					173	**24·05**		**1·22**																	
37·6	1·2	·292	90	8·0	19	3·17	−0·86	0·48	4*th*	3	0	0	0	18	1	4	0	7	0	5	13	28	7	2	0
41·8	1·5	·234	88	8·0	27	4·69	+1·62	0·71	14*th*	6	1	0	0	14	0	3	0	1	0	0	5	35	11	4	0
38·6	1·6	·203	87	6·7	25	3·75	+0·70	0·51	13*th*	8	1	1	0	11	0	0	1	8	0	1	3	33	10	6	0
46·8	3·9	·237	75	5·4	14	1·41	−1·08	0·34	10*th*	0	0	0	4	6	0	1	0	0	3	3	3	31	12	8	0
47·7	2·5	·272	82	7·2	18	2·41	−0·07	0·40	22*nd*	1	0	2	0	8	0	0	3	9	2	1	4	23	11	9	0
53·7	2·3	·349	85	7·0	13	2·74	+0·46	0·55	9*th*	0	1	4	0	9	0	0	2	15	1	0	0	24	10	8	0
...	...	...	...	7·9	16	2·38	−0·71	0·78	16*th*	0	0	3	0	11	0	0	3	5	2	0	11	23	3	15	0
56·0	2·5	·378	84	6·9	17	2·12	−1·29	0·35	8*th*, 29*th*	0	0	0	0	6	0	0	2	5	0	3	2	26	15	9	0
52·1	2·5	·324	83	6·1	13	1·04	−2·03	0·19	16*th*	0	0	0	1	4	1	1	4	6	2	5	2	12	22	7	0
47·0	1·3	·291	91	7·5	20	1·47	−2·50	0·33	25*th*	0	0	0	0	11	0	0	4	9	4	12	2	18	6	7	0
40·7	1.2	·229	90	7·3	24	5·37	+1·33	0·79	29*th*	1	1	0	0	14	0	1	2	5	2	6	2	24	12	7	0
37·0	1·3	·195	89	7·4	26	8·31	+4·04	1·04	25*th*	9	3	3	1	11	0	4	2	8	1	4	5	31	5	6	0
					232	**38·86**		**1·04**																	
36·3	1·2	·192	90	8·7	19	5·09	...	0·82	4*th*	2	0	0	1	22	0	3	3	8	4	3	9	18	4	2	11
39·1	1·0	·219	92	8·4	26	8·50	...	0·87	20*th*	5	3	0	0	20	2	5	0	1	1	4	24	15	1	0	10
36·9	1·4	·193	89	7·5	25	6·20	...	0·86	13*th*	10	3	0	1	16	1	2	3	7	1	3	11	11	11	3	12
44·5	3·1	·227	77	5·4	15	3·08	...	0·77	5*th*	0	3	0	8	9	0	0	2	3	1	3	8	21	10	2	10
46·5	2·8	·253	81	7·9	16	2·88	...	0·53	3*rd*	0	1	0	0	18	1	0	4	6	0	1	9	13	10	5	14
53·9	3·5	·321	77	6·7	14	1·59	...	0·50	17*th*	0	1	2	0	12	1	0	7	11	1	1	5	13	9	8	5
56·3	3·0	·369	81	7·9	14	3·24	...	1·02	1*st*	0	0	1	0	19	0	0	2	5	2	5	8	8	10	6	16
55·4	2·3	·374	86	7·0	18	6·52	...	1·59	8*th*	0	0	0	0	14	1	0	2	4	1	2	16	16	3	1	17
50·6	2·2	·313	85	6·1	15	3·53	...	0·81	8*th*	0	2	2	2	9	2	1	7	4	1	2	7	16	7	5	11
46·2	1·5	·278	90	7·2	15	1·80	...	0·59	25*th*	0	0	0	0	15	5	0	7	11	2	2	7	3	8	3	19
40·1	1·3	·221	89	7·2	23	7·94	...	1·86	29*th*	1	1	0	1	13	1	2	6	7	3	2	7	13	6	3	13
35·9	1·2	·190	90	7·7	21	7·87	...	1·18	4*th*	8	5	1	0	17	2	1	4	8	5	2	11	14	4	1	13
					221	**58·24**		**1·86**																	
37·3	0·9	·205	93	...	11	4·05	−1·14	0·74	24*th*	2	0	1	...	...	2	2	4	2	5	6	4	17	15	9	0
41·6	1·1	·240	92	...	22	8·83	+4·77	1·36	20*th*	5	2	1	...	...	1	1	0	0	0	11	4	19	18	4	0
39·4	1·5	·212	88	...	20	6·07	+3·15	1·02	13*th*	3	1	1	...	...	1	2	3	3	0	11	4	10	11	20	0
46·4	2·6	·257	83	...	12	2·54	+0·05	0·46	5*th*	0	1	0	...	...	0	0	6	3	4	14	7	4	13	9	0
48·5	3·1	·268	79	...	14	2·55	+0·15	0·69	4*th*	0	1	1	...	...	0	0	7	8	0	3	3	5	24	12	0
56·7	4·5	·336	72	...	5	0·42	−2·12	0·17	9*th*	0	0	2	...	...	0	0	10	0	0	1	0	2	16	31	0
58·4	3·5	·385	79	...	9	3·09	−0·28	1·21	31*st*	0	0	2	...	...	0	1	0	8	10	6	5	6	16	11	0
57·6	2·3	·407	85	...	14	4·80	+0·88	0·99	8*th*	0	0	0	...	...	1	0	0	11	3	4	3	10	22	9	0
52·5	2·3	·333	84	...	9	1·44	−2·44	0·36	16*th*	0	0	0	...	...	4	0	2	17	8	3	1	11	6	9	3
47·6	1·5	·293	90	...	8	2·55	−2·01	1·21	12*th*	0	0	0	...	...	5	0	0	3	15	3	1	4	16	18	2
41·7	1·3	·237	90	...	19	6·27	+1·72	0·83	29*th*	1	1	2	...	...	6	1	1	0	2	1	3	14	16	20	3
37·2	1·3	·196	88	...	15	6·78	+2·05	1·12	4*th*	7	1	1	...	...	2	2	4	0	6	20	6	6	8	9	3
					158	**49·39**		**1·36**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°			
Dumfries— C. C. Easterbrook, M.D., and E. Joss	155	Jan.	29·919	43·1	33·5	38·3	0·0	53	9*th*	21	1*st*
		Feb.	29·345	47·5	37·1	42·3	+3·2	51	1*st*	30	17*th*, 18*th*, 25*th*
		Mar.	29·354	46·8	34·8	40·8	−0·3	52	12*th*, 30*th*	28	9*th*, 10*th*
		Apl.	29·837	57·3	39·3	48·3	+2·3	70	21*st*	32	9*th*, 15*th*
		May	29·906	57·0	42·8	49·9	−1·5	71	15*th*	36	10*th*, 12*th*, 26*th*
		June	29·906	65·8	49·0	57·4	+0·5	79	17*th*	38	1*st*
		July	29·682	67·0	52·3	59·7	+0·6	82	21*st*	40	4*th*
		Aug.	29·807	67·2	51·7	59·5	+1·3	81	14*th*	46	16*th*, 28*th*
		Sept.	29·869	61·7	47·7	54·7	+0·1	77	10*th*	34	21*st*, 22*nd*, 30*th*
		Oct.	29·872	55·8	43·2	49·5	+2·0	62	6*th*, 8*th*	31	19*th*
		Nov.	29·628	48·8	38·5	43·7	+1·8	56	8*th*, 9*th*	27	18*th*
		Dec.	29·293	43·6	34·3	39·0	+0·2	50	2*nd*, 4*th*, 18*th*	26	20*th*
		Year	**29·702**			**48·6**		**82**		**21**	
Comlongon— W. H. Whellens, for A. H. Johnstone-Douglas.	74	Jan.	30·001	43·9	32·7	38·3	...	54	9*th*	20	1*st*, 7*th*
		Feb.	29·438	47·5	37·0	42·3	...	50	2*nd*, 4*th*, 24*th*	26	25*th*
		Mar.	29·431	47·1	33·9	40·5	...	55	31*st*	24	11*th*
		Apl.	29·919	57·6	37·7	47·7	...	72	21*st*	28	15*th*
		May	29·983	57·7	40·4	49·1	...	72	15*th*	34	12*th*, 26*th*
		June	29·986	...	46·5	...	...	...	...	36	1*st*
		July	29·758	...	49·2	...	...	...	...	41	31*st*
		Aug.	29·898	67·7	51·1	59·4	...	83	14*th*	44	7*th*, 8*th*
		Sept.	29·946	62·4	45·6	54·0	...	74	7*th*, 8*th*	30	22*nd*
		Oct.	29·959	56·7	41·5	49·1	...	61	6*th*, 8*th*	29	19*th*
		Nov.	29·711	48·2	36·1	42·2	...	56	4*th*, 9*th*	24	21*st*
		Dec.	29·367	44·3	32·5	38·4	...	51	2*nd*	23	24*th*
		Year	**29·783**							**20**	
Cargen— Colonel R. F. Dudgeon.	85	Jan.	29·979	43·3	33·0	38·2	−0·1	53	9*th*	19	1*st*
		Feb.	29·411	48·4	37·7	43·1	+4·0	52	1*st*, 5*th*	28	25*th*
		Mar.	29·419	47·8	34·7	41·3	+0·6	53	30*th*	27	9*th*, 28*th*
		April	29·907	58·4	38·4	48·4	+3·1	71	21*st*	31	15*th*
		May	29·964	58·4	43·5	51·0	+0·5	72	15*th*	34	26*th*, 27*th*
		June	29·972	66·7	48·3	57·5	+1·3	80	17*th*	36	1*st*
		July	29·753	68·3	54·0	61·2	+2·6	84	21*st*	37	4*th*
		Aug.	29·887	68·4	51·7	60·1	+2·4	82	14*th*	46	16*th*, 28*th*
		Sept.	29·946	63·9	47·5	55·7	+1·2	75	2*nd*	34	21*st*, 22*nd*
		Oct.	29·940	56·8	42·9	49·9	+2·6	64	8*th*, 9*th*	30	19*th*
		Nov.	29·707	48·9	38·1	43·5	+1·7	57	9*th*	25	21*st*
		Dec.	29·363	43·3	33·9	38·6	−0·2	50	2*nd*, 4*th*, 17*th*	26	20*th*, 23*rd*, 25*th*
		Year	**29·771**			**49·0**		**84**		**19**	
Cally— W. Thompson, for Colonel F. Murray Baillie.	120	Jan.	...	43·7	34·3	39·0	+0·3	52	9*th*	22	1*st*
		Feb.	...	47·4	37·8	42·6	+3·6	51	2*nd*	26	25*th*
		Mar.	...	47·5	34·4	41·0	+0·3	54	31*st*	25	11*th*
		Apl.	...	57·1	38·0	47·6	+1·8	69	21*st*	29	15*th*
		May	...	57·5	41·1	49·3	−1·1	70	15*th*	32	10*th*, 24*th*
		June	...	64·4	47·3	56·9	+1·2	76	14*th*, 15*th*	35	1*st*
		July	...	67·1	50·2	58·7	+0·6	83	21*st*	37	27*th*
		Aug.	...	67·3	49·7	58·5	+1·7	81	14*th*	43	22*nd*
		Sept.	...	63·2	45·1	54·2	+0·3	73	3*rd*	30	22*nd*
		Oct.	...	57·0	42·1	49·6	+2·2	64	6*th*	30	19*th*
		Nov.	...	49·2	37·0	43·1	+1·0	57	4*th*	24	18*th*
		Dec.	...	43·8	33·5	38·7	−0·6	50	2*nd*	24	25*th*
		Year				**48·3**		**83**		**22**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·4	1·5	·292	88	7·1	14	2·23	−1·27	0·52	4*th*	2	0	0	3	14	2	3	3	9	5	4	0	18	13	10	0
42·8	1·6	·240	88	7·0	25	4·18	+1·20	0·48	12*th*	3	0	0	2	13	1	3	1	1	1	3	5	38	5	2	0
39·8	1·7	·211	87	6·6	24	4·01	+1·47	0·67	13*th*	4	1	1	0	14	2	1	5	1	2	5	4	8	18	19	0
47·3	3·2	·252	78	4·1	14	1·31	−0·94	0·32	4*th*	0	0	0	11	3	0	0	0	5	2	9	3	19	11	11	0
49·3	3·1	·277	78	7·0	15	1·59	−0·73	0·43	3*rd*	1	1	0	1	13	0	0	5	2	3	5	1	9	25	12	0
56·7	4·1	·346	75	6·3	8	0·39	−1·97	0·13	9*th*	0	0	0	2	9	0	0	0	12	3	3	5	12	15	10	0
58·8	3·5	·391	79	6·7	14	2·52	−0·62	0·67	31*st*	0	0	3	1	9	0	0	0	0	0	11	8	14	11	18	0
58·5	2·8	·406	82	6·0	16	2·70	−1·29	0·79	25*th*	0	0	0	2	10	0	0	1	4	3	9	9	27	4	5	0
54·3	3·2	·334	79	4·5	10	1·18	−2·39	0·40	16*th*	0	0	1	3	4	0	1	5	0	1	8	8	18	6	14	0
48·5	1·9	·294	86	6·0	13	1·27	−2·39	0·76	25*th*	0	0	0	2	10	0	0	13	9	6	4	5	6	5	13	1
43·1	1·7	·241	86	5·9	19	3·99	+0·20	0·53	28*th*	2	0	0	4	7	1	1	1	14	6	4	2	22	2	9	0
38·6	1·4	·207	89	6·5	20	5·89	+1·70	0·73	25*th*	1	9	1	1	12	3	2	7	6	7	4	4	23	11	0	0
					192	**31·26**		**0·79**																	
38·4	1·0	·212	92	7·1	14	3·31	...	0·68	4*th*	2	0	0	2	16	0	2	8	8	9	3	5	14	2	1	12
42·9	1·3	·248	90	7·4	23	5·49	...	0·87	15*th*	2	0	0	2	15	0	0	0	3	1	7	15	13	0	1	16
40·6	1·4	·223	89	7·0	20	3·56	...	0·58	13*th*	1	0	0	0	15	2	0	3	4	3	3	4	16	1	8	20
47·5	2·7	·266	82	5·2	13	1·47	...	0·28	4*th*	0	2	1	10	8	0	0	1	17	2	3	1	21	0	4	11
49·8	2·7	·290	82	7·1	14	2·10	...	0·50	3*rd*	0	2	0	1	13	1	0	7	11	2	5	4	15	1	6	11
56·6	3·2	·367	79	6·2	7	0·62	...	0·25	20*th*	0	1	0	3	10	0	1	2	11	2	1	5	21	4	7	7
59·7	3·4	·408	80	6·8	12	3·23	...	0·65	1*st*, 31*st*	0	0	1	0	12	0	0	3	11	4	6	2	11	3	12	10
59·3	2·8	·418	83	5·5	14	3·89	...	1·53	8*th*	0	0	0	5	7	0	0	2	11	4	4	6	9	4	3	19
54·0	2·4	·350	84	4·0	9	1·83	...	0·67	16*th*	0	0	0	10	4	0	0	2	12	1	2	1	17	1	9	15
48·7	1·5	·306	89	6·1	9	1·17	—	0·64	25*th*	0	0	0	2	9	3	0	5	20	2	0	5	2	0	12	16
42·8	1·1	·251	92	5·8	18	5·05	...	0·62	27*th*	1	0	0	4	6	1	0	3	13	1	1	2	13	2	9	16
38·7	1·2	·212	91	6·2	18	5·39	...	0·92	25*th*	1	1	1	2	11	1	1	10	17	1	2	6	13	2	2	9
					171	**37·11**		**1·53**																	
38·9	1·4	·210	90	...	16	3·91	−0·71	0·95	24*th*	1	0	0	...	...	1	1	5	6	9	4	9	13	13	3	0
43·3	1·2	·254	91	...	27	7·45	+3·65	0·92	17*th*	2	0	0	...	...	1	0	0	1	4	3	23	19	6	0	0
41·2	1·7	·223	87	...	25	5·58	+2·37	0·96	13*th*	2	1	1	...	...	0	0	2	9	0	4	9	14	18	6	0
48·6	2·2	·290	85	...	16	2·11	−0·35	0·41	5*th*	0	2	0	...	...	0	0	0	0	3	4	15	21	12	5	0
50·4	2·0	·315	87	...	15	2·29	−0·28	0·54	3*rd*	0	1	1	...	...	0	0	0	4	6	1	12	16	13	10	0
58·6	2·8	·407	83	...	6	0·43	−2·12	0·15	9*th*, 20*th*	0	0	2	...	...	0	0	2	3	14	2	9	11	12	7	0
60·2	2·3	·447	86	...	16	2·81	−0·34	0·73	31*st*	0	0	3	...	...	0	0	0	2	6	4	13	12	15	10	0
59·7	2·5	·433	85	...	16	3·96	−0·09	1·05	8*th*	0	1	0	...	...	2	0	0	0	5	10	15	25	5	2	0
54·7	2·5	·358	83	...	12	2·00	−1·75	0·73	16*th*	0	0	1	...	...	1	1	2	0	9	7	10	13	14	5	0
48·9	1·3	·315	91	...	10	1·44	−3·00	0·83	25*th*	0	0	0	...	...	4	0	1	9	15	2	6	10	15	4	0
43·3	1·1	·256	92	...	17	6·11	+1·76	0·91	27*th*	1	2	1	.	...	0	1	3	5	16	4	1	18	5	8	0
38·9	1·0	·218	93	...	20	8·58	+3·66	1·22	4*th*	3	2	3	...	...	4	2	0	7	13	2	4	29	4	3	0
					196	**46·67**		**1·22**																	
39·4	1·4	·214	89	6·8	15	4·00	−0·84	1·18	4*th*	2	0	0	2	12	1	1	2	8	3	11	0	14	6	18	0
43·4	1·7	·245	87	7·0	22	5·37	+1·22	0·74	12*th*	2	4	0	0	10	1	2	2	3	6	14	0	10	3	18	0
41·0	1·9	·219	85	6·1	24	6·16	+2·45	0·66	13*th*	2	3	0	0	3	0	2	1	15	1	13	0	9	2	21	0
47·8	3·4	·254	77	4·3	13	1·62	−1·21	0·30	4*th*	0	1	0	6	2	0	0	2	6	1	16	3	7	1	24	0
49·6	3·1	·280	80	5·8	14	1·89	−1·03	0·49	3*rd*	0	0	0	...	..	0	0	0	10	2	19	2	11	0	18	0
57·2	4·1	·352	75	5·8	9	1·00	−2·04	0·30	20*th*	0	1	0	1	3	0	0	0	7	2	13	3	11	0	24	0
58·9	2·9	·408	82	6·2	18	3·13	−0·44	0·94	31*st*	0	0	1	0	7	0	0	2	2	0	6	5	15	2	30	0
58·7	3·0	·404	81	5·5	14	4·53	−0·19	1·00	8*th*	0	0	0	3	7	1	0	2	3	0	13	0	19	3	22	0
55·0	2·5	·362	84	5·2	10	1·51	−3·13	0·31	12*th*	0	0	0	2	2	1	0	2	12	1	2	4	14	3	22	0
49·7	2·0	·307	87	5·8	11	2·62	−2·18	1·01	25*th*	0	0	0	1	7	0	0	4	6	1	9	1	19	1	21	0
43·4	1·4	·251	89	6·5	20	6·69	+1·43	0·70	3*rd*, 11*th*	1	2	3	2	5	1	0	1	9	3	12	0	12	3	20	0
39·3	1·4	·213	89	6·0	23	6·72	+1·36	0·86	24*th*	1	4	1	2	9	0	2	5	15	3	13	0	1	2	23	0
					193	**45·24**		**1·18**																	

Ordnance Survey Office, Southampton, 1915.

Presented by

The Registrar-General for Scotland.

February 1916.

WELLCOME
LIBRARY
INSTITUTE